

Prepared by:
David Klockow
Truck Centers, Inc.
2000 CASSOPOLIS STREET
ELKHART, IN 46514
Phone: 574-262-3441
dklockow@truckcentersinc.com

A proposal for **SVO Group Inc.**

Prepared by **Truck Centers, Inc.**David Klockow

Jan 16, 2018

Freightliner M2 106 26,000 GVWR Hydraulic brake



Components shown may not reflect all spec'd options and are not to scale

Application Version 9.3.011 Data Version PRL-16M.007 SVO Group 26K Hyd 2018 CY

(Commercial Commercia	2742	 	 *
			1

01/16/2018 9:05 AM

Page 1 of 15



Prepared by:
David Klockow
Truck Centers, Inc.
2000 CASSOPOLIS STREET
ELKHART, IN 46514
Phone: 574-262-3441
dklockow@truckcentersinc.com

SPECIFICATION PROPOSAL

	Data Code	Description	Weight Front	Weight Rear
Vehicle	Configurat	ion		USA PROPERTY OF A PE
	001-172	M2 106 CONVENTIONAL CHASSIS	5,759	2.500
	004-219	2019 MODEL YEAR SPECIFIED	5,753	3,503
	002-004	SET BACK AXLE - TRUCK		
	019-002	STRAIGHT TRUCK PROVISION		
	003-001	LH PRIMARY STEERING LOCATION		
General	Service		THE STATE	
	AA1-002	TRUCK CONFIGURATION		
	AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
	A85-036	CHURCH/PRISON/ACTIVITY BUS		
	A84-1BU	BUS TRANSPORTATION BUSINESS SEGMENT		
	AA4-011	FIXED LOAD COMMODITY		
	AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
	AB1-008	MAXIMUM 8% EXPECTED GRADE		
	AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
	995-091	MEDIUM TRUCK WARRANTY		
	A66-99D	EXPECTED FRONT AXLE(S) LOAD: 10000.0 lbs		
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD: 16000.0 lbs		
things to come on	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 26000.0 lbs		
Truck Se	rvice			
	AA3-045	CHARTER/SHUTTLE/TRANSIT BUS		
	AE2-99D	EXPECTED TRUCK BODY WIDTH: 102.0 in		
,	AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES: 32.0 in		
Engine				
	AND THE RESERVE OF THE PARTY OF			《公司》,"以为"公司","公司",

Application Version 9.3.011 Data Version PRL-16M.007 SVO Group 26K Hyd 2018 CY

01/16/2018 9:05 AM

Page 2 of 15



Prepared by:
David Klockow
Truck Centers, Inc.
2000 CASSOPOLIS STREET
ELKHART, IN 46514
Phone: 574-262-3441
dklockow@truckcentersinc.com

Data Code	Description	Weight Front	Weight Rear
101-21X	CUM B6.7 300 HP @ 2600 RPM, 2600 GOV, 660 LB/FT @ 1600 RPM	7.5	riedi
Electronic Parame	ters	TAN MARK (P	
79A-078	78 MPH ROAD SPEED LIMIT		
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM		
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM		
79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM		
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH		
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND		
80C-001	ENGINE BRAKE WITH CRUISE CONTROL ENABLED AT 2 MPH ABOVE SET SPEED, 2 MPH INCREMENT BETWEEN BRAKING LEVELS		
80F-001	AUTOMATIC MAINTENANCE MONITOR WITH ALERT AT 5% OF INTERVAL REMAINING		
80G-002	PTO MINIMUM RPM - 700		
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH		
Engine Equipment		A STATE OF	
99C-017	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION		
99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL)		
13E-001	STANDARD OIL PAN		
105-001	ENGINE MOUNTED OIL CHECK AND FILL		
133-004	ONE PIECE VALVE COVER		
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER		
124-1E7	DR 12V 275 AMP 40-SI BRUSHLESS PAD ALTERNATOR WITH REMOTE BATTERY VOLTAGE SENSE	10	
292-1D8	(2) ALLIANCE MODEL 1131, GROUP 31, 12 VOLT MAINTENANCE FREE 1900 CCA THREADED STUD BATTERIES		
290-017	BATTERY BOX FRAME MOUNTED		
281-004	BATTERY JUMPERS WITH MEGA FUSE JUNCTION BLOCK (MFJB)	4	
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB		

Application Version 9.3.011 Data Version PRL-16M.007 SVO Group 26K Hyd 2018 CY

01/16/2018 9:05 AM

Page 3 of 15



Prepared by:
David Klockow
Truck Centers, Inc.
2000 CASSOPOLIS STREET
ELKHART, IN 46514
Phone: 574-262-3441
dklockow@truckcentersinc.com

Data Code	Description	Weight Front	Weight Rear	
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		- Trout	
289-001	NON-POLISHED BATTERY BOX COVER			
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2		
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR			
131-013	AIR COMPRESSOR DISCHARGE LINE			
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128-076	CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE GEOMETRY TURBO WITH ON/OFF DASH SWITCH	20		
016-101	RH INBOARD FRAME MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH HORIZONTAL TAILPIPE	-50	-50	
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			
239-001	STANDARD EXHAUST SYSTEM LENGTH			
237-052	RH STANDARD HORIZONTAL TAILPIPE			
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK	35	10	
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL		10	
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			
273-035	HORTON HT650 FRONTAL AIR ON/OFF ENGINE FAN CLUTCH			
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			
110-003	CUMMINS SPIN ON FUEL FILTER			
118-001	FULL FLOW OIL FILTER			
266-078	950 SQUARE INCH ALUMINUM RADIATOR			
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			

Application Version 9.3.011 Data Version PRL-16M,007 SVO Group 26K Hyd 2018 CY

provide MCMA has now many pages of the state of the state

01/16/2018 9:05 AM

Page 4 of 15



Prepared by:
David Klockow
Truck Centers, Inc.
2000 CASSOPOLIS STREET
ELKHART, IN 46514
Phone: 574-262-3441
dklockow@truckcentersinc.com

	Description	Front	Rear
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		
270-016	RADIATOR DRAIN VALVE		
168-002	LOWER RADIATOR GUARD		
138-010	PHILLIPS-TEMRO 750 WATT/115 VOLT BLOCK HEATER	4	
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
134-001	ALUMINUM FLYWHEEL HOUSING		
132-004	ELECTRIC GRID AIR INTAKE WARMER		
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH		
Transmission			
342-1MH	ALLISON 2200 PTS AUTOMATIC TRANSMISSION WITH PARK PAWL WITHOUT PTO PROVISION	Andria Radivica	
Transmission Equ			
343-301	ALLISON VOCATIONAL PACKAGE 354		
84B-016	ALLISON VOCATIONAL RATING FOR SHUTTLE BUS APPLICATIONS		
84C-003	PRIMARY MODE GEARS, 5 FORWARD GEARS WITH MANUAL SELECTION FOR 3, 2 AND 1		
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
345-074	DASH MOUNTED T-HANDLE CABLE SHIFT CONTROL WITH PARK POSITION FOR INTERNAL PARK PAWL		
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK		
346-001	TRANSMISSION OIL CHECK AND FILL		
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		
ront Axle and Equ	uipment		
400-1A6	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE		
402-054	BOSCH HYDRAULIC PIN-SLIDE DISC FRONT BRAKES		
Application Version 9.3 Data Version PRL-16M	.011		01/16/2018 9:05 AM



Prepared by:
David Klockow
Truck Centers, Inc.
2000 CASSOPOLIS STREET
ELKHART, IN 46514
Phone: 574-262-3441
dklockow@truckcentersinc.com

Data Code	Description	Weight Front	Weight Rear
403-002	NON-ASBESTOS FRONT BRAKE LINING		
419-004	FRONT DISC BRAKE ROTORS		
409-006	FRONT OIL SEALS		
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
536-050	TRW THP-60 POWER STEERING		
539-003	POWER STEERING PUMP		
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR		
40T-002	SYNTHETIC 75W-90 FRONT AXLE LUBE		
Front Suspension			
620-1F0	12,000# DUAL TAPERLEAF FRONT SUSPENSION		
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION	42	
629-007	HEAVY DUTY FRONT STABILIZER BAR		
410-001	FRONT SHOCK ABSORBERS		
Rear Axle and Equi	pment		
420-1C4	DETROIT DA-RS-17.5-2 17,500# L-SERIES SINGLE REAR AXLE		-167
421-513	5.13 REAR AXLE RATIO		
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
386-079	MXL 16T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	35	35
423-054	BOSCH HYDRAULIC PIN-SLIDE DISC REAR BRAKES		
433-002	NON-ASBESTOS REAR BRAKE LINING		
451-005	REAR DISC BRAKE ROTORS		
440-006	REAR OIL SEALS		
435-009	REAR AXLE MOUNTED AIR OPERATED DRUM PARK BRAKE		
41T-002	SYNTHETIC 75W-90 REAR AXLE LUBE		
Rear Suspension	是是有一种。1960年,在1962年来,1962年中的1962年中		
622-282	AIRLINER 18,000# REAR SUSPENSION		
621-007	AIRLINER HIGH POSITION RIDE HEIGHT		-20
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP		(4)
888-047	MANUAL DUMP VALVE FOR AIR SUSPENSION WITHOUT GAUGE		
Application Version 9.3.0 Data Version PRL-16M.0 SVO Group 26K Hyd 201	007		01/16/2018 9:05 AM Page 6 of 15



Prepared by:
David Klockow
Truck Centers, Inc.
2000 CASSOPOLIS STREET
ELKHART, IN 46514
Phone: 574-262-3441
dklockow@truckcentersinc.com

Page 7 of 15

Data Code	Description	Weight Front	Weight Rear	
87D-006	INDICATOR LIGHT FOR EACH REAR SUSPENSION CONTROL SWITCH		rieai	
910-004	DUAL AIR REAR SUSPENSION LEVELING VALVES			
623-002	TRANSVERSE CONTROL RODS			
439-004	REAR SHOCK ABSORBERS - ONE AXLE (AIR RIDE SUSPENSION)			
Brake System		SWEEDSTA		
018-003	HYDRAULIC BRAKE PACKAGE WITH OPTIONAL AIR SUPPLY	-20	-120	
490-032	WABCO HYDRAULIC 4S/4M ABS WITHOUT TRACTION CONTROL			
871-011	HYDRAULIC TUBING WITH NYLON AND FABRIC/WIRE BRAID CHASSIS AIR LINES	10	10	
904-009	NYLON PARKING BRAKE HOSE			
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	20		
479-012	AIR DRYER MOUNTED UNDER HOOD	20		
460-011	ONE STEEL AIR ACCESSORY RESERVOIR			
477-006	BW DV-2 AUTO DRAIN VALVE WITHOUT HEATER ON ALL TANK(S)			
485-003	QUICK DISCONNECT FITTING WITH TIRE INFLATION KIT	2		
Trailer Connections				
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT			
Wheelbase & Frame	TO WAR A STATE OF THE STATE OF	TATIVAL TO		
545-730	7300MM (288 INCH) WHEELBASE			
546-100	11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI	490	140	
552-019	3700MM (146 INCH) REAR FRAME OVERHANG			
55W-014	FRAME OVERHANG 146 INCH	440		
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 222.45 in	-110	470	
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 463.39			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE: 214.57			
FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 208.19 in			
553-001	SQUARE END OF FRAME			
Application Version 9.3.01	1 Shellist all Vall A Samuel and A Samuel an			
Data Version PRL-16M.00 SVO Group 26K Hyd 2018	07		01/16/2018 9:05 At	И
			Page 7 of 1	5



Prepared by:
David Klockow
Truck Centers, Inc.
2000 CASSOPOLIS STREET
ELKHART, IN 46514
Phone: 574-262-3441
dklockow@truckcentersinc.com

	Data Code	Description	Weight Front	Weight Rear
	550-001	FRONT CLOSING CROSSMEMBER		
	559-001	STANDARD WEIGHT ENGINE CROSSMEMBER		
	562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
	572-001	STANDARD REARMOST CROSSMEMBER		
	565-001	STANDARD SUSPENSION CROSSMEMBER		
Chass	is Equipment			
	556-1AR	THREE-PIECE 14 INCH CHROMED STEEL BUMPER WITH COLLAPSIBLE ENDS	30	
	558-001	FRONT TOW HOOKS - FRAME MOUNTED	15	
	574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE	13	
	586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS		
	551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
uel Ta	anks			
	206-192	50 GALLON/189 LITER RECTANGULAR ALUMINUM FUEL TANK - RH	80	20
	204-192	50 GALLON/189 LITER RECTANGULAR ALUMINUM FUEL TANK - LH	20	
	218-005	RECTANGULAR FUEL TANK(S)		
	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
	212-007	FUEL TANK(S) FORWARD		
	664-001	PLAIN STEP FINISH		
	205-001	FUEL TANK CAP(S)		
	122-1J2	DETROIT FUEL WATER SEPARATOR WITH WATER IN FUEL SENSOR AND HAND PRIMER	-5	
	216-020	EQUIFLO INBOARD FUEL SYSTEM		
	20E-003	AUXILIARY FUEL SUPPLY AND RETURN PORTS LOCATED ON LH AND RH FUEL TANKS		
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
ires	All Season			
	093-1G7	MICHELIN XZE2 275/80R22.5 14 PLY RADIAL FRONT TIRES	2	See Builder De Constitution
	094-1G7	MICHELIN XZE2 275/80R22.5 14 PLY RADIAL REAR TIRES		4
ubs			Mark Telephone	
- Committee of the Comm	418-045	CONMET PRESET IRON FRONT HUBS		
Applicat Data Ve	tion Version 9.3.01 ersion PRL-16M.00	77		01/16/2018 9:05 AM
0110 0	oup 26K Hyd 2018	201		



Prepared by:
David Klockow
Truck Centers, Inc.
2000 CASSOPOLIS STREET
ELKHART, IN 46514
Phone: 574-262-3441
dklockow@truckcentersinc.com

	Data Code	Description	Weight Front	Weight Rear
	450-045	CONMET PRESET IRON REAR HUBS		Tiou.
Wheels				
	502-1EF	ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PILOT 5.79 INSET ALUMINUM DISC FRONT WHEELS	-50	
	505-1EF	ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS		-100
	524-001	POLISHED FRONT WHEELS; OUTSIDE ONLY		
	525-001	POLISHED REAR WHEELS; OUTSIDE OF OUTER WHEELS ONLY		
	496-011	FRONT WHEEL MOUNTING NUTS		
	497-011	REAR WHEEL MOUNTING NUTS		
	498-011	NYLON WHEEL GUARDS FRONT AND REAR ALL INTERFACES		
Cab Exte	erior			
	829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB		
	650-009	RUBBER CAB MOUNTS		
	648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
	678-998	NO GRAB HANDLES		
	646-023	HOOD MOUNTED CHROMED PLASTIC GRILLE		
	65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE		
)	644-004	FIBERGLASS HOOD		
	590-007	HOOD LINER INSULATION WITH SINGLE FIREWALL INSULATION		
ā	727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK	4	
	726-002	DUAL ELECTRIC HORNS		
5	728-001	SINGLE HORN SHIELD		
(557-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME		
	75-001	REAR LICENSE PLATE MOUNT END OF FRAME		
:	312-038	INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL		
3	802-998	NO MARKER LIGHTS		
3	315-062	RECTANGULAR CLEAR FOG LIGHTS MOUNTED UNDER BUMPER	6	
3	11-001	DAYTIME RUNNING LIGHTS		

Application Version 9.3.011 Data Version PRL-16M,007 SVO Group 26K Hyd 2018 CY

A STATE OF THE STA

01/16/2018 9:05 AM

Page 9 of 15



Prepared by:
David Klockow
Truck Centers, Inc.
2000 CASSOPOLIS STREET
ELKHART, IN 46514
Phone: 574-262-3441
dklockow@truckcentersinc.com

	Data Code	Description	Weight Front	Weight Rear
	294-046	OMIT STOP/TAIL/BACKUP LIGHTS AND PROVIDE WIRING WITH SEPARATE STOP/TURN WIRES TO 4 FEET BEYOND END OF FRAME	The state of the s	-5
;	300-015	STANDARD FRONT TURN SIGNAL LAMPS		
	744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE		
	797-001	DOOR MOUNTED MIRRORS		
8 2	796-001	102 INCH EQUIPMENT WIDTH		
;	743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
	729-001	STANDARD SIDE/REAR REFLECTORS		
5	768-998	NO REAR WINDOW	-20	
(661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS	23	
(654-027	RH AND LH ELECTRIC POWERED WINDOWS, PASSENGER SWITCHES ON DOOR(S)	4	
(663-013	TINTED WINDSHIELD		
e	659-020	2 GALLON WINDSHIELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, FRAME MOUNTED		
Cab Inter	rior	The state of the s		
7	707-1AM	OPAL GRAY CLOTH INTERIOR		
C	055-002	INTERIOR CONVENIENCE PACKAGE		
7	706-016	MOLDED DOOR PANEL WITH UPPER VINYL INSERTS		
7	708-016	MOLDED DOOR PANEL WITH UPPER VINYL INSERTS		
7	772-006	BLACK MATS WITH SINGLE INSULATION		
7	785-004	DASH MOUNTED ASH TRAY(S) WITHOUT LIGHTER		
6	691-014	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS AND ADDITIONAL CENTER COMPARTMENT WITHOUT NETTING		
6	94-010	IN DASH STORAGE BIN		
6	93-003	PLASTIC MANIFEST BOX - LH DOOR		
7	42-007	(2) CUP HOLDERS LH AND RH DASH		
6	80-006	GRAY/CHARCOAL FLAT DASH		
	60-004	SMART SWITCH EXPANSION MODULE		
8				
	00-002	HEATER, DEFROSTER AND AIR CONDITIONER		

Application Version 9.3.011 Data Version PRL-16M.007 SVO Group 26K Hyd 2018 CY

01/16/2018 9:05 AM

Page 10 of 15



Prepared by:
David Klockow
Truck Centers, Inc.
2000 CASSOPOLIS STREET
ELKHART, IN 46514
Phone: 574-262-3441
dklockow@truckcentersinc.com

Data Code	Description	Weight Front	Weight Rear	
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			Same 2
689-803	PREP KIT FOR CUSTOMER INSTALLED AUXILIARY HEATER, PLUMBING FROM ENGINE TO BACK OF CAB WITH SHUTOFF VALVES			
170-015	STANDARD HEATER PLUMBING			
724-001	AUXILIARY HEATER PLUMBING			
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR			
702-002	BINARY CONTROL, R-134A			
739-034	PREMIUM INSULATION			
285-027	SOLID-STATE CIRCUIT PROTECTION AND FUSES WITH SPARE FUSE KIT			
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			
324-011	DOME DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF			
655-005	LH AND RH ELECTRIC DOOR LOCKS			
284-101	(1) 12V POWER SUPPLY (1) DUAL 2.1 AMP USB CHARGER IN DASH			
756-1D9	PREMIUM HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 3 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION, FORWARD AND REAR CUSHION TILT, ADJUSTABLE SHOCK ABSORBER	70		
760-1D9	PREMIUM HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH 3 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION, FORWARD AND REAR CUSHION TILT, ADJUSTABLE SHOCK ABSORBER	60	20	
759-006	DUAL DRIVER SEAT ARMRESTS AND INBOARD PASSENGER SEAT ARMREST	6		
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			
758-025	GRAY MORDURA CLOTH DRIVER SEAT COVER			
761-025	GRAY MORDURA CLOTH PASSENGER SEAT COVER			
763-101	BLACK SEAT BELTS			
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10		
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL			
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			

Instruments & Controls

732-003 WOODGRAIN DRIVER INSTRUMENT PANEL

Application Version 9.3.011 Data Version PRL-16M.007 SVO Group 26K Hyd 2018 CY

-	

01/16/2018 9:05 AM



Prepared by:
David Klockow
Truck Centers, Inc.
2000 CASSOPOLIS STREET
ELKHART, IN 46514
Phone: 574-262-3441
dklockow@truckcentersinc.com

and the second	Data Code	Description	Weight Front	Weight Rear	
	734-003	WOODGRAIN CENTER INSTRUMENT PANEL			
	870-001	BLACK GAUGE BEZELS			
	486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			
	840-007	SINGLE AIR PRESSURE GAUGE FOR HYDRAULIC BRAKES WITH AIR PROVISION			
	198-002	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS			
	721-003	PRECO 1040 87 DB TO 112 DB AUTOMATIC SELF-ADJUSTING BACKUP ALARM		3	
	149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL			
	156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			
	811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED			
	160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			
	844-001	2 INCH ELECTRIC FUEL GAUGE			
	148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE			
	856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
	864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			
	830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			
	852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			
	746-019	CUSTOMER FURNISHED DIN RADIO PACKAGE	5		
	747-001	DASH MOUNTED RADIO	-		
	750-002	(2) RADIO SPEAKERS IN CAB			
	753-008	AM/FM ANTENNA MOUNTED ON LH SIDE MIRROR			
	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			
	817-001	STANDARD VEHICLE SPEED SENSOR			
	812-001	ELECTRONIC 3000 RPM TACHOMETER			
	162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			

Application Version 9.3.011 Data Version PRL-16M.007 SVO Group 26K Hyd 2018 CY

01/16/2018 9:05 AM

Page 12 of 15



Prepared by:
David Klockow
Truck Centers, Inc.
2000 CASSOPOLIS STREET
ELKHART, IN 46514
Phone: 574-262-3441
dklockow@truckcentersinc.com

	Data Code	Description	Weight Front	Weight Rear
	329-007	ONE ON/OFF ROCKER SWITCH IN THE DASH WITH INDICATOR LIGHT WIRED TO JUNCTION BLOCK ON FRAME WITH MARKER LIGHT CIRCUIT, LABEL OPT	77011	near
	81Y-001	PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FLASH, WITH SMART SWITCH		
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
	304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH		
	882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
	299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE		
	298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS		
Design				
	065-000	PAINT: ONE SOLID COLOR		
Color				
	980-5F6	CAB COLOR A: L0006EB WHITE ELITE BC		
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
	963-003	STANDARD E COAT/UNDERCOATING		
Certific	ation / Comp	pliance		
	996-009	U.S. AND CANADA (DUAL CERTIFICATION)		
		The state of the s	MMARY	
Weight	t Summary			
		Weight	Weight	Total
	negocial production of the	Front	Rear	Weight
Factory Weight ⁺		6485 lbs	3753 lbs	10238 lbs

Application Version 9.3.011 Data Version PRL-16M.007 SVO Group 26K Hyd 2018 CY

Total Weight+

j	MET 14 104 1 201-20	

3753 lbs

6485 lbs

01/16/2018 9:05 AM

Page 13 of 15

10238 lbs



Prepared by:
David Klockow
Truck Centers, Inc.
2000 CASSOPOLIS STREET
ELKHART, IN 46514
Phone: 574-262-3441
dklockow@truckcentersinc.com

Extended Warranty

WAG-011 TOWING: 2 YEARS/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$550 CAP FEX APPLIES

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

Application Version 9.3.011 Data Version PRL-16M.007 SVO Group 26K Hyd 2018 CY

01/16/2018 9:05 AM

Page 14 of 15



Prepared by: David Klockow Truck Centers, Inc. 2000 CASSOPOLIS STREET ELKHART, IN 46514 Phone: 574-262-3441 dklockow@truckcentersinc.com

QUOTATION

M2 106 CONVENTIONAL CHASSIS

SET BACK AXLE - TRUCK CUM B6.7 300 HP @ 2600 RPM, 2600 GOV, 660 LB/FT @ 1600 RPM ALLISON 2200 PTS AUTOMATIC TRANSMISSION WITH PARK PAWL WITHOUT PTO PROVISION DETROIT DA-RS-17.5-2 17,500# L-SERIES SINGLE REAR AXLE AIRLINER 18,000# REAR SUSPENSION DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE

12,000# DUAL TAPERLEAF FRONT SUSPENSION 106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB 7300MM (288 INCH) WHEELBASE 11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI 3700MM (146 INCH) REAR FRAME OVERHANG

PER UNIT

TOTAL

VEHICLE PRICE	TOTAL # OF UNITS (1)	
EXTENDED WARRANTY		
DEALER INSTALLED OPTIONS		
CUSTOMER PRICE BEFORE TAX		
TAXES AND FEES		
TAXES AND FEES		
OTHER CHARGES		
TRADE-IN		
TRADE-IN ALLOWANCE		
DALANOS DUE		

BALANCE DUE

COMMENTS: Price is valid with all orders placed with requested delivery on or before 12/31/2018.

PURCHASER(S) AGREES TO THE FOLLOWING TERMS:

Purchaser accepts the Spec Sheet for the vehicle(s) described herein and agree(s) that it is complete, correct, and as ordered. X__ DEALER WARRANTY DISCLAIMER: TRUCK CENTERS, INC. ("DEALER") DISCLAIMS ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE. THE VEHICLE(S) DESCRIBED ABOVE IS/ARE SOLD "AS IS" BY DEALER. The vehicle(s) may or may not be covered by limited warranty (ies) provided by the manufacturer(s), but <u>Dealer makes NO warranties whatsoever.</u> X_ LIMITATION OF PURCHASER(S) DAMAGES: IN NO EVENT WILL TRUCK CENTERS, INC. ("DEALER") BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL OR PUNITIVE DAMAGES OF PURCHASER(S), INCLUDING WITHOUT LIMITATION, DAMAGES FOR LOSS OF USE, LOSS OF TIME, LOSS OF INCOME OR PROFIT, OR DAMAGE TO OR LOSS TO PROPERTY, OR COSTS OF USE OR REPLACEMENT, REGARDLESS OF WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, TORT OR OTHERWISE IN CONNECTION WITH THE SALE OF THE VEHICLE(S) DESCRIBED IN THIS VEHICLE PURCHASE ORDER DEALER'S LIABILITY HEREUNDER IS LIMITED TO THE "TOTAL ORDER PRICE" AS STATED ABOVE. X.

"The undersigned warrants having full authority to complete the order on behalf of the Purchaser(s)"

Signed:	Signed:	Title:
TRUCK CENTERS, INC (G.M. Approval)	PURCHASER	nue:
Number of chassis to be ordered:	P.O. #:	Date:
Application Version 9.3.011 Data Version PRL-16M.007		01/16/2018 9:05 AM
SVO Group 26K Hyd 2018 CY		Page 15 of 15