



Status Report

FALCON 900

S/N 075 C-GEOS

OWNER: ROMMEL AVIATION GP INC.
ADDRESS: C/O PARAMOUNT RESOURCES LTD.
CALGARY AB T2P 4K9
OFFICE:
FAX:

OPERATOR: SKYSERVICE BUSINESS
AVIATION INC.
ADDRESS: SKYSERVICE BUSINESS AVIATION
INC
CALGARY AB T2E 7G4
OFFICE: 403-592-3729
FAX: 403-769-1522

ANALYST: LAMEQA VOGT
EMAIL: LVOGT@CAMPSYSTEMS.COM

877-411-CAMP (2267) (OFFICE)
800-787-9749 (EFAX-CARDS)
631-588-3200 (OFFICE)
631-980-4222 (FAX)
WWW.CAMPSYSTEMS.COM

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT SERIAL/REGNO: 075/C-GEOS MODEL: FALCON 900 MANUFACTURER: DASSAULT AVIATION S.A.

CERTIFICATION DATE: 23-OCT-1989

LAST ACTUALS:
9831.2 A/C HRS as of 14-NOV-2023
4640 AFL as of 14-NOV-2023
5641.9 APH as of 03-OCT-2023

APU SERIAL/PART: P-183/3800188-1 MODEL: GTCP36-150(F) MANUFACTURER: HONEYWELL

INSTALLED ON: 27-MAY-2004

3160.5 APU HRS 4847.4 A/C HRS
0 APUS

LAST ACTUALS:
5641.9 APU HRS as of 03-OCT-2023
0 APUS as of 31-JUL-2021

ENGINE NO. 1 SERIAL/PART: P-97290C/3075330-3 MODEL: TFE731-5BR-1C MANUFACTURER: HONEYWELL

INSTALLED ON: 10-MAR-2014

7781.8 ENG. HRS 8005.9 A/C HRS
3851 ENC

LAST ACTUALS:
9625.87 ENG. HRS as of 13-OCT-2023
4644 ENC as of 11-NOV-2023

ENGINE NO. 2 SERIAL/PART: P-97289C/3075330-3 MODEL: TFE731-5BR-1C MANUFACTURER: HONEYWELL

INSTALLED ON: 19-JUN-2014

8005.9 ENG. HRS 8032 A/C HRS
3957 ENC

LAST ACTUALS:
9823.87 ENG. HRS as of 13-OCT-2023
4742 ENC as of 11-NOV-2023

ENGINE NO. 3 SERIAL/PART: P-97291C/3075330-3 MODEL: TFE731-5BR-1C MANUFACTURER: HONEYWELL

INSTALLED ON: 20-JUN-2012

7478.7 ENG. HRS 7663.6 A/C HRS
3696 ENC

LAST ACTUALS:
9665.07 ENG. HRS as of 13-OCT-2023
4637 ENC as of 11-NOV-2023
0 (AFL) as of



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN              | Unit  | C/W | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition              |        |
|----------------------|---|-----|----------|----------|---------------------------|-----------|-----------|--------------------------|--------|
| ATA 00 - INFORMATION |   |     |          |          |                           |           |           |                          |        |
| 6892-161220          | REVIEW MPD CHAPTER 5 REVISION 7   |     |          |          |                           |           |           | Service                  | ATA:00 |
|                      | MOS/MSC   | EFF | -        |          |                           |           |           | REQUIREMENT CHANGE FORMS |        |
|                      | HRS   |     |          |          |                           |           |           |                          |        |
|                      | AFL   |     |          |          |                           |           |           |                          |        |
|                      | PROC. REF: AMM GENERIC 2, RCF 6892  |     |          |          |                           |           |           |                          |        |
| 6892-170901          | REVIEW MAINTENANCE PLANNING DOCUMENT CHAPTER 5 REVISION 8-01 DATED SEPTEMBER 2017 |     |          |          |                           |           |           | Service                  | ATA:00 |
|                      | MOS/MSC   | EFF | -        |          |                           |           |           | REQUIREMENT CHANGE FORMS |        |
|                      | HRS   |     |          |          |                           |           |           |                          |        |
|                      | AFL   |     |          |          |                           |           |           |                          |        |
|                      | PROC. REF: RCF 6892   |     |          |          |                           |           |           |                          |        |
| 6892-170901A         | REVIEW FALCON 900B MAINTENANCE MANUAL 5-40 REVISION 23 - SEPTEMBER 2017           |     |          |          |                           |           |           | Service                  | ATA:00 |
|                      | MOS/MSC   | EFF | -        |          |                           |           |           | REQUIREMENT CHANGE FORMS |        |
|                      | HRS   |     |          |          |                           |           |           |                          |        |
|                      | AFL   |     |          |          |                           |           |           |                          |        |
|                      | PROC. REF: RCF 6892   |     |          |          |                           |           |           |                          |        |
| 6892-180322          | REVIEW DOCUMENT DISCREPANCIES 1-307191003 AND 1-303915014                         |     |          |          |                           |           |           | Service                  | ATA:00 |
|                      | MOS/MSC   |     | -        |          |                           |           |           | REQUIREMENT CHANGE FORMS |        |
|                      | HRS   |     |          |          |                           |           |           |                          |        |
|                      | AFL   |     |          |          |                           |           |           |                          |        |
|                      | PROC. REF: RCF 6892   |     |          |          |                           |           |           |                          |        |
| 6892-180405          | REVIEW FALCON 900 MPD DOCUMENT DISCREPANCY 1-310597778 CHANGES                    |     |          |          |                           |           |           | Service                  | ATA:00 |
|                      | MOS/MSC   |     | -        |          |                           |           |           |                          |        |
|                      | HRS   |     |          |          |                           |           |           |                          |        |
|                      | AFL   |     |          |          |                           |           |           |                          |        |
|                      | PROC. REF: RCF 6892   |     |          |          |                           |           |           |                          |        |
| 6892-180406          | REVIEW FALCON 900B MPD DOCUMENT DISCREPANCY 1-311875774                           |     |          |          |                           |           |           | Service                  | ATA:00 |
|                      | MOS/MSC   |     | -        |          |                           |           |           |                          |        |
|                      | HRS   |     |          |          |                           |           |           |                          |        |
|                      | AFL   |     |          |          |                           |           |           |                          |        |
|                      | PROC. REF: RCF 6892   |     |          |          |                           |           |           |                          |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN              | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition              |        |
|----------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|--------------------------|--------|
| ATA 00 - INFORMATION |   |           |          |          |                           |           |           |                          |        |
| 6892-220901          | REVIEW MAINTENANCE PLANNING DOCUMENT (MPD) REVISION 13 - SEPTEMBER 2022 |           |          |          |                           |           |           | Service                  | ATA:00 |
|                      | MOS/MSC   | 09-Nov-22 | -        |          |                           |           |           | REQUIREMENT CHANGE FORMS |        |
|                      | HRS   |           |          |          |                           |           |           |                          |        |
|                      | AFL   |           |          |          |                           |           |           |                          |        |
|                      |   |           |          |          | PROC. REF: RCF 6892       |           |           |                          |        |
| A009-170607          | APU - REVIEW GTCP36-150(F) MM REV 7                                     |           |          |          |                           |           |           | Service                  | ATA:00 |
|                      | MOS/MSC   | EFF       | -        |          |                           |           |           | REQUIREMENT CHANGE FORMS |        |
|                      | HRS   |           |          |          |                           |           |           |                          |        |
|                      | APUS  |           |          |          |                           |           |           |                          |        |
|                      |   |           |          |          | PROC. REF: RCF A009       |           |           |                          |        |
| A009-171115          | APU - REVIEW GTCP-150(F) EMM TR 49-42                                   |           |          |          |                           |           |           | Service                  | ATA:00 |
|                      | MOS/MSC   | EFF       | -        |          |                           |           |           | REQUIREMENT CHANGE FORMS |        |
|                      | HRS   |           |          |          |                           |           |           |                          |        |
|                      | APUS  |           |          |          |                           |           |           |                          |        |
|                      |   |           |          |          | PROC. REF: RCF A009       |           |           |                          |        |
| A009-180112          | APU - REVIEW HONEYWELL GTCP 36-150(F) APU-49 SIL REV 10                 |           |          |          |                           |           |           | Service                  | ATA:00 |
|                      | MOS/MSC   | EFF       | -        |          |                           |           |           | REQUIREMENT CHANGE FORMS |        |
|                      | HRS   |           |          |          |                           |           |           |                          |        |
|                      | APUS  |           |          |          |                           |           |           |                          |        |
|                      |   |           |          |          | PROC. REF: RCF APU-SIL-49 |           |           |                          |        |
| E006-170921          | NO. 1 ENGINE - REVIEW SB TFE731-72-3263 REV 16                          |           |          |          |                           |           |           | Service                  | ATA:00 |
|                      | MOS/MSC   | EFF       | -        |          |                           |           |           | REQUIREMENT CHANGE FORMS |        |
|                      | HRS   |           |          |          |                           |           |           |                          |        |
|                      | ENC   |           |          |          |                           |           |           |                          |        |
|                      |   |           |          |          | PROC. REF: RCF E006       |           |           |                          |        |
| E006-170921          | NO. 2 ENGINE - REVIEW SB TFE731-72-3263 REV 16                          |           |          |          |                           |           |           | Service                  | ATA:00 |
|                      | MOS/MSC   | EFF       | -        |          |                           |           |           | REQUIREMENT CHANGE FORMS |        |
|                      | HRS   |           |          |          |                           |           |           |                          |        |
|                      | ENC   |           |          |          |                           |           |           |                          |        |
|                      |   |           |          |          | PROC. REF: RCF E006       |           |           |                          |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit   | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition              |                                       |
|--|--|-----------|------------|----------|---------------------------|-----------|--------------|--------------------------|---------------------------------------|
| <b>ATA 00 - INFORMATION</b>                    |  |           |            |          |                           |           |              |                          |                                       |
| E006-170921                                    | NO. 3 ENGINE - REVIEW SB TFE731-72-3263 REV 16 |           |            |          |                           |           |              | Service                  | ATA:00                                |
|  | MOS/MSC  | EFF       | -          |          |                           |           |              | REQUIREMENT CHANGE FORMS |                                       |
|  | HRS  |           |            |          |                           |           |              |                          |                                       |
|  | ENC  |           |            |          |                           |           |              |                          |                                       |
|  |  |           |            |          |                           |           |              | PROC. REF: RCF E006      |                                       |
| <b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b> |  |           |            |          |                           |           |              |                          |                                       |
| 05-08-00-200-800-05                            | 12 M/800 FH INSPECTION                         |           |            |          |                           |           |              | Package                  | ATA:05                                |
|  | MOS  | 09-Nov-23 | 12 (+1m)   |          | 09-Nov-24                 | 09-Dec-24 | 354 d (+30)  |                          |                                       |
|  | HRS  | 9831.2    | 800 (+40)  |          | 10631.2                   | 10671.2   | 800 (+40)    |                          |                                       |
|  | AFL  | 4640      |            |          |                           |           |              |                          |                                       |
|  | Special Properties: TRACKED ITEM               |           |            |          |                           |           |              |                          | PROC. REF: MPD 05-10-00, MPD 05-10-00 |
|  |  |           |            |          |                           |           |              | PKG:5                    |                                       |
| 05-08-00-200-800-06                            | 24 M/1600 FH INSPECTION                        |           |            |          |                           |           |              | Package                  | ATA:05                                |
|  | MOS  | 16-Nov-22 | 24 (+1m)   | Adj -4d  | 12-Nov-24                 | 12-Dec-24 | 357 d (+30)  |                          |                                       |
|  | HRS  | 9596.5    | 1600 (+40) |          | 11196.5                   | 11236.5   | 1365.3 (+40) |                          |                                       |
|  | AFL  | 4562      |            |          |                           |           |              |                          |                                       |
|  | Special Properties: TRACKED ITEM               |           |            |          |                           |           |              |                          | PROC. REF: MPD 05-10-00               |
|  |  |           |            |          |                           |           |              | PKG:6                    |                                       |
| 05-08-00-200-800-07                            | 36 M/2400 FH INSPECTION                        |           |            |          |                           |           |              | Package                  | ATA:05                                |
|  | MOS  | 09-Nov-23 | 36 (+1m)   |          | 09-Nov-26                 | 09-Dec-26 | 1084 d (+30) |                          |                                       |
|  | HRS  | 9831.2    | 2400 (+40) |          | 12231.2                   | 12271.2   | 2400 (+40)   |                          |                                       |
|  | AFL  | 4640      |            |          |                           |           |              |                          |                                       |
|  | Special Properties: TRACKED ITEM               |           |            |          |                           |           |              |                          | PROC. REF: MPD 05-10-00               |
|  |  |           |            |          |                           |           |              | PKG:7                    |                                       |
| 05-08-00-200-800-15                            | 12 M INSPECTION                                |           |            |          |                           |           |              | Package                  | ATA:05                                |
|  | MOS  | 09-Nov-23 | 12 (+1m)   |          | 09-Nov-24                 | 09-Dec-24 | 354 d (+30)  |                          |                                       |
|  | HRS  | 9831.2    |            |          |                           |           |              |                          |                                       |
|  | AFL  | 4640      |            |          |                           |           |              |                          |                                       |
|  | Special Properties: TRACKED ITEM               |           |            |          |                           |           |              |                          | PROC. REF: MPD 05-10-00               |
|  |  |           |            |          |                           |           |              | PKG:15                   |                                       |
| 05-08-00-200-800-16                            | 24 M INSPECTION                                |           |            |          |                           |           |              | Package                  | ATA:05                                |
|  | MOS  | 16-Nov-22 | 24 (+1m)   | Adj -4d  | 12-Nov-24                 | 12-Dec-24 | 357 d (+30)  |                          |                                       |
|  | HRS  | 9596.5    |            |          |                           |           |              |                          |                                       |
|  | AFL  | 4562      |            |          |                           |           |              |                          |                                       |
|  | Special Properties: TRACKED ITEM               |           |            |          |                           |           |              |                          | PROC. REF: MPD 05-10-00               |
|  |  |           |            |          |                           |           |              | PKG:16                   |                                       |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                 | Unit            | C/W       | Interval   | TSX/Adj.                | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition    |
|---|-----------------|-----------|------------|-------------------------|---------------------------|-----------|--------------|----------------|
| ATA 05 - TIME LIMITS/MAINTENANCE CHECKS |                 |           |            |                         |                           |           |              |                |
| 05-08-00-200-800-17                     | 36 M INSPECTION |           |            |                         |                           |           |              | Package ATA:05 |
|   | MOS             | 11-Nov-23 | 36 (+1m)   |                         | 11-Nov-26                 | 11-Dec-26 | 1086 d (+30) |                |
|   | HRS             | 9831.2    |            |                         |                           |           |              |                |
|   | AFL             | 4640      |            |                         |                           |           |              |                |
| Special Properties: TRACKED ITEM        |                 |           |            | PROC. REF: MPD 05-10-00 |                           |           |              | PKG:17         |
| 05-08-00-200-800-21                     | 1B INSPECTION   |           |            |                         |                           |           |              | Package ATA:05 |
|   | MOS             | 29-Apr-16 |            |                         |                           |           |              |                |
|   | HRS             | 8447.8    | 1600 (+40) |                         | 10047.8                   | 10087.8   | 216.6 (+40)  |                |
|   | AFL             | 4114      |            |                         |                           |           |              |                |
| Special Properties: TRACKED ITEM        |                 |           |            | PROC. REF: MPD 05-10-00 |                           |           |              | PKG:21         |
| 05-08-00-200-800-22                     | 2B INSPECTION   |           |            |                         |                           |           |              | Package ATA:05 |
|   | MOS             | 05-May-16 |            |                         |                           |           |              |                |
|   | HRS             | 8447.8    | 3200 (+40) |                         | 11647.8                   | 11687.8   | 1816.6 (+40) |                |
|   | AFL             | 4114      |            |                         |                           |           |              |                |
|   |                 |           |            | PROC. REF: MPD 05-10-00 |                           |           |              | PKG:22         |
| 05-08-00-200-800-23                     | 3B INSPECTION   |           |            |                         |                           |           |              | Package ATA:05 |
|   | MOS             | 05-May-16 |            |                         |                           |           |              |                |
|   | HRS             | 8447.8    | 4800 (+40) |                         | 13247.8                   | 13287.8   | 3416.6 (+40) |                |
|   | AFL             | 4114      |            |                         |                           |           |              |                |
|   |                 |           |            | PROC. REF: MPD 05-10-00 |                           |           |              | PKG:23         |
| 05-08-00-200-800-24                     | 4B INSPECTION   |           |            |                         |                           |           |              | Package ATA:05 |
|   | MOS/MSC         | 31-Jan-05 | N/A        |                         |                           |           |              |                |
|   | HRS             | 5271.2    |            |                         |                           |           |              |                |
|   | AFL             | 2499      |            |                         |                           |           |              |                |
|   |                 |           |            | PROC. REF: MPD 05-10-00 |                           |           |              | PKG:24         |
| 05-08-00-200-800-31                     | 1C INSPECTION   |           |            |                         |                           |           |              | Package ATA:05 |
|   | MOS             | 12-Nov-20 | 72 (+2m)   |                         | 12-Nov-26                 | 12-Jan-27 | 1087 d (+61) |                |
|   | HRS             | 9182.3    |            |                         |                           |           |              |                |
|   | AFL             | 4405      | 3750       |                         | 8155                      |           | 3515         |                |
| Special Properties: TRACKED ITEM        |                 |           |            | PROC. REF: MPD 05-10-00 |                           |           |              | PKG:31         |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit                                | C/W       | Interval  | TSX/Adj.                        | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition    |
|--|-------------------------------------|-----------|-----------|---------------------------------|---------------------------|-----------|--------------|----------------|
| <b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b> |                                     |           |           |                                 |                           |           |              |                |
| 05-08-00-200-800-32                            | 2C INSPECTION                       |           |           |                                 |                           |           |              | Package ATA:05 |
|  | MOS                                 | 19-Jun-14 | 144 (+2m) | Adj 146d                        | 12-Nov-26                 | 12-Jan-27 | 1087 d (+61) |                |
|  | HRS                                 | 8032      |           |                                 |                           |           |              |                |
|  | AFL                                 | 3965      | 7500      | Adj -3310                       | 8155                      |           | 3515         |                |
| Special Properties: TRACKED ITEM               |                                     |           |           | PROC. REF: MPD 05-10-00         |                           |           |              | PKG:32         |
| 05-08-00-200-800-33                            | 3C INSPECTION                       |           |           |                                 |                           |           |              | Package ATA:05 |
|  | MOS/MSC                             | 12-Nov-20 | N/A       |                                 |                           |           |              |                |
|  | HRS                                 | 9182.3    |           |                                 |                           |           |              |                |
|  | AFL                                 | 4405      |           |                                 |                           |           |              |                |
|  |                                     |           |           | PROC. REF: MPD 05-10-00         |                           |           |              | PKG:33         |
| 05-08-00-200-800-34                            | 4C INSPECTION                       |           |           |                                 |                           |           |              | Package ATA:05 |
|  | MOS/MSC                             | 19-Jun-14 | N/A       |                                 |                           |           |              |                |
|  | HRS                                 | 8032      |           |                                 |                           |           |              |                |
|  | AFL                                 | 3965      |           |                                 |                           |           |              |                |
|  |                                     |           |           | PROC. REF: MPD 05-10-00         |                           |           |              | PKG:34         |
| 05-50-00-100-801-01                            | CLEANING AFTER ELECTROLYTE SPILLAGE |           |           |                                 |                           |           |              | Service ATA:05 |
|  | MOS/MSC                             | 23-Oct-89 | A/R       |                                 |                           |           |              |                |
|  | HRS                                 | 0         |           |                                 |                           |           |              |                |
| WC#: 24.270                                    | AFL                                 | 0         |           |                                 |                           |           |              |                |
|  |                                     |           |           | PROC. REF: AMM 05-50-00-100-801 |                           |           |              |                |
| 05-50-00-200-801-01                            | CHECK AFTER A TOWING INCIDENT       |           |           |                                 |                           |           |              | Service ATA:05 |
|  | MOS/MSC                             | 23-Oct-89 | A/R       |                                 |                           |           |              |                |
|  | HRS                                 | 0         |           |                                 |                           |           |              |                |
| WC#: 09.010                                    | AFL                                 | 0         |           |                                 |                           |           |              |                |
|  |                                     |           |           | PROC. REF: AMM 05-50-00-200-801 |                           |           |              |                |
| 05-50-00-200-802-01                            | CHECK AFTER HAILSTORM               |           |           |                                 |                           |           |              | Service ATA:05 |
|  | MOS/MSC                             | 23-Oct-89 | A/R       |                                 |                           |           |              |                |
|  | HRS                                 | 0         |           |                                 |                           |           |              |                |
| WC#: 51.110                                    | AFL                                 | 0         |           |                                 |                           |           |              |                |
|  |                                     |           |           | PROC. REF: AMM 05-50-00-200-802 |                           |           |              |                |
| 05-50-00-200-803-01                            | CHECK AFTER A LIGHTNING STRIKE      |           |           |                                 |                           |           |              | Service ATA:05 |
|  | MOS/MSC                             | 23-Oct-89 | A/R       |                                 |                           |           |              |                |
|  | HRS                                 | 0         |           |                                 |                           |           |              |                |
| WC#: 51.100                                    | AFL                                 | 0         |           |                                 |                           |           |              |                |
|  |                                     |           |           | PROC. REF: AMM 05-50-00-200-803 |                           |           |              |                |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|---|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b> |         |   |          |          |                           |           |           |             |
| 05-50-00-200-804-01                            |         | CHECK AFTER A REJECTED TAKE-OFF OR EMERGENCY BRAKING  |          |          |                           |           | Service   | ATA:05      |
|  | MOS/MSC | 23-Oct-89   | A/R      |          |                           |           |           |             |
|  | HRS     | 0   |          |          |                           |           |           |             |
| WC#: 32.880                                    | AFL     | 0   |          |          |                           |           |           |             |
| PROC. REF: AMM 05-50-00-200-804                |         |   |          |          |                           |           |           |             |
| 05-50-00-200-805-01                            |         | CHECK AFTER FLYING UNDER EXCESSIVE LOAD FACTOR OR THROUGH EXCESSIVE TURBULENCE                                |          |          |                           |           | Service   | ATA:05      |
|  | MOS/MSC | 23-Oct-89   | A/R      |          |                           |           |           |             |
|  | HRS     | 0   |          |          |                           |           |           |             |
| WC#: 51.120                                    | AFL     | 0   |          |          |                           |           |           |             |
| PROC. REF: AMM 05-50-00-200-805                |         |   |          |          |                           |           |           |             |
| 05-50-00-200-806-01                            |         | CHECK AFTER AIRCRAFT TILTING BACKWARD DURING MAINTENANCE OR POWER BACK OPERATIONS                             |          |          |                           |           | Service   | ATA:05      |
|  | MOS/MSC | 23-Oct-89   | A/R      |          |                           |           |           |             |
|  | HRS     | 0   |          |          |                           |           |           |             |
|  | AFL     | 0   |          |          |                           |           |           |             |
| PROC. REF: AMM 05-50-00-200-806                |         |   |          |          |                           |           |           |             |
| 05-50-00-200-809-01                            |         | INSPECTION AFTER SLAT OPERATION IN OVERSPEED CONDITION  |          |          |                           |           | Service   | ATA:05      |
|  | MOS/MSC | 23-Oct-89   | A/R      |          |                           |           |           |             |
|  | HRS     | 0   |          |          |                           |           |           |             |
| WC#: 57.305                                    | AFL     | 0   |          |          |                           |           |           |             |
| PROC. REF: AMM 05-50-00-200-809                |         |   |          |          |                           |           |           |             |
| 05-50-00-200-810-01                            |         | INSPECTION AFTER FLAP OPERATION IN OVERSPEED CONDITION  |          |          |                           |           | Service   | ATA:05      |
|  | MOS/MSC | 23-Oct-89   | A/R      |          |                           |           |           |             |
|  | HRS     | 0   |          |          |                           |           |           |             |
| WC#: 57.310                                    | AFL     | 0   |          |          |                           |           |           |             |
| PROC. REF: AMM 05-50-00-200-810                |         |   |          |          |                           |           |           |             |
| 05-50-00-200-812-01                            |         | INSPECTION AFTER LANDING GEAR EXTENSION IN OVERSPEED CONDITION  |          |          |                           |           | Service   | ATA:05      |
|  | MOS/MSC | 23-Oct-89   | A/R      |          |                           |           |           |             |
|  | HRS     | 0   |          |          |                           |           |           |             |
|  | AFL     | 0   |          |          |                           |           |           |             |
| PROC. REF: AMM 05-50-00-200-812                |         |   |          |          |                           |           |           |             |
| 05-50-00-200-813-01                            |         | CHECK AFTER WHEEL IMPACT WITH AN OBSTACLE AT TAKE OFF OR LANDING - CHECK AFTER WHEEL IMPACT WITH AN OBSTACLE. |          |          |                           |           | Service   | ATA:05      |
|  | MOS/MSC | 23-Oct-89   | A/R      |          |                           |           |           |             |
|  | HRS     | 0   |          |          |                           |           |           |             |
|  | AFL     | 0   |          |          |                           |           |           |             |
| PROC. REF: AMM 05-50-00-200-813                |         |   |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                 | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 05 - TIME LIMITS/MAINTENANCE CHECKS |  |           |          |          |                           |           |           |             |        |
| 05-50-00-200-817-01                     | CHECK AFTER COLLISION WITH FOREIGN OBJECT                              |           |          |          |                           |           |           | Service     | ATA:05 |
|   | MOS/MSC  | 23-Oct-89 | A/R      |          |                           |           |           |             |        |
|   | HRS  | 0         |          |          |                           |           |           |             |        |
|   | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 05-50-00-200-817         |  |           |          |          |                           |           |           |             |        |
| 05-50-00-200-822-01                     | OPERATION TO BE PERFORMED AFTER VMO/MMO EXCEEDANCE                     |           |          |          |                           |           |           | Service     | ATA:05 |
|   | MOS/MSC  | 23-Oct-89 | A/R      |          |                           |           |           |             |        |
|   | HRS  | 0         |          |          |                           |           |           |             |        |
|   | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 05-50-00-200-822         |  |           |          |          |                           |           |           |             |        |
| 05-50-00-200-823-01                     | CHECK OF THE SLATS AFTER OVERHEATING - LH WING                         |           |          |          |                           |           |           | Service     | ATA:05 |
|   | MOS/MSC  | 23-Oct-89 | A/R      |          |                           |           |           |             |        |
|   | HRS  | 0         |          |          |                           |           |           |             |        |
|   | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 05-50-00-200-823         |  |           |          |          |                           |           |           |             |        |
| 05-50-00-200-823-02                     | CHECK OF THE SLATS AFTER OVERHEATING - RH WING                         |           |          |          |                           |           |           | Service     | ATA:05 |
|   | MOS/MSC  | 23-Oct-89 | A/R      |          |                           |           |           |             |        |
|   | HRS  | 0         |          |          |                           |           |           |             |        |
|   | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 05-50-00-200-823         |  |           |          |          |                           |           |           |             |        |
| 05-50-00-620-801-01                     | SPECIFIC MAINTENANCE FOR A/C OPERATING IN CORROSIVE AMBIENT CONDITIONS |           |          |          |                           |           |           | Service     | ATA:05 |
|   | MOS/MSC  | 23-Oct-89 | A/R      |          |                           |           |           |             |        |
|   | HRS  | 0         |          |          |                           |           |           |             |        |
|   | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 05-50-00-620-801         |  |           |          |          |                           |           |           |             |        |
| 05-50-00-620-803-01                     | SPECIFIC MAINTENANCE FOR A/C OPERATING IN COLD WEATHER                 |           |          |          |                           |           |           | Service     | ATA:05 |
|   | MOS/MSC  | 23-Oct-89 | A/R      |          |                           |           |           |             |        |
|   | HRS  | 0         |          |          |                           |           |           |             |        |
| WC#: 05.020                             | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 05-50-00-620-803         |  |           |          |          |                           |           |           |             |        |
| 05-50-00-620-804-01                     | PROCEDURE FOR AIRCRAFT PROLONGED OPERATION AT LOW TEMPERATURES         |           |          |          |                           |           |           | Service     | ATA:05 |
|   | MOS/MSC  | 23-Oct-89 | A/R      |          |                           |           |           |             |        |
|   | HRS  | 0         |          |          |                           |           |           |             |        |
| WC#: 51.130                             | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 05-50-00-620-804         |  |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                    | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |                |
|--|---------|--|----------|----------|---------------------------|-----------|-----------|-------------|----------------|
| ATA 05 - TIME LIMITS/MAINTENANCE CHECKS    |         |  |          |          |                           |           |           |             |                |
| 05-50-00-620-805-02                        |         | SPECIFIC MAINTENANCE TO PREVENT FUEL CONTAMINATION                       |          |          |                           |           |           |             | Service ATA:05 |
|  | MOS/MSC | 23-Oct-89  | A/R      |          |                           |           |           |             |                |
|  | HRS     | 0  |          |          |                           |           |           |             |                |
|  | AFL     | 0  |          |          |                           |           |           |             |                |
| PROC. REF: AMM 05-50-00-620-805            |         |  |          |          |                           |           |           |             |                |
| 05-50-00-700-801-01                        |         | CHECK AND DECONTAMINATION OF THE AIR CONDITIONING SYSTEM AFTER POLLUTION |          |          |                           |           |           |             | Service ATA:05 |
|  | MOS/MSC | 23-Oct-89  | A/R      |          |                           |           |           |             |                |
|  | HRS     | 0  |          |          |                           |           |           |             |                |
|  | AFL     | 0  |          |          |                           |           |           |             |                |
| PROC. REF: AMM 05-50-00-700-801            |         |  |          |          |                           |           |           |             |                |
| 05-50-00-700-803-01                        |         | CHECK AFTER FIRE EXTINGUISHER PERCUSSION                                 |          |          |                           |           |           |             | Service ATA:05 |
|  | MOS/MSC | 23-Oct-89  | A/R      |          |                           |           |           |             |                |
|  | HRS     | 0  |          |          |                           |           |           |             |                |
| WC#: 20.050                                | AFL     | 0  |          |          |                           |           |           |             |                |
| PROC. REF: SL 20-350, AMM 05-50-00-700-803 |         |  |          |          |                           |           |           |             |                |
| 05-50-00-700-806-01                        |         | CHECK AFTER LANDING ON A TAR-MACADAM RUNWAY IN VERY HOT WEATHER          |          |          |                           |           |           |             | Service ATA:05 |
|  | MOS/MSC | 23-Oct-89  | A/R      |          |                           |           |           |             |                |
|  | HRS     | 0  |          |          |                           |           |           |             |                |
|  | AFL     | 0  |          |          |                           |           |           |             |                |
| PROC. REF: AMM 05-50-00-700-806            |         |  |          |          |                           |           |           |             |                |
| 05-50-00-700-807-01                        |         | CHECK AFTER LANDING ON A DRY AND DIRTY RUNWAY                            |          |          |                           |           |           |             | Service ATA:05 |
|  | MOS/MSC | 23-Oct-89  | A/R      |          |                           |           |           |             |                |
|  | HRS     | 0  |          |          |                           |           |           |             |                |
| WC#: 32.850                                | AFL     | 0  |          |          |                           |           |           |             |                |
| PROC. REF: AMM 05-50-00-700-807            |         |  |          |          |                           |           |           |             |                |
| 05-50-00-700-808-01                        |         | CHECK AFTER HARD / OVERWEIGHT LANDING                                    |          |          |                           |           |           |             | Service ATA:05 |
|  | MOS/MSC | 23-Oct-89  | A/R      |          |                           |           |           |             |                |
|  | HRS     | 0  |          |          |                           |           |           |             |                |
| WC#: 32.840                                | AFL     | 0  |          |          |                           |           |           |             |                |
| PROC. REF: AMM 05-50-00-700-808            |         |  |          |          |                           |           |           |             |                |
| 05-50-00-700-810-01                        |         | CHECK AFTER SAND CONDITION - CHECKS AFTER EACH FLIGHT THROUGH SAND       |          |          |                           |           |           |             | Service ATA:05 |
|  | MOS/MSC | 23-Oct-89  | A/R      |          |                           |           |           |             |                |
|  | HRS     | 0  |          |          |                           |           |           |             |                |
|  | AFL     | 0  |          |          |                           |           |           |             |                |
| PROC. REF: AMM 05-50-00-700-810            |         |  |          |          |                           |           |           |             |                |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit  | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |        |
|--|---|-----------|-----------|----------|---------------------------|-----------|-------------|-------------|--------|
| <b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b> |   |           |           |          |                           |           |             |             |        |
| 05-50-00-700-822-01                            | CHECK AFTER A FLIGHT THROUGH VOLCANIC ASHES - CHECKS AFTER A FLIGHT THROUGH A LOW OR MEDIUM VOLCANIC ASH CONCENTRATION AREA |           |           |          |                           |           |             | Service     | ATA:05 |
|  | MOS/MSC   | 23-Oct-89 | A/R       |          |                           |           |             |             |        |
|  | HRS   | 0         |           |          |                           |           |             |             |        |
|  | AFL   | 0         |           |          |                           |           |             |             |        |
| PROC. REF: AMM 05-50-00-700-822                |   |           |           |          |                           |           |             |             |        |
| 05-50-00-730-801-01                            | CHECK AFTER AN INCIDENT ON THE HYDRAULIC SYSTEM - FILTER CLOGGING   |           |           |          |                           |           |             | Service     | ATA:05 |
|  | MOS/MSC   | 23-Oct-89 | A/R       |          |                           |           |             |             |        |
|  | HRS   | 0         |           |          |                           |           |             |             |        |
| WC#: 29.290                                    | AFL   | 0         |           |          |                           |           |             |             |        |
| PROC. REF: AMM 05-50-00-730-801                |   |           |           |          |                           |           |             |             |        |
| 05-50-00-730-801-02                            | CHECK AFTER AN INCIDENT ON THE HYDRAULIC SYSTEM - PUMP FAILURE  |           |           |          |                           |           |             | Service     | ATA:05 |
|  | MOS/MSC   | 23-Oct-89 | A/R       |          |                           |           |             |             |        |
|  | HRS   | 0         |           |          |                           |           |             |             |        |
| WC#: 29.300                                    | AFL   | 0         |           |          |                           |           |             |             |        |
| PROC. REF: AMM 05-50-00-730-801                |   |           |           |          |                           |           |             |             |        |
| 05-50-00-730-802-01                            | CHECK OF THE BRAKING SYSTEM AT ACCELERATION/STOP AFTER TROUBLESHOOTING  |           |           |          |                           |           |             | Service     | ATA:05 |
|  | MOS/MSC   | 23-Oct-89 | A/R       |          |                           |           |             |             |        |
|  | HRS   | 0         |           |          |                           |           |             |             |        |
|  | AFL   | 0         |           |          |                           |           |             |             |        |
| PROC. REF: AMM 05-50-00-730-802                |   |           |           |          |                           |           |             |             |        |
| 05-50-00-910-801-01 <sup>S</sup>               | AIRCRAFT CHECK FLIGHT   |           |           |          |                           |           |             | Service     | ATA:05 |
|  | MOS   | 19-Jun-14 | 72 (+2m)  |          |                           |           |             |             |        |
|  | HRS   | 8032      |           |          |                           |           |             |             |        |
| WC#: 51.070                                    | AFL   | 3965      | 3750      |          |                           |           |             |             |        |
| PROC. REF: AMM 05-50-00-910-801                |   |           |           |          |                           |           |             |             |        |
| 05-60-00-200-801-01                            | BASIC INSPECTION  |           |           |          |                           |           |             | Service     | ATA:05 |
|  | MOS   | 10-Nov-23 | 12 (+1m)  |          | 10-Nov-24                 | 10-Dec-24 | 355 d (+30) |             |        |
|  | HRS   | 9831.2    | 400 (+40) |          | 10231.2                   | 10271.2   | 400 (+40)   |             |        |
| WC#: 05.010                                    | AFL   | 4640      |           |          |                           |           |             |             |        |
| PROC. REF: MPD 05-10-00, AMM 05-60-00-200-801  |   |           |           |          |                           |           |             |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                       | Unit                                       | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |        |
|---|--|-----------|------------|----------|---------------------------|-----------|-------------|-------------|--------|
| ATA 05 - TIME LIMITS/MAINTENANCE CHECKS       |  |           |            |          |                           |           |             |             |        |
| 05-60-00-200-801-03                           | BASIC INSPECTION - GROUND SERVICING CHECKS |           |            |          |                           |           |             | Service     | ATA:05 |
|   | MOS  | 10-Nov-23 | 12 (+1m)   |          | 10-Nov-24                 | 10-Dec-24 | 355 d (+30) |             |        |
|   | HRS  | 9831.2    | 400 (+40)  |          | 10231.2                   | 10271.2   | 400 (+40)   |             |        |
| WC#: 05.010                                   | AFL  | 4640      |            |          |                           |           |             |             |        |
| PROC. REF: MPD 05-10-00, AMM 05-60-00-200-801 |  |           |            |          |                           |           |             |             |        |
| 050A10 <sup>U</sup>                           | REVIEW AIRWORTHINESS DIRECTIVES            |           |            |          |                           |           |             | Service     | ATA:05 |
|   | DAYS                                       | 20-Nov-23 | 30         |          | 20-Dec-23                 |           | 29 d        |             |        |
|   | HRS  |           |            |          |                           |           |             |             |        |
|   | AFL  |           |            |          |                           |           |             |             |        |
| 057110  | NO. 1 ENGINE - 150 TO 250 HOUR INSPECTION  |           |            |          |                           |           |             | Package     | ATA:05 |
|   | MOS  | 15-Feb-23 |            |          |                           |           |             |             |        |
|   | HRS  | 9459      | 150 (+100) |          | (9609)<br>9814.33         | 9709      | TOL (+83.1) |             |        |
|   | ENC  | 4482      |            |          |                           |           |             |             |        |
| PROC. REF: LMM 72-00-00                       |  |           |            |          |                           |           |             |             |        |
| 057110  | NO. 2 ENGINE - 150 TO 250 HOUR INSPECTION  |           |            |          |                           |           |             | Package     | ATA:05 |
|   | MOS  | 15-Feb-23 |            |          |                           |           |             |             |        |
|   | HRS  | 9657      | 150 (+100) |          | (9807)<br>9814.33         | 9907      | TOL (+83.1) |             |        |
|   | ENC  | 4580      |            |          |                           |           |             |             |        |
| PROC. REF: LMM 72-00-00                       |  |           |            |          |                           |           |             |             |        |
| 057110  | NO. 3 ENGINE - 150 TO 250 HOUR INSPECTION  |           |            |          |                           |           |             | Package     | ATA:05 |
|   | MOS  | 15-Feb-23 |            |          |                           |           |             |             |        |
|   | HRS  | 9498.2    | 150 (+100) |          | (9648.2)<br>9814.33       | 9748.2    | TOL (+83.1) |             |        |
|   | ENC  | 4475      |            |          |                           |           |             |             |        |
| PROC. REF: LMM 72-00-00                       |  |           |            |          |                           |           |             |             |        |
| 057120 <sup>U S</sup>                         | NO. 1 300/400 HOUR INSPECTION              |           |            |          |                           |           |             | Package     | ATA:05 |
|   | MOS  | 15-Feb-23 |            |          |                           |           |             |             |        |
|   | HRS  | 9683.1    | 300        |          |                           |           |             |             |        |
|   | AFL  | 4588      |            |          |                           |           |             |             |        |
| PKG:42  |  |           |            |          |                           |           |             |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit   | C/W       | Interval   | TSX/Adj.                              | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition    |
|--|--|-----------|------------|---------------------------------------|---------------------------|-----------|--------------|----------------|
| <b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b> |  |           |            |                                       |                           |           |              |                |
| 057120   | <b>NO. 1 ENGINE - 300 TO 400 HOUR INSPECTION</b> |           |            |                                       |                           |           |              |                |
|  | MOS  | 15-Feb-23 |            |                                       |                           |           |              | Package ATA:05 |
|  | HRS  | 9459      | 300 (+100) |                                       | (9759)<br>9964.33         | 9859      | 133.1 (+100) |                |
|  | ENC  | 4482      |            |                                       |                           |           |              |                |
|  |  |           |            | PROC. REF: LMM 72-00-00               |                           |           |              | PKG:2          |
| 057120 <sup>U S</sup>                          | <b>NO. 2 300/400 HOUR INSPECTION</b>             |           |            |                                       |                           |           |              |                |
|  | MOS  | 15-Feb-23 |            |                                       |                           |           |              | Package ATA:05 |
|  | HRS  | 9683.1    | 300        |                                       |                           |           |              |                |
|  | AFL  | 4588      |            |                                       |                           |           |              |                |
|  |  |           |            |                                       |                           |           |              | PKG:52         |
| 057120   | <b>NO. 2 ENGINE - 300 TO 400 HOUR INSPECTION</b> |           |            |                                       |                           |           |              |                |
|  | MOS  | 15-Feb-23 |            |                                       |                           |           |              | Package ATA:05 |
|  | HRS  | 9657      | 300 (+100) |                                       | (9957)<br>9964.33         | 10057     | 133.1 (+100) |                |
|  | ENC  | 4580      |            |                                       |                           |           |              |                |
|  |  |           |            | PROC. REF: LMM 72-00-00               |                           |           |              | PKG:2          |
| 057120 <sup>U S</sup>                          | <b>NO. 3 300/400 HOUR INSPECTION</b>             |           |            |                                       |                           |           |              |                |
|  | MOS  | 15-Feb-23 |            |                                       |                           |           |              | Package ATA:05 |
|  | HRS  | 9683.1    | 300        |                                       |                           |           |              |                |
|  | AFL  | 4588      |            |                                       |                           |           |              |                |
|  |  |           |            |                                       |                           |           |              | PKG:62         |
| 057120   | <b>NO. 3 ENGINE - 300 TO 400 HOUR INSPECTION</b> |           |            |                                       |                           |           |              |                |
|  | MOS  | 15-Feb-23 |            |                                       |                           |           |              | Package ATA:05 |
|  | HRS  | 9498.2    | 300 (+100) |                                       | (9798.2)<br>9964.33       | 9898.2    | 133.1 (+100) |                |
|  | ENC  | 4475      |            |                                       |                           |           |              |                |
|  |  |           |            | PROC. REF: LMM 72-00-00               |                           |           |              | PKG:2          |
| 057140   | <b>NO. 1 ENGINE - 500 TO 850 HOUR INSPECTION</b> |           |            |                                       |                           |           |              |                |
|  | MOS  | 31-Jan-22 |            |                                       |                           |           |              | Package ATA:05 |
|  | HRS  | 9158.7    | 800 (+50)  |                                       | (9958.7)<br>10164.03      | 10008.7   | 332.8 (+50)  |                |
|  | ENC  | 4381      |            |                                       |                           |           |              |                |
|  |  |           |            | PROC. REF: LMM 72-00-00, LMM 72-00-00 |                           |           |              | PKG:4          |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                 | Unit  | C/W       | Interval    | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition |        |
|---|---|-----------|-------------|----------|---------------------------|-----------|--------------|-------------|--------|
| ATA 05 - TIME LIMITS/MAINTENANCE CHECKS |   |           |             |          |                           |           |              |             |        |
| 057140                                  | NO. 2 ENGINE - 500 TO 850 HOUR INSPECTION   |           |             |          |                           |           |              | Package     | ATA:05 |
|   | MOS   | 31-Jan-22 |             |          |                           |           |              |             |        |
|   | HRS   | 9356.7    | 800 (+50)   |          | (10156.7)<br>10164.03     | 10206.7   | 332.8 (+50)  |             |        |
|   | ENC   | 4479      |             |          |                           |           |              |             |        |
|   | PROC. REF: LMM 72-00-00, LMM 72-00-00       |           |             |          |                           |           |              |             | PKG:4  |
| 057140                                  | NO. 3 ENGINE - 500 TO 850 HOUR INSPECTION   |           |             |          |                           |           |              | Package     | ATA:05 |
|   | MOS   | 14-Jan-22 |             |          |                           |           |              |             |        |
|   | HRS   | 9164.7    | 800 (+50)   |          | (9964.7)<br>10130.83      | 10014.7   | 299.6 (+50)  |             |        |
|   | ENC   | 4366      |             |          |                           |           |              |             |        |
|   | PROC. REF: LMM 72-00-00, LMM 72-00-00       |           |             |          |                           |           |              |             | PKG:4  |
| 057160                                  | NO. 1 ENGINE - 1000 TO 1400 HOUR INSPECTION |           |             |          |                           |           |              | Package     | ATA:05 |
|   | MOS   | 31-Jan-22 |             |          |                           |           |              |             |        |
|   | HRS   | 9158.7    | 1200 (+200) |          | (10358.7)<br>10564.03     | 10558.7   | 732.8 (+200) |             |        |
|   | ENC   | 4381      |             |          |                           |           |              |             |        |
|   | PROC. REF: LMM 72-00-00, LMM 72-00-00       |           |             |          |                           |           |              |             |        |
| 057160                                  | NO. 2 ENGINE - 1000 TO 1400 HOUR INSPECTION |           |             |          |                           |           |              | Package     | ATA:05 |
|   | MOS   | 31-Jan-22 |             |          |                           |           |              |             |        |
|   | HRS   | 9356.7    | 1200 (+200) |          | (10556.7)<br>10564.03     | 10756.7   | 732.8 (+200) |             |        |
|   | ENC   | 4479      |             |          |                           |           |              |             |        |
|   | PROC. REF: LMM 72-00-00, LMM 72-00-00       |           |             |          |                           |           |              |             |        |
| 057160                                  | NO. 3 ENGINE - 1000 TO 1400 HOUR INSPECTION |           |             |          |                           |           |              | Package     | ATA:05 |
|   | MOS   | 31-Jan-22 |             |          |                           |           |              |             |        |
|   | HRS   | 9197.9    | 1200 (+200) |          | (10397.9)<br>10564.03     | 10597.9   | 732.8 (+200) |             |        |
|   | ENC   | 4374      |             |          |                           |           |              |             |        |
|   | PROC. REF: LMM 72-00-00, LMM 72-00-00       |           |             |          |                           |           |              |             |        |
| 057170                                  | NO. 1 ENGINE - 1200 TO 1650 HOUR INSPECTION |           |             |          |                           |           |              | Package     | ATA:05 |
|   | MOS   | 31-Jan-22 |             |          |                           |           |              |             |        |
|   | HRS   | 9158.7    | 1600 (+50)  |          | (10758.7)<br>10964.03     | 10808.7   | 1132.8 (+50) |             |        |
|   | ENC   | 4381      |             |          |                           |           |              |             |        |
|   | PROC. REF: LMM 72-00-00, LMM 72-00-00       |           |             |          |                           |           |              |             | PKG:5  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit   | C/W       | Interval                              | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition              |       |
|--|--|-----------|---------------------------------------|----------|---------------------------|-----------|--------------|--------------------------|-------|
| <b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b> |  |           |                                       |          |                           |           |              |                          |       |
| 057170   | NO. 2 ENGINE - 1200 TO 1650 HOUR INSPECTION    |           |                                       |          |                           |           |              | Package ATA:05           |       |
|  | MOS  | 31-Jan-22 |                                       |          |                           |           |              |                          |       |
|  | HRS  | 9356.7    | 1600 (+50)                            |          | (10956.7)<br>10964.03     | 11006.7   | 1132.8 (+50) |                          |       |
|  | ENC  | 4479      |                                       |          |                           |           |              |                          |       |
|  |  |           | PROC. REF: LMM 72-00-00, LMM 72-00-00 |          |                           |           |              |                          | PKG:5 |
| 057170   | NO. 3 ENGINE - 1200 TO 1650 HOUR INSPECTION    |           |                                       |          |                           |           |              | Package ATA:05           |       |
|  | MOS  | 14-Jan-22 |                                       |          |                           |           |              |                          |       |
|  | HRS  | 9164.7    | 1600 (+50)                            |          | (10764.7)<br>10930.83     | 10814.7   | 1099.6 (+50) |                          |       |
|  | ENC  | 4366      |                                       |          |                           |           |              |                          |       |
|  |  |           | PROC. REF: LMM 72-00-00, LMM 72-00-00 |          |                           |           |              |                          | PKG:5 |
| E006-170919                                    | NO. 1 ENGINE - REVIEW TFE731-5BR LMM TR 72-232 |           |                                       |          |                           |           |              | Service ATA:05           |       |
|  | MOS/MSC  | EFF       | -                                     |          |                           |           |              | REQUIREMENT CHANGE FORMS |       |
|  | HRS  |           |                                       |          |                           |           |              |                          |       |
|  | ENC  |           |                                       |          |                           |           |              |                          |       |
|  |  |           | PROC. REF: RCF E006                   |          |                           |           |              |                          |       |
| E006-170919                                    | NO. 2 ENGINE - REVIEW TFE731-5BR LMM TR 72-232 |           |                                       |          |                           |           |              | Service ATA:05           |       |
|  | MOS/MSC  | EFF       | -                                     |          |                           |           |              | REQUIREMENT CHANGE FORMS |       |
|  | HRS  |           |                                       |          |                           |           |              |                          |       |
|  | ENC  |           |                                       |          |                           |           |              |                          |       |
|  |  |           | PROC. REF: RCF E006                   |          |                           |           |              |                          |       |
| E006-170919                                    | NO. 3 ENGINE - REVIEW TFE731-5BR LMM TR 72-232 |           |                                       |          |                           |           |              | Service ATA:05           |       |
|  | MOS/MSC  | EFF       | -                                     |          |                           |           |              | REQUIREMENT CHANGE FORMS |       |
|  | HRS  |           |                                       |          |                           |           |              |                          |       |
|  | ENC  |           |                                       |          |                           |           |              |                          |       |
|  |  |           | PROC. REF: RCF E006                   |          |                           |           |              |                          |       |
| SI-05-001 <sup>U</sup>                         | CABIN SAFETY & EMERGENCY EQUIPMENT INSPECTION  |           |                                       |          |                           |           |              | Service ATA:05           |       |
|  | MOS  | 09-Nov-23 | 6 (+30d/-30d)                         |          | 09-May-24                 | 08-Jun-24 | 170 d (+30)  |                          |       |
|  | HRS  |           |                                       |          |                           |           |              |                          |       |
|  | AFL  | 4640      |                                       |          |                           |           |              |                          |       |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit   | C/W       | Interval    | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---|--|-----------|-------------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>          |  |           |             |          |                           |           |           |             |        |
| SI-05-002 <sup>U</sup>                                  | INTERNAL & EXTERNAL PLACARD AND MARKING INSPECTION   |           |             |          |                           |           |           | Service     | ATA:05 |
|   | MOS/MSC  |           | -           |          |                           |           |           |             |        |
|   | HRS  |           |             |          |                           |           |           |             |        |
|   | AFL  |           |             |          |                           |           |           |             |        |
| SI-05-008 <sup>U</sup>                                  | PERFORM VERIFICATION OF ACCURACY OF COMPUTERIZED MAINTENANCE TRACKING SYSTEM IAW SKYSERVICE SPECIAL INSPECTION<br>SI-05-008 AT ITS LATEST REVISION |           |             |          |                           |           |           | Service     | ATA:05 |
|   | MOS  | 13-Oct-23 | 3 (+7d/-7d) | Adj -24d | 20-Dec-23                 | 27-Dec-23 | 29 d (+7) |             |        |
|   | HRS  |           |             |          |                           |           |           |             |        |
|   | AFL  |           |             |          |                           |           |           |             |        |
| SI-05-008R5 <sup>U</sup>                                | INSPECTION SI-05-008 QUARTERLY   |           |             |          |                           |           |           | Service     | ATA:05 |
|   | MOS  | 13-Oct-23 | 3 (+7d)     |          | 13-Jan-24                 | 20-Jan-24 | 53 d (+7) |             |        |
|   | HRS  | 9831.2    |             |          |                           |           |           |             |        |
|   | AFL  | 4640      |             |          |                           |           |           |             |        |
| <b>ATA 08 - LEVELING AND WEIGHING</b>                   |  |           |             |          |                           |           |           |             |        |
| 08-CARS-625-009-00 <sup>U</sup>                         | W&B AND EQUIPMENT LIST   |           |             |          |                           |           |           | Service     | ATA:08 |
|   | MOS  | 22-Aug-19 | 60          |          | 22-Aug-24                 |           | 275 d     |             |        |
|   | HRS  | 9010.7    |             |          |                           |           |           |             |        |
|   | AFL  | 4342      |             |          |                           |           |           |             |        |
| 080A01 <sup>U</sup>                                     | CHECK AIRCRAFT WEIGHT & BALANCE  |           |             |          |                           |           |           | Service     | ATA:08 |
|   | MOS  | 31-May-23 | 60          |          | 31-May-28                 |           | 1653 d    |             |        |
|   | HRS  | 9758.1    |             |          |                           |           |           |             |        |
|   | AFL  | 4611      |             |          |                           |           |           |             |        |
| <b>ATA 09 - TOWING AND TAXING</b>                       |  |           |             |          |                           |           |           |             |        |
| 09-10-00-910-810-01                                     | DEBOGGING THE AIRCRAFT   |           |             |          |                           |           |           | Service     | ATA:09 |
|   | MOS/MSC  | 23-Oct-89 | A/R         |          |                           |           |           |             |        |
|   | HRS  | 0         |             |          |                           |           |           |             |        |
|   | AFL  | 0         |             |          |                           |           |           |             |        |
|   | PROC. REF: AMM 09-10-00-910-810  |           |             |          |                           |           |           |             |        |
| <b>ATA 10 - PARKING, MOORING, STORE AND RET TO SERV</b> |  |           |             |          |                           |           |           |             |        |
| 10-10-00-200-801-01                                     | CHECK AFTER PARKING OF THE AIRCRAFT IN HIGH WIND CONDITIONS  |           |             |          |                           |           |           | Service     | ATA:10 |
|   | MOS/MSC  | 23-Oct-89 | A/R         |          |                           |           |           |             |        |
|   | HRS  | 0         |             |          |                           |           |           |             |        |
|   | AFL  | 0         |             |          |                           |           |           |             |        |
|   | PROC. REF: AMM 10-10-00-200-801  |           |             |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|--|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 10 - PARKING, MOORING, STORE AND RET TO SERV |   |           |          |          |                           |           |           |             |        |
| 10-10-00-550-801-09 <sup>U</sup>                 | STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - PRE-STORAGE OF THE AIRCRAFT FOR A MAXIMUM PERIOD OF 8 WEEKS |           |          |          |                           |           |           | Service     | ATA:10 |
|  | MOS/MSC   | 29-Apr-20 | O/C      |          |                           |           |           |             |        |
|  | HRS   | 9167.7    |          |          |                           |           |           |             |        |
|  | AFL   |           |          |          |                           |           |           |             |        |
| 10-10-00-550-801-10                              | STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - NON-FLYING AND NON-STORED PERIOD                            |           |          |          |                           |           |           | Service     | ATA:10 |
|  | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
|  | HRS   | 0         |          |          |                           |           |           |             |        |
|  | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 10-10-00-550-801                  |   |           |          |          |                           |           |           |             |        |
| 10-10-00-550-801-11                              | STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - STORAGE OF THE AIRCRAFT FOR A MAXIMUM PERIOD OF 2 MONTHS    |           |          |          |                           |           |           | Service     | ATA:10 |
|  | MOS/MSC   | 29-Apr-20 | O/C      |          |                           |           |           |             |        |
|  | HRS   | 9167.7    |          |          |                           |           |           |             |        |
| WC#: 20.090                                      | AFL   |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 10-10-00-550-801                  |   |           |          |          |                           |           |           |             |        |
| 10-10-00-550-801-12                              | STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - ADDITIONAL OPERATIONS FOR STORAGE FROM 2 TO 12 MONTHS       |           |          |          |                           |           |           | Service     | ATA:10 |
|  | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
|  | HRS   | 0         |          |          |                           |           |           |             |        |
| WC#: 20.090                                      | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 10-10-00-550-801                  |   |           |          |          |                           |           |           |             |        |
| 10-10-00-550-801-14                              | STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - PERIODIC CHECKS EVERY MONTH                                 |           |          |          |                           |           |           | Service     | ATA:10 |
|  | MOS/MSC   | 29-Apr-20 | O/C      |          |                           |           |           |             |        |
|  | HRS   | 9167.7    |          |          |                           |           |           |             |        |
| WC#: 20.090                                      | AFL   |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 10-10-00-550-801                  |   |           |          |          |                           |           |           |             |        |
| 10-10-00-550-801-15                              | STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - PERIODIC CHECKS EVERY 2 MONTHS                              |           |          |          |                           |           |           | Service     | ATA:10 |
|  | MOS/MSC   | 29-Apr-20 | O/C      |          |                           |           |           |             |        |
|  | HRS   | 9167.7    |          |          |                           |           |           |             |        |
| WC#: 20.090                                      | AFL   |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 10-10-00-550-801                  |   |           |          |          |                           |           |           |             |        |
| 10-10-00-550-801-16                              | STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - PERIODIC CHECKS EVERY 6 MONTHS                              |           |          |          |                           |           |           | Service     | ATA:10 |
|  | MOS/MSC   | 29-Apr-20 | O/C      |          |                           |           |           |             |        |
|  | HRS   | 9167.7    |          |          |                           |           |           |             |        |
| WC#: 20.090                                      | AFL   |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 10-10-00-550-801                  |   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 10 - PARKING, MOORING, STORE AND RET TO SERV</b> |   |           |          |          |                           |           |           |             |        |
| 10-10-00-550-801-17                                     | STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - REMOVAL FROM STORAGE AT THE END OF THE 2 MONTHS OR LESS |           |          |          |                           |           |           | Service     | ATA:10 |
|   | MOS/MSC   |           | O/C      |          |                           |           |           |             |        |
|   | HRS   |           |          |          |                           |           |           |             |        |
| WC#: 20.090   | AFL   |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 10-10-00-550-801                         |   |           |          |          |                           |           |           |             |        |
| 10-10-00-550-801-18                                     | STORAGE / RETURN TO SERVICE OF THE AIRCRAFT - REMOVAL FROM STORAGE AFTER MORE THAN 2 MONTHS           |           |          |          |                           |           |           | Service     | ATA:10 |
|   | MOS/MSC   |           | O/C      |          |                           |           |           |             |        |
|   | HRS   |           |          |          |                           |           |           |             |        |
| WC#: 20.090   | AFL   |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 10-10-00-550-801                         |   |           |          |          |                           |           |           |             |        |
| 10-20-00-910-802-01                                     | MOORING THE AIRCRAFT IN CASE OF SNOWFALL  |           |          |          |                           |           |           | Service     | ATA:10 |
|   | MOS/MSC   | 23-Oct-89 | A/R      |          |                           |           |           |             |        |
|   | HRS   | 0         |          |          |                           |           |           |             |        |
| WC#: 10.010   | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 10-20-00-910-802                         |   |           |          |          |                           |           |           |             |        |
| <b>ATA 11 - PLACARDS AND MARKINGS</b>                   |   |           |          |          |                           |           |           |             |        |
| 11-00-00-210-801-01 <sup>S</sup>                        | GENERAL VISUAL INSPECTION OF THE INTERNAL AND EXTERNAL MARKINGS AND PLACARDS                          |           |          |          |                           |           |           | Service     | ATA:11 |
|   | MOS   | 31-May-23 | 72 (+2m) |          |                           |           |           |             |        |
|   | HRS   | 9758.1    |          |          |                           |           |           |             |        |
|   | AFL   | 4611      | 3750     |          |                           |           |           |             |        |
| PROC. REF: AMM 11-00-00-210-801                         |   |           |          |          |                           |           |           |             |        |
| SI-05-002R1 <sup>U</sup>                                | VISUALLY INSPECT INTERIOR AND EXTERIOR PLACARDS AND MARKINGS  |           |          |          |                           |           |           | Service     | ATA:11 |
|   | MOS   | 31-May-23 | 6 (+30d) |          | 30-Nov-23                 | 30-Dec-23 | 9 d (+30) |             |        |
|   | HRS   | 9758.1    |          |          |                           |           |           |             |        |
|   | AFL   | 4611      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 11-00-00-210-801                         |   |           |          |          |                           |           |           |             |        |
| <b>ATA 20 - STANDARD PRACTICES - AIRFRAME</b>           |   |           |          |          |                           |           |           |             |        |
| 20-00-00-910-801-01                                     | GENERAL MAINTENANCE AND SAFETY PRECAUTIONS  |           |          |          |                           |           |           | Service     | ATA:20 |
|   | MOS/MSC   | 13-May-96 | A/R      |          |                           |           |           |             |        |
|   | HRS   | 2505      |          |          |                           |           |           |             |        |
| WC#: 20.000   | AFL   | 1209      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 20-00-00-910-801                         |   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|--|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 20 - STANDARD PRACTICES - AIRFRAME |   |           |          |          |                           |           |           |             |        |
| 20-00-00-910-803-01                    | USE OF THE AIRCRAFT MAINTENANCE PROCEDURES                            |           |          |          |                           |           |           | Service     | ATA:20 |
|  | MOS/MSC   | 23-Oct-89 | A/R      |          |                           |           |           |             |        |
|  | HRS   | 0         |          |          |                           |           |           |             |        |
| WC#: 20.010                            | AFL   | 0         |          |          |                           |           |           |             |        |
|  | PROC. REF: AMM 20-00-00-910-803                                       |           |          |          |                           |           |           |             |        |
| 20-00-00-910-805-01                    | MAINTENANCE INSTRUCTION SPECIFIC TO S/N 1                             |           |          |          |                           |           |           | Service     | ATA:20 |
|  | MOS/MSC   | 23-Oct-89 | N/A      |          |                           |           |           |             |        |
|  | HRS   | 0         |          |          |                           |           |           |             |        |
| WC#: 20.030                            | AFL   | 0         |          |          |                           |           |           |             |        |
|  | PROC. REF: AMM 20-00-00-910-805                                       |           |          |          |                           |           |           |             |        |
| 20-00-00-910-806-01                    | MAINTENANCE INSTRUCTION SPECIFIC TO S/N 2                             |           |          |          |                           |           |           | Service     | ATA:20 |
|  | MOS/MSC   | 23-Oct-89 | N/A      |          |                           |           |           |             |        |
|  | HRS   | 0         |          |          |                           |           |           |             |        |
| WC#: 20.040                            | AFL   | 0         |          |          |                           |           |           |             |        |
|  | PROC. REF: AMM 20-00-00-910-806                                       |           |          |          |                           |           |           |             |        |
| 20-30-00-330-801-01                    | TEMPORARY REPAIR AFTER MINOR DAMAGE TO A COMPOSITE MATERIAL COMPONENT |           |          |          |                           |           |           | Service     | ATA:20 |
|  | MOS/MSC   | 23-Oct-89 | A/R      |          |                           |           |           |             |        |
|  | HRS   | 0         |          |          |                           |           |           |             |        |
| WC#: 51.090                            | AFL   | 0         |          |          |                           |           |           |             |        |
|  | PROC. REF: AMM 20-30-00-330-801                                       |           |          |          |                           |           |           |             |        |
| 20-31-00-140-801-01                    | RINSING THE AIRCRAFT EXTERIOR   |           |          |          |                           |           |           | Service     | ATA:20 |
|  | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
|  | HRS   | 0         |          |          |                           |           |           |             |        |
| WC#: 20.060                            | AFL   | 0         |          |          |                           |           |           |             |        |
|  | PROC. REF: SL 20-318, AMM 20-31-00-140-801                            |           |          |          |                           |           |           |             |        |
| 20-31-00-910-801-01                    | ON-GROUND DE-ICING AND ANTI-ICING TREATMENT - DE-ICING TREATMENT      |           |          |          |                           |           |           | Service     | ATA:20 |
|  | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
|  | HRS   | 0         |          |          |                           |           |           |             |        |
| WC#: 20.070                            | AFL   | 0         |          |          |                           |           |           |             |        |
|  | PROC. REF: SL 20-625, AMM 20-31-00-910-801                            |           |          |          |                           |           |           |             |        |
| 20-33-00-300-804-01                    | TEMPORARY REPAIR OF A HYDRAULIC OR WATER PIPE USING RYNGLOK FITTINGS  |           |          |          |                           |           |           | Service     | ATA:20 |
|  | MOS/MSC   | 23-Oct-89 | A/R      |          |                           |           |           |             |        |
|  | HRS   | 0         |          |          |                           |           |           |             |        |
|  | AFL   | 0         |          |          |                           |           |           |             |        |
|  | PROC. REF: AMM 20-33-00-300-804                                       |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                    | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|--|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 20 - STANDARD PRACTICES - AIRFRAME     |  |           |          |          |                           |           |           |             |        |
| 20-41-00-910-801-01                        | TIGHTENING TORQUES FOR SINGLE FLARE COUPLINGS  |           |          |          |                           |           |           | Service     | ATA:20 |
|  | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
|  | HRS  | 0         |          |          |                           |           |           |             |        |
|  | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 20-41-00-910-801            |  |           |          |          |                           |           |           |             |        |
| 20-60-00-370-813-01                        | APPLICATION OF THE PAINT SCHEME ON COMPOSITE COMPONENTS                              |           |          |          |                           |           |           | Service     | ATA:20 |
|  | MOS/MSC  | 23-Oct-89 | A/R      |          |                           |           |           |             |        |
|  | HRS  | 0         |          |          |                           |           |           |             |        |
| WC#: 20.080                                | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: SL 20-615, AMM 20-60-00-370-813 |  |           |          |          |                           |           |           |             |        |
| 20-60-00-370-816-03                        | RESTORATION OF THE PAINT SCHEME OF THE LANDING GEARS - LH MLG LEG (L2GF)             |           |          |          |                           |           |           | Service     | ATA:20 |
| PN:D22801100-11-/-13-14                    | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:U80                                     | HRS  | 0         |          |          |                           |           |           |             |        |
|  | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 20-60-00-370-816            |  |           |          |          |                           |           |           |             |        |
| 20-60-00-370-816-04                        | RESTORATION OF THE PAINT SCHEME OF THE LANDING GEARS - RH MLG LEG (R2GF)             |           |          |          |                           |           |           | Service     | ATA:20 |
| PN:D22802100-11-/-13-14                    | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:U79                                     | HRS  | 0         |          |          |                           |           |           |             |        |
|  | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 20-60-00-370-816            |  |           |          |          |                           |           |           |             |        |
| 20-60-00-370-816-05                        | RESTORATION OF THE PAINT SCHEME OF THE LANDING GEARS - LH MLG SHOCK ABSORBER (L2GF5) |           |          |          |                           |           |           | Service     | ATA:20 |
|  | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
|  | HRS  | 0         |          |          |                           |           |           |             |        |
|  | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 20-60-00-370-816            |  |           |          |          |                           |           |           |             |        |
| 20-60-00-370-816-06                        | RESTORATION OF THE PAINT SCHEME OF THE LANDING GEARS - RH MLG SHOCK ABSORBER (R2GF5) |           |          |          |                           |           |           | Service     | ATA:20 |
|  | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
|  | HRS  | 0         |          |          |                           |           |           |             |        |
|  | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 20-60-00-370-816            |  |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                       | Unit    | C/W  | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition |                  |
|---|---------|--|------------|----------|---------------------------|-----------|--------------|-------------|------------------|
| <b>ATA 20 - STANDARD PRACTICES - AIRFRAME</b> |         |  |            |          |                           |           |              |             |                  |
| 20-60-00-370-816-09                           |         | RESTORATION OF THE PAINT SCHEME OF THE LANDING GEARS - NLG LEG (3GF)   |            |          |                           |           |              |             | Service ATA:20   |
| PN:D22811200-14-/-16-X-18-19-/-22             | MOS/MSC | 23-Oct-89  | O/C        |          |                           |           |              |             |                  |
| SN:U79  | HRS     | 0  |            |          |                           |           |              |             |                  |
|   | AFL     | 0  |            |          |                           |           |              |             |                  |
| PROC. REF: AMM 20-60-00-370-816               |         |  |            |          |                           |           |              |             |                  |
| <b>ATA 21 - AIR CONDITIONING</b>              |         |  |            |          |                           |           |              |             |                  |
| 21-20-00-900-801-01                           |         | REMOVAL / INSTALLATION OF THE CABIN AIR-CONDITIONING ELECTRIC VALVE - CABIN AIR CONDITIONING ELECTRIC VALVE (3HN2) |            |          |                           |           |              |             | Component ATA:21 |
| PN:BYLB51003                                  | MOS/MSC | 23-Oct-89  | O/C        |          |                           |           |              |             |                  |
| SN:UNKNOWN                                    | HRS     | 0  |            | TSN 0    |                           |           |              |             |                  |
| WC#: 21.140                                   | AFL     | 0  |            |          |                           |           |              |             |                  |
| PROC. REF: AMM 21-20-00-900-801               |         |  |            |          |                           |           |              |             |                  |
| 21-20-01-350-801-01                           |         | RESTORATION OF THE FLOW LIMITERS (OVERHAUL) - LH FLOW LIMITER (L501HN)   |            |          |                           |           |              |             | Service ATA:21   |
| PN:2742A020100                                | MOS     | 01-Sep-05  |            |          |                           |           |              | OVERHAUL    |                  |
| SN:170  | HRS     | 5451.8   | 4800 (+3%) |          | 10251.8                   | 10395.8   | 420.6 (+144) |             |                  |
| WC#: 21.020                                   | AFL     | 2600   |            |          |                           |           |              |             |                  |
| PROC. REF: AMM 21-20-01-350-801               |         |  |            |          |                           |           |              |             |                  |
| 21-20-01-350-801-02                           |         | RESTORATION OF THE FLOW LIMITERS (OVERHAUL) - RH FLOW LIMITER (R501HN)   |            |          |                           |           |              |             | Service ATA:21   |
| PN:2742A020100                                | MOS     | 01-Sep-05  |            |          |                           |           |              | OVERHAUL    |                  |
| SN:169  | HRS     | 5451.8   | 4800 (+3%) |          | 10251.8                   | 10395.8   | 420.6 (+144) |             |                  |
| WC#: 21.020                                   | AFL     | 2600   |            |          |                           |           |              |             |                  |
| PROC. REF: AMM 21-20-01-350-801               |         |  |            |          |                           |           |              |             |                  |
| 21-20-01-900-801-01                           |         | REMOVAL / INSTALLATION OF THE FLOW LIMITERS - LH FLOW LIMITER (L501HN)   |            |          |                           |           |              |             | Component ATA:21 |
| PN:2742A020100                                | MOS/MSC | 01-Sep-05  | O/C        |          |                           |           |              |             |                  |
| SN:170  | HRS     | 5451.8   |            | TSO 0    |                           |           |              |             |                  |
| WC#: 21.020                                   | AFL     | 2600   |            | TSO 0    |                           |           |              |             |                  |
| PROC. REF: AMM 21-20-01-900-801               |         |  |            |          |                           |           |              |             |                  |
| 21-20-01-900-801-02                           |         | REMOVAL / INSTALLATION OF THE FLOW LIMITERS - RH FLOW LIMITER (R501HN)   |            |          |                           |           |              |             | Component ATA:21 |
| PN:2742A020100                                | MOS/MSC | 01-Sep-05  | O/C        |          |                           |           |              |             |                  |
| SN:169  | HRS     | 5451.8   |            | TSO 0    |                           |           |              |             |                  |
| WC#: 21.020                                   | AFL     | 2600   |            | TSO 0    |                           |           |              |             |                  |
| PROC. REF: AMM 21-20-01-900-801               |         |  |            |          |                           |           |              |             |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining     | Disposition |  |
|----------------------------------|---------|---|------------|----------|---------------------------|-----------|---------------|-------------|--|
| <b>ATA 21 - AIR CONDITIONING</b> |         |   |            |          |                           |           |               |             |  |
| 21-22-19-900-801-01              |         | REMOVAL / INSTALLATION OF THE GASPER PRESSURE CONTROL VALVE - GASPER PRESSURE REGULATING VALVE (508HN)        |            |          |                           |           | Component     | ATA:21      |  |
| PN:B17DA1002                     | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |               |             |  |
| SN:243                           | HRS     | 0   |            | TSN 0    |                           |           |               |             |  |
| WC#: 21.040                      | AFL     | 0   |            |          |                           |           |               |             |  |
| PROC. REF: GENERIC NO REF        |         |   |            |          |                           |           |               |             |  |
| 21-28-00-710-801-01 <sup>S</sup> |         | OPERATIONAL TEST OF THE EFIS VENTILATION SYSTEM   |            |          |                           |           | Service       | ATA:21      |  |
|                                  | MOS     | 29-Apr-16   |            |          |                           |           |               |             |  |
|                                  | HRS     | 8447.8  | 1600 (+40) |          |                           |           |               |             |  |
| WC#: 21.175                      | AFL     | 4114  |            |          |                           |           |               |             |  |
| PROC. REF: AMM 21-28-00-710-801  |         |   |            |          |                           |           |               |             |  |
| PKG:21                           |         |   |            |          |                           |           |               |             |  |
| 21-30-00-790-802-01 <sup>S</sup> |         | IN-FLIGHT CHECK OF CABIN SEALING  |            |          |                           |           | Service       | ATA:21      |  |
|                                  | MOS     | 29-Apr-16   |            |          |                           |           |               |             |  |
|                                  | HRS     | 8447.8  | 1600 (+40) |          |                           |           |               |             |  |
| WC#: 21.180                      | AFL     | 4114  |            |          |                           |           |               |             |  |
| PROC. REF: AMM 21-30-00-790-802  |         |   |            |          |                           |           |               |             |  |
| PKG:21                           |         |   |            |          |                           |           |               |             |  |
| 21-30-01-900-801-01              |         | REMOVAL / INSTALLATION OF THE AUTOMATIC PRESSURIZATION CONTROLLER - AUTOMATIC PRESSURIZATION CONTROLLER (3HP) |            |          |                           |           | Component     | ATA:21      |  |
| PN:22250J032100                  | MOS/MSC | 02-Nov-11   | O/C        |          |                           |           |               |             |  |
| SN:174                           | HRS     | 7433.8  |            |          |                           |           |               |             |  |
| WC#: 21.280                      | AFL     | 3694  |            |          |                           |           |               |             |  |
| PROC. REF: AMM 21-30-01-900-801  |         |   |            |          |                           |           |               |             |  |
| 21-30-09-720-801-01              |         | FUNCTIONAL TEST OF THE ALTITUDE ALERT OF THE TRIPLE INDICATOR - TRIPLE INDICATOR (7HP)                        |            |          |                           |           | Service       | ATA:21      |  |
| PN:15900-413                     | MOS     | 09-Dec-11   |            |          |                           |           |               |             |  |
| SN:1554                          | HRS     | 7461.3  | 4000 (+3%) |          | 11461.3                   | 11581.3   | 1630.1 (+120) |             |  |
| WC#: 21.290                      | AFL     | 3706  |            |          |                           |           |               |             |  |
| PROC. REF: AMM 21-30-09-720-801  |         |   |            |          |                           |           |               |             |  |
| 21-30-09-900-801-01              |         | REMOVAL / INSTALLATION OF THE TRIPLE INDICATOR - TRIPLE INDICATOR (7HP)                                       |            |          |                           |           | Component     | ATA:21      |  |
| PN:15900-413                     | MOS/MSC | 09-Dec-11   | O/C        | TSR 0    |                           |           |               |             |  |
| SN:1554                          | HRS     | 7461.3  |            | TSR 0    |                           |           |               |             |  |
| WC#: 21.290                      | AFL     | 3706  |            | TSR 0    |                           |           |               |             |  |
| PROC. REF: AMM 21-30-09-900-801  |         |   |            |          |                           |           |               |             |  |
| 21-31-00-720-801-01 <sup>S</sup> |         | FUNCTIONAL TEST OF THE NOSE CONE PRESSURIZATION SYSTEM - PNEUMATIC ACTUATOR (506HP)                           |            |          |                           |           | Service       | ATA:21      |  |
|                                  | MOS     | 10-Apr-16   |            |          |                           |           |               |             |  |
|                                  | HRS     | 8447.8  | 1600 (+40) |          |                           |           |               |             |  |
|                                  | AFL     | 4114  |            |          |                           |           |               |             |  |
| PROC. REF: AMM 21-31-00-720-801  |         |   |            |          |                           |           |               |             |  |
| PKG:21                           |         |   |            |          |                           |           |               |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |
|--|---------|-----------|------------|----------|---------------------------|-----------|-----------|------------------|
| <b>ATA 21 - AIR CONDITIONING</b>   |         |           |            |          |                           |           |           |                  |
| <b>21-31-00-720-801-02<sup>S</sup> FUNCTIONAL TEST OF THE NOSE CONE PRESSURIZATION SYSTEM - PRESSURE RELIEF VALVE (507HP)</b>                |         |           |            |          |                           |           |           |                  |
|  | MOS     | 10-Apr-16 |            |          |                           |           |           | Service ATA:21   |
|  | HRS     | 8447.8    | 1600 (+40) |          |                           |           |           |                  |
|  | AFL     | 4114      |            |          |                           |           |           |                  |
| PROC. REF: AMM 21-31-00-720-801  |         |           |            |          |                           |           |           | PKG:21           |
| <b>21-31-01-720-801-01<sup>S</sup> FUNCTIONAL TEST OF THE NOSE CONE OVERHEAT INDICATING SYSTEM</b>   |         |           |            |          |                           |           |           |                  |
|  | MOS     | 12-Apr-16 |            |          |                           |           |           | Service ATA:21   |
|  | HRS     | 8447.8    | 1600 (+40) |          |                           |           |           |                  |
| WC#: 21.150  | AFL     | 4114      |            |          |                           |           |           |                  |
| PROC. REF: AMM 21-31-01-720-801  |         |           |            |          |                           |           |           | PKG:21           |
| <b>21-31-09-350-801-01 RESTORATION OF THE NOSE CONE VENTILATION FAN (REPLACEMENT OF BEARINGS) - NOSE CONE FAN (3HQ)</b>                      |         |           |            |          |                           |           |           |                  |
| PN:AE1103A01   | MOS/MSC | 25-Jan-11 | N/A        |          |                           |           |           | Service ATA:21   |
| SN:00284   | HRS     | 7053.8    |            |          |                           |           |           |                  |
|  | AFL     | 3498      |            |          |                           |           |           |                  |
| PROC. REF: AMM 21-31-09-350-801  |         |           |            |          |                           |           |           |                  |
| <b>21-31-09-350-802-01 RESTORATION OF THE NOSE CONE VENTILATION FAN (REPLACEMENT OF BEARINGS AND CHECK OF BRUSHES) - NOSE CONE FAN (3HQ)</b> |         |           |            |          |                           |           |           |                  |
| PN:AE1103A01   | MOS/MSC |           | N/A        |          |                           |           |           | Service ATA:21   |
| SN:00284   | HRS     |           |            |          |                           |           |           |                  |
|  | AFL     |           |            |          |                           |           |           |                  |
| PROC. REF: AMM 21-31-09-350-802  |         |           |            |          |                           |           |           |                  |
| <b>21-31-09-710-801-01 OPERATIONAL TEST OF THE NOSE CONE VENTILATION FAN - NOSE CONE FAN (3HQ)</b>   |         |           |            |          |                           |           |           |                  |
|  | MOS/MSC | 25-Jan-11 | O/C        |          |                           |           |           | Service ATA:21   |
|  | HRS     | 7053.8    |            |          |                           |           |           |                  |
| WC#: 21.160  | AFL     | 3498      |            |          |                           |           |           |                  |
| PROC. REF: AMM 21-31-09-710-801  |         |           |            |          |                           |           |           |                  |
| <b>21-31-09-900-801-01 REMOVAL / INSTALLATION OF THE NOSE CONE VENTILATION FAN - NOSE CONE FAN (3HQ)</b>                                     |         |           |            |          |                           |           |           |                  |
| PN:AE1103A01   | MOS/MSC | 25-Jan-11 | O/C        | TSR 0    |                           |           |           | Component ATA:21 |
| SN:00284   | HRS     | 7053.8    |            | TSR 0    |                           |           |           |                  |
| WC#: 21.160  | AFL     | 3498      |            | TSR 0    |                           |           |           |                  |
| PROC. REF: AMM 21-31-09-900-801  |         |           |            |          |                           |           |           |                  |
| <b>21-31-25-220-801-01 CHECK / REPLACEMENT OF THE NOSE CONE VENTILATION FAN BRUSHES (TECHNOFAN P/N EVT608A) - NOSE CONE FAN (3HQ)</b>        |         |           |            |          |                           |           |           |                  |
| PN:AE1103A01   | MOS/MSC | 25-Jan-11 | N/A        |          |                           |           |           | Service ATA:21   |
| SN:00284   | HRS     | 7053.8    |            |          |                           |           |           |                  |
|  | AFL     | 3498      |            |          |                           |           |           |                  |
| PROC. REF: AMM 21-31-25-220-801  |         |           |            |          |                           |           |           |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C       | Max Limit | Remaining     | Disposition    |
|---|------|-----------|------------|----------|---------------------------------|-----------|---------------|----------------|
| <b>ATA 21 - AIR CONDITIONING</b>  |      |           |            |          |                                 |           |               |                |
| <b>21-32-00-710-801-01<sup>S</sup> OPERATIONAL TEST OF THE CABIN PRESSURIZATION SYSTEM</b>  |      |           |            |          |                                 |           |               |                |
|   | MOS  | 08-Apr-16 |            |          |                                 |           |               | Service ATA:21 |
|   | HRS  | 8447.8    | 1600 (+40) |          |                                 |           |               |                |
| WC#: 21.200   | AFL  | 4114      |            |          |                                 |           |               |                |
|   |      |           |            |          | PROC. REF: AMM 21-32-00-710-801 |           |               | PKG:21         |
| <b>21-32-00-710-802-01<sup>S</sup> OPERATIONAL TEST OF THE PRESSURIZATION SYSTEM EMERGENCY SUPPLY</b>                                 |      |           |            |          |                                 |           |               |                |
|   | MOS  | 08-Apr-16 |            |          |                                 |           |               | Service ATA:21 |
|   | HRS  | 8447.8    | 1600 (+40) |          |                                 |           |               |                |
| WC#: 21.190   | AFL  | 4114      |            |          |                                 |           |               |                |
|   |      |           |            |          | PROC. REF: AMM 21-32-00-710-802 |           |               | PKG:21         |
| <b>21-32-00-790-801-01<sup>S</sup> LEAK CHECK AROUND THE STATIC PRESSURE PROBES - LH STATIC PRESSURE PROBE (L13FL)</b>                |      |           |            |          |                                 |           |               |                |
|   | MOS  | 16-Nov-22 | 24 (+1m)   |          |                                 |           |               | Service ATA:21 |
|   | HRS  | 9596.5    |            |          |                                 |           |               |                |
|   | AFL  | 4562      |            |          |                                 |           |               |                |
|   |      |           |            |          | PROC. REF: AMM 21-32-00-790-801 |           |               | PKG:16         |
| <b>21-32-00-790-801-02<sup>S</sup> LEAK CHECK AROUND THE STATIC PRESSURE PROBES - RH STATIC PRESSURE PROBE (R13FL)</b>                |      |           |            |          |                                 |           |               |                |
|   | MOS  | 16-Nov-22 | 24 (+1m)   |          |                                 |           |               | Service ATA:21 |
|   | HRS  | 9596.5    |            |          |                                 |           |               |                |
|   | AFL  | 4562      |            |          |                                 |           |               |                |
|   |      |           |            |          | PROC. REF: AMM 21-32-00-790-801 |           |               | PKG:16         |
| <b>21-32-00-790-801-03<sup>S</sup> LEAK CHECK AROUND THE STATIC PRESSURE PROBES - LH STAND-BY STATIC PRESSURE PROBE (L501FL)</b>      |      |           |            |          |                                 |           |               |                |
|   | MOS  | 16-Nov-22 | 24 (+1m)   |          |                                 |           |               | Service ATA:21 |
|   | HRS  | 9596.5    |            |          |                                 |           |               |                |
|   | AFL  | 4562      |            |          |                                 |           |               |                |
|   |      |           |            |          | PROC. REF: AMM 21-32-00-790-801 |           |               | PKG:16         |
| <b>21-32-00-790-801-04<sup>S</sup> LEAK CHECK AROUND THE STATIC PRESSURE PROBES - RH STAND-BY STATIC PRESSURE PROBE (R501FL)</b>      |      |           |            |          |                                 |           |               |                |
|   | MOS  | 16-Nov-22 | 24 (+1m)   |          |                                 |           |               | Service ATA:21 |
|   | HRS  | 9596.5    |            |          |                                 |           |               |                |
|   | AFL  | 4562      |            |          |                                 |           |               |                |
|   |      |           |            |          | PROC. REF: AMM 21-32-00-790-801 |           |               | PKG:16         |
| <b>21-32-06-200-801-01 INSPECTION / CHECK OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - CLEANING OF ELECTROPNEUMATIC VALVE (4HP)</b> |      |           |            |          |                                 |           |               |                |
| PN:2097N040801  | MOS  | 12-Nov-20 |            |          |                                 |           |               | Service ATA:21 |
| SN:01167  | HRS  | 9182.3    | 1640 (+3%) |          | 10822.3                         | 10871.5   | 991.1 (+49.2) |                |
| WC#: 21.260   | AFL  | 4405      |            |          |                                 |           |               |                |
|   |      |           |            |          | PROC. REF: AMM 21-32-06-200-801 |           |               |                |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit | C/W  | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining     | Disposition    |        |
|----------------------------------|------|--|------------|----------|---------------------------|-----------|---------------|----------------|--------|
| <b>ATA 21 - AIR CONDITIONING</b> |      |  |            |          |                           |           |               |                |        |
| 21-32-06-200-801-02              |      | INSPECTION / CHECK OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - CLEANING OF PNEUMATIC VALVE (5HP)  |            |          |                           |           | Service       |                | ATA:21 |
| PN:2099E010700                   | MOS  | 12-Nov-20  |            |          |                           |           |               |                |        |
| SN:194                           | HRS  | 9182.3   | 1640 (+3%) |          | 10822.3                   | 10871.5   | 991.1 (+49.2) |                |        |
| WC#: 21.270                      | AFL  | 4405   |            |          |                           |           |               |                |        |
| PROC. REF: AMM 21-32-06-200-801  |      |  |            |          |                           |           |               |                |        |
| 21-32-06-200-801-03              |      | INSPECTION / CHECK OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - CHECK OF OVERPRESSURE TIGHTNESS OF ELECTROPNEUMATIC VALVE (4HP)            |            |          |                           |           | Service       |                | ATA:21 |
| PN:2097N040801                   | MOS  | 12-Nov-20  |            |          |                           |           |               |                |        |
| SN:01167                         | HRS  | 9182.3   | 1640       |          | 10822.3                   |           | 991.1         |                |        |
| WC#: 21.260                      | AFL  | 4405   |            |          |                           |           |               |                |        |
| PROC. REF: AMM 21-32-06-200-801  |      |  |            |          |                           |           |               |                |        |
| 21-32-06-200-801-03A             |      | CHECK ELECTROPNEUMATIC VALVE OVERPRESSURE TIGHTNESS (MANDATORY 5-40)   |            |          |                           |           | Service       |                | ATA:21 |
| PN:2097N040801                   | MOS  | 12-Nov-20  |            |          |                           |           |               | MANDATORY 5-40 |        |
| SN:01167                         | HRS  | 9182.3   | 1640       |          | 10822.3                   |           | 991.1         |                |        |
| WC#: 21.260                      | AFL  | 4405   |            |          |                           |           |               |                |        |
| PROC. REF: AMM 21-32-06-200-801  |      |  |            |          |                           |           |               |                |        |
| 21-32-06-200-801-04              |      | INSPECTION / CHECK OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - CHECK OF OVERPRESSURE TIGHTNESS OF PNEUMATIC VALVE (5HP)                   |            |          |                           |           | Service       |                | ATA:21 |
| PN:2099E010700                   | MOS  | 12-Nov-20  |            |          |                           |           |               |                |        |
| SN:194                           | HRS  | 9182.3   | 1640       |          | 10822.3                   |           | 991.1         |                |        |
| WC#: 21.270                      | AFL  | 4405   |            |          |                           |           |               |                |        |
| PROC. REF: AMM 21-32-06-200-801  |      |  |            |          |                           |           |               |                |        |
| 21-32-06-200-801-04A             |      | CHECK PNEUMATIC VALVE OVERPRESSURE TIGHTNESS (MANDATORY 5-40)  |            |          |                           |           | Service       |                | ATA:21 |
| PN:2099E010700                   | MOS  | 12-Nov-20  |            |          |                           |           |               | MANDATORY 5-40 |        |
| SN:194                           | HRS  | 9182.3   | 1640       |          | 10822.3                   |           | 991.1         |                |        |
| WC#: 21.270                      | AFL  | 4405   |            |          |                           |           |               |                |        |
| PROC. REF: AMM 21-32-06-200-801  |      |  |            |          |                           |           |               |                |        |
| 21-32-06-200-801-05              |      | INSPECTION / CHECK OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - CHECK OF OVERPRESSURE RELIEF VALVE VACUUM SUPPLY LINES (975HP) AND (976HP) |            |          |                           |           | Service       |                | ATA:21 |
|                                  | MOS  | 23-Jan-19  |            |          |                           |           |               |                |        |
|                                  | HRS  | 8885.2   | 1640       |          | 10525.2                   |           | 694           |                |        |
| WC#: 21.530                      | AFL  | 4280   |            |          |                           |           |               |                |        |
| PROC. REF: AMM 21-32-06-200-801  |      |  |            |          |                           |           |               |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|----------------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|----------------|--------|
| <b>ATA 21 - AIR CONDITIONING</b> |   |           |          |          |                           |           |           |                |        |
| 21-32-06-200-801-05A             | CHECK OF OVERPRESSURE RELIEF VALVE VACUUM SUPPLY LINES (MANDATORY 5-40)                     |           |          |          |                           |           |           | Service        | ATA:21 |
|                                  | MOS   | 23-Jan-19 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS   | 8885.2    | 7500     |          | 16385.2                   |           | 6554      |                |        |
| WC#: 21.530                      | AFL   | 4280      |          |          |                           |           |           |                |        |
| PROC. REF: AMM 21-32-06-200-801  |   |           |          |          |                           |           |           |                |        |
| 21-32-06-720-801-01              | FUNCTIONAL TEST OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - ELECTROPNEUMATIC VALVE (4HP) |           |          |          |                           |           |           | Service        | ATA:21 |
| PN:2097N040801                   | MOS   | 12-Nov-20 |          |          |                           |           |           |                |        |
| SN:01167                         | HRS   | 9182.3    | 4840     |          | 14022.3                   |           | 4191.1    |                |        |
|                                  | AFL   | 4405      |          |          |                           |           |           |                |        |
| PROC. REF: AMM 21-32-06-720-801  |   |           |          |          |                           |           |           |                |        |
| 21-32-06-720-801-01A             | FUNCTIONAL TEST ELECTROPNEUMATIC VALVE (MANDATORY 5-40)                                     |           |          |          |                           |           |           | Service        | ATA:21 |
| PN:2097N040801                   | MOS   | 12-Nov-20 |          |          |                           |           |           | MANDATORY 5-40 |        |
| SN:01167                         | HRS   | 9182.3    | 14300    |          | 23482.3                   |           | 13651.1   |                |        |
| WC#: 21.260                      | AFL   | 4405      |          |          |                           |           |           |                |        |
| PROC. REF: AMM 21-32-06-720-801  |   |           |          |          |                           |           |           |                |        |
| 21-32-06-720-801-02              | FUNCTIONAL TEST OF THE ELECTROPNEUMATIC AND PNEUMATIC VALVES - PNEUMATIC VALVE (5HP)        |           |          |          |                           |           |           | Service        | ATA:21 |
| PN:2099E010700                   | MOS   | 12-Nov-20 |          |          |                           |           |           |                |        |
| SN:194                           | HRS   | 9182.3    | 4840     |          | 14022.3                   |           | 4191.1    |                |        |
|                                  | AFL   | 4405      |          |          |                           |           |           |                |        |
| PROC. REF: AMM 21-32-06-720-801  |   |           |          |          |                           |           |           |                |        |
| 21-32-06-720-801-02A             | FUNCTIONAL TEST PNEUMATIC VALVE (MANDATORY 5-40)  |           |          |          |                           |           |           | Service        | ATA:21 |
| PN:2099E010700                   | MOS   | 12-Nov-20 |          |          |                           |           |           | MANDATORY 5-40 |        |
| SN:194                           | HRS   | 9182.3    | 14300    |          | 23482.3                   |           | 13651.1   |                |        |
| WC#: 21.270                      | AFL   | 4405      |          |          |                           |           |           |                |        |
| PROC. REF: AMM 21-32-06-720-801  |   |           |          |          |                           |           |           |                |        |
| 21-32-06-720-802-01 <sup>S</sup> | FUNCTIONAL TEST OF THE CABIN ALTITUDE LIMITATION - ELECTROPNEUMATIC VALVE (4HP)             |           |          |          |                           |           |           | Service        | ATA:21 |
|                                  | MOS   | 12-Nov-20 | 72       |          |                           |           |           |                |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |                |        |
|                                  | AFL   | 4405      | 3750     |          |                           |           |           |                |        |
| PROC. REF: AMM 21-32-06-720-802  |   |           |          |          |                           |           |           |                |        |
| 21-32-06-720-802-02 <sup>S</sup> | FUNCTIONAL TEST OF THE CABIN ALTITUDE LIMITATION - PNEUMATIC VALVE (5HP)                    |           |          |          |                           |           |           | Service        | ATA:21 |
|                                  | MOS   | 12-Nov-20 | 72       |          |                           |           |           |                |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |                |        |
|                                  | AFL   | 4405      | 3750     |          |                           |           |           |                |        |
| PROC. REF: AMM 21-32-06-720-802  |   |           |          |          |                           |           |           |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval   | TSX/Adj.        | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|----------------------------------|---------|---|------------|-----------------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 21 - AIR CONDITIONING</b> |         |   |            |                 |                           |           |           |             |  |
| 21-32-06-900-801-01              |         | REMOVAL / INSTALLATION OF THE ELECTROPNEUMATIC VALVE - ELECTROPNEUMATIC VALVE (4HP)   |            |                 |                           |           | Component | ATA:21      |  |
| PN:2097N040801                   | MOS/MSC | 12-Nov-20   | O/C        | TSN 249, TSR 7  |                           |           |           |             |  |
| SN:01167                         | HRS     | 9182.3  |            | TSR 0           |                           |           |           |             |  |
| WC#: 21.260                      | AFL     | 4405  |            | TSR 0           |                           |           |           |             |  |
| PROC. REF: AMM 21-32-06-900-801  |         |   |            |                 |                           |           |           |             |  |
| 21-32-06-900-802-01              |         | REMOVAL / INSTALLATION OF THE PNEUMATIC VALVE - PNEUMATIC VALVE (5HP)   |            |                 |                           |           | Component | ATA:21      |  |
| PN:2099E010700                   | MOS/MSC | 12-Nov-20   | O/C        | TSN 249, TSR 34 |                           |           |           |             |  |
| SN:194                           | HRS     | 9182.3  |            | TSR 0           |                           |           |           |             |  |
| WC#: 21.270                      | AFL     | 4405  |            | TSR 0           |                           |           |           |             |  |
| PROC. REF: AMM 21-32-06-900-802  |         |   |            |                 |                           |           |           |             |  |
| 21-32-17-200-801-01 <sup>S</sup> |         | INSPECTION OF THE BAGGAGE COMPARTMENT PRESSURE RELIEF VALVES - PRESSURE-RELIEF VALVE (L505HP)                               |            |                 |                           |           | Service   | ATA:21      |  |
|                                  | MOS     | 10-Apr-16   |            |                 |                           |           |           |             |  |
|                                  | HRS     | 8447.8  | 1600 (+40) |                 |                           |           |           |             |  |
| WC#: 21.350                      | AFL     | 4114  |            |                 |                           |           |           |             |  |
| PROC. REF: AMM 21-32-17-200-801  |         |   |            |                 |                           |           |           |             |  |
| PKG:21                           |         |   |            |                 |                           |           |           |             |  |
| 21-32-17-200-801-02 <sup>S</sup> |         | INSPECTION OF THE BAGGAGE COMPARTMENT PRESSURE RELIEF VALVES - PRESSURE-RELIEF VALVE (R505HP)                               |            |                 |                           |           | Service   | ATA:21      |  |
|                                  | MOS     | 10-Apr-16   |            |                 |                           |           |           |             |  |
|                                  | HRS     | 8447.8  | 1600 (+40) |                 |                           |           |           |             |  |
| WC#: 21.360                      | AFL     | 4114  |            |                 |                           |           |           |             |  |
| PROC. REF: AMM 21-32-17-200-801  |         |   |            |                 |                           |           |           |             |  |
| PKG:21                           |         |   |            |                 |                           |           |           |             |  |
| 21-32-33-710-801-01 <sup>S</sup> |         | OPERATIONAL TEST OF THE BAGGAGE COMPARTMENT ISOLATION VALVE - BAGGAGE COMPARTMENT ISOLATION VALVE (24HP)                    |            |                 |                           |           | Service   | ATA:21      |  |
|                                  | MOS     | 09-Nov-23   | 12 (+1m)   |                 |                           |           |           |             |  |
|                                  | HRS     | 9831.2  | 800 (+40)  |                 |                           |           |           |             |  |
| WC#: 21.120                      | AFL     | 4640  |            |                 |                           |           |           |             |  |
| PROC. REF: AMM 21-32-33-710-801  |         |   |            |                 |                           |           |           |             |  |
| PKG:5                            |         |   |            |                 |                           |           |           |             |  |
| 21-32-37-200-801-01 <sup>S</sup> |         | INSPECTION OF THE BAGGAGE COMPARTMENT NEGATIVE PRESSURE RELIEF VALVES - NEGATIVE PRESSURE RELIEF VALVES (L508HP) / (R508HP) |            |                 |                           |           | Service   | ATA:21      |  |
|                                  | MOS     | 19-Mar-20   |            |                 |                           |           |           |             |  |
|                                  | HRS     | 9167.7  | 1600 (+40) |                 |                           |           |           |             |  |
| WC#: 21.370                      | AFL     | 4401  |            |                 |                           |           |           |             |  |
| PROC. REF: AMM 21-32-37-200-801  |         |   |            |                 |                           |           |           |             |  |
| PKG:21                           |         |   |            |                 |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining     | Disposition |        |
|----------------------------------|--|-----------|------------|----------|---------------------------|-----------|---------------|-------------|--------|
| <b>ATA 21 - AIR CONDITIONING</b> |  |           |            |          |                           |           |               |             |        |
| 21-32-37-720-801-01              | FUNCTIONAL TEST OF THE BAGGAGE COMPARTMENT NEGATIVE PRESSURE RELIEF VALVES - LH NEGATIVE PRESSURE RELIEF VALVE (L508HP)        |           |            |          |                           |           |               | Service     | ATA:21 |
| PN:2827A01                       | MOS  | 19-Mar-20 |            |          |                           |           |               |             |        |
| SN:639                           | HRS  | 9167.7    | 4000 (+3%) |          | 13167.7                   | 13287.7   | 3336.5 (+120) |             |        |
| WC#: 21.370                      | AFL  | 4401      |            |          |                           |           |               |             |        |
| PROC. REF: AMM 21-32-37-720-801  |  |           |            |          |                           |           |               |             |        |
| 21-32-37-720-801-02              | FUNCTIONAL TEST OF THE BAGGAGE COMPARTMENT NEGATIVE PRESSURE RELIEF VALVES - RH NEGATIVE PRESSURE RELIEF VALVE (R508HP)        |           |            |          |                           |           |               | Service     | ATA:21 |
| PN:2827A01                       | MOS  | 05-Mar-20 |            |          |                           |           |               |             |        |
| SN:640                           | HRS  | 9159.6    | 4000 (+3%) |          | 13159.6                   | 13279.6   | 3328.4 (+120) |             |        |
| WC#: 21.380                      | AFL  | 4396      |            |          |                           |           |               |             |        |
| PROC. REF: AMM 21-32-37-720-801  |  |           |            |          |                           |           |               |             |        |
| 21-32-37-900-801-01              | REMOVAL / INSTALLATION OF THE BAGGAGE COMPARTMENT NEGATIVE PRESSURE RELIEF VALVES - LH NEGATIVE PRESSURE RELIEF VALVE (L508HP) |           |            |          |                           |           |               | Component   | ATA:21 |
| PN:2827A01                       | MOS/MSC  | 19-Mar-20 | O/C        | TSR 11   |                           |           |               |             |        |
| SN:639                           | HRS  | 9167.7    |            | TSR 0    |                           |           |               |             |        |
| WC#: 21.370                      | AFL  | 4401      |            | TSR 0    |                           |           |               |             |        |
| PROC. REF: AMM 21-32-37-900-801  |  |           |            |          |                           |           |               |             |        |
| 21-32-37-900-801-02              | REMOVAL / INSTALLATION OF THE BAGGAGE COMPARTMENT NEGATIVE PRESSURE RELIEF VALVES - RH NEGATIVE PRESSURE RELIEF VALVE (R508HP) |           |            |          |                           |           |               | Component   | ATA:21 |
| PN:2827A01                       | MOS/MSC  | 05-Mar-20 | O/C        | TSR 11   |                           |           |               |             |        |
| SN:640                           | HRS  | 9159.6    |            | TSR 0    |                           |           |               |             |        |
| WC#: 21.380                      | AFL  | 4396      |            | TSR 0    |                           |           |               |             |        |
| PROC. REF: AMM 21-32-37-900-801  |  |           |            |          |                           |           |               |             |        |
| 21-32-41-200-801-01 <sup>S</sup> | INSPECTION OF THE NICOTINE FILTER CARTRIDGE - CABIN AIR FILTER (504HP)   |           |            |          |                           |           |               | Service     | ATA:21 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m)   |          |                           |           |               |             |        |
|                                  | HRS  | 9182.3    |            |          |                           |           |               |             |        |
| WC#: 21.250                      | AFL  | 4405      | 3750       |          |                           |           |               |             |        |
| PROC. REF: AMM 21-32-41-200-801  |  |           |            |          |                           |           |               |             |        |
| 21-52-00-710-801-01 <sup>S</sup> | OPERATIONAL TEST OF THE WATER REINJECTION SYSTEM   |           |            |          |                           |           |               | Service     | ATA:21 |
|                                  | MOS  | 08-Apr-16 |            |          |                           |           |               |             |        |
|                                  | HRS  | 8447.8    | 3200 (+40) |          |                           |           |               |             |        |
| WC#: 21.440                      | AFL  | 4114      |            |          |                           |           |               |             |        |
| PROC. REF: AMM 21-52-00-710-801  |  |           |            |          |                           |           |               |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining  | Disposition |                  |
|----------------------------------|---------|---|------------|----------|---------------------------|-----------|------------|-------------|------------------|
| <b>ATA 21 - AIR CONDITIONING</b> |         |   |            |          |                           |           |            |             |                  |
| 21-52-05-350-801-01              |         | RESTORATION OF THE TURBOCOOLER (OVERHAUL) - TURBOCOOLER (504HN)               |            |          |                           |           |            |             | Service ATA:21   |
| PN:3269B0102                     | MOS     | 31-Oct-23   |            |          |                           |           |            | OVERHAUL    |                  |
| SN:154                           | HRS     | 9831.2  | 3000 (+3%) |          | 12831.2                   | 12921.2   | 3000 (+90) |             |                  |
| WC#: 21.410                      | AFL     | 4640  |            |          |                           |           |            |             |                  |
| PROC. REF: AMM 21-52-05-350-801  |         |   |            |          |                           |           |            |             |                  |
| 21-52-05-610-801-01              |         | TURBOCOOLER OIL SERVICING - TURBOCOOLER (504HN) OIL TOP-UP                    |            |          |                           |           |            |             | Service ATA:21   |
|                                  | MOS     | 10-Mar-23   |            |          |                           |           |            |             |                  |
|                                  | HRS     | 9700.1  | 200        |          | 9900.1                    |           | 68.9       |             |                  |
|                                  | AFL     | 4594  |            |          |                           |           |            |             |                  |
| PROC. REF: AMM 21-52-05-610-801  |         |   |            |          |                           |           |            |             |                  |
| 21-52-05-610-801-02 <sup>S</sup> |         | TURBOCOOLER OIL SERVICING - TURBOCOOLER (504HN) OIL DRAINING AND REFILLING    |            |          |                           |           |            |             | Service ATA:21   |
|                                  | MOS     | 09-Nov-23   | 12 (+1m)   |          |                           |           |            |             |                  |
|                                  | HRS     | 9831.2  | 800 (+40)  |          |                           |           |            |             |                  |
|                                  | AFL     | 4640  |            |          |                           |           |            |             |                  |
| PROC. REF: AMM 21-52-05-610-801  |         |   |            |          |                           |           |            |             |                  |
| PKG:5                            |         |   |            |          |                           |           |            |             |                  |
| 21-52-05-700-801-01              |         | TURBOCOOLER OIL LEVEL CHECK - TURBOCOOLER (504HN)                             |            |          |                           |           |            |             | Service ATA:21   |
|                                  | MOS/MSC | 19-Apr-18   | O/C        |          |                           |           |            |             |                  |
|                                  | HRS     | 8751.3  |            |          |                           |           |            |             |                  |
|                                  | AFL     | 4229  |            |          |                           |           |            |             |                  |
| PROC. REF: GENERIC NO REF        |         |   |            |          |                           |           |            |             |                  |
| 21-52-05-900-801-01              |         | REMOVAL / INSTALLATION OF THE TURBOCOOLER - TURBOCOOLER (504HN)               |            |          |                           |           |            |             | Component ATA:21 |
| PN:3269B0102                     | MOS/MSC | 31-Oct-23   | H/T        | TSO 12   |                           |           |            |             |                  |
| SN:154                           | HRS     | 9831.2  |            | TSO 0    |                           |           |            |             |                  |
| WC#: 21.410                      | AFL     | 4640  |            | TSO 0    |                           |           |            |             |                  |
| PROC. REF: AMM 21-52-05-900-801  |         |   |            |          |                           |           |            |             |                  |
| 21-52-09-210-802-01              |         | GENERAL VISUAL INSPECTION OF THE ECU HEAT EXCHANGER GRID                      |            |          |                           |           |            |             | Service ATA:21   |
|                                  | MOS/MSC | 29-Jan-18   | O/C        |          |                           |           |            |             |                  |
|                                  | HRS     | 8722.5  |            |          |                           |           |            |             |                  |
| WC#: 21.410                      | AFL     | 4222  |            |          |                           |           |            |             |                  |
| PROC. REF: AMM 21-52-09-210-802  |         |   |            |          |                           |           |            |             |                  |
| 21-52-17-900-801-01              |         | REMOVAL / INSTALLATION OF THE HP WATER SEPARATOR - HP WATER SEPARATOR (505HN) |            |          |                           |           |            |             | Component ATA:21 |
| PN:8903004                       | MOS/MSC | 11-May-02   | O/C        |          |                           |           |            |             |                  |
| SN:00335                         | HRS     | 4318  |            |          |                           |           |            |             |                  |
| WC#: 21.420                      | AFL     | 1996  |            |          |                           |           |            |             |                  |
| PROC. REF: AMM 21-52-17-900-801  |         |   |            |          |                           |           |            |             |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |
|--|---------|-----------|------------|----------|---------------------------|-----------|-------------|-------------|
| <b>ATA 21 - AIR CONDITIONING</b>   |         |           |            |          |                           |           |             |             |
| <b>21-52-18-100-801-01 CLEANING OF THE HP WATER SEPARATOR FILTER - HP WATER SEPARATOR (505HN) Service ATA:21</b>                                   |         |           |            |          |                           |           |             |             |
|  | MOS     | 31-Oct-23 | 24 (+1m)   |          | 31-Oct-25                 | 30-Nov-25 | 710 d (+30) |             |
|  | HRS     | 9831.2    | 1200 (+40) |          | 11031.2                   | 11071.2   | 1200 (+40)  |             |
| WC#: 21.420  | AFL     | 4640      |            |          |                           |           |             |             |
| PROC. REF: AMM 21-52-18-100-801  |         |           |            |          |                           |           |             |             |
| <b>21-52-19-200-801-01<sup>S</sup> INSPECTION / CHECK OF THE LP WATER SEPARATOR COMPONENTS - LP WATER SEPARATOR (506HN) Service ATA:21</b>         |         |           |            |          |                           |           |             |             |
|  | MOS     | 09-Nov-23 | 12 (+1m)   |          |                           |           |             |             |
|  | HRS     | 9831.2    |            |          |                           |           |             |             |
| WC#: 21.430  | AFL     | 4640      |            |          |                           |           |             |             |
| PROC. REF: AMM 21-52-19-200-801  |         |           |            |          |                           |           |             |             |
| <b>21-52-21-350-801-01 RESTORATION OF THE TURBOFAN (OVERHAUL) - TURBOFAN (23HN) Service ATA:21</b>   |         |           |            |          |                           |           |             |             |
| PN:TVT107-28H4   | MOS     | 30-Jul-07 |            | TAC 0    |                           |           |             | OVERHAUL    |
| SN:165   | HRS     | 6242.7    |            | TAC 0    |                           |           |             |             |
| WC#: 21.400  | AFL     | 3017      | 3000 (+3%) |          | 6017                      | 6107      | 1377 (+90)  |             |
| PROC. REF: AMM 21-52-21-350-801  |         |           |            |          |                           |           |             |             |
| <b>21-52-21-900-801-01 REMOVAL / INSTALLATION OF THE TURBOFAN - TURBOFAN (23HN) Component ATA:21</b>   |         |           |            |          |                           |           |             |             |
| PN:TVT107-28H4   | MOS/MSC | 30-Jul-07 | H/T        | TSO 0    |                           |           |             |             |
| SN:165   | HRS     | 6242.7    |            | TSO 0    |                           |           |             |             |
| WC#: 21.400  | AFL     | 3017      |            | TSO 0    |                           |           |             |             |
| PROC. REF: AMM 21-52-21-900-801  |         |           |            |          |                           |           |             |             |
| <b>21-52-21-900-802-01 REMOVAL / INSTALLATION OF THE TURBOFAN BY-PASS ELECTRIC VALVE - TURBOFAN BY-PASS ELECTRIC VALVE (22HN) Component ATA:21</b> |         |           |            |          |                           |           |             |             |
| PN:BYLB51035-1   | MOS/MSC | 23-Oct-89 | O/C        |          |                           |           |             |             |
| SN:185   | HRS     | 0         |            | TSN 0    |                           |           |             |             |
| WC#: 21.460  | AFL     | 0         |            |          |                           |           |             |             |
| PROC. REF: AMM 21-52-21-900-802  |         |           |            |          |                           |           |             |             |
| <b>21-71-01-350-801-01 RESTORATION OF THE OZONE CONVERTERS (FUNCTIONAL TEST AND CLEANING) - LH OZONE CONVERTER (L517HN) Service ATA:21</b>         |         |           |            |          |                           |           |             |             |
| PN:20425-1   | MOS     | 06-Nov-23 |            |          |                           |           |             |             |
| SN:6485  | HRS     | 9831.2    | 5000 (+3%) |          | 14831.2                   | 14981.2   | 5000 (+150) |             |
| WC#: 36.030  | AFL     | 4640      |            |          |                           |           |             |             |
| PROC. REF: AMM 21-71-01-350-801  |         |           |            |          |                           |           |             |             |
| <b>21-71-01-350-801-02 RESTORATION OF THE OZONE CONVERTERS (FUNCTIONAL TEST AND CLEANING) - RH OZONE CONVERTER (R517HN) Service ATA:21</b>         |         |           |            |          |                           |           |             |             |
| PN:20425-1   | MOS     | 06-Nov-23 |            |          |                           |           |             |             |
| SN:6484  | HRS     | 9831.2    | 5000 (+3%) |          | 14831.2                   | 14981.2   | 5000 (+150) |             |
| WC#: 36.030  | AFL     | 4640      |            |          |                           |           |             |             |
| PROC. REF: AMM 21-71-01-350-801  |         |           |            |          |                           |           |             |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|---------|--|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 21 - AIR CONDITIONING</b> |         |  |          |          |                           |           |           |             |        |
| 21-90-01-900-801-01              |         | AFT AVIONICS RACK COOLING VALVE            |          |          |                           |           |           | Component   | ATA:21 |
| PN:PN                            | MOS/MSC | 19-Jun-14                                  | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                       | HRS     | 8032                                       |          |          |                           |           |           |             |        |
|                                  | AFL     | 3965                                       |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC CMM           |         |  |          |          |                           |           |           |             |        |
| 212121                           |         | LH COLD AIR CHECK VALVE                    |          |          |                           |           |           | Component   | ATA:21 |
| PN:CYLB50713-1                   | MOS/MSC | 23-Oct-89                                  | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                       | HRS     | 0  |          | TSN 0    |                           |           |           |             |        |
| WC#: 21.030                      | AFL     | 0  |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |         |  |          |          |                           |           |           |             |        |
| 212131                           |         | RH COLD AIR CHECK VALVE                    |          |          |                           |           |           | Component   | ATA:21 |
| PN:CYLB50713-1                   | MOS/MSC | 23-Oct-89                                  | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                       | HRS     | 0  |          | TSN 0    |                           |           |           |             |        |
| WC#: 21.030                      | AFL     | 0  |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |         |  |          |          |                           |           |           |             |        |
| 212151                           |         | AERATOR CHECK VALVE                        |          |          |                           |           |           | Component   | ATA:21 |
| PN:CYLB50712                     | MOS/MSC | 23-Oct-89                                  | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                       | HRS     | 0  |          | TSN 0    |                           |           |           |             |        |
| WC#: 21.040                      | AFL     | 0  |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |         |  |          |          |                           |           |           |             |        |
| 212161                           |         | PASSENGER COMPARTMENT COLD AIR CHECK VALVE |          |          |                           |           |           | Component   | ATA:21 |
| PN:CYLB51162                     | MOS/MSC | 23-Oct-89                                  | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                       | HRS     | 0  |          | TSN 0    |                           |           |           |             |        |
| WC#: 21.050                      | AFL     | 0  |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |         |  |          |          |                           |           |           |             |        |
| 212171                           |         | CREW COLD AIR CHECK VALVE                  |          |          |                           |           |           | Component   | ATA:21 |
| PN:CYLB51162                     | MOS/MSC | 23-Oct-89                                  | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                       | HRS     | 0  |          | TSN 0    |                           |           |           |             |        |
| WC#: 21.050                      | AFL     | 0  |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |         |  |          |          |                           |           |           |             |        |
| 212181                           |         | PILOT AERATOR                              |          |          |                           |           |           | Component   | ATA:21 |
| PN:2368                          | MOS/MSC | 23-Oct-89                                  | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                       | HRS     | 0  |          | TSN 0    |                           |           |           |             |        |
| WC#: 21.060                      | AFL     | 0  |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |         |  |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 21 - AIR CONDITIONING</b> |  |           |          |          |                           |           |           |             |        |
| 212191                           | COPILOT AERATOR                                    |           |          |          |                           |           |           | Component   | ATA:21 |
| PN:2368                          | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                       | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 21.060                      | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |  |           |          |          |                           |           |           |             |        |
| 212251                           | PASSENGER COMPARTMENT AIR CONDITIONING CHECK VALVE |           |          |          |                           |           |           | Component   | ATA:21 |
| PN:CYLB51111                     | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                       | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 21.070                      | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |  |           |          |          |                           |           |           |             |        |
| 212261                           | CREW AIR CONDITIONING CHECK VALVE                  |           |          |          |                           |           |           | Component   | ATA:21 |
| PN:CYLB51111                     | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                       | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 21.070                      | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |  |           |          |          |                           |           |           |             |        |
| 212271                           | BAGGAGE COMPARTMENT ELECTRIC CHECK VALVE           |           |          |          |                           |           |           | Component   | ATA:21 |
| PN:CYLB50414                     | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                       | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 21.080                      | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |  |           |          |          |                           |           |           |             |        |
| 212281                           | FRONT PRECONDITIONING FLOOD DUCT                   |           |          |          |                           |           |           | Component   | ATA:21 |
| PN:PN                            | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                       | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 21.090                      | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |  |           |          |          |                           |           |           |             |        |
| 212291                           | REAR PRECONDITIONING FLOOD DUCT                    |           |          |          |                           |           |           | Component   | ATA:21 |
| PN:PN                            | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                       | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 21.090                      | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |  |           |          |          |                           |           |           |             |        |
| 212321                           | NOSE CONE ISOLATION RESTRICTOR VALVE               |           |          |          |                           |           |           | Component   | ATA:21 |
| PN:BYLB51003                     | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:198                           | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 21.100                      | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |  |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining               | Disposition |  |
|----------------------------------|---------|---|----------|----------|---------------------------|-----------|-------------------------|-------------|--|
| <b>ATA 21 - AIR CONDITIONING</b> |         |   |          |          |                           |           |                         |             |  |
| <b>212341</b>                    |         | <b>COCKPIT/CABIN SYSTEM INTERCONNECTION FLAP ASSEMBLY</b> |          |          |                           |           | <b>Component ATA:21</b> |             |  |
| PN:BYLB51603                     | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |                         |             |  |
| SN:UNKNOWN                       | HRS     | 0   |          | TSN 0    |                           |           |                         |             |  |
| WC#: 21.110                      | AFL     | 0   |          |          |                           |           |                         |             |  |
| PROC. REF: GENERIC NO REF        |         |   |          |          |                           |           |                         |             |  |
| <b>212361</b>                    |         | <b>BAGGAGE COMPARTMENT ISOLATION ELECTRIC VALVE</b>       |          |          |                           |           | <b>Component ATA:21</b> |             |  |
| PN:3188-000                      | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |                         |             |  |
| SN:91                            | HRS     | 0   |          | TSN 0    |                           |           |                         |             |  |
| WC#: 21.120                      | AFL     | 0   |          |          |                           |           |                         |             |  |
| PROC. REF: GENERIC NO REF        |         |   |          |          |                           |           |                         |             |  |
| <b>212381</b>                    |         | <b>BAGGAGE COMPARTMENT SUPPLY ELECTRIC VALVE</b>          |          |          |                           |           | <b>Component ATA:21</b> |             |  |
| PN:B97-26-551                    | MOS/MSC | 16-Nov-22   | O/C      |          |                           |           |                         |             |  |
| SN:D24689                        | HRS     | 9596.5  |          |          |                           |           |                         |             |  |
| WC#: 21.130                      | AFL     | 4562  |          |          |                           |           |                         |             |  |
| PROC. REF: GENERIC NO REF        |         |   |          |          |                           |           |                         |             |  |
| <b>212401</b>                    |         | <b>COCKPIT CONDITIONING ELECTRIC VALVE</b>                |          |          |                           |           | <b>Component ATA:21</b> |             |  |
| PN:BYLB51003                     | MOS/MSC | 24-Dec-91   | O/C      |          |                           |           |                         |             |  |
| SN:93                            | HRS     | 1371  |          | TSN 426  |                           |           |                         |             |  |
| WC#: 21.140                      | AFL     | 599   |          |          |                           |           |                         |             |  |
| PROC. REF: GENERIC NO REF        |         |   |          |          |                           |           |                         |             |  |
| <b>212441</b>                    |         | <b>NOSE CONE THERMOSTAT</b>                               |          |          |                           |           | <b>Component ATA:21</b> |             |  |
| PN:784-756-1                     | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |                         |             |  |
| SN:191                           | HRS     | 0   |          | TSN 0    |                           |           |                         |             |  |
| WC#: 21.150                      | AFL     | 0   |          |          |                           |           |                         |             |  |
| PROC. REF: GENERIC NO REF        |         |   |          |          |                           |           |                         |             |  |
| <b>213101</b>                    |         | <b>NO. 1 ENGINE PRESSURE SUPPLY CHECK VALVE</b>           |          |          |                           |           | <b>Component ATA:21</b> |             |  |
| PN:2506AC01                      | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |                         |             |  |
| SN:1076                          | HRS     | 0   |          | TSN 0    |                           |           |                         |             |  |
| WC#: 21.230                      | AFL     | 0   |          |          |                           |           |                         |             |  |
| PROC. REF: GENERIC NO REF        |         |   |          |          |                           |           |                         |             |  |
| <b>213121</b>                    |         | <b>NO. 2 ENGINE PRESSURE SUPPLY CHECK VALVE</b>           |          |          |                           |           | <b>Component ATA:21</b> |             |  |
| PN:2506AC01                      | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |                         |             |  |
| SN:1074                          | HRS     | 0   |          | TSN 0    |                           |           |                         |             |  |
| WC#: 21.230                      | AFL     | 0   |          |          |                           |           |                         |             |  |
| PROC. REF: GENERIC NO REF        |         |   |          |          |                           |           |                         |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |
|---|---------|-----------|----------|----------|---------------------------|-----------|-----------|------------------|
| <b>ATA 21 - AIR CONDITIONING</b>                  |         |           |          |          |                           |           |           |                  |
| <b>213127 APU SUPPLY PRESSURE CHECK VALVE</b>     |         |           |          |          |                           |           |           | Component ATA:21 |
| PN:2506AC01                                       | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:1131   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 21.230                                       | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: GENERIC NO REF                         |         |           |          |          |                           |           |           |                  |
| <b>213131 PRESSURIZATION JET PUMP</b>             |         |           |          |          |                           |           |           | Component ATA:21 |
| PN:FGFB722602A2                                   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:73   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 21.240                                       | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: GENERIC NO REF                         |         |           |          |          |                           |           |           |                  |
| <b>213141 ANTI-NICOTINE FILTER</b>                |         |           |          |          |                           |           |           | Component ATA:21 |
| PN:234A0101                                       | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:UNKNOWN  | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 21.250                                       | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: GENERIC NO REF                         |         |           |          |          |                           |           |           |                  |
| <b>213281 EMERGENCY PRESSURIZATION PANEL</b>      |         |           |          |          |                           |           |           | Component ATA:21 |
| PN:911A0301                                       | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:183  | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 21.300                                       | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: GENERIC NO REF                         |         |           |          |          |                           |           |           |                  |
| <b>213301 NOSE CONE PNEUMATIC ACTUATOR</b>        |         |           |          |          |                           |           |           | Component ATA:21 |
| PN:7021-000                                       | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:347  | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 21.310                                       | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: GENERIC NO REF                         |         |           |          |          |                           |           |           |                  |
| <b>213321 PNEUMATIC ACTUATOR CONTROLLED VALVE</b> |         |           |          |          |                           |           |           | Component ATA:21 |
| PN:PN   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:UNKNOWN  | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 21.320                                       | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: GENERIC NO REF                         |         |           |          |          |                           |           |           |                  |
| <b>213331 NOSE CONE PRESSURE RELIEF VALVE</b>     |         |           |          |          |                           |           |           | Component ATA:21 |
| PN:6025-300                                       | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:79   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 21.330                                       | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: GENERIC NO REF                         |         |           |          |          |                           |           |           |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval | TSX/Adj.       | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|----------|----------------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 21 - AIR CONDITIONING</b> |  |           |          |                |                           |           |           |             |        |
| 213351                           | NOSE CONE ISOLATION VALVE                                  |           |          |                |                           |           |           | Component   | ATA:21 |
| PN:B97M19-203-1                  | MOS/MSC  | 23-Oct-89 | O/C      |                |                           |           |           |             |        |
| SN:UNKNOWN                       | HRS  | 0         |          | TSN 0          |                           |           |           |             |        |
| WC#: 21.335                      | AFL  | 0         |          |                |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |  |           |          |                |                           |           |           |             |        |
| 213501                           | NO. 1 BAGGAGE COMPARTMENT PRESSURE RELIEF VALVE            |           |          |                |                           |           |           | Component   | ATA:21 |
| PN:985C63-21                     | MOS/MSC  | 19-Jun-14 | O/C      |                |                           |           |           |             |        |
| SN:181                           | HRS  | 8032      |          |                |                           |           |           |             |        |
| WC#: 21.350                      | AFL  | 3965      |          |                |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |  |           |          |                |                           |           |           |             |        |
| 213531                           | NO. 2 BAGGAGE COMPARTMENT PRESSURE RELIEF VALVE            |           |          |                |                           |           |           | Component   | ATA:21 |
| PN:985C63-21                     | MOS/MSC  | 19-Jun-14 | O/C      |                |                           |           |           |             |        |
| SN:179                           | HRS  | 8032      |          |                |                           |           |           |             |        |
| WC#: 21.360                      | AFL  | 3965      |          |                |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |  |           |          |                |                           |           |           |             |        |
| 215101                           | PRIMARY HEAT EXCHANGER                                     |           |          |                |                           |           |           | Component   | ATA:21 |
| PN:11-831149-2                   | MOS/MSC  | 20-Jun-12 | O/C      | TSR 0          |                           |           |           |             |        |
| SN:E0385                         | HRS  | 7663.6    |          | TSR 0          |                           |           |           |             |        |
| WC#: 21.390                      | AFL  | 3809      |          | TSR 0          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |  |           |          |                |                           |           |           |             |        |
| 215181                           | NO. 1 HIGH PRESSURE/LOW PRESSURE TURBINE BRAKE CHECK VALVE |           |          |                |                           |           |           | Component   | ATA:21 |
| PN:2506AC01                      | MOS/MSC  | 23-Oct-89 | O/C      |                |                           |           |           |             |        |
| SN:1043                          | HRS  | 0         |          | TSN 0          |                           |           |           |             |        |
| WC#: 21.405                      | AFL  | 0         |          |                |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |  |           |          |                |                           |           |           |             |        |
| 215191                           | NO. 2 HIGH PRESSURE/LOW PRESSURE TURBINE BRAKE CHECK VALVE |           |          |                |                           |           |           | Component   | ATA:21 |
| PN:2506AC01                      | MOS/MSC  | 23-Oct-89 | O/C      |                |                           |           |           |             |        |
| SN:1067                          | HRS  | 0         |          | TSN 0          |                           |           |           |             |        |
| WC#: 21.405                      | AFL  | 0         |          |                |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |  |           |          |                |                           |           |           |             |        |
| 215271                           | LOW PRESSURE WATER SEPARATOR                               |           |          |                |                           |           |           | Component   | ATA:21 |
| PN:B31WA3010-053                 | MOS/MSC  | 12-Nov-20 | O/C      | TSR 8          |                           |           |           |             |        |
| SN:01803                         | HRS  | 9182.3    |          | TSN 189, TSR 0 |                           |           |           |             |        |
| WC#: 21.430                      | AFL  | 4405      |          | TSN 79, TSR 0  |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |  |           |          |                |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit                              | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|-----------------------------------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 21 - AIR CONDITIONING</b> |                                   |           |          |          |                           |           |           |             |        |
| 215301                           | TURBINE ANTI-ICING AMPLIFIER      |           |          |          |                           |           |           | Component   | ATA:21 |
| PN:784-688                       | MOS/MSC                           | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:157                           | HRS                               | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 21.450                      | AFL                               | 0         |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |                                   |           |          |          |                           |           |           |             |        |
| 215311                           | TURBINE ANTI-ICING TUBING SENSOR  |           |          |          |                           |           |           | Component   | ATA:21 |
| PN:784-646                       | MOS/MSC                           | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:217                           | HRS                               | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 21.450                      | AFL                               | 0         |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |                                   |           |          |          |                           |           |           |             |        |
| 215321                           | TURBINE ANTI-ICING ELECTRIC VALVE |           |          |          |                           |           |           | Component   | ATA:21 |
| PN:784-723-2                     | MOS/MSC                           | 14-Jan-04 | O/C      |          |                           |           |           |             |        |
| SN:231                           | HRS                               | 4664.7    |          |          |                           |           |           |             |        |
| WC#: 21.450                      | AFL                               | 2175      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 21-52-33-900-801  |                                   |           |          |          |                           |           |           |             |        |
| 215341                           | ECU OVERHEATING SENSOR            |           |          |          |                           |           |           | Component   | ATA:21 |
| PN:RP129-00                      | MOS/MSC                           | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:702                           | HRS                               | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 21.460                      | AFL                               | 0         |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |                                   |           |          |          |                           |           |           |             |        |
| 216101                           | CONDITIONING BOX                  |           |          |          |                           |           |           | Component   | ATA:21 |
| PN:5897-655-80-13                | MOS/MSC                           | 30-Jan-07 | O/C      |          |                           |           |           |             |        |
| SN:261                           | HRS                               | 6008      |          |          |                           |           |           |             |        |
| WC#: 21.470                      | AFL                               | 2907      |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |                                   |           |          |          |                           |           |           |             |        |
| 216111                           | COCKPIT THERMO RESISTOR           |           |          |          |                           |           |           | Component   | ATA:21 |
| PN:HYZ50514-31                   | MOS/MSC                           | 19-Jan-00 | O/C      |          |                           |           |           |             |        |
| SN:904H                          | HRS                               | 3889.9    |          |          |                           |           |           |             |        |
| WC#: 21.470                      | AFL                               | 1749      |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |                                   |           |          |          |                           |           |           |             |        |
| 216121                           | CABIN THERMO RESISTOR             |           |          |          |                           |           |           | Component   | ATA:21 |
| PN:HYZ-50514-032                 | MOS/MSC                           | 24-Feb-10 | O/C      |          | TSR 0                     |           |           |             |        |
| SN:588G                          | HRS                               | 6772.4    |          |          | TSR 0                     |           |           |             |        |
| WC#: 21.470                      | AFL                               | 3319      |          |          | TSR 0                     |           |           |             |        |
| PROC. REF: GENERIC NO REF        |                                   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|----------------------------------|---------|--|----------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 21 - AIR CONDITIONING</b> |         |  |          |          |                           |           |           |             |  |
| 216131                           |         | COCKPIT TEMPERATURE REGULATION DUAL ELECTRIC VALVE             |          |          |                           |           | Component | ATA:21      |  |
| PN:BYLB51034-003                 | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:119                           | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 21.480                      | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: GENERIC NO REF        |         |  |          |          |                           |           |           |             |  |
| 216141                           |         | CABIN TEMPERATURE REGULATION DUAL ELECTRIC VALVE               |          |          |                           |           | Component | ATA:21      |  |
| PN:BYLB51226-002                 | MOS/MSC | 14-Nov-90  | O/C      |          |                           |           |           |             |  |
| SN:46                            | HRS     | 474  |          | TSN 1212 |                           |           |           |             |  |
| WC#: 21.480                      | AFL     | 242  |          |          |                           |           |           |             |  |
| PROC. REF: GENERIC NO REF        |         |  |          |          |                           |           |           |             |  |
| 216151                           |         | COCKPIT SHEATH SENSOR  |          |          |                           |           | Component | ATA:21      |  |
| PN:AYLF50425                     | MOS/MSC | 10-Apr-00  | O/C      | TSN 0    |                           |           |           |             |  |
| SN:1758                          | HRS     | 3950   |          | TSN 0    |                           |           |           |             |  |
| WC#: 21.490                      | AFL     | 1775   |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: GENERIC NO REF        |         |  |          |          |                           |           |           |             |  |
| 216161                           |         | CABIN SHEATH SENSOR  |          |          |                           |           | Component | ATA:21      |  |
| PN:AYLF50425                     | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:856                           | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 21.490                      | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: GENERIC NO REF        |         |  |          |          |                           |           |           |             |  |
| 216171                           |         | COCKPIT THERMOSTAT   |          |          |                           |           | Component | ATA:21      |  |
| PN:150T346                       | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:526                           | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 21.500                      | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: GENERIC NO REF        |         |  |          |          |                           |           |           |             |  |
| 216191                           |         | CABIN THERMOSTAT   |          |          |                           |           | Component | ATA:21      |  |
| PN:150T346                       | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:534                           | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 21.500                      | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: GENERIC NO REF        |         |  |          |          |                           |           |           |             |  |
| <b>ATA 22 - AUTO FLIGHT</b>      |         |  |          |          |                           |           |           |             |  |
| 22-10-00-710-801-01 <sup>S</sup> |         | OPERATIONAL TEST OF THE AUTOMATIC FLIGHT CONTROL SYSTEM (AFCS) |          |          |                           |           | Service   | ATA:22      |  |
|                                  | MOS     | 16-Nov-22  | 24 (+1m) |          |                           |           |           | RVSM        |  |
|                                  | HRS     | 9596.5   |          |          |                           |           |           |             |  |
| WC#: 22.030                      | AFL     | 4562   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 22-10-00-710-801  |         |  |          |          |                           |           |           |             |  |

PKG:16

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|----------------------------------|---------|---|----------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 22 - AUTO FLIGHT</b>      |         |   |          |          |                           |           |           |             |  |
| 22-10-01-900-801-01              |         | REMOVAL / INSTALLATION OF THE FLIGHT GUIDANCE CONTROLLER - GUIDANCE CONTROLLER (32CA) |          |          |                           |           | Component | ATA:22      |  |
| PN:7003975-805                   | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |  |
| SN:88070710                      | HRS     | 0   |          | TSN 0    |                           |           |           |             |  |
| WC#: 22.010                      | AFL     | 0   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 22-10-01-900-801  |         |   |          |          |                           |           |           |             |  |
| 22-10-07-700-801-01 <sup>S</sup> |         | CHECK OF THE AUTOPILOT SERVOMOTOR CABLES AND PULLEYS - AILERON                        |          |          |                           |           | Service   | ATA:22      |  |
|                                  | MOS     | 12-Nov-20   | 72 (+2m) |          |                           |           |           |             |  |
|                                  | HRS     | 9182.3  |          |          |                           |           |           |             |  |
| WC#: 22.085                      | AFL     | 4405  | 3750     |          |                           |           |           |             |  |
| PROC. REF: AMM 22-10-07-700-801  |         |   |          |          |                           |           |           |             |  |
| 22-10-07-700-801-02 <sup>S</sup> |         | CHECK OF THE AUTOPILOT SERVOMOTOR CABLES AND PULLEYS - ELEVATOR                       |          |          |                           |           | Service   | ATA:22      |  |
|                                  | MOS     | 12-Nov-20   | 72 (+2m) |          |                           |           |           |             |  |
|                                  | HRS     | 9182.3  |          |          |                           |           |           |             |  |
| WC#: 22.085                      | AFL     | 4405  | 3750     |          |                           |           |           |             |  |
| PROC. REF: AMM 22-10-07-700-801  |         |   |          |          |                           |           |           |             |  |
| 22-13-01-900-801-01              |         | REMOVAL / INSTALLATION OF THE YAW DAMPER ACTUATOR - YAW DAMPER LINEAR ACTUATOR (22CA) |          |          |                           |           | Component | ATA:22      |  |
| PN:7002800-914                   | MOS/MSC | 12-Apr-92   | O/C      |          |                           |           |           |             |  |
| SN:88070339S                     | HRS     | 1562  |          |          |                           |           |           |             |  |
| WC#: 22.050                      | AFL     | 668   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 22-13-01-900-801  |         |   |          |          |                           |           |           |             |  |
| 221031                           |         | PILOT AUTOPILOT COMPUTER  |          |          |                           |           | Component | ATA:22      |  |
| PN:7003974-719                   | MOS/MSC | 11-Jun-10   | O/C      |          |                           |           |           |             |  |
| SN:88061287                      | HRS     | 6880.2  |          |          |                           |           |           |             |  |
| WC#: 22.020                      | AFL     | 3391  |          |          |                           |           |           |             |  |
| PROC. REF: GENERIC NO REF        |         |   |          |          |                           |           |           |             |  |
| 221041                           |         | COPILOT AUTOPILOT COMPUTER  |          |          |                           |           | Component | ATA:22      |  |
| PN:7003974-719                   | MOS/MSC | 11-Jun-10   | O/C      |          |                           |           |           |             |  |
| SN:89092002                      | HRS     | 6880.2  |          |          |                           |           |           |             |  |
| WC#: 22.020                      | AFL     | 3391  |          |          |                           |           |           |             |  |
| PROC. REF: GENERIC NO REF        |         |   |          |          |                           |           |           |             |  |
| 221101                           |         | AILERON AUTOPILOT SERVO MOTOR   |          |          |                           |           | Component | ATA:22      |  |
| PN:7002260-721                   | MOS/MSC | 27-May-04   | O/C      | TSR 0    |                           |           |           |             |  |
| SN:84120770                      | HRS     | 4847.4  |          | TSR 0    |                           |           |           |             |  |
| WC#: 22.040                      | AFL     | 2276  |          | TSR 0    |                           |           |           |             |  |
| PROC. REF: GENERIC NO REF        |         |   |          |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                     | Unit    | C/W                                   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining        | Disposition |               |
|-----------------------------|---------|---------------------------------------|----------|----------|---------------------------|-----------|------------------|-------------|---------------|
| <b>ATA 22 - AUTO FLIGHT</b> |         |                                       |          |          |                           |           |                  |             |               |
| <b>221121</b>               |         | <b>ELEVATOR AUTOPILOT SERVO MOTOR</b> |          |          |                           |           | <b>Component</b> |             | <b>ATA:22</b> |
| PN:7002260-821              | MOS/MSC | 09-Dec-94                             | O/C      |          | TSO 2                     |           |                  |             |               |
| SN:89052641                 | HRS     | 2085                                  |          |          | TSO 0                     |           |                  |             |               |
| WC#: 22.060                 | AFL     | 1005                                  |          |          | TSO 0                     |           |                  |             |               |
| PROC. REF: GENERIC NO REF   |         |                                       |          |          |                           |           |                  |             |               |
| <b>221201</b>               |         | <b>NO. 1 AUTOPILOT AILERON CABLE</b>  |          |          |                           |           | <b>Component</b> |             | <b>ATA:22</b> |
| PN:59054                    | MOS/MSC | 23-Oct-89                             | O/C      |          |                           |           |                  |             |               |
| SN:UNKNOWN                  | HRS     | 0                                     |          |          | TSN 0                     |           |                  |             |               |
| WC#: 22.070                 | AFL     | 0                                     |          |          |                           |           |                  |             |               |
| PROC. REF: GENERIC NO REF   |         |                                       |          |          |                           |           |                  |             |               |
| <b>221211</b>               |         | <b>NO. 2 AUTOPILOT AILERON CABLE</b>  |          |          |                           |           | <b>Component</b> |             | <b>ATA:22</b> |
| PN:59054                    | MOS/MSC | 23-Oct-89                             | O/C      |          |                           |           |                  |             |               |
| SN:UNKNOWN                  | HRS     | 0                                     |          |          | TSN 0                     |           |                  |             |               |
| WC#: 22.070                 | AFL     | 0                                     |          |          |                           |           |                  |             |               |
| PROC. REF: GENERIC NO REF   |         |                                       |          |          |                           |           |                  |             |               |
| <b>221231</b>               |         | <b>NO. 1 AUTOPILOT ELEVATOR CABLE</b> |          |          |                           |           | <b>Component</b> |             | <b>ATA:22</b> |
| PN:PN                       | MOS/MSC | 23-Oct-89                             | O/C      |          |                           |           |                  |             |               |
| SN:UNKNOWN                  | HRS     | 0                                     |          |          | TSN 0                     |           |                  |             |               |
| WC#: 22.080                 | AFL     | 0                                     |          |          |                           |           |                  |             |               |
| PROC. REF: GENERIC NO REF   |         |                                       |          |          |                           |           |                  |             |               |
| <b>221241</b>               |         | <b>NO. 2 AUTOPILOT ELEVATOR CABLE</b> |          |          |                           |           | <b>Component</b> |             | <b>ATA:22</b> |
| PN:PN                       | MOS/MSC | 23-Oct-89                             | O/C      |          |                           |           |                  |             |               |
| SN:UNKNOWN                  | HRS     | 0                                     |          |          | TSN 0                     |           |                  |             |               |
| WC#: 22.080                 | AFL     | 0                                     |          |          |                           |           |                  |             |               |
| PROC. REF: GENERIC NO REF   |         |                                       |          |          |                           |           |                  |             |               |
| <b>221301</b>               |         | <b>PILOT ADVISORY DISPLAY</b>         |          |          |                           |           | <b>Component</b> |             | <b>ATA:22</b> |
| PN:7003652-611              | MOS/MSC | 21-Mar-91                             | O/C      |          |                           |           |                  |             |               |
| SN:89101332                 | HRS     | 772                                   |          |          | TSN 745                   |           |                  |             |               |
| WC#: 22.090                 | AFL     | 363                                   |          |          | TSN 351                   |           |                  |             |               |
| PROC. REF: GENERIC NO REF   |         |                                       |          |          |                           |           |                  |             |               |
| <b>221311</b>               |         | <b>COPILOT ADVISORY DISPLAY</b>       |          |          |                           |           | <b>Component</b> |             | <b>ATA:22</b> |
| PN:7003652-611              | MOS/MSC | 09-Jan-13                             | O/C      |          | TSR 0                     |           |                  |             |               |
| SN:04023132                 | HRS     | 7789.1                                |          |          | TSR 0                     |           |                  |             |               |
| WC#: 22.090                 | AFL     | 3860                                  |          |          | TSR 0                     |           |                  |             |               |
| PROC. REF: GENERIC NO REF   |         |                                       |          |          |                           |           |                  |             |               |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W  | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|---------|--|------------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 23 - COMMUNICATIONS</b>   |         |  |            |          |                           |           |           |             |        |
| 23-11-05-900-801-01              |         | REMOVAL / INSTALLATION OF THE VHF ANTENNAS - VHF 1 ANTENNA (L5RC)        |            |          |                           |           |           | Component   | ATA:23 |
| PN:ANV142SZ                      | MOS/MSC | 20-Dec-11  | O/C        |          |                           |           |           |             |        |
| SN:747                           | HRS     |  |            |          |                           |           |           |             |        |
| WC#: 23.020                      | AFL     |  |            |          |                           |           |           |             |        |
| PROC. REF: AMM 23-11-05-900-801  |         |  |            |          |                           |           |           |             |        |
| 23-11-05-900-801-02              |         | REMOVAL / INSTALLATION OF THE VHF ANTENNAS - VHF 2 ANTENNA (R5RC)        |            |          |                           |           |           | Component   | ATA:23 |
| PN:S65-8280-10                   | MOS/MSC | 23-Oct-89  | O/C        |          |                           |           |           |             |        |
| SN:582                           | HRS     | 0  |            | TSN 0    |                           |           |           |             |        |
| WC#: 23.030                      | AFL     | 0  |            |          |                           |           |           |             |        |
| PROC. REF: AMM 23-11-05-900-801  |         |  |            |          |                           |           |           |             |        |
| 23-11-05-900-801-03              |         | REMOVAL / INSTALLATION OF THE VHF ANTENNAS - VHF3 ANTENNA (25RC)         |            |          |                           |           |           | Component   | ATA:23 |
| PN:S65-8280-19                   | MOS/MSC | 21-Mar-01  | O/C        |          |                           |           |           |             |        |
| SN:700                           | HRS     | 4234   |            |          |                           |           |           |             |        |
| WC#: 23.035                      | AFL     | 1930   |            |          |                           |           |           |             |        |
| PROC. REF: AMM 23-11-05-900-801  |         |  |            |          |                           |           |           |             |        |
| 23-12-13-900-801-01              |         | REMOVAL / INSTALLATION OF THE HF ANTENNA - HF ANTENNA (5RE)              |            |          |                           |           |           | Component   | ATA:23 |
| PN:FGFB312001                    | MOS/MSC | 23-Oct-89  | O/C        |          |                           |           |           |             |        |
| SN:SO77/280                      | HRS     | 0  |            | TSN 0    |                           |           |           |             |        |
| WC#: 23.050                      | AFL     | 0  |            |          |                           |           |           |             |        |
| PROC. REF: AMM 23-12-13-900-801  |         |  |            |          |                           |           |           |             |        |
| 23-60-00-760-801-01 <sup>S</sup> |         | VISUAL INSPECTION AND ELECTRICAL BONDING CHECK OF THE STATIC DISCHARGERS |            |          |                           |           |           | Service     | ATA:23 |
|                                  | MOS     | 29-Apr-16  |            |          |                           |           |           |             |        |
|                                  | HRS     | 8447.8   | 1600 (+40) |          |                           |           |           |             |        |
| WC#: 23.090                      | AFL     | 4114   |            |          |                           |           |           |             |        |
| PROC. REF: AMM 23-60-00-760-801  |         |  |            |          |                           |           |           |             |        |
| 23-CARS-625-015-00 <sup>U</sup>  |         | CVR FUNCTIONAL / INTELLIGIBILITY CHECK                                   |            |          |                           |           |           | Service     | ATA:23 |
|                                  | MOS     | 29-Mar-23  | 12         |          | 29-Mar-24                 |           | 129 d     |             |        |
|                                  | HRS     | 9719.9   | 3000       |          | 12719.9                   |           | 2888.7    |             |        |
|                                  | AFL     | 4600   |            |          |                           |           |           |             |        |
| 23-CARS-625-015-05 <sup>U</sup>  |         | CVR OVERHAUL   |            |          |                           |           |           | Service     | ATA:23 |
|                                  | MOS/MSC |  | N/R        |          |                           |           |           |             |        |
|                                  | HRS     |  |            |          |                           |           |           |             |        |
|                                  | AFL     |  |            |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 23 - COMMUNICATIONS</b>  |         |           |          |          |                           |           |           |             |
| <b>23-CARS-625-016-00<sup>U</sup> CVR ULD RECERTIFICATION Service ATA:23</b>              |         |           |          |          |                           |           |           |             |
|   | MOS     | 30-Mar-23 | 12       |          | 30-Mar-24                 |           | 130 d     |             |
|   | HRS     | 9719.9    |          |          |                           |           |           |             |
|   | AFL     | 4600      |          |          |                           |           |           |             |
| <b>23-CARS-625-016-01<sup>U</sup> CVR ULD CLEANING OF THE WATER SWITCH Service ATA:23</b> |         |           |          |          |                           |           |           |             |
|   | MOS/MSC | 20-Apr-22 | A/R      |          |                           |           |           |             |
|   | HRS     | 9465.8    |          |          |                           |           |           |             |
|   | AFL     | 4519      |          |          |                           |           |           |             |
| <b>23-CARS-625-016-05<sup>U S</sup> CVR ULD BATTERY REPLACEMENT Service ATA:23</b>        |         |           |          |          |                           |           |           |             |
|   | MOS/MSC | 20-May-21 | DUE      |          | 01-Feb-25 (M)             |           | 438 d     |             |
|   | HRS     | 9227.5    |          |          |                           |           |           |             |
|   | AFL     | 4427      |          |          |                           |           |           |             |
| <b>231101 NO. 1 VHF CONTROL Component ATA:23</b>  |         |           |          |          |                           |           |           |             |
| PN:822-1120-005   | MOS/MSC | 10-Sep-99 | O/C      |          |                           |           |           |             |
| SN:6786   | HRS     | 3784      |          |          |                           |           |           |             |
| WC#: 23.020   | AFL     | 1697      |          |          |                           |           |           |             |
| PROC. REF: GENERIC NO REF   |         |           |          |          |                           |           |           |             |
| <b>231111 NO. 2 VHF CONTROL Component ATA:23</b>  |         |           |          |          |                           |           |           |             |
| PN:822-1120-005   | MOS/MSC | 10-Sep-99 | O/C      |          |                           |           |           |             |
| SN:8740   | HRS     | 3784      |          |          |                           |           |           |             |
| WC#: 23.030   | AFL     | 1697      |          |          |                           |           |           |             |
| PROC. REF: GENERIC NO REF   |         |           |          |          |                           |           |           |             |
| <b>231116 NO. 3 VHF CONTROL Component ATA:23</b>  |         |           |          |          |                           |           |           |             |
| PN:622-6520-005   | MOS/MSC | 23-Mar-90 | O/C      |          |                           |           |           |             |
| SN:4403   | HRS     | 27        |          | TSN 0    |                           |           |           |             |
| WC#: 23.035   | AFL     | 12        |          |          |                           |           |           |             |
| PROC. REF: GENERIC NO REF   |         |           |          |          |                           |           |           |             |
| <b>231121 NO. 1 VHF TRANSCEIVER Component ATA:23</b>                                      |         |           |          |          |                           |           |           |             |
| PN:822-1114-001   | MOS/MSC | 20-Jun-12 | O/C      |          |                           |           |           |             |
| SN:26821  | HRS     | 7663.6    |          |          |                           |           |           |             |
| WC#: 23.020   | AFL     | 3809      |          |          |                           |           |           |             |
| PROC. REF: GENERIC NO REF   |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                        | Unit    | C/W                        | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|--------------------------------|---------|----------------------------|----------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 23 - COMMUNICATIONS</b> |         |                            |          |          |                           |           |           |             |  |
| 231131                         |         | NO. 2 VHF TRANSCEIVER      |          |          |                           |           | Component | ATA:23      |  |
| PN:822-1114-001                | MOS/MSC | 11-Jun-10                  | O/C      |          |                           |           |           |             |  |
| SN:25701                       | HRS     | 6880.8                     |          |          |                           |           |           |             |  |
| WC#: 23.030                    | AFL     | 3392                       |          |          |                           |           |           |             |  |
| PROC. REF: GENERIC NO REF      |         |                            |          |          |                           |           |           |             |  |
| 231136                         |         | NO. 3 VHF TRANSCEIVER      |          |          |                           |           | Component | ATA:23      |  |
| PN:622-6153-001                | MOS/MSC | 20-Jun-12                  | O/C      |          |                           |           |           |             |  |
| SN:25700                       | HRS     | 7663.6                     |          |          |                           |           |           |             |  |
| WC#: 23.035                    | AFL     | 3809                       |          |          |                           |           |           |             |  |
| PROC. REF: GENERIC NO REF      |         |                            |          |          |                           |           |           |             |  |
| 231201                         |         | NO. 1 HF COUPLER AMPLIFIER |          |          |                           |           | Component | ATA:23      |  |
| PN:622-8114-002                | MOS/MSC | 20-Jun-14                  | O/C      | TSO 0    |                           |           |           |             |  |
| SN:6276                        | HRS     | 8034.1                     |          | TSO 0    |                           |           |           |             |  |
| WC#: 23.040                    | AFL     | 3966                       |          | TSO 0    |                           |           |           |             |  |
| PROC. REF: GENERIC NO REF      |         |                            |          |          |                           |           |           |             |  |
| 231206                         |         | NO. 2 HF COUPLER AMPLIFIER |          |          |                           |           | Component | ATA:23      |  |
| PN:622-8114-002                | MOS/MSC | 19-Jun-14                  | O/C      | TSR 1    |                           |           |           |             |  |
| SN:571                         | HRS     | 8032                       |          | TSR 0    |                           |           |           |             |  |
| WC#: 23.045                    | AFL     | 3965                       |          | TSR 0    |                           |           |           |             |  |
| PROC. REF: GENERIC NO REF      |         |                            |          |          |                           |           |           |             |  |
| 231211                         |         | NO. 1 HF TRANSCEIVER       |          |          |                           |           | Component | ATA:23      |  |
| PN:622-8112-001                | MOS/MSC | 19-Jun-14                  | O/C      |          |                           |           |           |             |  |
| SN:286                         | HRS     | 8032                       |          | TSN 8005 |                           |           |           |             |  |
| WC#: 23.040                    | AFL     | 3965                       |          |          |                           |           |           |             |  |
| PROC. REF: GENERIC NO REF      |         |                            |          |          |                           |           |           |             |  |
| 231216                         |         | NO. 2 HF TRANSCEIVER       |          |          |                           |           | Component | ATA:23      |  |
| PN:622-8112-001                | MOS/MSC | 19-Jun-14                  | O/C      |          |                           |           |           |             |  |
| SN:285                         | HRS     | 8032                       |          | TSN 8005 |                           |           |           |             |  |
| WC#: 23.045                    | AFL     | 3965                       |          |          |                           |           |           |             |  |
| PROC. REF: GENERIC NO REF      |         |                            |          |          |                           |           |           |             |  |
| 231221                         |         | NO. 1 HF CONTROL           |          |          |                           |           | Component | ATA:23      |  |
| PN:622-8111-002                | MOS/MSC | 19-Jun-14                  | O/C      |          |                           |           |           |             |  |
| SN:580                         | HRS     | 8032                       |          |          |                           |           |           |             |  |
| WC#: 23.040                    | AFL     | 3965                       |          |          |                           |           |           |             |  |
| PROC. REF: GENERIC NO REF      |         |                            |          |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                        | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|--------------------------------|---------|--|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 23 - COMMUNICATIONS</b> |         |  |          |          |                           |           |           |             |        |
| 231226                         |         | NO. 2 HF CONTROL   |          |          |                           |           |           | Component   | ATA:23 |
| PN:622-8111-002                | MOS/MSC | 19-Jun-14  | O/C      |          |                           |           |           |             |        |
| SN:579                         | HRS     | 8032   |          |          |                           |           |           |             |        |
| WC#: 23.045                    | AFL     | 3965   |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF      |         |  |          |          |                           |           |           |             |        |
| 231241                         |         | HF ANTENNA TUNING VARIABLE CAPACITOR                                       |          |          |                           |           |           | Component   | ATA:23 |
| PN:071-1270-01                 | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |        |
| SN:1542                        | HRS     | 0  |          | TSN 0    |                           |           |           |             |        |
| WC#: 23.055                    | AFL     | 0  |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF      |         |  |          |          |                           |           |           |             |        |
| 231A15 <sup>U</sup>            |         | CHECK COMMUNICATION STAND-BY BATTERY CHARGE                                |          |          |                           |           |           | Service     | ATA:23 |
| PN:501-1228-04                 | MOS     | 10-Nov-23  | 6        |          | 10-May-24                 |           | 171 d     |             |        |
| SN:2123A                       | HRS     | 9831.2   |          |          |                           |           |           |             |        |
|                                | AFL     | 4640   |          |          |                           |           |           |             |        |
| 231A16 <sup>U</sup>            |         | CHECK COMMUNICATION STAND-BY BATTERY CAPACITY                              |          |          |                           |           |           | Service     | ATA:23 |
| PN:501-1228-04                 | MOS     | 10-Nov-23  | 12       |          | 10-Nov-24                 |           | 355 d     |             |        |
| SN:2123A                       | HRS     | 9183.2   |          |          |                           |           |           |             |        |
|                                | AFL     | 4640   |          |          |                           |           |           |             |        |
| 231B72 <sup>US</sup>           |         | VISUALLY INSPECT THE AIUS & ANNUNCIATORS FOR CONDITION, SECURITY & BONDING |          |          |                           |           |           | Service     | ATA:23 |
|                                | MOS/MSC |  | A/R      |          |                           |           |           |             |        |
|                                | HRS     |  |          |          |                           |           |           |             |        |
|                                | AFL     |  |          |          |                           |           |           |             |        |
| PKG:21,31                      |         |  |          |          |                           |           |           |             |        |
| 231B75 <sup>U</sup>            |         | HIGH SPEED DATA ROUTER   |          |          |                           |           |           | Component   | ATA:23 |
| PN:PN                          | MOS/MSC |  | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                     | HRS     |  |          |          |                           |           |           |             |        |
|                                | AFL     |  |          |          |                           |           |           |             |        |
| 232001                         |         | SELCAL RECEIVER  |          |          |                           |           |           | Component   | ATA:23 |
| PN:800-0012-105                | MOS/MSC | 11-Jun-90  | O/C      | TSN 0    |                           |           |           |             |        |
| SN:881                         | HRS     | 192  |          | TSN 0    |                           |           |           |             |        |
| WC#: 23.100                    | AFL     | 112  |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF      |         |  |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                        | Unit    | C/W                             | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|--------------------------------|---------|---------------------------------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 23 - COMMUNICATIONS</b> |         |                                 |          |          |                           |           |           |             |        |
| 232101                         |         | COMMUNICATION ANNUNCIATOR PANEL |          |          |                           |           |           | Component   | ATA:23 |
| PN:872TS06Y                    | MOS/MSC | 23-Oct-89                       | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                     | HRS     | 0                               |          | TSN 0    |                           |           |           |             |        |
| WC#: 23.110                    | AFL     | 0                               |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF      |         |                                 |          |          |                           |           |           |             |        |
| 233101                         |         | PILOT AUDIO CONTROL             |          |          |                           |           |           | Component   | ATA:23 |
| PN:M1045FBAFSFF7               | MOS/MSC | 23-Mar-90                       | O/C      |          |                           |           |           |             |        |
| SN:870663                      | HRS     | 27                              |          | TSN 27   |                           |           |           |             |        |
| WC#: 23.060                    | AFL     | 12                              |          | TSN 12   |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF      |         |                                 |          |          |                           |           |           |             |        |
| 233121                         |         | COPILOT AUDIO CONTROL           |          |          |                           |           |           | Component   | ATA:23 |
| PN:M1045FBAFSFF7               | MOS/MSC | 23-Mar-90                       | O/C      |          |                           |           |           |             |        |
| SN:8702136                     | HRS     | 27                              |          | TSN 27   |                           |           |           |             |        |
| WC#: 23.060                    | AFL     | 12                              |          | TSN 12   |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF      |         |                                 |          |          |                           |           |           |             |        |
| 233151                         |         | PUBLIC ADDRESS AMPLIFIER        |          |          |                           |           |           | Component   | ATA:23 |
| PN:M2050C                      | MOS/MSC | 23-Mar-90                       | O/C      |          |                           |           |           |             |        |
| SN:8911039                     | HRS     | 27                              |          | TSN 0    |                           |           |           |             |        |
| WC#: 23.070                    | AFL     | 12                              |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF      |         |                                 |          |          |                           |           |           |             |        |
| 233201                         |         | PILOT LOUD SPEAKER              |          |          |                           |           |           | Component   | ATA:23 |
| PN:5FU4-8                      | MOS/MSC | 23-Oct-89                       | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                     | HRS     | 0                               |          | TSN 0    |                           |           |           |             |        |
| WC#: 23.080                    | AFL     | 0                               |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF      |         |                                 |          |          |                           |           |           |             |        |
| 233211                         |         | COPILOT LOUD SPEAKER            |          |          |                           |           |           | Component   | ATA:23 |
| PN:5FU4-8                      | MOS/MSC | 23-Oct-89                       | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                     | HRS     | 0                               |          | TSN 0    |                           |           |           |             |        |
| WC#: 23.080                    | AFL     | 0                               |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF      |         |                                 |          |          |                           |           |           |             |        |
| 233A13 <sup>U</sup>            |         | VIDEO CABIN REAR MONITOR-       |          |          |                           |           |           | Component   | ATA:23 |
| PN:FD201CV-LP                  | MOS/MSC | 08-Aug-11                       | O/C      |          | TSN 0                     |           |           |             |        |
| SN:11186025                    | HRS     | 7320.2                          |          |          | TSN 0                     |           |           |             |        |
|                                | AFL     | 3641                            |          |          | TSN 0                     |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W  | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|---------|--|------------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 23 - COMMUNICATIONS</b>   |         |  |            |          |                           |           |           |             |        |
| 233A29 <sup>U</sup>              |         | DISPLAY CABIN INTERFACE  |            |          |                           |           | Component |             | ATA:23 |
| PN:920050                        | MOS/MSC | 11-Feb-21  | O/C        | TSO 1    |                           |           |           |             |        |
| SN:1522                          | HRS     | 9216.9   |            | TSO 0    |                           |           |           |             |        |
|                                  | AFL     | 4418   |            | TSO 0    |                           |           |           |             |        |
| 234A08 <sup>U</sup>              |         | FLITEFONE TRANSCEIVER  |            |          |                           |           | Component |             | ATA:23 |
| PN:400-0125-000                  | MOS/MSC | 10-Oct-90  | O/C        | TSN 0    |                           |           |           |             |        |
| SN:1730                          | HRS     | 401  |            | TSN 0    |                           |           |           |             |        |
|                                  | AFL     | 207  |            | TSN 0    |                           |           |           |             |        |
| <b>ATA 24 - ELECTRICAL POWER</b> |         |  |            |          |                           |           |           |             |        |
| 24-20-05-710-801-01              |         | OPERATIONAL TEST OF THE GROUND FAULT INTERRUPTER (GFI)         |            |          |                           |           | Service   |             | ATA:24 |
|                                  | MOS/MSC | 23-Oct-89  | N/A        |          |                           |           |           |             |        |
|                                  | HRS     | 0  |            |          |                           |           |           |             |        |
|                                  | AFL     | 0  |            |          |                           |           |           |             |        |
| PROC. REF: AMM 24-20-05-710-801  |         |  |            |          |                           |           |           |             |        |
| 24-30-00-710-801-01 <sup>S</sup> |         | OPERATIONAL TEST OF THE VOLTAGE MONITORING CIRCUITS - ENGINE 1 |            |          |                           |           | Service   |             | ATA:24 |
|                                  | MOS     | 08-Apr-16  |            |          |                           |           |           |             |        |
|                                  | HRS     | 8447.8   | 1600 (+40) |          |                           |           |           |             |        |
|                                  | AFL     | 4114   |            |          |                           |           |           |             |        |
| PROC. REF: AMM 24-30-00-710-801  |         |  |            |          |                           |           |           |             |        |
| PKG:21                           |         |  |            |          |                           |           |           |             |        |
| 24-30-00-710-801-02 <sup>S</sup> |         | OPERATIONAL TEST OF THE VOLTAGE MONITORING CIRCUITS - ENGINE 2 |            |          |                           |           | Service   |             | ATA:24 |
|                                  | MOS     | 08-Apr-16  |            |          |                           |           |           |             |        |
|                                  | HRS     | 8447.8   | 1600 (+40) |          |                           |           |           |             |        |
|                                  | AFL     | 4114   |            |          |                           |           |           |             |        |
| PROC. REF: AMM 24-30-00-710-801  |         |  |            |          |                           |           |           |             |        |
| PKG:21                           |         |  |            |          |                           |           |           |             |        |
| 24-30-00-710-801-03 <sup>S</sup> |         | OPERATIONAL TEST OF THE VOLTAGE MONITORING CIRCUITS - ENGINE 3 |            |          |                           |           | Service   |             | ATA:24 |
|                                  | MOS     | 08-Apr-16  |            |          |                           |           |           |             |        |
|                                  | HRS     | 8447.8   | 1600 (+40) |          |                           |           |           |             |        |
|                                  | AFL     | 4114   |            |          |                           |           |           |             |        |
| PROC. REF: AMM 24-30-00-710-801  |         |  |            |          |                           |           |           |             |        |
| PKG:21                           |         |  |            |          |                           |           |           |             |        |
| 24-30-00-710-801-04 <sup>S</sup> |         | OPERATIONAL TEST OF THE VOLTAGE MONITORING CIRCUITS - APU      |            |          |                           |           | Service   |             | ATA:24 |
|                                  | MOS     | 08-Apr-16  |            |          |                           |           |           |             |        |
|                                  | HRS     | 8447.8   | 1600 (+40) |          |                           |           |           |             |        |
|                                  | AFL     | 4114   |            |          |                           |           |           |             |        |
| PROC. REF: AMM 24-30-00-710-801  |         |  |            |          |                           |           |           |             |        |
| PKG:21                           |         |  |            |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W  | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |  |
|----------------------------------|---------|--|------------|----------|---------------------------|-----------|-------------|-------------|--|
| <b>ATA 24 - ELECTRICAL POWER</b> |         |  |            |          |                           |           |             |             |  |
| 24-30-00-710-802-01 <sup>S</sup> |         | OPERATIONAL TEST OF THE APU SHUTDOWN SAFETIES WITH "MASTER" APU CONTROL              |            |          |                           |           | Service     | ATA:24      |  |
|                                  | MOS     | 08-Apr-16  |            |          |                           |           |             |             |  |
|                                  | HRS     | 8447.8   | 1600 (+40) |          |                           |           |             |             |  |
| WC#: 24.180                      | AFL     | 4114   |            |          |                           |           |             |             |  |
| PROC. REF: AMM 24-30-00-710-802  |         |  |            |          |                           |           |             | PKG:21      |  |
| 24-30-08-900-801-01              |         | EMERGENCY POWER SUPPLY   |            |          |                           |           | Component   | ATA:24      |  |
| PN:PN                            | MOS/MSC | 23-Oct-89  | O/C        | TSN 0    |                           |           |             |             |  |
| SN:NOT INSTALLED                 | HRS     | 0  |            | TSN 0    |                           |           |             |             |  |
|                                  | AFL     | 0  |            | TSN 0    |                           |           |             |             |  |
| PROC. REF: GENERIC NO REF        |         |  |            |          |                           |           |             |             |  |
| 24-31-09-900-801-01              |         | REMOVAL / INSTALLATION OF THE GENERATOR CONTROL UNITS (GCU) - APU GCU (22PA)         |            |          |                           |           | Component   | ATA:24      |  |
| PN:D22-500                       | MOS/MSC | 11-Oct-10  | O/C        |          |                           |           |             |             |  |
| SN:B0167-14                      | HRS     | 6917.7   |            |          |                           |           |             |             |  |
| WC#: 24.120                      | AFL     | 3435   |            |          |                           |           |             |             |  |
| PROC. REF: AMM 24-31-09-900-801  |         |  |            |          |                           |           |             |             |  |
| 24-31-09-900-801-02              |         | REMOVAL / INSTALLATION OF THE GENERATOR CONTROL UNITS (GCU) - GCU 1 (3PA1)           |            |          |                           |           | Component   | ATA:24      |  |
| PN:D22-500C                      | MOS/MSC | 23-Oct-89  | O/C        |          |                           |           |             |             |  |
| SN:80137-13                      | HRS     | 0  |            | TSN 0    |                           |           |             |             |  |
| WC#: 24.110                      | AFL     | 0  |            |          |                           |           |             |             |  |
| PROC. REF: AMM 24-31-09-900-801  |         |  |            |          |                           |           |             |             |  |
| 24-31-09-900-801-03              |         | REMOVAL / INSTALLATION OF THE GENERATOR CONTROL UNITS (GCU) - GCU 2 (3PA2)           |            |          |                           |           | Component   | ATA:24      |  |
| PN:D22-501                       | MOS/MSC | 13-Oct-10  | O/C        | TSR 0    |                           |           |             |             |  |
| SN:5115-58                       | HRS     | 6926.5   |            | TSR 0    |                           |           |             |             |  |
| WC#: 24.120                      | AFL     | 3430   |            | TSR 0    |                           |           |             |             |  |
| PROC. REF: AMM 24-31-09-900-801  |         |  |            |          |                           |           |             |             |  |
| 24-31-09-900-801-04              |         | REMOVAL / INSTALLATION OF THE GENERATOR CONTROL UNITS (GCU) - GCU 3 (3PA3)           |            |          |                           |           | Component   | ATA:24      |  |
| PN:D22-500C                      | MOS/MSC | 23-Oct-89  | O/C        |          |                           |           |             |             |  |
| SN:80167-15                      | HRS     | 0  |            | TSN 0    |                           |           |             |             |  |
| WC#: 24.110                      | AFL     | 0  |            |          |                           |           |             |             |  |
| PROC. REF: AMM 24-31-09-900-801  |         |  |            |          |                           |           |             |             |  |
| 24-31-13-350-801-01              |         | RESTORATION OF THE STARTER-GENERATORS (OVERHAUL) - ENGINE 1 STARTER-GENERATOR (L1PA) |            |          |                           |           | Service     | ATA:24      |  |
| PN:8060-160                      | MOS     | 13-May-21  |            |          |                           |           | OVERHAUL    |             |  |
| SN:2024                          | HRS     | 9218.2   | 1240 (+3%) |          | 10458.2                   | 10495.4   | 627 (+37.2) |             |  |
| WC#: 24.080                      | AFL     | 4423   |            |          |                           |           |             |             |  |
| PROC. REF: AMM 24-31-13-350-801  |         |  |            |          |                           |           |             |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining      | Disposition |
|--|---------|-----------|------------|----------|---------------------------|-----------|----------------|-------------|
| <b>ATA 24 - ELECTRICAL POWER</b>   |         |           |            |          |                           |           |                |             |
| <b>24-31-13-350-801-02 RESTORATION OF THE STARTER-GENERATORS (OVERHAUL) - ENGINE 2 STARTER-GENERATOR (M1PA) Service ATA:24</b>                   |         |           |            |          |                           |           |                |             |
| PN:8060-160  | MOS     | 29-Jun-23 |            |          |                           |           |                | OVERHAUL    |
| SN:3660  | HRS     | 9780.4    | 1240 (+3%) |          | 11020.4                   | 11057.6   | 1189.2 (+37.2) |             |
| WC#: 24.090  | AFL     | 4619      |            |          |                           |           |                |             |
| PROC. REF: AMM 24-31-13-350-801  |         |           |            |          |                           |           |                |             |
| <b>24-31-13-350-801-03 RESTORATION OF THE STARTER-GENERATORS (OVERHAUL) - ENGINE 3 STARTER-GENERATOR (R1PA) Service ATA:24</b>                   |         |           |            |          |                           |           |                |             |
| PN:8060-160  | MOS     | 16-Nov-22 |            |          |                           |           |                | OVERHAUL    |
| SN:1589  | HRS     | 9596.5    | 1240 (+3%) |          | 10836.5                   | 10873.7   | 1005.3 (+37.2) |             |
| WC#: 24.080  | AFL     | 4562      |            |          |                           |           |                |             |
| PROC. REF: AMM 24-31-13-350-801  |         |           |            |          |                           |           |                |             |
| <b>24-31-13-350-801-04 RESTORATION OF THE STARTER-GENERATORS (OVERHAUL) - APU STARTER-GENERATOR (21PA) Service ATA:24</b>                        |         |           |            |          |                           |           |                |             |
| PN:8060-141-1  | MOS     | 14-Dec-16 |            |          |                           |           |                | OVERHAUL    |
| SN:1160  | HRS     |           |            |          |                           |           |                |             |
| WC#: 24.100  | AFL     |           |            |          |                           |           |                |             |
|  | APH     | 5036.5    | 900 (+3%)  |          | 5936.5                    | 5963.5    | 294.6 (+27)    |             |
| PROC. REF: AMM 24-31-13-350-801  |         |           |            |          |                           |           |                |             |
| <b>24-31-13-900-803-01 REMOVAL / INSTALLATION OF THE ENGINES 1 AND 3 STARTER-GENERATORS - ENGINE 1 STARTER-GENERATOR (L1PA) Component ATA:24</b> |         |           |            |          |                           |           |                |             |
| PN:8060-160  | MOS/MSC | 13-May-21 | O/C        | TSO 0    |                           |           |                |             |
| SN:2024  | HRS     | 9218.2    |            | TSO 0    |                           |           |                |             |
| WC#: 24.080  | AFL     | 4423      |            | TSO 0    |                           |           |                |             |
| PROC. REF: AMM 24-31-13-900-803  |         |           |            |          |                           |           |                |             |
| <b>24-31-13-900-803-02 REMOVAL / INSTALLATION OF THE ENGINES 1 AND 3 STARTER-GENERATORS - ENGINE 3 STARTER-GENERATOR (R1PA) Component ATA:24</b> |         |           |            |          |                           |           |                |             |
| PN:8060-160  | MOS/MSC | 16-Nov-22 | O/C        | TSO 0    |                           |           |                |             |
| SN:1589  | HRS     | 9596.5    |            | TSO 0    |                           |           |                |             |
| WC#: 24.080  | AFL     | 4562      |            | TSO 0    |                           |           |                |             |
| PROC. REF: AMM 24-31-13-900-803  |         |           |            |          |                           |           |                |             |
| <b>24-31-13-900-804-01 REMOVAL / INSTALLATION OF THE ENGINE 2 STARTER-GENERATOR - ENGINE 2 STARTER-GENERATOR (M1PA) Component ATA:24</b>         |         |           |            |          |                           |           |                |             |
| PN:8060-160  | MOS/MSC | 29-Jun-23 | O/C        | TSO 1    |                           |           |                |             |
| SN:3660  | HRS     | 9780.4    |            | TSO 0    |                           |           |                |             |
| WC#: 24.090  | AFL     | 4619      |            | TSO 0    |                           |           |                |             |
| PROC. REF: AMM 24-31-13-900-804  |         |           |            |          |                           |           |                |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval    | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |
|---|---------|-----------|-------------|----------|---------------------------|-----------|-------------|-------------|
| <b>ATA 24 - ELECTRICAL POWER</b>  |         |           |             |          |                           |           |             |             |
| <b>24-31-17-220-803-01 CHECK OF THE ENGINE STARTER-GENERATOR BRUSHES - ENGINE 1 STARTER-GENERATOR (L1PA) Service ATA:24</b>                       |         |           |             |          |                           |           |             |             |
| PN:8060-160   | MOS/MSC | 13-May-21 | N/A         |          |                           |           |             |             |
| SN:2024   | HRS     | 9218.2    |             |          |                           |           |             |             |
|   | AFL     | 4423      |             |          |                           |           |             |             |
| PROC. REF: AMM 24-31-17-220-803, AMM 24-31-17-220-803, AMM 24-31-17-220-803   |         |           |             |          |                           |           |             |             |
| <b>24-31-17-220-803-02 CHECK OF THE ENGINE STARTER-GENERATOR BRUSHES - ENGINE 2 STARTER-GENERATOR (M1PA) Service ATA:24</b>                       |         |           |             |          |                           |           |             |             |
| PN:8060-160   | MOS/MSC |           | N/A         |          |                           |           |             |             |
| SN:3660   | HRS     |           |             |          |                           |           |             |             |
|   | AFL     |           |             |          |                           |           |             |             |
| PROC. REF: AMM 24-31-17-220-803, AMM 24-31-17-220-803, AMM 24-31-17-220-803   |         |           |             |          |                           |           |             |             |
| <b>24-31-17-220-803-03 CHECK OF THE ENGINE STARTER-GENERATOR BRUSHES - ENGINE 3 STARTER-GENERATOR (R1PA) Service ATA:24</b>                       |         |           |             |          |                           |           |             |             |
| PN:8060-160   | MOS/MSC |           | N/A         |          |                           |           |             |             |
| SN:1589   | HRS     |           |             |          |                           |           |             |             |
|   | AFL     |           |             |          |                           |           |             |             |
| PROC. REF: AMM 24-31-17-220-803, AMM 24-31-17-220-803, AMM 24-31-17-220-803   |         |           |             |          |                           |           |             |             |
| <b>24-31-17-220-804-01 CHECK OF THE ENGINE STARTER-GENERATOR BRUSHES P/N 8060-160 OPTION 1 - ENGINE 1 STARTER-GENERATOR (L1PA) Service ATA:24</b> |         |           |             |          |                           |           |             |             |
| PN:8060-160   | MOS/MSC | 13-May-21 | N/A         |          |                           |           |             |             |
| SN:2024   | HRS     | 9218.2    |             |          |                           |           |             |             |
|   | AFL     | 4423      |             |          |                           |           |             |             |
| PROC. REF: AMM 24-31-17-220-804   |         |           |             |          |                           |           |             |             |
| <b>24-31-17-220-804-02 CHECK OF THE ENGINE STARTER-GENERATOR BRUSHES P/N 8060-160 OPTION 1 - ENGINE 2 STARTER-GENERATOR (M1PA) Service ATA:24</b> |         |           |             |          |                           |           |             |             |
| PN:8060-160   | MOS     | 29-Jun-23 |             |          |                           |           |             |             |
| SN:3660   | HRS     | 9780.4    | 600 (+60)   |          | 10380.4                   | 10440.4   | 549.2 (+60) |             |
|   | AFL     | 4619      |             |          |                           |           |             |             |
| PROC. REF: AMM 24-31-17-220-804   |         |           |             |          |                           |           |             |             |
| <b>24-31-17-220-804-03 CHECK OF THE ENGINE STARTER-GENERATOR BRUSHES P/N 8060-160 OPTION 1 - ENGINE 3 STARTER-GENERATOR (R1PA) Service ATA:24</b> |         |           |             |          |                           |           |             |             |
| PN:8060-160   | MOS/MSC |           | N/A         |          |                           |           |             |             |
| SN:1589   | HRS     |           |             |          |                           |           |             |             |
|   | AFL     |           |             |          |                           |           |             |             |
| PROC. REF: AMM 24-31-17-220-804   |         |           |             |          |                           |           |             |             |
| <b>24-31-17-220-805-01 CHECK OF THE ENGINE STARTER-GENERATOR BRUSHES P/N 8060-160 OPTION 2 - ENGINE 1 STARTER-GENERATOR (L1PA) Service ATA:24</b> |         |           |             |          |                           |           |             |             |
| PN:8060-160   | MOS     | 13-May-21 |             |          |                           |           |             |             |
| SN:2024   | HRS     | 9218.2    | T:600 (+60) |          | 9818.2                    | 9878.2    | TOL (+47)   |             |
|   | AFL     | 4423      |             |          |                           |           |             |             |
| PROC. REF: AMM 24-31-17-220-805   |         |           |             |          |                           |           |             |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition |
|---|---------|-----------|------------|----------|---------------------------|-----------|--------------|-------------|
| <b>ATA 24 - ELECTRICAL POWER</b>  |         |           |            |          |                           |           |              |             |
| <b>24-31-17-220-805-02 CHECK OF THE ENGINE STARTER-GENERATOR BRUSHES P/N 8060-160 OPTION 2 - ENGINE 2 STARTER-GENERATOR (M1PA) Service ATA:24</b> |         |           |            |          |                           |           |              |             |
| PN:8060-160   | MOS/MSC | 29-Jun-23 | N/A        |          |                           |           |              |             |
| SN:3660   | HRS     | 9780.4    |            |          |                           |           |              |             |
|   | AFL     | 4619      |            |          |                           |           |              |             |
| PROC. REF: AMM 24-31-17-220-805   |         |           |            |          |                           |           |              |             |
| <b>24-31-17-220-805-03 CHECK OF THE ENGINE STARTER-GENERATOR BRUSHES P/N 8060-160 OPTION 2 - ENGINE 3 STARTER-GENERATOR (R1PA) Service ATA:24</b> |         |           |            |          |                           |           |              |             |
| PN:8060-160   | MOS     | 14-Apr-23 |            |          |                           |           |              |             |
| SN:1589   | HRS     | 9743.1    | 150        |          | 9893.1                    |           | 61.9         |             |
|   | AFL     | 4606      |            |          |                           |           |              |             |
| PROC. REF: AMM 24-31-17-220-805   |         |           |            |          |                           |           |              |             |
| <b>24-32-01-350-801-01 RESTORATION OF A MAIN NICKEL-CADMIUM BATTERY (OVERHAUL) - BATTERY 1 (L1PE) Service ATA:24</b>                              |         |           |            |          |                           |           |              |             |
| PN:276CH10  | MOS     | 28-Mar-23 | 33 (+3%)   |          | 28-Dec-25                 | 27-Jan-26 | 768 d (+30)  | OVERHAUL    |
| SN:V01114   | HRS     | 9719.9    | 1700 (+3%) |          | 11419.9                   | 11470.9   | 1588.7 (+51) |             |
| WC#: 24.030   | AFL     | 4600      |            |          |                           |           |              |             |
| PROC. REF: AMM 24-32-01-350-801   |         |           |            |          |                           |           |              |             |
| <b>24-32-01-350-801-02 RESTORATION OF A MAIN NICKEL-CADMIUM BATTERY (OVERHAUL) - BATTERY 2 (R1PE) Service ATA:24</b>                              |         |           |            |          |                           |           |              |             |
| PN:276CH10  | MOS     | 23-Apr-23 | 33 (+3%)   |          | 23-Jan-26                 | 22-Feb-26 | 794 d (+30)  | OVERHAUL    |
| SN:V01108   | HRS     | 9755.8    | 1700 (+3%) |          | 11455.8                   | 11506.8   | 1624.6 (+51) |             |
| WC#: 24.035   | AFL     | 4609      |            |          |                           |           |              |             |
| PROC. REF: AMM 24-32-01-350-801   |         |           |            |          |                           |           |              |             |
| <b>24-32-01-700-801-01 REGULAR CHECK OF A MAIN NICKEL-CADMIUM BATTERY - BATTERY 1 (L1PE) Service ATA:24</b>                                       |         |           |            |          |                           |           |              |             |
| PN:276CH10  | MOS     | 28-Mar-23 | 17 (+1m)   |          | 28-Aug-24                 | 28-Sep-24 | 281 d (+31)  |             |
| SN:V01114   | HRS     | 9719.9    | 850 (+85)  |          | 10569.9                   | 10654.9   | 738.7 (+85)  |             |
| WC#: 24.030   | AFL     | 4600      |            |          |                           |           |              |             |
| PROC. REF: AMM 24-32-01-700-801   |         |           |            |          |                           |           |              |             |
| <b>24-32-01-700-801-02 REGULAR CHECK OF A MAIN NICKEL-CADMIUM BATTERY - BATTERY 2 (R1PE) Service ATA:24</b>                                       |         |           |            |          |                           |           |              |             |
| PN:276CH10  | MOS     | 23-Apr-23 | 17 (+1m)   |          | 23-Sep-24                 | 23-Oct-24 | 307 d (+30)  |             |
| SN:V01108   | HRS     | 9755.8    | 850 (+85)  |          | 10605.8                   | 10690.8   | 774.6 (+85)  |             |
| WC#: 24.035   | AFL     | 4609      |            |          |                           |           |              |             |
| PROC. REF: AMM 24-32-01-700-801   |         |           |            |          |                           |           |              |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 24 - ELECTRICAL POWER</b>  |         |           |          |          |                           |           |           |             |
| <b>24-32-01-700-802-01      REGULAR CHECK OF A MAIN LEAD / ACID BATTERY - BATTERY 1 (L1PE)      Service    ATA:24</b>                         |         |           |          |          |                           |           |           |             |
| PN:276CH10  | MOS/MSC |           | N/A      |          |                           |           |           |             |
| SN:V01114   | HRS     |           |          |          |                           |           |           |             |
| WC#: 24.030   | AFL     |           |          |          |                           |           |           |             |
| PROC. REF: AMM 24-32-01-700-802   |         |           |          |          |                           |           |           |             |
| <b>24-32-01-700-802-02      REGULAR CHECK OF A MAIN LEAD / ACID BATTERY - BATTERY 2 (R1PE)      Service    ATA:24</b>                         |         |           |          |          |                           |           |           |             |
| PN:276CH10  | MOS/MSC |           | N/A      |          |                           |           |           |             |
| SN:V01108   | HRS     |           |          |          |                           |           |           |             |
| WC#: 24.035   | AFL     |           |          |          |                           |           |           |             |
| PROC. REF: AMM 24-32-01-700-802   |         |           |          |          |                           |           |           |             |
| <b>24-32-01-900-801-01      REMOVAL / INSTALLATION OF THE MAIN BATTERIES - BATTERY 1 (L1PE)      Component    ATA:24</b>                      |         |           |          |          |                           |           |           |             |
| PN:276CH10  | MOS/MSC | 28-Mar-23 | O/C      | TSO 2    |                           |           |           |             |
| SN:V01114   | HRS     | 9719.9    |          | TSO 0    |                           |           |           |             |
| WC#: 24.030   | AFL     | 4600      |          | TSO 0    |                           |           |           |             |
| PROC. REF: AMM 24-32-01-900-801   |         |           |          |          |                           |           |           |             |
| <b>24-32-01-900-801-02      REMOVAL / INSTALLATION OF THE MAIN BATTERIES - BATTERY 2 (R1PE)      Component    ATA:24</b>                      |         |           |          |          |                           |           |           |             |
| PN:276CH10  | MOS/MSC | 23-Apr-23 | O/C      | TSO 0    |                           |           |           |             |
| SN:V01108   | HRS     | 9755.8    |          | TSO 0    |                           |           |           |             |
| WC#: 24.035   | AFL     | 4609      |          | TSO 0    |                           |           |           |             |
| PROC. REF: AMM 24-32-01-900-801   |         |           |          |          |                           |           |           |             |
| <b>24-32-01-960-801-01      DISCARD OF THE MAIN LEAD / ACID BATTERIES - BATTERY 1 (L1PE)      Service    ATA:24</b>                           |         |           |          |          |                           |           |           |             |
| PN:276CH10  | MOS/MSC |           | O/C      |          |                           |           |           |             |
| SN:V01114   | HRS     |           |          |          |                           |           |           |             |
|   | AFL     |           |          |          |                           |           |           |             |
| PROC. REF: AMM 24-32-01-960-801   |         |           |          |          |                           |           |           |             |
| <b>24-32-01-960-801-02      DISCARD OF THE MAIN LEAD / ACID BATTERIES - BATTERY 2 (R1PE)      Service    ATA:24</b>                           |         |           |          |          |                           |           |           |             |
| PN:276CH10  | MOS/MSC |           | O/C      |          |                           |           |           |             |
| SN:V01108   | HRS     |           |          |          |                           |           |           |             |
|   | AFL     |           |          |          |                           |           |           |             |
| PROC. REF: AMM 24-32-01-960-801   |         |           |          |          |                           |           |           |             |
| <b>24-32-09-610-801-01      SERVICING OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERIES - STAND-BY HORIZON BATTERY (4FG)      Service    ATA:24</b> |         |           |          |          |                           |           |           |             |
| PN:501-1228-04  | MOS/MSC |           | N/A      |          |                           |           |           |             |
| SN:81503  | HRS     |           |          |          |                           |           |           |             |
| WC#: 24.210   | AFL     |           |          |          |                           |           |           |             |
| PROC. REF: AMM 24-32-09-610-801   |         |           |          |          |                           |           |           |             |

?-Insufficient Information    S-Suppressed Requirement    \*-Estimated Due(New Requirement)    (EFF)-Effective C/W    (M)-Manual Due    U-User Task    Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 24 - ELECTRICAL POWER</b>   |         |           |          |          |                           |           |           |             |
| <b>24-32-09-610-801-02 SERVICING OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERIES - IRS 1 BATTERY (L12FP) Service ATA:24</b>                    |         |           |          |          |                           |           |           |             |
| PN:100-0540-02   | MOS/MSC |           | N/A      |          |                           |           |           |             |
| SN:1644  | HRS     |           |          |          |                           |           |           |             |
| WC#: 24.220  | AFL     |           |          |          |                           |           |           |             |
| PROC. REF: AMM 24-32-09-610-801  |         |           |          |          |                           |           |           |             |
| <b>24-32-09-610-801-03 SERVICING OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERIES - IRS 2 BATTERY (R12FP) Service ATA:24</b>                    |         |           |          |          |                           |           |           |             |
| PN:100-0540-02   | MOS/MSC |           | N/A      |          |                           |           |           |             |
| SN:1158209   | HRS     |           |          |          |                           |           |           |             |
| WC#: 24.220  | AFL     |           |          |          |                           |           |           |             |
| PROC. REF: AMM 24-32-09-610-801  |         |           |          |          |                           |           |           |             |
| <b>24-32-09-610-801-04 SERVICING OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERIES - IRS 3 BATTERY (32FP) Service ATA:24</b>                     |         |           |          |          |                           |           |           |             |
| PN:100-0540-02   | MOS/MSC | 07-Jan-22 | N/A      |          |                           |           |           |             |
| SN:1143522   | HRS     | 9369.2    |          |          |                           |           |           |             |
| WC#: 24.230  | AFL     | 4483      |          |          |                           |           |           |             |
| PROC. REF: AMM 24-32-09-610-801  |         |           |          |          |                           |           |           |             |
| <b>24-32-09-610-801-05 SERVICING OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERIES - VHF 3 STAND-BY BATTERY (28RC) Service ATA:24</b>            |         |           |          |          |                           |           |           |             |
| PN:501-1228-04   | MOS/MSC |           | N/A      |          |                           |           |           |             |
| SN:2123A   | HRS     |           |          |          |                           |           |           |             |
| WC#: 24.250  | AFL     |           |          |          |                           |           |           |             |
| PROC. REF: AMM 24-32-09-610-801  |         |           |          |          |                           |           |           |             |
| <b>24-32-09-610-801-06 SERVICING OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERIES - EMERGENCY BATTERY (123F) Service ATA:24</b>                 |         |           |          |          |                           |           |           |             |
| PN:PN  | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |           |             |
| SN:NOT INSTALLED   | HRS     | 0         |          |          |                           |           |           |             |
| WC#: 24.240  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 24-32-09-610-801  |         |           |          |          |                           |           |           |             |
| <b>24-32-09-610-801-07 SERVICING OF "SAFT" NICKEL-CADMIUM STAND-BY BATTERIES - FMS 3 STAND-BY BATTERY (42RJ) Service ATA:24</b>            |         |           |          |          |                           |           |           |             |
| PN:PN  | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |           |             |
| SN:NOT INSTALLED   | HRS     | 0         |          |          |                           |           |           |             |
| WC#: 24.260  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 24-32-09-610-801  |         |           |          |          |                           |           |           |             |
| <b>24-32-09-710-802-01 OPERATIONAL TEST OF "SECURAPLANE" XL245 TYPE STAND-BY BATTERIES - STAND-BY HORIZON BATTERY (4FG) Service ATA:24</b> |         |           |          |          |                           |           |           |             |
| PN:501-1228-04   | MOS/MSC |           | N/A      |          |                           |           |           |             |
| SN:81503   | HRS     |           |          |          |                           |           |           |             |
| WC#: 24.210  | AFL     |           |          |          |                           |           |           |             |
| PROC. REF: AMM 24-32-09-710-802  |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition    |
|---|---------|-----------|----------|----------|---------------------------|-----------|-------------|----------------|
| <b>ATA 24 - ELECTRICAL POWER</b>  |         |           |          |          |                           |           |             |                |
| <b>24-32-09-710-802-02 OPERATIONAL TEST OF "SECURAPLANE" XL245 TYPE STAND-BY BATTERIES - IRS 1 BATTERY (L12FP)</b>    |         |           |          |          |                           |           |             |                |
| PN:100-0540-02  | MOS     | 13-Jun-23 | 12 (+3%) |          | 13-Jun-24                 | 23-Jun-24 | 205 d (+10) | Service ATA:24 |
| SN:1644   | HRS     |           |          |          |                           |           |             |                |
| WC#: 24.220   | AFL     |           |          |          |                           |           |             |                |
| PROC. REF: AMM 24-32-09-710-802   |         |           |          |          |                           |           |             |                |
| <b>24-32-09-710-802-03 OPERATIONAL TEST OF "SECURAPLANE" XL245 TYPE STAND-BY BATTERIES - IRS 2 BATTERY (R12FP)</b>    |         |           |          |          |                           |           |             |                |
| PN:100-0540-02  | MOS     | 31-Oct-23 | 12 (+3%) |          | 31-Oct-24                 | 11-Nov-24 | 345 d (+11) | Service ATA:24 |
| SN:1158209  | HRS     | 9831.2    |          |          |                           |           |             |                |
| WC#: 24.220   | AFL     | 4640      |          |          |                           |           |             |                |
| PROC. REF: AMM 24-32-09-710-802   |         |           |          |          |                           |           |             |                |
| <b>24-32-09-710-802-04 OPERATIONAL TEST OF "SECURAPLANE" XL245 TYPE STAND-BY BATTERIES - IRS 3 BATTERY (32FP)</b>     |         |           |          |          |                           |           |             |                |
| PN:100-0540-02  | MOS     | 31-Oct-23 | 12 (+3%) |          | 31-Oct-24                 | 11-Nov-24 | 345 d (+11) | Service ATA:24 |
| SN:1143522  | HRS     | 9831.2    |          |          |                           |           |             |                |
| WC#: 24.230   | AFL     | 4640      |          |          |                           |           |             |                |
| PROC. REF: AMM 24-32-09-710-802   |         |           |          |          |                           |           |             |                |
| <b>24-32-09-710-802-05 OPERATIONAL TEST VHF 3 STAND-BY BATTERY (SECURAPLANE XL245 TYPE BATTERY ONLY)</b>              |         |           |          |          |                           |           |             |                |
| PN:501-1228-04  | MOS/MSC |           | N/A      |          |                           |           |             | Service ATA:24 |
| SN:2123A  | HRS     |           |          |          |                           |           |             |                |
| WC#: 24.250   | AFL     |           |          |          |                           |           |             |                |
| PROC. REF: AMM 24-32-09-710-802   |         |           |          |          |                           |           |             |                |
| <b>24-32-09-710-802-06 OPERATIONAL TEST OF "SECURAPLANE" XL245 TYPE STAND-BY BATTERIES - EMERGENCY BATTERY (123F)</b> |         |           |          |          |                           |           |             |                |
| PN:PN   | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |             | Service ATA:24 |
| SN:NOT INSTALLED  | HRS     | 0         |          |          |                           |           |             |                |
| WC#: 24.240   | AFL     | 0         |          |          |                           |           |             |                |
| PROC. REF: AMM 24-32-09-710-802   |         |           |          |          |                           |           |             |                |
| <b>24-32-09-720-801-01 CAPACITY TESTING OF THE STAND-BY BATTERIES - STAND-BY HORIZON BATTERY (4FG)</b>                |         |           |          |          |                           |           |             |                |
| PN:501-1228-04  | MOS/MSC | 10-Nov-23 | O/C      |          |                           |           |             | Service ATA:24 |
| SN:81503  | HRS     | 9831.2    |          |          |                           |           |             |                |
|   | AFL     | 4640      |          |          |                           |           |             |                |
| PROC. REF: AMM 24-32-09-720-801   |         |           |          |          |                           |           |             |                |
| <b>24-32-09-720-801-02 CAPACITY TESTING OF THE STAND-BY BATTERIES - IRS 1 BATTERY (L12FP)</b>                         |         |           |          |          |                           |           |             |                |
| PN:100-0540-02  | MOS/MSC |           | O/C      |          |                           |           |             | Service ATA:24 |
| SN:1644   | HRS     |           |          |          |                           |           |             |                |
|   | AFL     |           |          |          |                           |           |             |                |
| PROC. REF: AMM 24-32-09-720-801   |         |           |          |          |                           |           |             |                |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj.       | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---|---------|-----------|----------|----------------|---------------------------|-----------|-----------|-------------|
| <b>ATA 24 - ELECTRICAL POWER</b>  |         |           |          |                |                           |           |           |             |
| <b>24-32-09-720-801-03 CAPACITY TESTING OF THE STAND-BY BATTERIES - IRS 2 BATTERY (R12FP) Service ATA:24</b>                  |         |           |          |                |                           |           |           |             |
| PN:100-0540-02  | MOS/MSC | 25-Nov-21 | O/C      |                |                           |           |           |             |
| SN:1158209  | HRS     | 9319.8    |          |                |                           |           |           |             |
|   | AFL     | 4467      |          |                |                           |           |           |             |
| PROC. REF: AMM 24-32-09-720-801   |         |           |          |                |                           |           |           |             |
| <b>24-32-09-720-801-04 CAPACITY TESTING OF THE STAND-BY BATTERIES - IRS 3 BATTERY (32FP) Service ATA:24</b>                   |         |           |          |                |                           |           |           |             |
| PN:100-0540-02  | MOS/MSC | 07-Jan-22 | O/C      |                |                           |           |           |             |
| SN:1143522  | HRS     | 9369.2    |          |                |                           |           |           |             |
|   | AFL     | 4483      |          |                |                           |           |           |             |
| PROC. REF: AMM 24-32-09-720-801   |         |           |          |                |                           |           |           |             |
| <b>24-32-09-720-801-05 CAPACITY TESTING OF THE STAND-BY BATTERIES - VHF 3 STAND-BY BATTERY (28RC) Service ATA:24</b>          |         |           |          |                |                           |           |           |             |
| PN:501-1228-04  | MOS/MSC | 10-Nov-23 | O/C      |                |                           |           |           |             |
| SN:2123A  | HRS     | 9183.2    |          |                |                           |           |           |             |
|   | AFL     | 4640      |          |                |                           |           |           |             |
| PROC. REF: AMM 24-32-09-720-801   |         |           |          |                |                           |           |           |             |
| <b>24-32-09-720-801-06 CAPACITY TESTING OF THE STAND-BY BATTERIES - EMERGENCY BATTERY (123F) Service ATA:24</b>               |         |           |          |                |                           |           |           |             |
| PN:PN   | MOS/MSC | 23-Oct-89 | N/A      |                |                           |           |           |             |
| SN:NOT INSTALLED  | HRS     | 0         |          |                |                           |           |           |             |
|   | AFL     | 0         |          |                |                           |           |           |             |
| PROC. REF: AMM 24-32-09-720-801   |         |           |          |                |                           |           |           |             |
| <b>24-32-09-720-801-07 CAPACITY TESTING OF THE STAND-BY BATTERIES - FMS 3 STAND-BY BATTERY (42RJ) Service ATA:24</b>          |         |           |          |                |                           |           |           |             |
|   | MOS/MSC | 23-Oct-89 | O/C      |                |                           |           |           |             |
|   | HRS     | 0         |          |                |                           |           |           |             |
|   | AFL     | 0         |          |                |                           |           |           |             |
| PROC. REF: AMM 24-32-09-720-801   |         |           |          |                |                           |           |           |             |
| <b>24-32-09-900-801-01 REMOVAL / INSTALLATION OF THE STAND-BY BATTERIES - STAND-BY HORIZON BATTERY (4FG) Component ATA:24</b> |         |           |          |                |                           |           |           |             |
| PN:501-1228-04  | MOS/MSC | 10-Nov-23 | O/C      | TSO 48, TSR 0  |                           |           |           |             |
| SN:81503  | HRS     | 9831.2    |          | TSR 0          |                           |           |           |             |
| WC#: 24.210   | AFL     | 4640      |          | TSO 273, TSR 0 |                           |           |           |             |
| PROC. REF: AMM 24-32-09-900-801   |         |           |          |                |                           |           |           |             |
| <b>24-32-09-900-801-02 REMOVAL / INSTALLATION OF THE STAND-BY BATTERIES - IRS 1 BATTERY (L12FP) Component ATA:24</b>          |         |           |          |                |                           |           |           |             |
| PN:100-0540-02  | MOS/MSC | 14-Jun-22 | H/T      | TSO 2          |                           |           |           |             |
| SN:1644   | HRS     | 9508.6    |          | TSO 0          |                           |           |           |             |
| WC#: 24.220   | AFL     | 4533      |          | TSO 0          |                           |           |           |             |
| PROC. REF: AMM 24-32-09-900-801   |         |           |          |                |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval | TSX/Adj.  | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|----------------------------------|---------|---|----------|-----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 24 - ELECTRICAL POWER</b> |         |   |          |           |                           |           |           |             |  |
| 24-32-09-900-801-03              |         | REMOVAL / INSTALLATION OF THE STAND-BY BATTERIES - IRS 2 BATTERY (R12FP)                        |          |           |                           |           | Component | ATA:24      |  |
| PN:100-0540-02                   | MOS/MSC | 25-Nov-21   | O/C      | TSO 0     |                           |           |           |             |  |
| SN:1158209                       | HRS     | 9319.8  |          | TSO 0     |                           |           |           |             |  |
| WC#: 24.220                      | AFL     | 4467  |          | TSO 0     |                           |           |           |             |  |
| PROC. REF: AMM 24-32-09-900-801  |         |   |          |           |                           |           |           |             |  |
| 24-32-09-900-801-04              |         | REMOVAL / INSTALLATION OF THE STAND-BY BATTERIES - IRS 3 BATTERY (32FP)                         |          |           |                           |           | Component | ATA:24      |  |
| PN:100-0540-02                   | MOS/MSC | 16-Nov-17   | O/C      | TSO 31    |                           |           |           |             |  |
| SN:1143522                       | HRS     | 8692.9  |          | TSO 459.9 |                           |           |           |             |  |
| WC#: 24.230                      | AFL     | 4213  |          | TSO 169   |                           |           |           |             |  |
| PROC. REF: AMM 24-32-09-900-801  |         |   |          |           |                           |           |           |             |  |
| 24-32-09-900-801-05              |         | REMOVAL / INSTALLATION OF THE STAND-BY BATTERIES - VHF 3 STAND-BY BATTERY (28RC)                |          |           |                           |           | Component | ATA:24      |  |
| PN:501-1228-04                   | MOS/MSC | 10-Nov-23   | O/C      | TSO 47    |                           |           |           |             |  |
| SN:2123A                         | HRS     | 9183.2  |          |           |                           |           |           |             |  |
| WC#: 24.250                      | AFL     | 4640  |          | TSO 259   |                           |           |           |             |  |
| PROC. REF: AMM 24-32-09-900-801  |         |   |          |           |                           |           |           |             |  |
| 24-32-09-900-801-06              |         | REMOVAL / INSTALLATION OF THE STAND-BY BATTERIES - EMERGENCY BATTERY (123F)                     |          |           |                           |           | Component | ATA:24      |  |
| PN:PN                            | MOS/MSC | 23-Oct-89   | O/C      |           |                           |           |           |             |  |
| SN:NOT INSTALLED                 | HRS     | 0   |          |           |                           |           |           |             |  |
| WC#: 24.240                      | AFL     | 0   |          |           |                           |           |           |             |  |
| PROC. REF: AMM 24-32-09-900-801  |         |   |          |           |                           |           |           |             |  |
| 24-32-09-900-801-07              |         | REMOVAL / INSTALLATION OF THE STAND-BY BATTERIES - FMS 3 STAND-BY BATTERY (42RJ)                |          |           |                           |           | Component | ATA:24      |  |
| PN:PN                            | MOS/MSC | 23-Oct-89   | O/C      | TSN 0     |                           |           |           |             |  |
| SN:NOT INSTALLED                 | HRS     | 0   |          | TSN 0     |                           |           |           |             |  |
| WC#: 24.260                      | AFL     | 0   |          | TSN 0     |                           |           |           |             |  |
| PROC. REF: AMM 24-32-09-900-801  |         |   |          |           |                           |           |           |             |  |
| 24-32-09-960-802-01              |         | DISCARD OF THE "SECURAPLANE" XL245 TYPE STAND-BY BATTERY PACKS - STAND-BY HORIZON BATTERY (4FG) |          |           |                           |           | Service   | ATA:24      |  |
| PN:501-1228-04                   | MOS/MSC |   | N/A      |           |                           |           |           |             |  |
| SN:81503                         | HRS     |   |          |           |                           |           |           |             |  |
| WC#: 24.210                      | AFL     |   |          |           |                           |           |           |             |  |
| PROC. REF: AMM 24-32-09-960-802  |         |   |          |           |                           |           |           |             |  |
| 24-32-09-960-802-02              |         | DISCARD OF THE "SECURAPLANE" XL245 TYPE STAND-BY BATTERY PACKS - IRS 1 BATTERY (L12FP)          |          |           |                           |           | Service   | ATA:24      |  |
| PN:100-0540-02                   | MOS     | 14-Jun-22   | 48       |           | 14-Jun-26                 |           | 936 d     | LIFE LIMIT  |  |
| SN:1644                          | HRS     | 9508.6  |          |           |                           |           |           |             |  |
| WC#: 24.220                      | AFL     | 4533  |          |           |                           |           |           |             |  |
| PROC. REF: AMM 24-32-09-960-802  |         |   |          |           |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition |
|---|---------|-----------|-----------|----------|---------------------------|-----------|--------------|-------------|
| <b>ATA 24 - ELECTRICAL POWER</b>  |         |           |           |          |                           |           |              |             |
| <b>24-32-09-960-802-03 DISCARD OF THE "SECURAPLANE" XL245 TYPE STAND-BY BATTERY PACKS - IRS 2 BATTERY (R12FP) Service ATA:24</b>    |         |           |           |          |                           |           |              |             |
| PN:100-0540-02  | MOS     | 25-Nov-21 | 48        |          | 25-Nov-25                 |           | 735 d        | LIFE LIMIT  |
| SN:1158209  | HRS     | 9319.8    |           |          |                           |           |              |             |
| WC#: 24.220   | AFL     | 4467      |           |          |                           |           |              |             |
| PROC. REF: AMM 24-32-09-960-802   |         |           |           |          |                           |           |              |             |
| <b>24-32-09-960-802-04 DISCARD OF THE "SECURAPLANE" XL245 TYPE STAND-BY BATTERY PACKS - IRS 3 BATTERY (32FP) Service ATA:24</b>     |         |           |           |          |                           |           |              |             |
| PN:100-0540-02  | MOS/MSC | 23-Apr-15 | N/A       |          |                           |           |              |             |
| SN:1143522  | HRS     | 8233      |           |          |                           |           |              |             |
| WC#: 24.230   | AFL     | 4044      |           |          |                           |           |              |             |
| PROC. REF: AMM 24-32-09-960-802   |         |           |           |          |                           |           |              |             |
| <b>24-32-09-960-802-05 DISCARD VHF 3 STAND-BY BATTERY (SECURAPLANE XL245 TYPE BATTERY ONLY) Service ATA:24</b>                      |         |           |           |          |                           |           |              |             |
| PN:501-1228-04  | MOS/MSC |           | N/A       |          |                           |           |              |             |
| SN:2123A  | HRS     |           |           |          |                           |           |              |             |
| WC#: 24.250   | AFL     |           |           |          |                           |           |              |             |
| PROC. REF: AMM 24-32-09-960-802   |         |           |           |          |                           |           |              |             |
| <b>24-32-09-960-802-06 DISCARD OF THE "SECURAPLANE" XL245 TYPE STAND-BY BATTERY PACKS - EMERGENCY BATTERY (123F) Service ATA:24</b> |         |           |           |          |                           |           |              |             |
| PN:PN   | MOS/MSC | 23-Oct-89 | N/A       |          |                           |           |              |             |
| SN:NOT INSTALLED  | HRS     | 0         |           | TAC 0    |                           |           |              |             |
| WC#: 24.240   | AFL     | 0         |           |          |                           |           |              |             |
| PROC. REF: AMM 24-32-09-960-802   |         |           |           |          |                           |           |              |             |
| <b>24-33-01-900-801-01 REMOVAL / INSTALLATION OF THE APU STARTER-GENERATOR - APU STARTER-GENERATOR (21PA) Component ATA:24</b>      |         |           |           |          |                           |           |              |             |
| PN:8060-141-1   | MOS/MSC | 14-Dec-16 | O/C       | TSO 0    |                           |           |              |             |
| SN:1160   | HRS     |           |           | TSO 0    |                           |           |              |             |
| WC#: 24.100   | AFL     |           |           | TSO 0    |                           |           |              |             |
|   | APH     | 5036.5    | 0         | TSO 0    |                           |           |              |             |
| PROC. REF: AMM 24-33-01-900-801   |         |           |           |          |                           |           |              |             |
| <b>24-33-05-220-803-01 CHECK OF THE APU STARTER-GENERATOR BRUSHES - APU STARTER-GENERATOR (21PA) Service ATA:24</b>                 |         |           |           |          |                           |           |              |             |
| PN:8060-141-1   | MOS     | 13-Jun-23 |           |          |                           |           |              |             |
| SN:1160   | HRS     |           |           |          |                           |           |              |             |
|   | AFL     |           |           |          |                           |           |              |             |
|   | APH     | 5612.3    | 150 (+3%) |          | 5762.3                    | 5766.8    | 120.4 (+4.5) |             |
| PROC. REF: AMM 24-33-05-220-803, AMM 24-33-05-220-803, AMM 24-33-05-220-803   |         |           |           |          |                           |           |              |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|------------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 24 - ELECTRICAL POWER</b> |  |           |            |          |                           |           |           |             |        |
| 24-33-05-220-804-01              | CHECK OF THE APU STARTER-GENERATOR BRUSHES P/N 8060-160 OPTION 1 - APU STARTER-GENERATOR (21PA)                              |           |            |          |                           |           |           | Service     | ATA:24 |
|                                  | MOS/MSC  |           | N/A        |          |                           |           |           |             |        |
|                                  | HRS  |           |            |          |                           |           |           |             |        |
|                                  | AFL  |           |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 24-33-05-220-804  |           |            |          |                           |           |           |             |        |
| 24-33-05-220-805-01              | CHECK OF THE APU STARTER-GENERATOR BRUSHES P/N 8060-160 OPTION 2 - APU STARTER-GENERATOR (21PA)                              |           |            |          |                           |           |           | Service     | ATA:24 |
|                                  | MOS/MSC  |           | N/A        |          |                           |           |           |             |        |
|                                  | HRS  |           |            |          |                           |           |           |             |        |
|                                  | AFL  |           |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 24-33-05-220-805  |           |            |          |                           |           |           |             |        |
| 24-40-00-720-801-01 <sup>S</sup> | FUNCTIONAL TEST OF THE GROUND POWER RECEPTACLE OVERVOLTAGE PROTECTION PCB - EXTERNAL POWER RECEPTACLE OVERVOLTAGE PCB (C111) |           |            |          |                           |           |           | Service     | ATA:24 |
|                                  | MOS  | 29-Apr-16 |            |          |                           |           |           |             |        |
|                                  | HRS  | 8447.8    | 1600 (+40) |          |                           |           |           |             |        |
| WC#: 24.170                      | AFL  | 4114      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 24-40-00-720-801  |           |            |          |                           |           |           |             |        |
|                                  | PKG:21   |           |            |          |                           |           |           |             |        |
| 24-41-00-720-801-01 <sup>S</sup> | FUNCTIONAL TEST OF BATTERY CHARGING BY GPU - GENERAL TEST OF THE CHARGING FUNCTION   |           |            |          |                           |           |           | Service     | ATA:24 |
|                                  | MOS  | 23-Nov-20 |            |          |                           |           |           |             |        |
|                                  | HRS  | 9186.8    | 1600 (+40) |          |                           |           |           |             |        |
|                                  | AFL  | 4409      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 24-41-00-720-801  |           |            |          |                           |           |           |             |        |
|                                  | PKG:21   |           |            |          |                           |           |           |             |        |
| 24-41-00-720-801-02 <sup>S</sup> | FUNCTIONAL TEST OF BATTERY CHARGING BY GPU - TEST OF THE SAFETY DEVICES  |           |            |          |                           |           |           | Service     | ATA:24 |
|                                  | MOS  | 08-Apr-16 |            |          |                           |           |           |             |        |
|                                  | HRS  | 8447.8    | 1600 (+40) |          |                           |           |           |             |        |
|                                  | AFL  | 4114      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 24-41-00-720-801  |           |            |          |                           |           |           |             |        |
|                                  | PKG:21   |           |            |          |                           |           |           |             |        |
| 24-61-01-900-801-01              | REMOVAL / INSTALLATION OF THE MAIN ELECTRICAL BOX - MAIN ELECTRICAL BOX (6PA)  |           |            |          |                           |           |           | Component   | ATA:24 |
| PN:671GC01Y02                    | MOS/MSC  | 23-Oct-89 | O/C        |          |                           |           |           |             |        |
| SN:174                           | HRS  | 0         |            | TSN 0    |                           |           |           |             |        |
| WC#: 24.165                      | AFL  | 0         |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 24-61-01-900-801  |           |            |          |                           |           |           |             |        |
| 24-63-13-710-801-01 <sup>S</sup> | OPERATIONAL TEST OF THE DOME LIGHT PCB - DOME LIGHT CONTROL PCB (C112)   |           |            |          |                           |           |           | Service     | ATA:24 |
|                                  | MOS  | 10-Apr-16 |            |          |                           |           |           |             |        |
|                                  | HRS  | 8447.8    | 1600 (+40) |          |                           |           |           |             |        |
| WC#: 24.200                      | AFL  | 4114      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 24-63-13-710-801  |           |            |          |                           |           |           |             |        |
|                                  | PKG:21   |           |            |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|---------|--|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 24 - ELECTRICAL POWER</b> |         |  |          |          |                           |           |           |             |        |
| 24-90-01-900-801-01              |         | <b>GROUND FAULT (GFI) INTERRUPTER</b>      |          |          |                           |           |           | Component   | ATA:24 |
| PN:PN                            | MOS/MSC | 23-Oct-89                                  | O/C      |          | TSN 0                     |           |           |             |        |
| SN:NOT INSTALLED                 | HRS     | 0  |          |          | TSN 0                     |           |           |             |        |
|                                  | AFL     | 0  |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: GENERIC NO REF        |         |  |          |          |                           |           |           |             |        |
| 240A55 <sup>U</sup>              |         | <b>INVERTER</b>                            |          |          |                           |           |           | Component   | ATA:24 |
| PN:9300-A140-02                  | MOS/MSC | 03-Mar-23                                  | O/C      |          | TSN 0                     |           |           |             |        |
| SN:06151                         | HRS     | 9687.8                                     |          |          | TSN 0                     |           |           |             |        |
|                                  | AFL     | 4590                                       |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: GENERIC NO REF        |         |  |          |          |                           |           |           |             |        |
| 243191                           |         | <b>NO. 1 BATTERY TEMPERATURE PROBE</b>     |          |          |                           |           |           | Component   | ATA:24 |
| PN:P600-14B                      | MOS/MSC | 23-Oct-89                                  | O/C      |          |                           |           |           |             |        |
| SN:16061                         | HRS     | 0  |          |          | TSN 0                     |           |           |             |        |
| WC#: 24.040                      | AFL     | 0  |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |         |  |          |          |                           |           |           |             |        |
| 243201                           |         | <b>NO. 2 BATTERY TEMPERATURE PROBE</b>     |          |          |                           |           |           | Component   | ATA:24 |
| PN:P600-14B                      | MOS/MSC | 23-Oct-89                                  | O/C      |          |                           |           |           |             |        |
| SN:16060                         | HRS     | 0  |          |          | TSN 0                     |           |           |             |        |
| WC#: 24.040                      | AFL     | 0  |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |         |  |          |          |                           |           |           |             |        |
| 243211                           |         | <b>BATTERY TEMPERATURE INDICATOR</b>       |          |          |                           |           |           | Component   | ATA:24 |
| PN:BT1600-3A                     | MOS/MSC | 23-Oct-89                                  | O/C      |          |                           |           |           |             |        |
| SN:5621                          | HRS     | 0  |          |          | TSN 0                     |           |           |             |        |
| WC#: 24.050                      | AFL     | 0  |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |         |  |          |          |                           |           |           |             |        |
| 243221                           |         | <b>BATTERY BLOWER</b>                      |          |          |                           |           |           | Component   | ATA:24 |
| PN:VA0906XXA                     | MOS/MSC | 23-Oct-89                                  | O/C      |          |                           |           |           |             |        |
| SN:10770                         | HRS     | 0  |          |          | TSN 0                     |           |           |             |        |
| WC#: 24.060                      | AFL     | 0  |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |         |  |          |          |                           |           |           |             |        |
| 243251                           |         | <b>NO. 1 BATTERY REVERSE CURRENT RELAY</b> |          |          |                           |           |           | Component   | ATA:24 |
| PN:PN                            | MOS/MSC | 23-Oct-89                                  | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                       | HRS     | 0  |          |          | TSN 0                     |           |           |             |        |
| WC#: 24.070                      | AFL     | 0  |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |         |  |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 24 - ELECTRICAL POWER</b>                                     |         |           |          |          |                           |           |           |             |
| <b>243261 NO. 2 BATTERY REVERSE CURRENT RELAY</b> Component ATA:24   |         |           |          |          |                           |           |           |             |
| PN:PN  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 24.070  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: GENERIC NO REF  |         |           |          |          |                           |           |           |             |
| <b>243501 NO. 1 GENERATOR REVERSE CURRENT RELAY</b> Component ATA:24 |         |           |          |          |                           |           |           |             |
| PN:PN  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 24.130  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: GENERIC NO REF  |         |           |          |          |                           |           |           |             |
| <b>243511 NO. 2 GENERATOR REVERSE CURRENT RELAY</b> Component ATA:24 |         |           |          |          |                           |           |           |             |
| PN:PN  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 24.140  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: GENERIC NO REF  |         |           |          |          |                           |           |           |             |
| <b>243521 NO. 3 GENERATOR REVERSE CURRENT RELAY</b> Component ATA:24 |         |           |          |          |                           |           |           |             |
| PN:PN  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 24.130  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: GENERIC NO REF  |         |           |          |          |                           |           |           |             |
| <b>243531 APU GENERATOR REVERSE CURRENT RELAY</b> Component ATA:24   |         |           |          |          |                           |           |           |             |
| PN:PN  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 24.140  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: GENERIC NO REF  |         |           |          |          |                           |           |           |             |
| <b>243601 LH DC AMMETER</b> Component ATA:24                         |         |           |          |          |                           |           |           |             |
| PN:2396-323-0  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:603   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 24.150  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: GENERIC NO REF  |         |           |          |          |                           |           |           |             |
| <b>243611 RH DC AMMETER</b> Component ATA:24                         |         |           |          |          |                           |           |           |             |
| PN:2396-323-0  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:655   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 24.150  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: GENERIC NO REF  |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                               | Unit    | C/W   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------------|---------|---|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 24 - ELECTRICAL POWER</b>      |         |   |          |          |                           |           |           |             |        |
| 243621                                |         | LH DC VOLTMETER   |          |          |                           |           |           | Component   | ATA:24 |
| PN:2396-118-0                         | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |        |
| SN:1088                               | HRS     | 0   |          | TSN 0    |                           |           |           |             |        |
| WC#: 24.160                           | AFL     | 0   |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF             |         |   |          |          |                           |           |           |             |        |
| 243631                                |         | RH DC VOLTMETER   |          |          |                           |           |           | Component   | ATA:24 |
| PN:2396-118-0                         | MOS/MSC | 23-Mar-90   | O/C      |          | TSO 0                     |           |           |             |        |
| SN:668                                | HRS     | 27  |          | TSO 0    |                           |           |           |             |        |
| WC#: 24.160                           | AFL     | 12  |          | TSO 0    |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1              |         |   |          |          |                           |           |           |             |        |
| 243701                                |         | UPPER ELECTRICAL PANEL  |          |          |                           |           |           | Component   | ATA:24 |
| PN:401TS06Y01VB                       | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |        |
| SN:178                                | HRS     | 0   |          | TSN 0    |                           |           |           |             |        |
| WC#: 24.165                           | AFL     | 0   |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1              |         |   |          |          |                           |           |           |             |        |
| 243A18 <sup>U</sup>                   |         | (C18) PCB   |          |          |                           |           |           | Component   | ATA:24 |
| PN:805GC01Y04                         | MOS/MSC | 03-Oct-03   | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                            | HRS     | 4580.3  |          | TSN 0    |                           |           |           |             |        |
|                                       | AFL     | 2121  |          | TSN 0    |                           |           |           |             |        |
| 244101                                |         | GROUND POWER RECEPTACLE   |          |          |                           |           |           | Component   | ATA:24 |
| PN:280C                               | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |        |
| SN:15031                              | HRS     | 0   |          | TSN 0    |                           |           |           |             |        |
| WC#: 24.170                           | AFL     | 0   |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1              |         |   |          |          |                           |           |           |             |        |
| <b>ATA 25 - EQUIPMENT/FURNISHINGS</b> |         |   |          |          |                           |           |           |             |        |
| 25-00-01-200-801-01                   |         | INSPECTION OF THE ONBOARD KIT   |          |          |                           |           |           | Service     | ATA:25 |
|                                       | MOS/MSC | 30-Jan-18   | O/C      |          |                           |           |           |             |        |
|                                       | HRS     | 8722.5  |          |          |                           |           |           |             |        |
| WC#: 25.065                           | AFL     | 4222  |          |          |                           |           |           |             |        |
| PROC. REF: AMM 25-00-01-200-801       |         |   |          |          |                           |           |           |             |        |
| 25-00-05-200-801-01 <sup>S</sup>      |         | INSPECTION OF THE CREW AND PASSENGER SEAT HARNESSSES AND SAFETY BELTS |          |          |                           |           |           | Service     | ATA:25 |
|                                       | MOS     | 19-Jun-14   | 72 (+2m) |          |                           |           |           |             |        |
|                                       | HRS     | 8032  |          |          |                           |           |           |             |        |
| WC#: 25.010                           | AFL     | 3965  | 3750     |          |                           |           |           |             |        |
| PROC. REF: AMM 25-00-05-200-801       |         |   |          |          |                           |           |           |             |        |

PKG:31

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                               | Unit    | C/W   | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|---------------------------------------|---------|---|------------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 25 - EQUIPMENT/FURNISHINGS</b> |         |   |            |          |                           |           |           |             |  |
| 25-11-01-900-801-01                   |         | REMOVAL / INSTALLATION OF THE PILOT SEATS - LH PILOT SEAT (L2MG)            |            |          |                           |           | Component | ATA:25      |  |
| PN:132-051-100                        | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |  |
| SN:77                                 | HRS     | 0   |            | TSN 0    |                           |           |           |             |  |
| WC#: 25.020                           | AFL     | 0   |            |          |                           |           |           |             |  |
| PROC. REF: AMM 25-11-01-900-801       |         |   |            |          |                           |           |           |             |  |
| 25-11-01-900-801-02                   |         | REMOVAL / INSTALLATION OF THE PILOT SEATS - RH PILOT SEAT (R2MG)            |            |          |                           |           | Component | ATA:25      |  |
| PN:132-050-100                        | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |  |
| SN:77                                 | HRS     | 0   |            | TSN 0    |                           |           |           |             |  |
| WC#: 25.020                           | AFL     | 0   |            |          |                           |           |           |             |  |
| PROC. REF: AMM 25-11-01-900-801       |         |   |            |          |                           |           |           |             |  |
| 25-11-05-200-801-01A                  |         | VISUAL INSPECTION OF PASSENGER SEAT BELT BUCKLES (MANDATORY 5-40)           |            |          |                           |           | Service   | ATA:25      |  |
|                                       | MOS/MSC | 24-Feb-10   | O/C        |          |                           |           |           |             |  |
|                                       | HRS     | 6772.4  |            |          |                           |           |           |             |  |
| WC#: 25.030                           | AFL     | 3319  |            |          |                           |           |           |             |  |
| PROC. REF: AMM 25-11-05-200-801       |         |   |            |          |                           |           |           |             |  |
| 25-11-13-640-801-01 <sup>S</sup>      |         | GREASING OF THE PILOT SEAT ACTUATOR ROD END-FITTINGS - LH PILOT SEAT (L2MG) |            |          |                           |           | Service   | ATA:25      |  |
|                                       | MOS     | 09-Apr-16   |            |          |                           |           |           |             |  |
|                                       | HRS     | 8447.8  | 1600 (+40) |          |                           |           |           |             |  |
| WC#: 25.020                           | AFL     | 4114  |            |          |                           |           |           |             |  |
| PROC. REF: AMM 25-11-13-640-801       |         |   |            |          |                           |           |           |             |  |
| PKG:21                                |         |   |            |          |                           |           |           |             |  |
| 25-11-13-640-801-02 <sup>S</sup>      |         | GREASING OF THE PILOT SEAT ACTUATOR ROD END-FITTINGS - RH PILOT SEAT (R2MG) |            |          |                           |           | Service   | ATA:25      |  |
|                                       | MOS     | 09-Apr-16   |            |          |                           |           |           |             |  |
|                                       | HRS     | 8447.8  | 1600 (+40) |          |                           |           |           |             |  |
| WC#: 25.020                           | AFL     | 4114  |            |          |                           |           |           |             |  |
| PROC. REF: AMM 25-11-13-640-801       |         |   |            |          |                           |           |           |             |  |
| PKG:21                                |         |   |            |          |                           |           |           |             |  |
| 25-11-19-960-801-01 <sup>S</sup>      |         | REPLACEMENT OF THE PILOT SEAT LOCKING PIN SPRINGS - LH PILOT SEAT (L2MG)    |            |          |                           |           | Service   | ATA:25      |  |
|                                       | MOS     | 12-Nov-20   | 72 (+2m)   |          |                           |           |           |             |  |
|                                       | HRS     | 9182.3  |            |          |                           |           |           |             |  |
|                                       | AFL     | 4405  | 3750       |          |                           |           |           |             |  |
| PROC. REF: AMM 25-11-19-960-801       |         |   |            |          |                           |           |           |             |  |
| PKG:31                                |         |   |            |          |                           |           |           |             |  |
| 25-11-19-960-801-02 <sup>S</sup>      |         | REPLACEMENT OF THE PILOT SEAT LOCKING PIN SPRINGS - RH PILOT SEAT (R2MG)    |            |          |                           |           | Service   | ATA:25      |  |
|                                       | MOS     | 12-Nov-20   | 72 (+2m)   |          |                           |           |           |             |  |
|                                       | HRS     | 9182.3  |            |          |                           |           |           |             |  |
|                                       | AFL     | 4405  | 3750       |          |                           |           |           |             |  |
| PROC. REF: AMM 25-11-19-960-801       |         |   |            |          |                           |           |           |             |  |
| PKG:31                                |         |   |            |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |        |
|----------------------------------|---|-----------|------------|----------|---------------------------|-----------|-------------|-------------|--------|
| ATA 25 - EQUIPMENT/FURNISHINGS   |   |           |            |          |                           |           |             |             |        |
| 25-11-25-200-801-01 <sup>S</sup> | INSPECTION OF THE PILOT SEAT ROLLER PINS - LH PILOT SEAT (L2MG)   |           |            |          |                           |           |             | Service     | ATA:25 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m)   |          |                           |           |             |             |        |
|                                  | HRS   | 9182.3    |            |          |                           |           |             |             |        |
|                                  | AFL   | 4405      | 3750       |          |                           |           |             |             |        |
|                                  | PROC. REF: AMM 25-11-25-200-801   |           |            |          |                           |           |             | PKG:31      |        |
| 25-11-25-200-801-02 <sup>S</sup> | INSPECTION OF THE PILOT SEAT ROLLER PINS - RH PILOT SEAT (R2MG)   |           |            |          |                           |           |             | Service     | ATA:25 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m)   |          |                           |           |             |             |        |
|                                  | HRS   | 9182.3    |            |          |                           |           |             |             |        |
|                                  | AFL   | 4405      | 3750       |          |                           |           |             |             |        |
|                                  | PROC. REF: AMM 25-11-25-200-801   |           |            |          |                           |           |             | PKG:31      |        |
| 25-12-00-210-801-01 <sup>S</sup> | GENERAL VISUAL INSPECTION OF THE THIRD CREW MEMBER SEAT - THIRD CREW MEMBER SEAT (M1001MP)                                    |           |            |          |                           |           |             | Service     | ATA:25 |
|                                  | MOS   | 09-Nov-23 | 12 (+1m)   |          |                           |           |             |             |        |
|                                  | HRS   | 9831.2    | 800 (+40)  |          |                           |           |             |             |        |
|                                  | AFL   | 4640      |            |          |                           |           |             |             |        |
|                                  | PROC. REF: AMM 25-12-00-210-801   |           |            |          |                           |           |             | PKG:5       |        |
| 25-20-00-210-801-01 <sup>S</sup> | GENERAL VISUAL INSPECTION OF THE ASSIST HANDLES - PASSENGER DOOR ASSIST HANDLE  |           |            |          |                           |           |             | Service     | ATA:25 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m)   |          |                           |           |             |             |        |
|                                  | HRS   | 9182.3    |            |          |                           |           |             |             |        |
|                                  | AFL   | 4405      | 3750       |          |                           |           |             |             |        |
|                                  | PROC. REF: AMM 25-20-00-210-801   |           |            |          |                           |           |             | PKG:31      |        |
| 25-20-00-210-801-02 <sup>S</sup> | GENERAL VISUAL INSPECTION OF THE ASSIST HANDLES - AFT LAVATORY ASSIST HANDLE  |           |            |          |                           |           |             | Service     | ATA:25 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m)   |          |                           |           |             |             |        |
|                                  | HRS   | 9182.3    |            |          |                           |           |             |             |        |
|                                  | AFL   | 4405      | 3750       |          |                           |           |             |             |        |
|                                  | PROC. REF: AMM 25-20-00-210-801   |           |            |          |                           |           |             | PKG:31      |        |
| 25-20-00-220-801-01              | INSPECTION / TEST OF THE WASTE CONTAINERS - INSPECTION / TEST OF WASTE CONTAINERS   |           |            |          |                           |           |             | Service     | ATA:25 |
|                                  | MOS   | 31-Mar-23 |            |          |                           |           |             |             |        |
|                                  | HRS   | 9719.9    | 1000 (+40) |          | 10719.9                   | 10759.9   | 888.7 (+40) |             |        |
|                                  | AFL   | 4600      |            |          |                           |           |             |             |        |
|                                  | PROC. REF: AMM 25-20-00-220-801   |           |            |          |                           |           |             |             |        |
| 25-20-00-220-802-01 <sup>S</sup> | INSPECTION / TEST OF THE INTERIOR COMPLETION ELEMENTS - INSPECTION OF DOORS, DRAWERS AND THEIR RESPECTIVE LATCHING MECHANISMS |           |            |          |                           |           |             | Service     | ATA:25 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m)   |          |                           |           |             |             |        |
|                                  | HRS   | 9182.3    |            |          |                           |           |             |             |        |
|                                  | AFL   | 4405      | 3750       |          |                           |           |             |             |        |
|                                  | PROC. REF: AMM 25-20-00-220-802   |           |            |          |                           |           |             | PKG:31      |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|---|-----------|------------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 25 - EQUIPMENT/FURNISHINGS   |   |           |            |          |                           |           |           |             |        |
| 25-20-00-220-802-02 <sup>S</sup> | INSPECTION / TEST OF THE INTERIOR COMPLETION ELEMENTS - INSPECTION OF THE POP OUT WORK SURFACE                  |           |            |          |                           |           |           | Service     | ATA:25 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m)   |          |                           |           |           |             |        |
|                                  | HRS   | 9182.3    |            |          |                           |           |           |             |        |
|                                  | AFL   | 4405      | 3750       |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 25-20-00-220-802   |           |            |          |                           |           |           |             | PKG:31 |
| 25-20-00-220-802-05 <sup>S</sup> | INSPECTION / TEST OF THE INTERIOR COMPLETION ELEMENTS - OPERATIONAL TEST OF TAMBOUR DOOR POWER CUT OFF FUNCTION |           |            |          |                           |           |           | Service     | ATA:25 |
|                                  | MOS   | 19-Jun-14 | 72 (+2m)   |          |                           |           |           |             |        |
|                                  | HRS   | 8032      |            |          |                           |           |           |             |        |
|                                  | AFL   | 3965      | 3750       |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 25-20-00-220-802   |           |            |          |                           |           |           |             | PKG:31 |
| 25-21-00-220-801-01 <sup>S</sup> | DETAILED INSPECTION OF THE PASSENGER SEATS AND DIVAN - DETAILED INSPECTION OF THE SINGLE AND DOUBLE SEATS       |           |            |          |                           |           |           | Service     | ATA:25 |
|                                  | MOS   | 09-Nov-23 | 36 (+1m)   |          |                           |           |           |             |        |
|                                  | HRS   | 9831.2    | 2400 (+40) |          |                           |           |           |             |        |
|                                  | AFL   | 4640      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 25-21-00-220-801   |           |            |          |                           |           |           |             | PKG:7  |
| 25-21-00-220-801-02 <sup>S</sup> | DETAILED INSPECTION OF THE PASSENGER SEATS AND DIVAN - DETAILED INSPECTION OF THE DIVAN                         |           |            |          |                           |           |           | Service     | ATA:25 |
|                                  | MOS   | 09-Nov-23 | 36 (+1m)   |          |                           |           |           |             |        |
|                                  | HRS   | 9831.2    | 2400 (+40) |          |                           |           |           |             |        |
|                                  | AFL   | 4640      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 25-21-00-220-801   |           |            |          |                           |           |           |             | PKG:7  |
| 25-22-01-210-801-01              | GENERAL VISUAL INSPECTION OF THE CONSOLE TABLES - CONSOLE TABLES IN LOCATIONS OTHER THAN EMERGENCY EXIT         |           |            |          |                           |           |           | Service     | ATA:25 |
|                                  | MOS/MSC   | 12-Nov-20 | O/C        |          |                           |           |           |             |        |
|                                  | HRS   | 9182.3    |            |          |                           |           |           |             |        |
|                                  | AFL   | 4405      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 25-22-01-210-801   |           |            |          |                           |           |           |             |        |
| 25-22-01-210-801-02              | GENERAL VISUAL INSPECTION OF THE CONSOLE TABLES - CONSOLE TABLE IN FRONT OF EMERGENCY EXIT (IF INSTALLED)       |           |            |          |                           |           |           | Service     | ATA:25 |
|                                  | MOS/MSC   | 10-Aug-15 | O/C        |          |                           |           |           |             |        |
|                                  | HRS   | 8288.1    |            |          |                           |           |           |             |        |
|                                  | AFL   | 4065      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 25-22-01-210-801   |           |            |          |                           |           |           |             |        |
| 25-22-01-210-801-03 <sup>S</sup> | GENERAL VISUAL INSPECTION OF THE CONSOLE TABLES   |           |            |          |                           |           |           | Service     | ATA:25 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m)   |          |                           |           |           |             |        |
|                                  | HRS   | 9182.3    |            |          |                           |           |           |             |        |
|                                  | AFL   | 4405      | 3750       |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 25-22-01-210-801   |           |            |          |                           |           |           |             | PKG:31 |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                               | Unit    | C/W  | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------------|---------|--|------------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 25 - EQUIPMENT/FURNISHINGS</b> |         |  |            |          |                           |           |           |             |        |
| 25-22-05-220-802-01 <sup>S</sup>      |         | DETAILED INSPECTION OF THE DINING TABLE  |            |          |                           |           |           | Service     | ATA:25 |
|                                       | MOS     | 12-Nov-20  | 72 (+2m)   |          |                           |           |           |             |        |
|                                       | HRS     | 9182.3   |            |          |                           |           |           |             |        |
|                                       | AFL     | 4405   | 3750       |          |                           |           |           |             |        |
| PROC. REF: AMM 25-22-05-220-802       |         |  |            |          |                           |           |           | PKG:31      |        |
| 25-23-61-210-801-01 <sup>S</sup>      |         | GENERAL VISUAL INSPECTION OF THE TRACKING MAGAZINE RACK - INSPECTION OF THE TRACKING MAGAZINE RACK |            |          |                           |           |           | Service     | ATA:25 |
|                                       | MOS     | 16-Nov-22  | 24 (+1m)   |          |                           |           |           |             |        |
|                                       | HRS     | 9596.5   | 1600 (+40) |          |                           |           |           |             |        |
|                                       | AFL     | 4562   |            |          |                           |           |           |             |        |
| PROC. REF: AMM 25-23-61-210-801       |         |  |            |          |                           |           |           | PKG:6       |        |
| 25-30-33-900-801-01                   |         | CONVECTION OVEN  |            |          |                           |           |           | Component   | ATA:25 |
| PN:PN                                 | MOS/MSC | 23-Oct-89  | O/C        | TSN 0    |                           |           |           |             |        |
| SN:UNKNOWN                            | HRS     | 0  |            | TSN 0    |                           |           |           |             |        |
|                                       | AFL     | 0  |            | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM 25-33-00-900-801       |         |  |            |          |                           |           |           |             |        |
| 25-33-09-210-801-01                   |         | INSPECTION OF THE COFFEE MAKER / ESPRESSO MACHINE  |            |          |                           |           |           | Service     | ATA:25 |
|                                       | MOS/MSC | 23-Oct-89  | A/R        |          |                           |           |           |             |        |
|                                       | HRS     | 0  |            |          |                           |           |           |             |        |
|                                       | AFL     | 0  |            |          |                           |           |           |             |        |
| PROC. REF: AMM 25-33-09-210-801       |         |  |            |          |                           |           |           |             |        |
| 25-33-17-210-801-01 <sup>S</sup>      |         | GENERAL VISUAL INSPECTION OF THE MICROWAVE OVEN  |            |          |                           |           |           | Service     | ATA:25 |
|                                       | MOS     | 09-Nov-23  | 36 (+1m)   |          |                           |           |           |             |        |
|                                       | HRS     | 9831.2   | 2400 (+40) |          |                           |           |           |             |        |
|                                       | AFL     | 4640   |            |          |                           |           |           |             |        |
| PROC. REF: AMM 25-33-17-210-801       |         |  |            |          |                           |           |           | PKG:7       |        |
| 25-33-17-710-801-01                   |         | OPERATIONAL TEST OF THE MICROWAVE OVEN DOOR ELECTRICAL POWER CUT-OFF FUNCTION                      |            |          |                           |           |           | Service     | ATA:25 |
| PN:PN                                 | MOS/MSC | 19-Apr-18  | O/C        |          |                           |           |           |             |        |
| SN:UNKNOWN                            | HRS     | 8751.3   |            |          |                           |           |           |             |        |
|                                       | AFL     | 4229   |            |          |                           |           |           |             |        |
| PROC. REF: AMM 25-33-17-710-801       |         |  |            |          |                           |           |           |             |        |
| 25-60-00-200-801-02 <sup>S</sup>      |         | INSPECTION OF THE SAFETY EQUIPMENT - SAFETY EQUIPMENT  |            |          |                           |           |           | Service     | ATA:25 |
|                                       | MOS     | 16-Nov-22  | 24 (+1m)   |          |                           |           |           |             |        |
|                                       | HRS     | 9596.5   |            |          |                           |           |           |             |        |
| WC#: 25.060                           | AFL     | 4562   |            |          |                           |           |           |             |        |
| PROC. REF: AMM 25-60-00-200-801       |         |  |            |          |                           |           |           | PKG:16      |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 25 - EQUIPMENT/FURNISHINGS  |  |           |          |          |                           |           |           |             |        |
| 25-60-00-200-801-03             | INSPECTION OF THE SAFETY EQUIPMENT - FIRST AID KIT                                     |           |          |          |                           |           |           | Service     | ATA:25 |
|                                 | MOS/MSC  | 16-Nov-22 | DUE      |          | 12-Nov-24 (M)             |           | 357 d     |             |        |
|                                 | HRS  | 9596.5    |          |          |                           |           |           |             |        |
|                                 | AFL  | 4562      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 25-60-00-200-801 |  |           |          |          |                           |           |           |             |        |
| 25-60-01-900-801-01             | NO. 1 EMERGENCY VISION ASSURANCE SYSTEM (EVAS) UNIT                                    |           |          |          |                           |           |           | Component   | ATA:25 |
| PN:PN                           | MOS/MSC  |           | O/C      |          |                           |           |           |             |        |
| SN:NOT INSTALLED                | HRS  |           |          |          |                           |           |           |             |        |
|                                 | AFL  |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 25-63-00-900-801 |  |           |          |          |                           |           |           |             |        |
| 25-60-01-900-801-02             | NO. 2 EMERGENCY VISION ASSURANCE SYSTEM (EVAS) UNIT                                    |           |          |          |                           |           |           | Component   | ATA:25 |
| PN:PN                           | MOS/MSC  |           | O/C      |          |                           |           |           |             |        |
| SN:NOT INSTALLED                | HRS  |           |          |          |                           |           |           |             |        |
|                                 | AFL  |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 25-63-00-900-801 |  |           |          |          |                           |           |           |             |        |
| 25-61-00-200-881-01             | INSPECTION OF THE EMERGENCY LOCATOR TRANSMITTER (ELT) SYSTEM (FAR 91.207)              |           |          |          |                           |           |           | Service     | ATA:25 |
|                                 | MOS/MSC  | 14-Apr-20 | O/C      |          |                           |           |           |             |        |
|                                 | HRS  | 9167.7    |          |          |                           |           |           |             |        |
|                                 | AFL  | 4401      |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |  |           |          |          |                           |           |           |             |        |
| 25-61-00-710-801-01             | OPERATIONAL TEST OF THE EMERGENCY LOCATOR SYSTEM - CHECK OF ELT 96/97 UNIT CONTROLS    |           |          |          |                           |           |           | Service     | ATA:25 |
|                                 | MOS/MSC  | 14-Jun-13 | O/C      |          |                           |           |           |             |        |
|                                 | HRS  | 7863.2    |          |          |                           |           |           |             |        |
| WC#: 25.070                     | AFL  | 3892      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 25-61-00-710-801 |  |           |          |          |                           |           |           |             |        |
| 25-61-00-710-801-02             | OPERATIONAL TEST OF THE EMERGENCY LOCATOR SYSTEM - CHECK OF ELT 96/97 COCKPIT CONTROLS |           |          |          |                           |           |           | Service     | ATA:25 |
|                                 | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
|                                 | HRS  | 0         |          |          |                           |           |           |             |        |
|                                 | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 25-61-00-710-801 |  |           |          |          |                           |           |           |             |        |
| 25-61-00-710-801-03             | OPERATIONAL TEST OF THE EMERGENCY LOCATOR SYSTEM - SELF-TEST OF ELT 96/97              |           |          |          |                           |           |           | Service     | ATA:25 |
|                                 | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
|                                 | HRS  | 0         |          |          |                           |           |           |             |        |
|                                 | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 25-61-00-710-801 |  |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                               | Unit   | C/W       | Interval | TSX/Adj.           | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |        |
|---------------------------------------|--|-----------|----------|--------------------|---------------------------|-----------|-------------|-------------|--------|
| <b>ATA 25 - EQUIPMENT/FURNISHINGS</b> |  |           |          |                    |                           |           |             |             |        |
| 25-61-00-710-801-04                   | OPERATIONAL TEST OF THE EMERGENCY LOCATOR SYSTEM - OPERATIONAL TEST OF ELT 90/91                                     |           |          |                    |                           |           |             | Service     | ATA:25 |
|                                       | MOS/MSC  | 23-Oct-89 | O/C      |                    |                           |           |             |             |        |
|                                       | HRS  | 0         |          |                    |                           |           |             |             |        |
|                                       | AFL  | 0         |          |                    |                           |           |             |             |        |
| PROC. REF: AMM 25-61-00-710-801       |  |           |          |                    |                           |           |             |             |        |
| 25-61-01-710-801-01                   | OPERATIONAL TEST OF THE EMERGENCY LOCATOR TRANSMITTER (ELT) G-SWITCH - ELT (32RC)                                    |           |          |                    |                           |           |             | Service     | ATA:25 |
|                                       | MOS/MSC  | 11-Apr-19 | O/C      |                    |                           |           |             |             |        |
|                                       | HRS  | 8927.3    |          |                    |                           |           |             |             |        |
|                                       | AFL  | 4304      |          |                    |                           |           |             |             |        |
| PROC. REF: AMM 25-61-01-710-801       |  |           |          |                    |                           |           |             |             |        |
| 25-61-01-900-803-01                   | REMOVAL / INSTALLATION OF THE ELT AND REPLACEMENT OF THE ELT BATTERY PACKS (ELT 90 / 91 OR ELT 96 / 97) - ELT (32RC) |           |          |                    |                           |           |             | Component   | ATA:25 |
| PN:453-5000-316                       | MOS/MSC  | 08-Sep-23 | O/C      | TSN 256, TSR 0     |                           |           |             |             |        |
| SN:02103                              | HRS  | 9823.68   |          | TSN 5505.68, TSR 0 |                           |           |             |             |        |
| WC#: 25.070                           | AFL  | 4638      |          | TSN 2642, TSR 0    |                           |           |             |             |        |
| PROC. REF: AMM 25-61-01-900-803       |  |           |          |                    |                           |           |             |             |        |
| 25-61-13-960-801-01                   | DISCARD OF THE ELT BATTERY PACKS - ELT (32RC)  |           |          |                    |                           |           |             | Service     | ATA:25 |
| PN:453-5000-316                       | MOS/MSC  | 11-Apr-19 | DUE      |                    | 01-May-24 (M)             |           | 162 d       | LIFE LIMIT  |        |
| SN:02103                              | HRS  | 8927.3    |          |                    |                           |           |             |             |        |
| WC#: 25.070                           | AFL  | 4304      |          |                    |                           |           |             |             |        |
| PROC. REF: AMM 25-61-13-960-801       |  |           |          |                    |                           |           |             |             |        |
| 25-61-21-900-801-01                   | REMOVAL / INSTALLATION OF THE ELT ANTENNA - ELT ANTENNA (34RC)   |           |          |                    |                           |           |             | Component   | ATA:25 |
| PN:110-337                            | MOS/MSC  | 10-May-02 | O/C      | TSN 0              |                           |           |             |             |        |
| SN:UNKNOWN                            | HRS  | 4318      |          | TSN 0              |                           |           |             |             |        |
| WC#: 25.170                           | AFL  | 1996      |          | TSN 0              |                           |           |             |             |        |
| PROC. REF: AMM 25-61-21-900-801       |  |           |          |                    |                           |           |             |             |        |
| 25-62-01-720-801-01                   | FUNCTIONAL TEST OF THE FDR / CVR UNDERWATER LOCATOR BEACONS - CVR UNDERWATER LOCATOR BEACON (900RK)                  |           |          |                    |                           |           |             | Service     | ATA:25 |
| PN:DK120                              | MOS  | 13-Jun-23 | 25 (+3%) |                    | 13-Jul-25                 | 05-Aug-25 | 600 d (+23) |             |        |
| SN:SD17251                            | HRS  |           |          |                    |                           |           |             |             |        |
| WC#: 31.070                           | AFL  |           |          |                    |                           |           |             |             |        |
| PROC. REF: AMM 25-62-01-720-801       |  |           |          |                    |                           |           |             |             |        |
| 25-62-01-720-801-02                   | FUNCTIONAL TEST OF THE FDR / CVR UNDERWATER LOCATOR BEACONS - FDR UNDERWATER LOCATOR BEACON (900FZ)                  |           |          |                    |                           |           |             | Service     | ATA:25 |
| PN:DK120/90                           | MOS  | 23-Jun-23 | 25 (+3%) |                    | 23-Jul-25                 | 15-Aug-25 | 610 d (+23) |             |        |
| SN:AT190134                           | HRS  | 9773      |          |                    |                           |           |             |             |        |
| WC#: 31.100                           | AFL  | 4617      |          |                    |                           |           |             |             |        |
| PROC. REF: AMM 25-62-01-720-801       |  |           |          |                    |                           |           |             |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                               | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 25 - EQUIPMENT/FURNISHINGS</b> |   |           |          |          |                           |           |           |             |        |
| 25-62-05-960-801-01                   | RESTORATION OF THE FDR / CVR UNDERWATER LOCATOR BEACONS (DISCARD OF THE FDR / CVR ULB BATTERY) - CVR ULB BATTERY (900RK1) |           |          |          |                           |           |           | Service     | ATA:25 |
| PN:DK120                              | MOS/MSC   | 20-May-21 | DUE      |          | 01-Feb-25 (M)             |           | 438 d     | LIFE LIMIT  |        |
| SN:SD17251                            | HRS   | 9227.5    |          |          |                           |           |           |             |        |
| WC#: 31.070                           | AFL   | 4427      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 25-62-05-960-801       |   |           |          |          |                           |           |           |             |        |
| 25-62-05-960-801-02                   | RESTORATION OF THE FDR / CVR UNDERWATER LOCATOR BEACONS (DISCARD OF THE FDR / CVR ULB BATTERY) - FDR ULB BATTERY (900FZ1) |           |          |          |                           |           |           | Service     | ATA:25 |
| PN:DK120/90                           | MOS/MSC   | 23-Jun-23 | DUE      |          | 01-Jun-30 (M)             |           | 2384 d    | LIFE LIMIT  |        |
| SN:AT190134                           | HRS   | 9773      |          |          |                           |           |           |             |        |
| WC#: 31.100                           | AFL   | 4617      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 25-62-05-960-801       |   |           |          |          |                           |           |           |             |        |
| 25-63-00-350-801-01                   | RESTORATION OF THE EMERGENCY VISION ASSURANCE SYSTEM (EVAS) (OVERHAUL) - PILOT EVAS UNIT (L9510MP)                        |           |          |          |                           |           |           | Service     | ATA:25 |
|                                       | MOS/MSC   |           | N/A      |          |                           |           |           |             |        |
|                                       | HRS   |           |          |          |                           |           |           |             |        |
|                                       | AFL   |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 25-63-00-350-801       |   |           |          |          |                           |           |           |             |        |
| 25-63-00-350-801-02                   | RESTORATION OF THE EMERGENCY VISION ASSURANCE SYSTEM (EVAS) (OVERHAUL) - COPILOT EVAS UNIT (R9510MP)                      |           |          |          |                           |           |           | Service     | ATA:25 |
|                                       | MOS/MSC   |           | N/A      |          |                           |           |           |             |        |
|                                       | HRS   |           |          |          |                           |           |           |             |        |
|                                       | AFL   |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 25-63-00-350-801       |   |           |          |          |                           |           |           |             |        |
| 25-63-00-710-801-01                   | OPERATIONAL TEST OF THE EMERGENCY VISION ASSURANCE SYSTEM (EVAS) - PILOT EVAS UNIT (L9510MP)                              |           |          |          |                           |           |           | Service     | ATA:25 |
|                                       | MOS/MSC   |           | O/C      |          |                           |           |           |             |        |
|                                       | HRS   |           |          |          |                           |           |           |             |        |
|                                       | AFL   |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 25-63-00-710-801       |   |           |          |          |                           |           |           |             |        |
| 25-63-00-710-801-02                   | OPERATIONAL TEST OF THE EMERGENCY VISION ASSURANCE SYSTEM (EVAS) - COPILOT EVAS UNIT (R9510MP)                            |           |          |          |                           |           |           | Service     | ATA:25 |
|                                       | MOS/MSC   |           | O/C      |          |                           |           |           |             |        |
|                                       | HRS   |           |          |          |                           |           |           |             |        |
|                                       | AFL   |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 25-63-00-710-801       |   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                        | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |        |
|--------------------------------|---|-----------|----------|----------|---------------------------|-----------|-------------|-------------|--------|
| ATA 25 - EQUIPMENT/FURNISHINGS |   |           |          |          |                           |           |             |             |        |
| 25-63-01-960-801-01            | DISCARD OF THE EVAS BATTERY - PILOT EVAS UNIT (L9510MP)   |           |          |          |                           |           |             | Service     | ATA:25 |
|                                | MOS/MSC   |           | N/A      |          |                           |           |             |             |        |
|                                | HRS   |           |          |          |                           |           |             |             |        |
|                                | AFL   |           |          |          |                           |           |             |             |        |
|                                | PROC. REF: AMM 25-63-01-960-801                           |           |          |          |                           |           |             |             |        |
| 25-63-01-960-801-02            | DISCARD OF THE EVAS BATTERY - COPILOT EVAS UNIT (R9510MP) |           |          |          |                           |           |             | Service     | ATA:25 |
|                                | MOS/MSC   |           | N/A      |          |                           |           |             |             |        |
|                                | HRS   |           |          |          |                           |           |             |             |        |
|                                | AFL   |           |          |          |                           |           |             |             |        |
|                                | PROC. REF: AMM 25-63-01-960-801                           |           |          |          |                           |           |             |             |        |
| 25-64-13-200-801-01            | INSPECTION OF LIFE RAFT - NO. 1 LIFE RAFT                 |           |          |          |                           |           |             | Service     | ATA:25 |
| PN:1015FAUL-6C0-1-154          | MOS/MSC   | 16-Nov-22 | O/C      |          |                           |           |             |             |        |
| SN:10UL-00926                  | HRS   | 9596.5    |          |          |                           |           |             |             |        |
|                                | AFL   | 4562      |          |          |                           |           |             |             |        |
|                                | PROC. REF: AMM 25-64-13-200-801                           |           |          |          |                           |           |             |             |        |
| 25-64-13-200-801-01            | INSPECTION OF LIFE RAFT - NO. 2 LIFE RAFT                 |           |          |          |                           |           |             | Service     | ATA:25 |
| PN:1015FAUL-6C0-1-100          | MOS   | 30-Jun-21 | 36 (+3%) |          | 25-Jun-24 (M)             | 27-Jul-24 | 217 d (+32) |             |        |
| SN:10UL-01804                  | HRS   | 9243.8    |          |          |                           |           |             |             |        |
|                                | AFL   | 4434      |          |          |                           |           |             |             |        |
|                                | PROC. REF: AMM 25-64-13-200-801                           |           |          |          |                           |           |             |             |        |
| 25-64-13-200-801-01            | INSPECTION OF LIFE RAFT - NO. 3 LIFE RAFT                 |           |          |          |                           |           |             | Service     | ATA:25 |
|                                | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |             |             |        |
|                                | HRS   | 0         |          |          |                           |           |             |             |        |
|                                | AFL   | 0         |          |          |                           |           |             |             |        |
|                                | PROC. REF: AMM 25-64-13-200-801                           |           |          |          |                           |           |             |             |        |
| 25-64-13-200-801-01            | INSPECTION OF LIFE RAFT - NO. 4 LIFE RAFT                 |           |          |          |                           |           |             | Service     | ATA:25 |
|                                | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |             |             |        |
|                                | HRS   | 0         |          |          |                           |           |             |             |        |
|                                | AFL   | 0         |          |          |                           |           |             |             |        |
|                                | PROC. REF: AMM 25-64-13-200-801                           |           |          |          |                           |           |             |             |        |
| 25-64-13-350-801-01            | RESTORATION OF THE LIFE RAFT (OVERHAUL) - NO. 1 LIFE RAFT |           |          |          |                           |           |             | Service     | ATA:25 |
| PN:1015FAUL-6C0-1-154          | MOS   | 16-Nov-22 | 36 (+3%) |          | 16-Nov-25                 | 18-Dec-25 | 726 d (+32) |             |        |
| SN:10UL-00926                  | HRS   | 9596.5    |          |          |                           |           |             |             |        |
| WC#: 25.130                    | AFL   | 4562      |          |          |                           |           |             |             |        |
|                                | PROC. REF: AMM 25-64-13-350-801                           |           |          |          |                           |           |             |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                               | Unit    | C/W   | Interval | TSX/Adj.          | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition |  |
|---------------------------------------|---------|---|----------|-------------------|---------------------------|-----------|--------------|-------------|--|
| <b>ATA 25 - EQUIPMENT/FURNISHINGS</b> |         |   |          |                   |                           |           |              |             |  |
| 25-64-13-350-801-01                   |         | RESTORATION OF THE LIFE RAFT (OVERHAUL) - NO. 2 LIFE RAFT |          |                   |                           |           | Service      | ATA:25      |  |
| PN:1015FAUL-6C0-1-100                 | MOS     | 25-Jun-21   | 72 (+3%) |                   | 25-Jun-27                 | 29-Aug-27 | 1312 d (+65) |             |  |
| SN:10UL-01804                         | HRS     |   |          |                   |                           |           |              |             |  |
| WC#: 25.130                           | AFL     |   |          |                   |                           |           |              |             |  |
| PROC. REF: AMM 25-64-13-350-801       |         |   |          |                   |                           |           |              |             |  |
| 25-64-13-350-801-01                   |         | RESTORATION OF THE LIFE RAFT (OVERHAUL) - NO. 3 LIFE RAFT |          |                   |                           |           | Service      | ATA:25      |  |
| PN:PN                                 | MOS/MSC | 23-Oct-89   | O/C      |                   |                           |           |              |             |  |
| SN:NOT INSTALLED                      | HRS     | 0   |          |                   |                           |           |              |             |  |
| WC#: 25.135                           | AFL     | 0   |          |                   |                           |           |              |             |  |
| PROC. REF: AMM 25-64-13-350-801       |         |   |          |                   |                           |           |              |             |  |
| 25-64-13-350-801-01                   |         | RESTORATION OF THE LIFE RAFT (OVERHAUL) - NO. 4 LIFE RAFT |          |                   |                           |           | Service      | ATA:25      |  |
| PN:PN                                 | MOS/MSC | 23-Oct-89   | O/C      |                   |                           |           |              |             |  |
| SN:NOT INSTALLED                      | HRS     | 0   |          |                   |                           |           |              |             |  |
| WC#: 25.135                           | AFL     | 0   |          |                   |                           |           |              |             |  |
| PROC. REF: AMM 25-64-13-350-801       |         |   |          |                   |                           |           |              |             |  |
| 25-64-13-900-801-01                   |         | NO. 1 LIFE RAFT   |          |                   |                           |           | Component    | ATA:25      |  |
| PN:1015FAUL-6C0-1-154                 | MOS/MSC | 16-Nov-22   | O/C      | TSO 0             |                           |           |              |             |  |
| SN:10UL-00926                         | HRS     | 9596.5  |          | TSO 0             |                           |           |              |             |  |
| WC#: 25.130                           | AFL     | 4562  |          | TSO 0             |                           |           |              |             |  |
| PROC. REF: AMM GENERIC 1              |         |   |          |                   |                           |           |              |             |  |
| 25-64-13-900-801-02                   |         | NO. 2 LIFE RAFT   |          |                   |                           |           | Component    | ATA:25      |  |
| PN:1015FAUL-6C0-1-100                 | MOS/MSC | 30-Jun-21   | O/C      | TSN 106, TSO 0    |                           |           |              |             |  |
| SN:10UL-01804                         | HRS     | 9243.8  |          | TSN 1555.3, TSO 0 |                           |           |              |             |  |
| WC#: 25.130                           | AFL     | 4434  |          | TSN 612, TSO 0    |                           |           |              |             |  |
| PROC. REF: AMM GENERIC 1              |         |   |          |                   |                           |           |              |             |  |
| 25-64-13-900-801-03                   |         | NO. 3 LIFE RAFT   |          |                   |                           |           | Component    | ATA:25      |  |
| PN:PN                                 | MOS/MSC | 23-Oct-89   | O/C      |                   |                           |           |              |             |  |
| SN:NOT INSTALLED                      | HRS     | 0   |          | TSN 0             |                           |           |              |             |  |
| WC#: 25.135                           | AFL     | 0   |          |                   |                           |           |              |             |  |
| PROC. REF: AMM GENERIC 1              |         |   |          |                   |                           |           |              |             |  |
| 25-64-13-900-801-04                   |         | NO. 4 LIFE RAFT   |          |                   |                           |           | Component    | ATA:25      |  |
| PN:PN                                 | MOS/MSC | 23-Oct-89   | O/C      |                   |                           |           |              |             |  |
| SN:NOT INSTALLED                      | HRS     | 0   |          | TSN 0             |                           |           |              |             |  |
| WC#: 25.135                           | AFL     | 0   |          |                   |                           |           |              |             |  |
| PROC. REF: AMM GENERIC 1              |         |   |          |                   |                           |           |              |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|--------------|-------------|
| <b>ATA 25 - EQUIPMENT/FURNISHINGS</b>  |         |           |          |          |                           |           |              |             |
| <b>25-64-13-960-801-01 DISCARD OF THE LIFE RAFT - NO. 1 LIFE RAFT Service ATA:25</b>   |         |           |          |          |                           |           |              |             |
| PN:1015FAUL-6C0-1-154  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |              |             |
| SN:10UL-00926  | HRS     | 0         |          |          |                           |           |              |             |
|  | AFL     | 0         |          |          |                           |           |              |             |
| PROC. REF: AMM 25-64-13-960-801  |         |           |          |          |                           |           |              |             |
| <b>25-64-13-960-801-01 DISCARD OF THE LIFE RAFT - NO. 2 LIFE RAFT Service ATA:25</b>   |         |           |          |          |                           |           |              |             |
|  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |              |             |
|  | HRS     | 0         |          |          |                           |           |              |             |
|  | AFL     | 0         |          |          |                           |           |              |             |
| PROC. REF: AMM 25-64-13-960-801  |         |           |          |          |                           |           |              |             |
| <b>25-64-13-960-801-01 DISCARD OF THE LIFE RAFT - NO. 3 LIFE RAFT Service ATA:25</b>   |         |           |          |          |                           |           |              |             |
|  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |              |             |
|  | HRS     | 0         |          |          |                           |           |              |             |
|  | AFL     | 0         |          |          |                           |           |              |             |
| PROC. REF: AMM 25-64-13-960-801  |         |           |          |          |                           |           |              |             |
| <b>25-64-13-960-801-01 DISCARD OF THE LIFE RAFT - NO. 4 LIFE RAFT Service ATA:25</b>   |         |           |          |          |                           |           |              |             |
|  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |              |             |
|  | HRS     | 0         |          |          |                           |           |              |             |
|  | AFL     | 0         |          |          |                           |           |              |             |
| PROC. REF: AMM 25-64-13-960-801  |         |           |          |          |                           |           |              |             |
| <b>25-64-17-350-802-01 RESTORATION OF THE CREW LIFE VESTS (OVERHAUL OR DISCARD) - LH PILOT LIFE VEST (L10ME) Service ATA:25</b>          |         |           |          |          |                           |           |              |             |
| PN:P01074-101  | MOS     | 14-Jun-22 | 60 (+3%) |          | 30-Jun-27 (M)             | 24-Aug-27 | 1317 d (+55) | OVERHAUL    |
| SN:2206980905  | HRS     |           |          |          |                           |           |              |             |
|  | AFL     |           |          |          |                           |           |              |             |
| PROC. REF: AMM 25-64-17-350-802  |         |           |          |          |                           |           |              |             |
| <b>25-64-17-350-802-02 RESTORATION OF THE CREW LIFE VESTS (OVERHAUL OR DISCARD) - RH PILOT LIFE VEST (R10ME) Service ATA:25</b>          |         |           |          |          |                           |           |              |             |
| PN:P01074-101  | MOS     | 14-Jun-22 | 60 (+3%) |          | 30-Jun-27 (M)             | 24-Aug-27 | 1317 d (+55) | OVERHAUL    |
| SN:22060980630   | HRS     |           |          |          |                           |           |              |             |
|  | AFL     |           |          |          |                           |           |              |             |
| PROC. REF: AMM 25-64-17-350-802  |         |           |          |          |                           |           |              |             |
| <b>25-64-17-350-802-03 RESTORATION OF THE CREW LIFE VESTS (OVERHAUL OR DISCARD) - THIRD CREW MEMBER LIFE VEST (M10ME) Service ATA:25</b> |         |           |          |          |                           |           |              |             |
| PN:P01074-101  | MOS     | 30-Jul-23 | 60 (+3%) |          | 30-Jul-28 (M)             | 23-Sep-28 | 1713 d (+55) | OVERHAUL    |
| SN:23020491567   | HRS     | 9795.4    |          |          |                           |           |              |             |
|  | AFL     | 4628      |          |          |                           |           |              |             |
| PROC. REF: AMM 25-64-17-350-802  |         |           |          |          |                           |           |              |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition |        |
|---------------------------------|--|-----------|----------|----------|---------------------------|-----------|--------------|-------------|--------|
| ATA 25 - EQUIPMENT/FURNISHINGS  |  |           |          |          |                           |           |              |             |        |
| 25-64-17-350-803-01             | RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 1 PASSENGER LIFE VEST  |           |          |          |                           |           |              | Service     | ATA:25 |
| PN:P01074-101                   | MOS  | 19-Apr-22 | 60 (+3%) |          | 30-Apr-27 (M)             | 24-Jun-27 | 1256 d (+55) | OVERHAUL    |        |
| SN:22040160009                  | HRS  |           |          |          |                           |           |              |             |        |
|                                 | AFL  |           |          |          |                           |           |              |             |        |
| PROC. REF: AMM 25-64-17-350-803 |  |           |          |          |                           |           |              |             |        |
| 25-64-17-350-803-01             | RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 10 PASSENGER LIFE VEST |           |          |          |                           |           |              | Service     | ATA:25 |
| PN:P01074-101                   | MOS  | 19-Apr-22 | 60       |          | 30-Apr-27 (M)             |           | 1256 d       | OVERHAUL    |        |
| SN:22040160301                  | HRS  |           |          |          |                           |           |              |             |        |
|                                 | AFL  |           |          |          |                           |           |              |             |        |
| PROC. REF: AMM 25-64-17-350-803 |  |           |          |          |                           |           |              |             |        |
| 25-64-17-350-803-01             | RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 11 PASSENGER LIFE VEST |           |          |          |                           |           |              | Service     | ATA:25 |
| PN:P01074-101                   | MOS  | 19-Apr-22 | 60       |          | 30-Apr-27 (M)             |           | 1256 d       | OVERHAUL    |        |
| SN:22040160324                  | HRS  |           |          |          |                           |           |              |             |        |
|                                 | AFL  |           |          |          |                           |           |              |             |        |
| PROC. REF: AMM 25-64-17-350-803 |  |           |          |          |                           |           |              |             |        |
| 25-64-17-350-803-01             | RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 12 PASSENGER LIFE VEST |           |          |          |                           |           |              | Service     | ATA:25 |
| PN:P01074-101                   | MOS  | 19-Apr-22 | 60       |          | 30-Apr-27 (M)             |           | 1256 d       | OVERHAUL    |        |
| SN:22040160543                  | HRS  |           |          |          |                           |           |              |             |        |
|                                 | AFL  |           |          |          |                           |           |              |             |        |
| PROC. REF: AMM 25-64-17-350-803 |  |           |          |          |                           |           |              |             |        |
| 25-64-17-350-803-01             | RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 2 PASSENGER LIFE VEST  |           |          |          |                           |           |              | Service     | ATA:25 |
| PN:P01074-101                   | MOS  | 19-Apr-22 | 60 (+3%) |          | 30-Apr-27 (M)             | 24-Jun-27 | 1256 d (+55) | OVERHAUL    |        |
| SN:22040160050                  | HRS  |           |          |          |                           |           |              |             |        |
|                                 | AFL  |           |          |          |                           |           |              |             |        |
| PROC. REF: AMM 25-64-17-350-803 |  |           |          |          |                           |           |              |             |        |
| 25-64-17-350-803-01             | RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 3 PASSENGER LIFE VEST  |           |          |          |                           |           |              | Service     | ATA:25 |
| PN:P01074-101                   | MOS  | 19-Apr-22 | 60 (+3%) |          | 30-Apr-27 (M)             | 24-Jun-27 | 1256 d (+55) | OVERHAUL    |        |
| SN:22040160134                  | HRS  |           |          |          |                           |           |              |             |        |
|                                 | AFL  |           |          |          |                           |           |              |             |        |
| PROC. REF: AMM 25-64-17-350-803 |  |           |          |          |                           |           |              |             |        |
| 25-64-17-350-803-01             | RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 4 PASSENGER LIFE VEST  |           |          |          |                           |           |              | Service     | ATA:25 |
| PN:P01074-101                   | MOS  | 19-Apr-22 | 60 (+3%) |          | 30-Apr-27 (M)             | 24-Jun-27 | 1256 d (+55) | OVERHAUL    |        |
| SN:22040160194                  | HRS  |           |          |          |                           |           |              |             |        |
|                                 | AFL  |           |          |          |                           |           |              |             |        |
| PROC. REF: AMM 25-64-17-350-803 |  |           |          |          |                           |           |              |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 25 - EQUIPMENT/FURNISHINGS</b>  |      |           |          |          |                           |           |           |             |
| <b>25-64-17-350-803-01 RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 5 PASSENGER LIFE VEST</b> |      |           |          |          |                           |           |           |             |
| PN:P01074-101  | MOS  | 17-May-22 | 60       |          | 17-May-27                 |           | 1273 d    | OVERHAUL    |
| SN:21110440515   | HRS  | 9470.7    |          |          |                           |           |           |             |
|  | AFL  | 4522      |          |          |                           |           |           |             |
| PROC. REF: AMM 25-64-17-350-803  |      |           |          |          |                           |           |           |             |
| <b>25-64-17-350-803-01 RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 6 PASSENGER LIFE VEST</b> |      |           |          |          |                           |           |           |             |
| PN:P01074-101  | MOS  | 17-May-22 | 60       |          | 17-May-27                 |           | 1273 d    | OVERHAUL    |
| SN:22040160244   | HRS  | 9470.7    |          |          |                           |           |           |             |
|  | AFL  | 4522      |          |          |                           |           |           |             |
| PROC. REF: AMM 25-64-17-350-803  |      |           |          |          |                           |           |           |             |
| <b>25-64-17-350-803-01 RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 7 PASSENGER LIFE VEST</b> |      |           |          |          |                           |           |           |             |
| PN:P01074-101  | MOS  | 19-Apr-22 | 60       |          | 30-Apr-27 (M)             |           | 1256 d    | OVERHAUL    |
| SN:22040160196   | HRS  |           |          |          |                           |           |           |             |
|  | AFL  |           |          |          |                           |           |           |             |
| PROC. REF: AMM 25-64-17-350-803  |      |           |          |          |                           |           |           |             |
| <b>25-64-17-350-803-01 RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 8 PASSENGER LIFE VEST</b> |      |           |          |          |                           |           |           |             |
| PN:P01074-101  | MOS  | 30-Jul-23 | 60       |          | 30-Jul-28 (M)             |           | 1713 d    | OVERHAUL    |
| SN:23020490836   | HRS  | 9795.4    |          |          |                           |           |           |             |
|  | AFL  | 4628      |          |          |                           |           |           |             |
| PROC. REF: AMM 25-64-17-350-803  |      |           |          |          |                           |           |           |             |
| <b>25-64-17-350-803-01 RESTORATION OF THE PASSENGER LIFE VESTS (OVERHAUL OR DISCARD) - NO. 9 PASSENGER LIFE VEST</b> |      |           |          |          |                           |           |           |             |
| PN:P01074-101  | MOS  | 19-Apr-22 | 60       |          | 30-Apr-27 (M)             |           | 1256 d    | OVERHAUL    |
| SN:22040160244   | HRS  |           |          |          |                           |           |           |             |
|  | AFL  |           |          |          |                           |           |           |             |
| PROC. REF: AMM 25-64-17-350-803  |      |           |          |          |                           |           |           |             |
| <b>25-64-17-350-804-01S<sup>U</sup> RESTORATION NO. 1 INFANT LIFE VEST</b>   |      |           |          |          |                           |           |           |             |
| PN:P0640-101   | MOS  | 15-Feb-23 | 60       |          | 15-Feb-28                 |           | 1547 d    | OVERHAUL    |
| SN:18020090024   | HRS  | 9683.1    |          |          |                           |           |           |             |
|  | AFL  | 4588      |          |          |                           |           |           |             |
| PROC. REF: GENERIC CMM   |      |           |          |          |                           |           |           |             |
| <b>25-64-17-350-804-02S<sup>U</sup> RESTORATION NO. 2 INFANT LIFE VEST</b>   |      |           |          |          |                           |           |           |             |
| PN:P0640-101   | MOS  | 15-Feb-23 | 60       |          | 15-Feb-28                 |           | 1547 d    | OVERHAUL    |
| SN:18020090132   | HRS  | 9683.1    |          |          |                           |           |           |             |
|  | AFL  | 4588      |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                               | Unit    | C/W                                | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------------|---------|------------------------------------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 25 - EQUIPMENT/FURNISHINGS</b> |         |                                    |          |          |                           |           |           |             |        |
| 25-64-17-350-804-03S <sup>U</sup>     |         | RESTORATION NO. 3 INFANT LIFE VEST |          |          |                           |           |           | Service     | ATA:25 |
| PN:P0640-101                          | MOS     | 15-Feb-23                          | 60       |          | 15-Feb-28                 |           | 1547 d    |             |        |
| SN:18020090159                        | HRS     | 9683.1                             |          |          |                           |           |           |             |        |
|                                       | AFL     | 4588                               |          |          |                           |           |           |             |        |
| 25-64-17-900-802-01                   |         | PILOT LIFE VEST                    |          |          |                           |           |           | Component   | ATA:25 |
| PN:P01074-101                         | MOS/MSC | 16-Nov-22                          | O/C      | TSN 5    |                           |           |           |             |        |
| SN:2206980905                         | HRS     | 9596.5                             |          | TSN 0    |                           |           |           |             |        |
| WC#: 25.080                           | AFL     | 4562                               |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1              |         |                                    |          |          |                           |           |           |             |        |
| 25-64-17-900-802-02                   |         | COPILOT LIFE VEST                  |          |          |                           |           |           | Component   | ATA:25 |
| PN:P01074-101                         | MOS/MSC | 16-Nov-22                          | O/C      | TSN 5    |                           |           |           |             |        |
| SN:22060980630                        | HRS     | 9596.5                             |          | TSN 0    |                           |           |           |             |        |
| WC#: 25.080                           | AFL     | 4562                               |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1              |         |                                    |          |          |                           |           |           |             |        |
| 25-64-17-900-802-03                   |         | THIRD CREW MEMBER LIFE VEST        |          |          |                           |           |           | Component   | ATA:25 |
| PN:P01074-101                         | MOS/MSC | 30-Jul-23                          | O/C      | TSN 0    |                           |           |           |             |        |
| SN:23020491567                        | HRS     | 9795.4                             |          | TSN 0    |                           |           |           |             |        |
| WC#: 25.085                           | AFL     | 4628                               |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1              |         |                                    |          |          |                           |           |           |             |        |
| 25-64-17-900-803-01                   |         | NO. 1 PASSENGER LIFE VEST          |          |          |                           |           |           | Component   | ATA:25 |
| PN:P01074-101                         | MOS/MSC | 16-Jun-22                          | O/C      | TSN 2    |                           |           |           |             |        |
| SN:22040160009                        | HRS     | 9508.6                             |          | TSN 0    |                           |           |           |             |        |
| WC#: 25.090                           | AFL     | 4533                               |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1              |         |                                    |          |          |                           |           |           |             |        |
| 25-64-17-900-803-02                   |         | NO. 2 PASSENGER LIFE VEST          |          |          |                           |           |           | Component   | ATA:25 |
| PN:P01074-101                         | MOS/MSC | 16-Jun-22                          | O/C      | TSN 2    |                           |           |           |             |        |
| SN:22040160050                        | HRS     | 9508.6                             |          | TSN 0    |                           |           |           |             |        |
| WC#: 25.090                           | AFL     | 4533                               |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1              |         |                                    |          |          |                           |           |           |             |        |
| 25-64-17-900-803-03                   |         | NO. 3 PASSENGER LIFE VEST          |          |          |                           |           |           | Component   | ATA:25 |
| PN:P01074-101                         | MOS/MSC | 16-Jun-22                          | O/C      | TSN 2    |                           |           |           |             |        |
| SN:22040160134                        | HRS     | 9508.6                             |          | TSN 0    |                           |           |           |             |        |
| WC#: 25.095                           | AFL     | 4533                               |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1              |         |                                    |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                               | Unit    | C/W                        | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |
|---------------------------------------|---------|----------------------------|----------|----------|---------------------------|-----------|-----------|------------------|
| <b>ATA 25 - EQUIPMENT/FURNISHINGS</b> |         |                            |          |          |                           |           |           |                  |
| 25-64-17-900-803-04                   |         | NO. 4 PASSENGER LIFE VEST  |          |          |                           |           |           | Component ATA:25 |
| PN:P01074-101                         | MOS/MSC | 16-Jun-22                  | O/C      | TSN 2    |                           |           |           |                  |
| SN:22040160194                        | HRS     | 9508.6                     |          | TSN 0    |                           |           |           |                  |
| WC#: 25.095                           | AFL     | 4533                       |          | TSN 0    |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1              |         |                            |          |          |                           |           |           |                  |
| 25-64-17-900-803-05                   |         | NO. 5 PASSENGER LIFE VEST  |          |          |                           |           |           | Component ATA:25 |
| PN:P01074-101                         | MOS/MSC | 17-May-22                  | O/C      | TSN 6    |                           |           |           |                  |
| SN:21110440515                        | HRS     | 9470.7                     |          | TSN 0    |                           |           |           |                  |
| WC#: 25.100                           | AFL     | 4522                       |          | TSN 0    |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1              |         |                            |          |          |                           |           |           |                  |
| 25-64-17-900-803-06                   |         | NO. 6 PASSENGER LIFE VEST  |          |          |                           |           |           | Component ATA:25 |
| PN:P01074-101                         | MOS/MSC | 16-Jun-22                  | O/C      | TSN 2    |                           |           |           |                  |
| SN:22040160244                        | HRS     | 9508.6                     |          | TSN 0    |                           |           |           |                  |
| WC#: 25.100                           | AFL     | 4533                       |          | TSN 0    |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1              |         |                            |          |          |                           |           |           |                  |
| 25-64-17-900-803-07                   |         | NO. 7 PASSENGER LIFE VEST  |          |          |                           |           |           | Component ATA:25 |
| PN:P01074-101                         | MOS/MSC | 16-Jun-22                  | O/C      | TSN 2    |                           |           |           |                  |
| SN:22040160196                        | HRS     | 9508.6                     |          | TSN 0    |                           |           |           |                  |
| WC#: 25.105                           | AFL     | 4533                       |          | TSN 0    |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1              |         |                            |          |          |                           |           |           |                  |
| 25-64-17-900-803-08                   |         | NO. 8 PASSENGER LIFE VEST  |          |          |                           |           |           | Component ATA:25 |
| PN:P01074-101                         | MOS/MSC | 30-Jul-23                  | O/C      | TSN 0    |                           |           |           |                  |
| SN:23020490836                        | HRS     | 9795.4                     |          | TSN 0    |                           |           |           |                  |
| WC#: 25.105                           | AFL     | 4628                       |          | TSN 0    |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1              |         |                            |          |          |                           |           |           |                  |
| 25-64-17-900-803-09                   |         | NO. 9 PASSENGER LIFE VEST  |          |          |                           |           |           | Component ATA:25 |
| PN:P01074-101                         | MOS/MSC | 16-Jun-22                  | O/C      | TSN 2    |                           |           |           |                  |
| SN:22040160244                        | HRS     | 9508.6                     |          | TSN 0    |                           |           |           |                  |
| WC#: 25.110                           | AFL     | 4533                       |          | TSN 0    |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1              |         |                            |          |          |                           |           |           |                  |
| 25-64-17-900-803-10                   |         | NO. 10 PASSENGER LIFE VEST |          |          |                           |           |           | Component ATA:25 |
| PN:P01074-101                         | MOS/MSC | 16-Jun-22                  | O/C      | TSN 2    |                           |           |           |                  |
| SN:22040160301                        | HRS     | 9508.6                     |          | TSN 0    |                           |           |           |                  |
| WC#: 25.110                           | AFL     | 4533                       |          | TSN 0    |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1              |         |                            |          |          |                           |           |           |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                               | Unit    | C/W                        | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |                  |
|---------------------------------------|---------|----------------------------|----------|----------|---------------------------|-----------|-----------|-------------|------------------|
| <b>ATA 25 - EQUIPMENT/FURNISHINGS</b> |         |                            |          |          |                           |           |           |             |                  |
| 25-64-17-900-803-11                   |         | NO. 11 PASSENGER LIFE VEST |          |          |                           |           |           |             | Component ATA:25 |
| PN:P01074-101                         | MOS/MSC | 16-Jun-22                  | O/C      |          | TSN 2                     |           |           |             |                  |
| SN:22040160324                        | HRS     | 9508.6                     |          |          | TSN 0                     |           |           |             |                  |
| WC#: 25.120                           | AFL     | 4533                       |          |          | TSN 0                     |           |           |             |                  |
| PROC. REF: AMM GENERIC 1              |         |                            |          |          |                           |           |           |             |                  |
| 25-64-17-900-803-12                   |         | NO. 12 PASSENGER LIFE VEST |          |          |                           |           |           |             | Component ATA:25 |
| PN:P01074-101                         | MOS/MSC | 16-Jun-22                  | O/C      |          | TSN 2                     |           |           |             |                  |
| SN:22040160543                        | HRS     | 9508.6                     |          |          | TSN 0                     |           |           |             |                  |
| WC#: 25.120                           | AFL     | 4533                       |          |          | TSN 0                     |           |           |             |                  |
| PROC. REF: AMM GENERIC 1              |         |                            |          |          |                           |           |           |             |                  |
| 25-64-17-900-804-01 <sup>U</sup>      |         | NO. 1 INFANT LIFE VEST     |          |          |                           |           |           |             | Component ATA:25 |
| PN:P0640-101                          | MOS/MSC | 19-Apr-18                  | O/C      |          | TSN 0                     |           |           |             |                  |
| SN:18020090024                        | HRS     | 8751.3                     |          |          | TSN 0                     |           |           |             |                  |
|                                       | AFL     | 4229                       |          |          | TSN 0                     |           |           |             |                  |
| PROC. REF: GENERIC NO REF             |         |                            |          |          |                           |           |           |             |                  |
| 25-64-17-900-804-02 <sup>U</sup>      |         | NO. 2 INFANT LIFE VEST     |          |          |                           |           |           |             | Component ATA:25 |
| PN:P0640-101                          | MOS/MSC | 19-Apr-18                  | O/C      |          | TSN 0                     |           |           |             |                  |
| SN:18020090132                        | HRS     | 8751.3                     |          |          | TSN 0                     |           |           |             |                  |
|                                       | AFL     | 4229                       |          |          | TSN 0                     |           |           |             |                  |
| 25-64-17-900-804-03 <sup>U</sup>      |         | NO. 3 INFANT LIFE VEST     |          |          |                           |           |           |             | Component ATA:25 |
| PN:P0640-101                          | MOS/MSC | 19-Apr-18                  | O/C      |          | TSN 0                     |           |           |             |                  |
| SN:18020090159                        | HRS     | 8751.3                     |          |          | TSN 0                     |           |           |             |                  |
|                                       | AFL     | 4229                       |          |          | TSN 0                     |           |           |             |                  |
| 25-90-01-900-801-03                   |         | THIRD CREW MEMBER SEAT     |          |          |                           |           |           |             | Component ATA:25 |
| PN:PN                                 | MOS/MSC | 23-Oct-89                  | O/C      |          | TSN 0                     |           |           |             |                  |
| SN:UNKNOWN                            | HRS     | 0                          |          |          | TSN 0                     |           |           |             |                  |
|                                       | AFL     | 0                          |          |          | TSN 0                     |           |           |             |                  |
| PROC. REF: AMM GENERIC 1              |         |                            |          |          |                           |           |           |             |                  |
| 25-90-19-900-801-01                   |         | MICROWAVE OVEN             |          |          |                           |           |           |             | Component ATA:25 |
| PN:PN                                 | MOS/MSC | 23-Oct-89                  | O/C      |          | TSN 0                     |           |           |             |                  |
| SN:UNKNOWN                            | HRS     | 0                          |          |          | TSN 0                     |           |           |             |                  |
|                                       | AFL     | 0                          |          |          | TSN 0                     |           |           |             |                  |
| PROC. REF: AMM 25-33-00-900-801       |         |                            |          |          |                           |           |           |             |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit                 | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |
|----------------------------------|----------------------|-----------|----------|----------|---------------------------|-----------|-----------|----------------|
| ATA 25 - EQUIPMENT/FURNISHINGS   |                      |           |          |          |                           |           |           |                |
| 25-CARS-625-011-01 <sup>US</sup> | LIFEVEST 01 OVERHAUL |           |          |          |                           |           |           | Service ATA:25 |
|                                  | MOS/MSC              | 16-Jun-22 | -        |          |                           |           |           |                |
|                                  | HRS                  | 9508.6    |          |          |                           |           |           |                |
|                                  | AFL                  | 4533      |          |          |                           |           |           |                |
| 25-CARS-625-011-02 <sup>US</sup> | LIFEVEST 02 OVERHAUL |           |          |          |                           |           |           | Service ATA:25 |
|                                  | MOS/MSC              |           | DUE      |          |                           |           |           |                |
|                                  | HRS                  |           |          |          |                           |           |           |                |
|                                  | AFL                  |           |          |          |                           |           |           |                |
| 25-CARS-625-011-03 <sup>US</sup> | LIFEVEST 03 OVERHAUL |           |          |          |                           |           |           | Service ATA:25 |
|                                  | MOS/MSC              |           | DUE      |          |                           |           |           |                |
|                                  | HRS                  |           |          |          |                           |           |           |                |
|                                  | AFL                  |           |          |          |                           |           |           |                |
| 25-CARS-625-011-04 <sup>US</sup> | LIFEVEST 04 OVERHAUL |           |          |          |                           |           |           | Service ATA:25 |
|                                  | MOS/MSC              |           | DUE      |          |                           |           |           |                |
|                                  | HRS                  |           |          |          |                           |           |           |                |
|                                  | AFL                  |           |          |          |                           |           |           |                |
| 25-CARS-625-011-05 <sup>US</sup> | LIFEVEST 05 OVERHAUL |           |          |          |                           |           |           | Service ATA:25 |
|                                  | MOS/MSC              |           | DUE      |          |                           |           |           |                |
|                                  | HRS                  |           |          |          |                           |           |           |                |
|                                  | AFL                  |           |          |          |                           |           |           |                |
| 25-CARS-625-011-06 <sup>US</sup> | LIFEVEST 06 OVERHAUL |           |          |          |                           |           |           | Service ATA:25 |
|                                  | MOS/MSC              |           | DUE      |          |                           |           |           |                |
|                                  | HRS                  |           |          |          |                           |           |           |                |
|                                  | AFL                  |           |          |          |                           |           |           |                |
| 25-CARS-625-011-07 <sup>US</sup> | LIFEVEST 07 OVERHAUL |           |          |          |                           |           |           | Service ATA:25 |
|                                  | MOS/MSC              |           | DUE      |          |                           |           |           |                |
|                                  | HRS                  |           |          |          |                           |           |           |                |
|                                  | AFL                  |           |          |          |                           |           |           |                |
| 25-CARS-625-011-08 <sup>US</sup> | LIFEVEST 08 OVERHAUL |           |          |          |                           |           |           | Service ATA:25 |
|                                  | MOS/MSC              |           | DUE      |          |                           |           |           |                |
|                                  | HRS                  |           |          |          |                           |           |           |                |
|                                  | AFL                  |           |          |          |                           |           |           |                |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                           | Unit                                 | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |
|-----------------------------------|--------------------------------------|-----------|----------|----------|---------------------------|-----------|-----------|----------------|
| ATA 25 - EQUIPMENT/FURNISHINGS    |                                      |           |          |          |                           |           |           |                |
| 25-CARS-625-011-09 <sup>U S</sup> | LIFEVEST 09 OVERHAUL                 |           |          |          |                           |           |           | Service ATA:25 |
|                                   | MOS/MSC                              |           | DUE      |          |                           |           |           |                |
|                                   | HRS                                  |           |          |          |                           |           |           |                |
|                                   | AFL                                  |           |          |          |                           |           |           |                |
| 25-CARS-625-011-10 <sup>U S</sup> | LIFEVEST 10 OVERHAUL                 |           |          |          |                           |           |           | Service ATA:25 |
|                                   | MOS/MSC                              |           | DUE      |          |                           |           |           |                |
|                                   | HRS                                  |           |          |          |                           |           |           |                |
|                                   | AFL                                  |           |          |          |                           |           |           |                |
| 25-CARS-625-011-31 <sup>U</sup>   | LIFE RAFT 01 RECERTIFICATION         |           |          |          |                           |           |           | Service ATA:25 |
|                                   | MOS/MSC                              |           | A/R      |          |                           |           |           |                |
|                                   | HRS                                  |           |          |          |                           |           |           |                |
|                                   | AFL                                  |           |          |          |                           |           |           |                |
| 25-CARS-625-011-32 <sup>U S</sup> | LIFE RAFT 01 ELT BATTERY REPLACEMENT |           |          |          |                           |           |           | Service ATA:25 |
|                                   | MOS/MSC                              | 19-Dec-19 | DUE      |          | 01-Jul-25 (M)             |           | 588 d     |                |
|                                   | HRS                                  | 9105.8    |          |          |                           |           |           |                |
|                                   | AFL                                  | 4378      |          |          |                           |           |           |                |
| 25-CARS-625-011-33 <sup>U</sup>   | LIFE RAFT 01 CO2 CARTRIDGE HST       |           |          |          |                           |           |           | Service ATA:25 |
|                                   | MOS/MSC                              |           | N/R      |          |                           |           |           |                |
|                                   | HRS                                  |           |          |          |                           |           |           |                |
|                                   | AFL                                  |           |          |          |                           |           |           |                |
| 25-CARS-625-011-42 <sup>U S</sup> | LIFE RAFT 02 ELT BATTERY REPLACEMENT |           |          |          |                           |           |           | Service ATA:25 |
|                                   | MOS/MSC                              |           | DUE      |          |                           |           |           |                |
|                                   | HRS                                  |           |          |          |                           |           |           |                |
|                                   | AFL                                  |           |          |          |                           |           |           |                |
| 25-CARS-625-011-43 <sup>U</sup>   | LIFE RAFT 02 CO2 CARTRIDGE HST       |           |          |          |                           |           |           | Service ATA:25 |
|                                   | MOS/MSC                              |           | N/R      |          |                           |           |           |                |
|                                   | HRS                                  |           |          |          |                           |           |           |                |
|                                   | AFL                                  |           |          |          |                           |           |           |                |
| 25-CARS-625-011-61 <sup>U</sup>   | FIRST AID KIT 01 INSPECTION          |           |          |          |                           |           |           | Service ATA:25 |
|                                   | MOS                                  | 09-Nov-23 | 12       |          | 01-Dec-24 (M)             |           | 376 d     |                |
|                                   | HRS                                  | 9831.2    |          |          |                           |           |           |                |
|                                   | AFL                                  | 4640      |          |          |                           |           |           |                |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj.                 | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|----------|--------------------------|---------------------------|-----------|-----------|-------------|
| <b>ATA 25 - EQUIPMENT/FURNISHINGS</b>  |         |           |          |                          |                           |           |           |             |
| <b>25-CARS-625-011-62<sup>U</sup> FIRST AID KIT 02 INSPECTION</b> Service ATA:25   |         |           |          |                          |                           |           |           |             |
|  | MOS/MSC |           | N/R      |                          |                           |           |           |             |
|  | HRS     |           |          |                          |                           |           |           |             |
|  | AFL     |           |          |                          |                           |           |           |             |
| <b>25-CARS-625-011-70<sup>U</sup> SURVIVAL KIT INSPECTION</b> Service ATA:25   |         |           |          |                          |                           |           |           |             |
|  | MOS/MSC |           | N/R      |                          |                           |           |           |             |
|  | HRS     |           |          |                          |                           |           |           |             |
|  | AFL     |           |          |                          |                           |           |           |             |
| <b>25-CARS-625-011-71<sup>U</sup> SURVIVAL KIT OVERHAUL</b> Service ATA:25   |         |           |          |                          |                           |           |           |             |
|  | MOS/MSC |           | N/R      |                          |                           |           |           |             |
|  | HRS     |           |          |                          |                           |           |           |             |
|  | AFL     |           |          |                          |                           |           |           |             |
| <b>25-CARS-625-012-00<sup>U</sup> OPERATIONAL TEST OF THE EMERGENCY LOCATOR TRANSMITTER (ELT) SYSTEM IAW APP G OF STD 571</b> Service ATA:25 |         |           |          |                          |                           |           |           |             |
|  | MOS     | 03-Mar-23 | 12       |                          | 03-Mar-24                 |           | 103 d     | CARS        |
|  | HRS     | 9687.8    |          |                          |                           |           |           |             |
|  | AFL     | 4590      |          |                          |                           |           |           |             |
| <b>25-CARS-625-012-01<sup>U S</sup> ELT BATTERY REPLACEMENT</b> Service ATA:25   |         |           |          |                          |                           |           |           |             |
|  | MOS/MSC | 11-Apr-19 | DUE      |                          | 01-May-24 (M)             |           | 162 d     |             |
|  | HRS     | 8927.3    |          |                          |                           |           |           |             |
|  | AFL     | 4304      |          |                          |                           |           |           |             |
| <b>25-CARS-625-012-05<sup>U</sup> FUNCTIONAL TEST OF THE EMERGENCY LOCATOR TRANSMITTER (ELT) SYSTEM IAW APP G OF STD 571</b> Service ATA:25  |         |           |          |                          |                           |           |           |             |
|  | MOS     | 14-Mar-22 | 24       |                          | 14-Mar-24                 |           | 114 d     | CARS        |
|  | HRS     | 9407.3    |          |                          |                           |           |           |             |
|  | AFL     | 4499      |          |                          |                           |           |           |             |
| <b>251141 PILOT SEAT BELT</b> Component ATA:25   |         |           |          |                          |                           |           |           |             |
| PN:1101167-09  | MOS/MSC | 10-Nov-98 | O/C      | TSN 0                    |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 3475.8    |          | TSN 3475.8               |                           |           |           |             |
| WC#: 25.030  | AFL     | 1549      |          | TSN 0                    |                           |           |           |             |
|  |         |           |          | PROC. REF: AMM GENERIC 1 |                           |           |           |             |
| <b>251151 COPILOT SEAT BELT</b> Component ATA:25   |         |           |          |                          |                           |           |           |             |
| PN:1101168-18  | MOS/MSC | 10-Nov-98 | O/C      | TSN 0                    |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 3475.8    |          | TSN 0                    |                           |           |           |             |
| WC#: 25.030  | AFL     | 1549      |          | TSN 0                    |                           |           |           |             |
|  |         |           |          | PROC. REF: AMM GENERIC 1 |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                               | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining        | Disposition |               |
|---------------------------------------|---------|--|----------|----------|---------------------------|-----------|------------------|-------------|---------------|
| <b>ATA 25 - EQUIPMENT/FURNISHINGS</b> |         |  |          |          |                           |           |                  |             |               |
| <b>251161</b>                         |         | <b>PILOT HARNESS</b>                                 |          |          |                           |           | <b>Component</b> |             | <b>ATA:25</b> |
| PN:2825A3X03                          | MOS/MSC | 10-Nov-98  | O/C      | TSN 0    |                           |           |                  |             |               |
| SN:UNKNOWN                            | HRS     | 3475.8   |          | TSN 0    |                           |           |                  |             |               |
| WC#: 25.040                           | AFL     | 1549   |          | TSN 0    |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 1              |         |  |          |          |                           |           |                  |             |               |
| <b>251171</b>                         |         | <b>COPILOT HARNESS</b>                               |          |          |                           |           | <b>Component</b> |             | <b>ATA:25</b> |
| PN:2825A3X03                          | MOS/MSC | 10-Nov-98  | O/C      | TSN 0    |                           |           |                  |             |               |
| SN:UNKNOWN                            | HRS     | 3475.8   |          | TSN 0    |                           |           |                  |             |               |
| WC#: 25.040                           | AFL     | 1549   |          | TSN 0    |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 1              |         |  |          |          |                           |           |                  |             |               |
| <b>256391</b>                         |         | <b>LAVATORY BLOWER</b>                               |          |          |                           |           | <b>Component</b> |             | <b>ATA:25</b> |
| PN:EVT205D                            | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |                  |             |               |
| SN:UNKNOWN                            | HRS     | 0  |          | TSN 0    |                           |           |                  |             |               |
| WC#: 25.160                           | AFL     | 0  |          |          |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 1              |         |  |          |          |                           |           |                  |             |               |
| <b>256A54<sup>U</sup></b>             |         | <b>FIRST AID KIT</b>                                 |          |          |                           |           | <b>Component</b> |             | <b>ATA:25</b> |
| PN:50438A                             | MOS/MSC | 14-Nov-23  | O/C      |          |                           |           |                  |             |               |
| SN:UNKNOWN                            | HRS     | 9831.2   |          |          |                           |           |                  |             |               |
|                                       | AFL     | 4640   |          |          |                           |           |                  |             |               |
| <b>256A56<sup>U</sup></b>             |         | <b>INSPECT FIRST AID KIT</b>                         |          |          |                           |           | <b>Service</b>   |             | <b>ATA:25</b> |
| PN:50438A                             | MOS/MSC | 09-Nov-23  | -        |          |                           |           |                  |             |               |
| SN:UNKNOWN                            | HRS     |  |          |          |                           |           |                  |             |               |
|                                       | AFL     | 4640   |          |          |                           |           |                  |             |               |
| <b>256A65<sup>U</sup></b>             |         | <b>REPLACE NO. 2 LIFE RAFT ELT BATTERY</b>           |          |          |                           |           | <b>Service</b>   |             | <b>ATA:25</b> |
| PN:1015FAUL-6C0-1-100                 | MOS/MSC | 30-Jun-21  | DUE      |          | 01-Feb-27 (M)             |           | 1168 d           |             |               |
| SN:10UL-01804                         | HRS     | 9243.8   |          |          |                           |           |                  |             |               |
|                                       | AFL     | 4434   |          |          |                           |           |                  |             |               |
| <b>256A76<sup>U</sup></b>             |         | <b>RECERTIFY EMERGENCY LOCATOR (ELT) TRANSMITTER</b> |          |          |                           |           | <b>Service</b>   |             | <b>ATA:25</b> |
| PN:453-5000-316                       | MOS     | 03-Mar-23  | 12       |          | 03-Mar-24                 |           | 103 d            |             |               |
| SN:02103                              | HRS     | 9687.8   |          |          |                           |           |                  |             |               |
|                                       | AFL     | 4590   |          |          |                           |           |                  |             |               |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                               | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 25 - EQUIPMENT/FURNISHINGS</b> |   |           |          |          |                           |           |           |             |        |
| 256K11 <sup>U</sup>                   | FLARE GUN   |           |          |          |                           |           |           | Component   | ATA:25 |
| PN:PN                                 | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                            | HRS   | 0         |          |          |                           |           |           |             |        |
|                                       | AFL   | 0         |          |          |                           |           |           |             |        |
| S1-05-001R14 <sup>U</sup>             | PERFORM CABIN SAFETY AND EMERGENCY EQUIPMENT INSPECTION                         |           |          |          |                           |           |           | Service     | ATA:25 |
|                                       | MOS   | 31-May-23 | 6 (+30d) |          | 30-Nov-23                 | 30-Dec-23 | 9 d (+30) |             |        |
|                                       | HRS   | 9758.1    |          |          |                           |           |           |             |        |
|                                       | AFL   | 4611      |          |          |                           |           |           |             |        |
| <b>ATA 26 - FIRE PROTECTION</b>       |   |           |          |          |                           |           |           |             |        |
| 26-10-00-720-801-01                   | FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - ENGINE 1 FIRE DETECTOR (L2WG) |           |          |          |                           |           |           | Service     | ATA:26 |
| PN:36017090040013                     | MOS/MSC   | 09-Dec-11 | E/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                            | HRS   | 7461.3    | 7500     |          | 14961.3                   |           | 5130.1    |             |        |
| WC#: 26.020                           | AFL   | 3706      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 26-10-00-720-801       |   |           |          |          |                           |           |           |             |        |
| 26-10-00-720-801-02                   | FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - ENGINE 2 FIRE DETECTOR (M2WG) |           |          |          |                           |           |           | Service     | ATA:26 |
| PN:36018290040015                     | MOS/MSC   | 19-Jun-14 | E/C      |          |                           |           |           |             |        |
| SN:73126                              | HRS   | 8032      | 7500     |          | 15532                     |           | 5700.8    |             |        |
| WC#: 26.020                           | AFL   | 3965      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 26-10-00-720-801       |   |           |          |          |                           |           |           |             |        |
| 26-10-00-720-801-03                   | FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - ENGINE 3 FIRE DETECTOR (R2WG) |           |          |          |                           |           |           | Service     | ATA:26 |
| PN:36017090040013                     | MOS/MSC   | 20-Jun-12 | E/C      |          |                           |           |           |             |        |
| SN:71474                              | HRS   | 7663.6    | 7500     |          | 15163.6                   |           | 5332.4    |             |        |
| WC#: 26.030                           | AFL   | 3809      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 26-10-00-720-801       |   |           |          |          |                           |           |           |             |        |
| 26-10-00-720-801-04                   | FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - APU FIRE DETECTOR (9WG)       |           |          |          |                           |           |           | Service     | ATA:26 |
| PN:36018190040009                     | MOS/MSC   | 29-Apr-16 | C/C      |          |                           |           |           |             |        |
| SN:73103                              | HRS   | 8447.8    |          |          |                           |           |           |             |        |
| WC#: 26.040                           | AFL   | 4114      |          |          |                           |           |           |             |        |
|                                       | APH   | 4999.2    | 5000     |          | 9999.2                    |           | 4357.3    |             |        |
| PROC. REF: AMM 26-10-00-720-801       |   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|-------------|-------------|
| <b>ATA 26 - FIRE PROTECTION</b>  |         |           |          |          |                           |           |             |             |
| <b>26-10-00-720-801-05 FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - LH MLG BAY FIRE DETECTOR (L22WG) Service ATA:26</b>                                   |         |           |          |          |                           |           |             |             |
| PN:300119800270-3  | MOS     | 05-Mar-20 | 72 (+3%) |          | 05-Mar-26                 | 09-May-26 | 835 d (+65) |             |
| SN:63158   | HRS     | 9159.6    |          |          |                           |           |             |             |
| WC#: 26.050  | AFL     | 4396      |          |          |                           |           |             |             |
| PROC. REF: AMM 26-10-00-720-801  |         |           |          |          |                           |           |             |             |
| <b>26-10-00-720-801-06 FUNCTIONAL TEST OF THE PNEUMATIC FIRE DETECTORS - RH MLG BAY FIRE DETECTOR (R22WG) Service ATA:26</b>                                   |         |           |          |          |                           |           |             |             |
| PN:300119800270-3  | MOS     | 05-Mar-20 | 72 (+3%) |          | 05-Mar-26                 | 09-May-26 | 835 d (+65) |             |
| SN:65278   | HRS     | 9159.6    |          |          |                           |           |             |             |
| WC#: 26.050  | AFL     | 4396      |          |          |                           |           |             |             |
| PROC. REF: AMM 26-10-00-720-801  |         |           |          |          |                           |           |             |             |
| <b>26-10-17-720-801-01 FUNCTIONAL TEST OF THE PINPOINT FIRE DETECTORS - LH MLG BAY FIRE DETECTOR (L22WG) Service ATA:26</b>                                    |         |           |          |          |                           |           |             |             |
|  | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |             |             |
|  | HRS     | 0         |          |          |                           |           |             |             |
| WC#: 26.050  | AFL     | 0         |          |          |                           |           |             |             |
| PROC. REF: AMM 26-10-17-720-801  |         |           |          |          |                           |           |             |             |
| <b>26-10-17-720-801-02 FUNCTIONAL TEST OF THE PINPOINT FIRE DETECTORS - RH MLG BAY FIRE DETECTOR (R22WG) Service ATA:26</b>                                    |         |           |          |          |                           |           |             |             |
|  | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |             |             |
|  | HRS     | 0         |          |          |                           |           |             |             |
| WC#: 26.050  | AFL     | 0         |          |          |                           |           |             |             |
| PROC. REF: AMM 26-10-17-720-801  |         |           |          |          |                           |           |             |             |
| <b>26-10-17-900-801-01 REMOVAL / INSTALLATION OF THE MAIN LANDING GEAR BAY PINPOINT FIRE DETECTORS - LH MLG BAY FIRE DETECTOR (L22WG) Component ATA:26</b>     |         |           |          |          |                           |           |             |             |
| PN:300119800270-3  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |             |             |
| SN:63158   | HRS     | 0         |          | TSN 0    |                           |           |             |             |
| WC#: 26.050  | AFL     | 0         |          |          |                           |           |             |             |
| PROC. REF: AMM 26-10-17-900-801  |         |           |          |          |                           |           |             |             |
| <b>26-10-17-900-801-02 REMOVAL / INSTALLATION OF THE MAIN LANDING GEAR BAY PINPOINT FIRE DETECTORS - RH MLG BAY FIRE DETECTOR (R22WG) Component ATA:26</b>     |         |           |          |          |                           |           |             |             |
| PN:300119800270-3  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |             |             |
| SN:65278   | HRS     | 0         |          | TSN 0    |                           |           |             |             |
| WC#: 26.050  | AFL     | 0         |          |          |                           |           |             |             |
| PROC. REF: AMM 26-10-17-900-801  |         |           |          |          |                           |           |             |             |
| <b>26-10-19-900-801-01 REMOVAL / INSTALLATION OF THE ENGINE, APU AND MAIN LANDING GEAR BAY FIRE DETECTORS - ENGINE 1 FIRE DETECTOR (L2WG) Component ATA:26</b> |         |           |          |          |                           |           |             |             |
| PN:36017090040013  | MOS/MSC | 10-Nov-98 | O/C      |          |                           |           |             |             |
| SN:UNKNOWN   | HRS     | 3475      |          |          |                           |           |             |             |
| WC#: 26.020  | AFL     | 1549      |          |          |                           |           |             |             |
| PROC. REF: AMM 26-10-19-900-801  |         |           |          |          |                           |           |             |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 26 - FIRE PROTECTION</b>  |         |           |          |          |                           |           |           |             |
| <b>26-10-19-900-801-02 REMOVAL / INSTALLATION OF THE ENGINE, APU AND MAIN LANDING GEAR BAY FIRE DETECTORS - ENGINE 2 FIRE DETECTOR (M2WG) Component ATA:26</b> |         |           |          |          |                           |           |           |             |
| PN:36018290040015  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:73126   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 26.020  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 26-10-19-900-801  |         |           |          |          |                           |           |           |             |
| <b>26-10-19-900-801-03 REMOVAL / INSTALLATION OF THE ENGINE, APU AND MAIN LANDING GEAR BAY FIRE DETECTORS - ENGINE 3 FIRE DETECTOR (R2WG) Component ATA:26</b> |         |           |          |          |                           |           |           |             |
| PN:36017090040013  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:71474   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 26.030  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 26-10-19-900-801  |         |           |          |          |                           |           |           |             |
| <b>26-10-19-900-801-04 REMOVAL / INSTALLATION OF THE ENGINE, APU AND MAIN LANDING GEAR BAY FIRE DETECTORS - APU FIRE DETECTOR (9WG) Component ATA:26</b>       |         |           |          |          |                           |           |           |             |
| PN:36018190040009  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:73103   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 26.040  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 26-10-19-900-801  |         |           |          |          |                           |           |           |             |
| <b>26-20-00-760-801-01 INSULATION TEST OF EXTINGUISHER PERCUSSION CIRCUITS - CIRCUITS OF PERCUSSION CARTRIDGES (L3WB) AND (L4WB) Service ATA:26</b>            |         |           |          |          |                           |           |           |             |
|  | MOS/MSC | 14-Dec-16 | O/C      |          |                           |           |           |             |
|  | HRS     | 8526      |          |          |                           |           |           |             |
| WC#: 26.080  | AFL     | 4151      |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-00-760-801  |         |           |          |          |                           |           |           |             |
| <b>26-20-00-760-801-02 INSULATION TEST OF EXTINGUISHER PERCUSSION CIRCUITS - CIRCUITS OF PERCUSSION CARTRIDGES (R5WB) AND (R6WB) Service ATA:26</b>            |         |           |          |          |                           |           |           |             |
|  | MOS/MSC | 14-Dec-16 | O/C      |          |                           |           |           |             |
|  | HRS     | 8526      |          |          |                           |           |           |             |
| WC#: 26.090  | AFL     | 4151      |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-00-760-801  |         |           |          |          |                           |           |           |             |
| <b>26-20-00-760-801-03 INSULATION TEST OF EXTINGUISHER PERCUSSION CIRCUITS - CIRCUITS OF PERCUSSION CARTRIDGES (L5WB) AND (L6WB) Service ATA:26</b>            |         |           |          |          |                           |           |           |             |
|  | MOS/MSC | 14-Dec-16 | O/C      |          |                           |           |           |             |
|  | HRS     | 8526      |          |          |                           |           |           |             |
| WC#: 26.100  | AFL     | 4151      |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-00-760-801  |         |           |          |          |                           |           |           |             |
| <b>26-20-00-760-801-04 INSULATION TEST OF EXTINGUISHER PERCUSSION CIRCUITS - CIRCUITS OF PERCUSSION CARTRIDGES (R3WB) AND (R4WB) Service ATA:26</b>            |         |           |          |          |                           |           |           |             |
|  | MOS/MSC | 19-Jun-14 | O/C      |          |                           |           |           |             |
|  | HRS     | 8032      |          |          |                           |           |           |             |
| WC#: 26.110  | AFL     | 3965      |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-00-760-801  |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 26 - FIRE PROTECTION         |   |           |          |          |                           |           |           |             |        |
| 26-20-00-760-801-05              | INSULATION TEST OF EXTINGUISHER PERCUSSION CIRCUITS - CIRCUITS OF PERCUSSION CARTRIDGES (9WB) AND (27WB)              |           |          |          |                           |           |           | Service     | ATA:26 |
|                                  | MOS/MSC   | 19-Jun-14 | O/C      |          |                           |           |           |             |        |
|                                  | HRS   | 8032      |          |          |                           |           |           |             |        |
| WC#: 26.120                      | AFL   | 3965      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 26-20-00-760-801  |   |           |          |          |                           |           |           |             |        |
| 26-20-01-760-801-01 <sup>S</sup> | CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - ENGINE 1 "DISCH" SWITCH (2WB9) (POSITION "1")  |           |          |          |                           |           |           | Service     | ATA:26 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |             |        |
|                                  | AFL   | 4405      | 3750     |          |                           |           |           |             |        |
| PROC. REF: AMM 26-20-01-760-801  |   |           |          |          |                           |           |           |             |        |
| PKG:31                           |   |           |          |          |                           |           |           |             |        |
| 26-20-01-760-801-02 <sup>S</sup> | CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - ENGINE 1 "DISCH" SWITCH (2WB9) (POSITION "2")  |           |          |          |                           |           |           | Service     | ATA:26 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |             |        |
|                                  | AFL   | 4405      | 3750     |          |                           |           |           |             |        |
| PROC. REF: AMM 26-20-01-760-801  |   |           |          |          |                           |           |           |             |        |
| PKG:31                           |   |           |          |          |                           |           |           |             |        |
| 26-20-01-760-801-03 <sup>S</sup> | CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - ENGINE 2 "DISCH" SWITCH (2WB14) (POSITION "1") |           |          |          |                           |           |           | Service     | ATA:26 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |             |        |
|                                  | AFL   | 4405      | 3750     |          |                           |           |           |             |        |
| PROC. REF: AMM 26-20-01-760-801  |   |           |          |          |                           |           |           |             |        |
| PKG:31                           |   |           |          |          |                           |           |           |             |        |
| 26-20-01-760-801-04 <sup>S</sup> | CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - ENGINE 2 "DISCH" SWITCH (2WB14) (POSITION "2") |           |          |          |                           |           |           | Service     | ATA:26 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |             |        |
|                                  | AFL   | 4405      | 3750     |          |                           |           |           |             |        |
| PROC. REF: AMM 26-20-01-760-801  |   |           |          |          |                           |           |           |             |        |
| PKG:31                           |   |           |          |          |                           |           |           |             |        |
| 26-20-01-760-801-05 <sup>S</sup> | CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - ENGINE 3 "DISCH" SWITCH (2WB19) (POSITION "1") |           |          |          |                           |           |           | Service     | ATA:26 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |             |        |
|                                  | AFL   | 4405      | 3750     |          |                           |           |           |             |        |
| PROC. REF: AMM 26-20-01-760-801  |   |           |          |          |                           |           |           |             |        |
| PKG:31                           |   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |        |
|----------------------------------|---|-----------|----------|----------|---------------------------|-----------|-------------|-------------|--------|
| <b>ATA 26 - FIRE PROTECTION</b>  |   |           |          |          |                           |           |             |             |        |
| 26-20-01-760-801-06 <sup>S</sup> | CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - ENGINE 3 "DISCH" SWITCH (2WB19) (POSITION "2") |           |          |          |                           |           |             | Service     | ATA:26 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |             |             |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |             |             |        |
|                                  | AFL   | 4405      | 3750     |          |                           |           |             |             |        |
|                                  | PROC. REF: AMM 26-20-01-760-801   |           |          |          |                           |           |             | PKG:31      |        |
| 26-20-01-760-801-07 <sup>S</sup> | CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - "FIRE APU" SWITCH (2WB3)                       |           |          |          |                           |           |             | Service     | ATA:26 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |             |             |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |             |             |        |
| WC#: 26.180                      | AFL   | 4405      | 3750     |          |                           |           |             |             |        |
|                                  | PROC. REF: AMM 26-20-01-760-801   |           |          |          |                           |           |             | PKG:31      |        |
| 26-20-01-760-801-08 <sup>S</sup> | CHECK OF THE CORRECT OPERATION OF FIRE EXTINGUISHER CONTROL SWITCHES - "FIRE BAG COMP" SWITCH (2WB1)                  |           |          |          |                           |           |             | Service     | ATA:26 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |             |             |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |             |             |        |
| WC#: 26.180                      | AFL   | 4405      | 3750     |          |                           |           |             |             |        |
|                                  | PROC. REF: AMM 26-20-01-760-801   |           |          |          |                           |           |             | PKG:31      |        |
| 26-20-01-900-801-01              | REMOVAL / INSTALLATION OF THE FIRE CONTROL PANEL - FIRE CONTROL PANEL (2WB)   |           |          |          |                           |           |             | Component   | ATA:26 |
| PN:90350-1                       | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |             |             |        |
| SN:183                           | HRS   | 0         |          | TSN 0    |                           |           |             |             |        |
| WC#: 26.010                      | AFL   | 0         |          |          |                           |           |             |             |        |
|                                  | PROC. REF: AMM 26-20-01-900-801   |           |          |          |                           |           |             |             |        |
| 26-20-09-220-801-01              | WEIGHING OF THE FIRE EXTINGUISHERS - APU, BAGGAGE COMPARTMENT FIRE EXTINGUISHER (22WB)                                |           |          |          |                           |           |             | Service     | ATA:26 |
| PN:861630                        | MOS   | 14-Jul-23 | 12 (+1m) |          | 14-Jul-24                 | 14-Aug-24 | 236 d (+31) |             |        |
| SN:52018                         | HRS   |           |          |          |                           |           |             |             |        |
| WC#: 26.120                      | AFL   |           |          |          |                           |           |             |             |        |
|                                  | PROC. REF: AMM 26-20-09-220-801   |           |          |          |                           |           |             |             |        |
| 26-20-09-220-801-02              | WEIGHING OF THE FIRE EXTINGUISHERS - ENGINE 1 FIRST-SHOOT, ENGINE 2 SECOND-SHOOT FIRE EXTINGUISHER (3WB1)             |           |          |          |                           |           |             | Service     | ATA:26 |
| PN:861630                        | MOS   | 31-Oct-23 | 12 (+1m) |          | 31-Oct-24                 | 30-Nov-24 | 345 d (+30) |             |        |
| SN:24708                         | HRS   |           |          |          |                           |           |             |             |        |
| WC#: 26.080                      | AFL   |           |          |          |                           |           |             |             |        |
|                                  | PROC. REF: AMM 26-20-09-220-801   |           |          |          |                           |           |             |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |
|--|------|-----------|----------|----------|---------------------------|-----------|-------------|-------------|
| <b>ATA 26 - FIRE PROTECTION</b>  |      |           |          |          |                           |           |             |             |
| <b>26-20-09-220-801-03 WEIGHING OF THE FIRE EXTINGUISHERS - ENGINE 2 FIRST-SHOOT, ENGINE 1 SECOND-SHOOT FIRE EXTINGUISHER (L3WB2) Service ATA:26</b>   |      |           |          |          |                           |           |             |             |
| PN:861630  | MOS  | 31-Oct-23 | 12 (+1m) |          | 31-Oct-24                 | 30-Nov-24 | 345 d (+30) |             |
| SN:22914   | HRS  |           |          |          |                           |           |             |             |
| WC#: 26.100  | AFL  |           |          |          |                           |           |             |             |
| PROC. REF: AMM 26-20-09-220-801  |      |           |          |          |                           |           |             |             |
| <b>26-20-09-220-801-04 WEIGHING OF THE FIRE EXTINGUISHERS - ENGINE 3 FIRST-SHOOT, ENGINE 2 SECOND-SHOOT FIRE EXTINGUISHER (3WB3) Service ATA:26</b>  |      |           |          |          |                           |           |             |             |
| PN:861630  | MOS  | 14-Jul-23 | 12 (+1m) |          | 14-Jul-24                 | 14-Aug-24 | 236 d (+31) |             |
| SN:25031   | HRS  |           |          |          |                           |           |             |             |
| WC#: 26.110  | AFL  |           |          |          |                           |           |             |             |
| PROC. REF: AMM 26-20-09-220-801  |      |           |          |          |                           |           |             |             |
| <b>26-20-09-220-801-05 WEIGHING OF THE FIRE EXTINGUISHERS - ENGINE 2 FIRST-SHOOT, ENGINE 3 SECOND-SHOOT FIRE EXTINGUISHER (R3WB2) Service ATA:26</b>   |      |           |          |          |                           |           |             |             |
| PN:861630  | MOS  | 31-Oct-23 | 12 (+1m) |          | 31-Oct-24                 | 30-Nov-24 | 345 d (+30) |             |
| SN:55569   | HRS  |           |          |          |                           |           |             |             |
| WC#: 26.090  | AFL  |           |          |          |                           |           |             |             |
| PROC. REF: AMM 26-20-09-220-801  |      |           |          |          |                           |           |             |             |
| <b>26-20-09-350-801-01 RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND PRESSURE GAGE CALIBRATION) - APU, BAGGAGE COMPARTMENT FIRE EXTINGUISHER (22WB) Service ATA:26</b>                     |      |           |          |          |                           |           |             |             |
| PN:861630  | MOS  | 19-Mar-19 | 60       |          | 19-Mar-24                 |           | 119 d       | MANDATORY   |
| SN:52018   | HRS  |           |          |          |                           |           |             |             |
| WC#: 26.120  | AFL  |           |          |          |                           |           |             |             |
| PROC. REF: AMM 26-20-09-350-801  |      |           |          |          |                           |           |             |             |
| <b>26-20-09-350-801-02 RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND PRESSURE GAGE CALIBRATION) - ENGINE 1 FIRST-SHOOT, ENGINE 2 SECOND-SHOOT FIRE EXTINGUISHER (3WB1) Service ATA:26</b>  |      |           |          |          |                           |           |             |             |
| PN:861630  | MOS  | 19-Nov-21 | 60       |          | 19-Nov-26                 |           | 1094 d      | MANDATORY   |
| SN:24708   | HRS  |           |          |          |                           |           |             |             |
| WC#: 26.080  | AFL  |           |          |          |                           |           |             |             |
| PROC. REF: AMM 26-20-09-350-801  |      |           |          |          |                           |           |             |             |
| <b>26-20-09-350-801-03 RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND PRESSURE GAGE CALIBRATION) - ENGINE 2 FIRST-SHOOT, ENGINE 1 SECOND-SHOOT FIRE EXTINGUISHER (L3WB2) Service ATA:26</b> |      |           |          |          |                           |           |             |             |
| PN:861630  | MOS  | 24-Nov-21 | 60       |          | 24-Nov-26                 |           | 1099 d      | MANDATORY   |
| SN:22914   | HRS  |           |          |          |                           |           |             |             |
| WC#: 26.100  | AFL  |           |          |          |                           |           |             |             |
| PROC. REF: AMM 26-20-09-350-801  |      |           |          |          |                           |           |             |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 26 - FIRE PROTECTION</b> |  |           |          |          |                           |           |           |             |        |
| 26-20-09-350-801-04             | RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND PRESSURE GAGE CALIBRATION) - ENGINE 3 FIRST-SHOOT, ENGINE 2 SECOND-SHOOT FIRE EXTINGUISHER (3WB3)  |           |          |          |                           |           |           | Service     | ATA:26 |
| PN:861630                       | MOS  | 19-Mar-19 | 60       |          | 19-Mar-24                 |           | 119 d     | MANDATORY   |        |
| SN:25031                        | HRS  |           |          |          |                           |           |           |             |        |
| WC#: 26.110                     | AFL  |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 26-20-09-350-801 |  |           |          |          |                           |           |           |             |        |
| 26-20-09-350-801-05             | RESTORATION OF THE FIRE EXTINGUISHERS (HYDROSTATIC TEST AND PRESSURE GAGE CALIBRATION) - ENGINE 2 FIRST-SHOOT, ENGINE 3 SECOND-SHOOT FIRE EXTINGUISHER (R3WB2) |           |          |          |                           |           |           | Service     | ATA:26 |
| PN:861630                       | MOS  | 19-Nov-21 | 60       |          | 19-Nov-26                 |           | 1094 d    | MANDATORY   |        |
| SN:55569                        | HRS  |           |          |          |                           |           |           |             |        |
| WC#: 26.090                     | AFL  |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 26-20-09-350-801 |  |           |          |          |                           |           |           |             |        |
| 26-20-09-900-801-01             | REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHERS - APU, BAGGAGE COMPARTMENT FIRE EXTINGUISHER (22WB)   |           |          |          |                           |           |           | Component   | ATA:26 |
| PN:861630                       | MOS/MSC  | 20-Jul-22 | H/T      |          | TSN 386, TSO 40           |           |           |             |        |
| SN:52018                        | HRS  | 9524.5    |          |          | TSO 611.7                 |           |           |             |        |
| WC#: 26.120                     | AFL  | 4542      |          |          | TSO 243                   |           |           |             |        |
| PROC. REF: AMM 26-20-09-900-801 |  |           |          |          |                           |           |           |             |        |
| 26-20-09-900-801-02             | REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHERS - ENGINE 1 FIRST-SHOOT, ENGINE 2 SECOND-SHOOT FIRE EXTINGUISHER (3WB1)  |           |          |          |                           |           |           | Component   | ATA:26 |
| PN:861630                       | MOS/MSC  | 25-Nov-21 | H/T      |          | TSN 414, TSO 0            |           |           |             |        |
| SN:24708                        | HRS  | 9319.8    |          |          | TSN 9319.8, TSO 0         |           |           |             |        |
| WC#: 26.080                     | AFL  | 4467      |          |          | TSN 4467, TSO 0           |           |           |             |        |
| PROC. REF: AMM 26-20-09-900-801 |  |           |          |          |                           |           |           |             |        |
| 26-20-09-900-801-03             | REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHERS - ENGINE 2 FIRST-SHOOT, ENGINE 1 SECOND-SHOOT FIRE EXTINGUISHER (L3WB2)                                       |           |          |          |                           |           |           | Component   | ATA:26 |
| PN:861630                       | MOS/MSC  | 25-Nov-21 | H/T      |          | TSN 427, TSO 0            |           |           |             |        |
| SN:22914                        | HRS  | 9319.8    |          |          | TSN 9319.8, TSO 0         |           |           |             |        |
| WC#: 26.100                     | AFL  | 4467      |          |          | TSN 4467, TSO 0           |           |           |             |        |
| PROC. REF: AMM 26-20-09-900-801 |  |           |          |          |                           |           |           |             |        |
| 26-20-09-900-801-04             | REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHERS - ENGINE 3 FIRST-SHOOT, ENGINE 2 SECOND-SHOOT FIRE EXTINGUISHER (3WB3)  |           |          |          |                           |           |           | Component   | ATA:26 |
| PN:861630                       | MOS/MSC  | 20-Jul-22 | H/T      |          | TSN 416, TSO 40           |           |           |             |        |
| SN:25031                        | HRS  | 9524.5    |          |          | TSO 611.7                 |           |           |             |        |
| WC#: 26.110                     | AFL  | 4542      |          |          | TSO 243                   |           |           |             |        |
| PROC. REF: AMM 26-20-09-900-801 |  |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval | TSX/Adj.          | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|----------------------------------|--|-----------|----------|-------------------|---------------------------|-----------|-----------|-------------|
| ATA 26 - FIRE PROTECTION         |  |           |          |                   |                           |           |           |             |
| 26-20-09-900-801-05              | REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHERS - ENGINE 2 FIRST-SHOOT, ENGINE 3 SECOND-SHOOT FIRE EXTINGUISHER (R3WB2) |           |          |                   |                           |           | Component | ATA:26      |
| PN:861630                        | MOS/MSC  | 25-Nov-21 | H/T      | TSN 313, TSO 0    |                           |           |           |             |
| SN:55569                         | HRS  | 9319.8    |          | TSN 9319.8, TSO 0 |                           |           |           |             |
| WC#: 26.090                      | AFL  | 4467      |          | TSN 4467, TSO 0   |                           |           |           |             |
| PROC. REF: AMM 26-20-09-900-801  |  |           |          |                   |                           |           |           |             |
| 26-20-11-700-801-01              | CHECKING OF THE APU, BAGGAGE COMPARTMENT FIRE EXTINGUISHER FOR CLOGGING  |           |          |                   |                           |           | Service   | ATA:26      |
|                                  | MOS/MSC  | 19-Jun-14 | O/C      |                   |                           |           |           |             |
|                                  | HRS  | 8032      |          |                   |                           |           |           |             |
|                                  | AFL  | 3965      |          |                   |                           |           |           |             |
| PROC. REF: AMM 26-20-11-700-801  |  |           |          |                   |                           |           |           |             |
| 26-20-11-700-801-02              | CHECKING OF THE NO. 1 ENGINE FIRST-SHOOT, NO. 2 ENGINE SECOND-SHOOT FIRE EXTINGUISHER LINES FOR CLOGGING                 |           |          |                   |                           |           | Service   | ATA:26      |
|                                  | MOS/MSC  | 19-Jun-14 | O/C      |                   |                           |           |           |             |
|                                  | HRS  | 8032      |          |                   |                           |           |           |             |
|                                  | AFL  | 3965      |          |                   |                           |           |           |             |
| PROC. REF: AMM 26-20-11-700-801  |  |           |          |                   |                           |           |           |             |
| 26-20-11-700-801-03              | CHECKING OF THE NO. 2 ENGINE FIRST-SHOOT, NO. 1 ENGINE SECOND-SHOOT FIRE EXTINGUISHER LINES FOR CLOGGING                 |           |          |                   |                           |           | Service   | ATA:26      |
|                                  | MOS/MSC  | 19-Jun-14 | O/C      |                   |                           |           |           |             |
|                                  | HRS  | 8032      |          |                   |                           |           |           |             |
|                                  | AFL  | 3965      |          |                   |                           |           |           |             |
| PROC. REF: AMM 26-20-11-700-801  |  |           |          |                   |                           |           |           |             |
| 26-20-11-700-801-04              | CHECKING OF THE NO. 3 ENGINE FIRST-SHOOT, NO. 2 ENGINE SECOND-SHOOT FIRE EXTINGUISHER LINES FOR CLOGGING                 |           |          |                   |                           |           | Service   | ATA:26      |
|                                  | MOS/MSC  | 19-Jun-14 | O/C      |                   |                           |           |           |             |
|                                  | HRS  | 8032      |          |                   |                           |           |           |             |
|                                  | AFL  | 3965      |          |                   |                           |           |           |             |
| PROC. REF: AMM 26-20-11-700-801  |  |           |          |                   |                           |           |           |             |
| 26-20-11-700-801-05              | CHECKING OF THE NO. 2 ENGINE FIRST-SHOOT, NO. 3 ENGINE SECOND-SHOOT FIRE EXTINGUISHER LINES FOR CLOGGING                 |           |          |                   |                           |           | Service   | ATA:26      |
|                                  | MOS/MSC  | 19-Jun-14 | O/C      |                   |                           |           |           |             |
|                                  | HRS  | 8032      |          |                   |                           |           |           |             |
|                                  | AFL  | 3965      |          |                   |                           |           |           |             |
| PROC. REF: AMM 26-20-11-700-801  |  |           |          |                   |                           |           |           |             |
| 26-20-11-700-801-07 <sup>S</sup> | CHECKING EXTINGUISHING LINES FOR CLOGGING - EXTINGUISHING LINE A   |           |          |                   |                           |           | Service   | ATA:26      |
|                                  | MOS  | 12-Nov-20 | 72       |                   |                           |           |           |             |
|                                  | HRS  | 9182.3    |          |                   |                           |           |           |             |
|                                  | AFL  | 4405      | 3750     |                   |                           |           |           |             |
| PROC. REF: AMM 26-20-11-700-801  |  |           |          |                   |                           |           |           |             |

PKG:31

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C       | Max Limit | Remaining | Disposition      |
|--|---------|-----------|----------|----------|---------------------------------|-----------|-----------|------------------|
| <b>ATA 26 - FIRE PROTECTION</b>  |         |           |          |          |                                 |           |           |                  |
| <b>26-20-11-700-801-08<sup>S</sup> CHECKING EXTINGUISHING LINES FOR CLOGGING - EXTINGUISHING LINE B</b>          |         |           |          |          |                                 |           |           |                  |
|  | MOS     | 12-Nov-20 | 72       |          |                                 |           |           | Service ATA:26   |
|  | HRS     | 9182.3    |          |          |                                 |           |           |                  |
|  | AFL     | 4405      | 3750     |          |                                 |           |           |                  |
|  |         |           |          |          | PROC. REF: AMM 26-20-11-700-801 |           |           | PKG:31           |
| <b>26-20-11-700-801-09<sup>S</sup> CHECKING EXTINGUISHING LINES FOR CLOGGING - EXTINGUISHING LINE C</b>          |         |           |          |          |                                 |           |           |                  |
|  | MOS     | 12-Nov-20 | 72       |          |                                 |           |           | Service ATA:26   |
|  | HRS     | 9182.3    |          |          |                                 |           |           |                  |
|  | AFL     | 4405      | 3750     |          |                                 |           |           |                  |
|  |         |           |          |          | PROC. REF: AMM 26-20-11-700-801 |           |           | PKG:31           |
| <b>26-20-11-700-801-10<sup>S</sup> CHECKING EXTINGUISHING LINES FOR CLOGGING - EXTINGUISHING LINE D</b>          |         |           |          |          |                                 |           |           |                  |
|  | MOS     | 12-Nov-20 | 72       |          |                                 |           |           | Service ATA:26   |
|  | HRS     | 9182.3    |          |          |                                 |           |           |                  |
|  | AFL     | 4405      | 3750     |          |                                 |           |           |                  |
|  |         |           |          |          | PROC. REF: AMM 26-20-11-700-801 |           |           | PKG:31           |
| <b>26-20-11-700-801-11<sup>S</sup> CHECKING EXTINGUISHING LINES FOR CLOGGING - EXTINGUISHING LINE E</b>          |         |           |          |          |                                 |           |           |                  |
|  | MOS     | 12-Nov-20 | 72       |          |                                 |           |           | Service ATA:26   |
|  | HRS     | 9182.3    |          |          |                                 |           |           |                  |
|  | AFL     | 4405      | 3750     |          |                                 |           |           |                  |
|  |         |           |          |          | PROC. REF: AMM 26-20-11-700-801 |           |           | PKG:31           |
| <b>26-20-11-700-801-12<sup>S</sup> CHECKING EXTINGUISHING LINES FOR CLOGGING - EXTINGUISHING LINE F</b>          |         |           |          |          |                                 |           |           |                  |
|  | MOS     | 12-Nov-20 | 72       |          |                                 |           |           | Service ATA:26   |
|  | HRS     | 9182.3    |          |          |                                 |           |           |                  |
|  | AFL     | 4405      | 3750     |          |                                 |           |           |                  |
|  |         |           |          |          | PROC. REF: AMM 26-20-11-700-801 |           |           | PKG:31           |
| <b>26-20-12-900-801-01 REMOVAL / INSTALLATION OF THE ENGINE SHUTTLE VALVES - ENGINE 1 SHUTTLE VALVE (L509WB)</b> |         |           |          |          |                                 |           |           |                  |
| PN:861585  | MOS/MSC | 23-Oct-89 | H/T      |          |                                 |           |           | Component ATA:26 |
| SN:248   | HRS     | 0         |          | TSN 0    |                                 |           |           |                  |
| WC#: 26.200  | AFL     | 0         |          |          |                                 |           |           |                  |
|  |         |           |          |          | PROC. REF: AMM 26-20-12-900-801 |           |           |                  |
| <b>26-20-12-900-801-02 REMOVAL / INSTALLATION OF THE ENGINE SHUTTLE VALVES - ENGINE 3 SHUTTLE VALVE (R509WB)</b> |         |           |          |          |                                 |           |           |                  |
| PN:861585  | MOS/MSC | 13-May-96 | H/T      | TSN 0    |                                 |           |           | Component ATA:26 |
| SN:107   | HRS     | 2505      |          | TSN 0    |                                 |           |           |                  |
| WC#: 26.200  | AFL     | 1209      |          | TSN 0    |                                 |           |           |                  |
|  |         |           |          |          | PROC. REF: AMM 26-20-12-900-801 |           |           |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|---------------------------------|---------|--|----------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 26 - FIRE PROTECTION</b> |         |  |          |          |                           |           |           |             |  |
| 26-20-12-900-801-03             |         | REMOVAL / INSTALLATION OF THE ENGINE SHUTTLE VALVES - ENGINE 2 LH SHUTTLE VALVE (M509WB1)                                |          |          |                           |           | Component | ATA:26      |  |
| PN:861585                       | MOS/MSC | 23-Oct-89  | H/T      |          |                           |           |           |             |  |
| SN:328                          | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 26.210                     | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 26-20-12-900-801 |         |  |          |          |                           |           |           |             |  |
| 26-20-12-900-801-04             |         | REMOVAL / INSTALLATION OF THE ENGINE SHUTTLE VALVES - ENGINE 2 RH SHUTTLE VALVE (M509WB2)                                |          |          |                           |           | Component | ATA:26      |  |
| PN:861585                       | MOS/MSC | 23-Oct-89  | H/T      |          |                           |           |           |             |  |
| SN:344                          | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 26.210                     | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 26-20-12-900-801 |         |  |          |          |                           |           |           |             |  |
| 26-20-12-960-801-01             |         | DISCARD OF THE ENGINE SHUTTLE VALVES - ENGINE 1 SHUTTLE VALVE (L509WB)   |          |          |                           |           | Service   | ATA:26      |  |
| PN:861585                       | MOS/MSC | 23-Oct-89  | A/R      |          |                           |           | SCRAP     |             |  |
| SN:248                          | HRS     | 0  |          | TAC 0    |                           |           |           |             |  |
|                                 | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 26-20-12-960-801 |         |  |          |          |                           |           |           |             |  |
| 26-20-12-960-801-02             |         | DISCARD OF THE ENGINE SHUTTLE VALVES - ENGINE 3 SHUTTLE VALVE (R509WB)   |          |          |                           |           | Service   | ATA:26      |  |
| PN:861585                       | MOS/MSC | 13-May-96  | A/R      |          | TAC 0                     |           | SCRAP     |             |  |
| SN:107                          | HRS     | 2505   |          |          | TAC 0                     |           |           |             |  |
|                                 | AFL     | 1209   |          |          | TAC 0                     |           |           |             |  |
| PROC. REF: AMM 26-20-12-960-801 |         |  |          |          |                           |           |           |             |  |
| 26-20-12-960-801-03             |         | DISCARD OF THE ENGINE SHUTTLE VALVES - ENGINE 2 LH SHUTTLE VALVE (M509WB1)   |          |          |                           |           | Service   | ATA:26      |  |
| PN:861585                       | MOS/MSC | 23-Oct-89  | A/R      |          |                           |           | SCRAP     |             |  |
| SN:328                          | HRS     | 0  |          | TAC 0    |                           |           |           |             |  |
|                                 | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 26-20-12-960-801 |         |  |          |          |                           |           |           |             |  |
| 26-20-12-960-801-04             |         | DISCARD OF THE ENGINE SHUTTLE VALVES - ENGINE 2 RH SHUTTLE VALVE (M509WB2)   |          |          |                           |           | Service   | ATA:26      |  |
| PN:861585                       | MOS/MSC | 23-Oct-89  | A/R      |          |                           |           | SCRAP     |             |  |
| SN:344                          | HRS     | 0  |          | TAC 0    |                           |           |           |             |  |
|                                 | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 26-20-12-960-801 |         |  |          |          |                           |           |           |             |  |
| 26-20-13-900-801-01             |         | REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 1 FIRST-SHOOT PERCUSSION CARTRIDGE (L3WB) |          |          |                           |           | Component | ATA:26      |  |
| PN:861385                       | MOS/MSC | 12-Nov-20  | H/T      |          | TSN 17                    |           |           |             |  |
| SN:UNKNOWN                      | HRS     | 9182.3   |          |          | TSN 0                     |           |           |             |  |
|                                 | AFL     | 4405   |          |          | TSN 0                     |           |           |             |  |
| PROC. REF: AMM 26-20-13-900-801 |         |  |          |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|---------------------------------|---------|--|----------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 26 - FIRE PROTECTION</b> |         |  |          |          |                           |           |           |             |  |
| 26-20-13-900-801-02             |         | REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 3 FIRST-SHOOT PERCUSSION CARTRIDGE (R3WB)     |          |          |                           |           | Component | ATA:26      |  |
| PN:861375                       | MOS/MSC | 22-Mar-19  | H/T      | TSN 0    |                           |           |           |             |  |
| SN:331018                       | HRS     | 8912.8   |          | TSN 0    |                           |           |           |             |  |
|                                 | AFL     | 4299   |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 26-20-13-900-801 |         |  |          |          |                           |           |           |             |  |
| 26-20-13-900-801-03             |         | REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 2 SECOND-SHOOT LH PERCUSSION CARTRIDGE (L4WB) |          |          |                           |           | Component | ATA:26      |  |
| PN:861375                       | MOS/MSC | 12-Nov-20  | H/T      | TSN 0    |                           |           |           |             |  |
| SN:UNKNOWN                      | HRS     | 9182.3   |          | TSN 0    |                           |           |           |             |  |
|                                 | AFL     | 4405   |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 26-20-13-900-801 |         |  |          |          |                           |           |           |             |  |
| 26-20-13-900-801-04             |         | REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 2 SECOND-SHOOT RH PERCUSSION CARTRIDGE (R4WB) |          |          |                           |           | Component | ATA:26      |  |
| PN:861385                       | MOS/MSC | 22-Mar-19  | H/T      | TSN 0    |                           |           |           |             |  |
| SN:321118                       | HRS     | 8912.8   |          | TSN 0    |                           |           |           |             |  |
|                                 | AFL     | 4299   |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 26-20-13-900-801 |         |  |          |          |                           |           |           |             |  |
| 26-20-13-900-801-05             |         | REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 1 SECOND-SHOOT PERCUSSION CARTRIDGE (L5WB)    |          |          |                           |           | Component | ATA:26      |  |
| PN:861385                       | MOS/MSC | 04-Jun-19  | H/T      | TSN 7    |                           |           |           |             |  |
| SN:321118                       | HRS     | 8976.2   |          | TSN 0    |                           |           |           |             |  |
|                                 | AFL     | 4320   |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 26-20-13-900-801 |         |  |          |          |                           |           |           |             |  |
| 26-20-13-900-801-06             |         | REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 3 SECOND-SHOOT PERCUSSION CARTRIDGE (R5WB)    |          |          |                           |           | Component | ATA:26      |  |
| PN:861375                       | MOS/MSC | 12-Nov-20  | H/T      | TSN 0    |                           |           |           |             |  |
| SN:UNKNOWN                      | HRS     | 9182.3   |          | TSN 0    |                           |           |           |             |  |
|                                 | AFL     | 4405   |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 26-20-13-900-801 |         |  |          |          |                           |           |           |             |  |
| 26-20-13-900-801-07             |         | REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 2 FIRST-SHOOT LH PERCUSSION CARTRIDGE (L6WB)  |          |          |                           |           | Component | ATA:26      |  |
| PN:861375                       | MOS/MSC | 04-Jun-19  | H/T      | TSN 7    |                           |           |           |             |  |
| SN:351118                       | HRS     | 8976.2   |          | TSN 0    |                           |           |           |             |  |
|                                 | AFL     | 4320   |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 26-20-13-900-801 |         |  |          |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|---------------------------------|---------|---|----------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 26 - FIRE PROTECTION</b> |         |   |          |          |                           |           |           |             |  |
| 26-20-13-900-801-08             |         | REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 2 FIRST-SHOOT RH PERCUSSION CARTRIDGE (R6WB) |          |          |                           |           | Component | ATA:26      |  |
| PN:861385                       | MOS/MSC | 12-Nov-20   | H/T      | TSN 17   |                           |           |           |             |  |
| SN:UNKNOWN                      | HRS     | 9182.3  |          | TSN 0    |                           |           |           |             |  |
|                                 | AFL     | 4405  |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 26-20-13-900-801 |         |   |          |          |                           |           |           |             |  |
| 26-20-13-900-801-09             |         | REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - APU PERCUSSION CARTRIDGE (27WB)                     |          |          |                           |           | Component | ATA:26      |  |
| PN:861375                       | MOS/MSC | 22-Mar-19   | H/T      | TSN 0    |                           |           |           |             |  |
| SN:331018                       | HRS     | 8912.8  |          | TSN 0    |                           |           |           |             |  |
|                                 | AFL     | 4299  |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 26-20-13-900-801 |         |   |          |          |                           |           |           |             |  |
| 26-20-13-900-801-10             |         | REMOVAL / INSTALLATION OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - BAGGAGE COMPARTMENT PERCUSSION CARTRIDGE (9WB)      |          |          |                           |           | Component | ATA:26      |  |
| PN:861385                       | MOS/MSC | 22-Mar-19   | H/T      | TSN 0    |                           |           |           |             |  |
| SN:321118                       | HRS     | 8912.8  |          | TSN 0    |                           |           |           |             |  |
|                                 | AFL     | 4299  |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 26-20-13-900-801 |         |   |          |          |                           |           |           |             |  |
| 26-20-13-960-801-01             |         | DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 1 FIRST-SHOOT PERCUSSION CARTRIDGE (L3WB)                   |          |          |                           |           | Service   | ATA:26      |  |
| PN:861385                       | MOS     | 12-Nov-20   | 60       |          | 12-Nov-25                 |           | 722 d     | SCRAP       |  |
| SN:UNKNOWN                      | HRS     |   |          |          |                           |           |           |             |  |
| WC#: 26.080                     | AFL     |   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 26-20-13-960-801 |         |   |          |          |                           |           |           |             |  |
| 26-20-13-960-801-01M            |         | DISCARD NO. 1 ENGINE FIRST SHOOT FIRE EXTINGUISHER PERCUSSION (L3WB) CARTRIDGE (LIFE LIMIT)                                 |          |          |                           |           | Service   | ATA:26      |  |
| PN:861385                       | MOS     | 01-Jun-19   | 84       |          | 01-Jun-26                 |           | 923 d     | LIFE LIMIT  |  |
| SN:UNKNOWN                      | HRS     |   |          |          |                           |           |           |             |  |
| WC#: 26.080                     | AFL     |   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 26-20-13-960-801 |         |   |          |          |                           |           |           |             |  |
| 26-20-13-960-801-02             |         | DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 3 FIRST-SHOOT PERCUSSION CARTRIDGE (R3WB)                   |          |          |                           |           | Service   | ATA:26      |  |
| PN:861375                       | MOS     | 22-Mar-19   | 60       |          | 22-Mar-24                 |           | 122 d     | SCRAP       |  |
| SN:331018                       | HRS     |   |          |          |                           |           |           |             |  |
| WC#: 26.110                     | AFL     |   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 26-20-13-960-801 |         |   |          |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 26 - FIRE PROTECTION</b>  |      |           |          |          |                           |           |           |             |
| <b>26-20-13-960-801-02M DISCARD NO. 3 ENGINE FIRST SHOOT FIRE EXTINGUISHER PERCUSSION (R3WB) CARTRIDGE (LIFE LIMIT)</b>                  |      |           |          |          |                           |           |           |             |
| PN:861375  | MOS  | 01-Oct-18 | 84       |          | 01-Oct-25                 |           | 680 d     | LIFE LIMIT  |
| SN:331018  | HRS  |           |          |          |                           |           |           |             |
| WC#: 26.110  | AFL  |           |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-13-960-801  |      |           |          |          |                           |           |           |             |
| <b>26-20-13-960-801-03 DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 2 SECOND-SHOOT LH PERCUSSION CARTRIDGE (L4WB)</b> |      |           |          |          |                           |           |           |             |
| PN:861375  | MOS  | 12-Nov-20 | 60       |          | 12-Nov-25                 |           | 722 d     | SCRAP       |
| SN:UNKNOWN   | HRS  |           |          |          |                           |           |           |             |
| WC#: 26.080  | AFL  |           |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-13-960-801  |      |           |          |          |                           |           |           |             |
| <b>26-20-13-960-801-03M DISCARD NO. 2 ENGINE SECOND SHOOT LH FIRE EXTINGUISHER PERCUSSION (L4WB) CARTRIDGE (LIFE LIMIT)</b>              |      |           |          |          |                           |           |           |             |
| PN:861375  | MOS  | 12-Nov-20 | 84       |          | 12-Nov-27                 |           | 1452 d    | LIFE LIMIT  |
| SN:UNKNOWN   | HRS  |           |          |          |                           |           |           |             |
| WC#: 26.080  | AFL  |           |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-13-960-801  |      |           |          |          |                           |           |           |             |
| <b>26-20-13-960-801-04 DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 2 SECOND-SHOOT RH PERCUSSION CARTRIDGE (R4WB)</b> |      |           |          |          |                           |           |           |             |
| PN:861385  | MOS  | 22-Mar-19 | 60       |          | 22-Mar-24                 |           | 122 d     | SCRAP       |
| SN:321118  | HRS  |           |          |          |                           |           |           |             |
| WC#: 26.110  | AFL  |           |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-13-960-801  |      |           |          |          |                           |           |           |             |
| <b>26-20-13-960-801-04M DISCARD NO. 2 ENGINE SECOND SHOOT RH FIRE EXTINGUISHER PERCUSSION (R4WB) CARTRIDGE (LIFE LIMIT)</b>              |      |           |          |          |                           |           |           |             |
| PN:861385  | MOS  | 01-Nov-18 | 84       |          | 01-Nov-25                 |           | 711 d     | LIFE LIMIT  |
| SN:321118  | HRS  |           |          |          |                           |           |           |             |
| WC#: 26.110  | AFL  |           |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-13-960-801  |      |           |          |          |                           |           |           |             |
| <b>26-20-13-960-801-05 DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 1 SECOND-SHOOT PERCUSSION CARTRIDGE (L5WB)</b>    |      |           |          |          |                           |           |           |             |
| PN:861385  | MOS  | 04-Jun-19 | 60       |          | 04-Jun-24                 |           | 196 d     | SCRAP       |
| SN:321118  | HRS  |           |          |          |                           |           |           |             |
| WC#: 26.100  | AFL  |           |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-13-960-801  |      |           |          |          |                           |           |           |             |
| <b>26-20-13-960-801-05M DISCARD NO. 1 ENGINE SECOND SHOOT FIRE EXTINGUISHER PERCUSSION (L5WB) CARTRIDGE (LIFE LIMIT)</b>                 |      |           |          |          |                           |           |           |             |
| PN:861385  | MOS  | 01-Nov-18 | 84       |          | 01-Nov-25                 |           | 711 d     | LIFE LIMIT  |
| SN:321118  | HRS  |           |          |          |                           |           |           |             |
| WC#: 26.100  | AFL  |           |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-13-960-801  |      |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 26 - FIRE PROTECTION</b>  |      |           |          |          |                           |           |           |             |
| <b>26-20-13-960-801-06 DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 3 SECOND-SHOOT PERCUSSION CARTRIDGE (R5WB) Service ATA:26</b>   |      |           |          |          |                           |           |           |             |
| PN:861375  | MOS  | 12-Nov-20 | 60       |          | 12-Nov-25                 |           | 722 d     | SCRAP       |
| SN:UNKNOWN   | HRS  |           |          |          |                           |           |           |             |
| WC#: 26.090  | AFL  |           |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-13-960-801  |      |           |          |          |                           |           |           |             |
| <b>26-20-13-960-801-06M DISCARD NO. 3 ENGINE SECOND SHOOT FIRE EXTINGUISHER PERCUSSION (R5WB) CARTRIDGE (LIFE LIMIT) Service ATA:26</b>                |      |           |          |          |                           |           |           |             |
| PN:861375  | MOS  | 12-Nov-20 | 84       |          | 12-Nov-27                 |           | 1452 d    | LIFE LIMIT  |
| SN:UNKNOWN   | HRS  |           |          |          |                           |           |           |             |
| WC#: 26.090  | AFL  |           |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-13-960-801  |      |           |          |          |                           |           |           |             |
| <b>26-20-13-960-801-07 DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 2 FIRST-SHOOT LH PERCUSSION CARTRIDGE (L6WB) Service ATA:26</b> |      |           |          |          |                           |           |           |             |
| PN:861375  | MOS  | 04-Jun-19 | 60       |          | 04-Jun-24                 |           | 196 d     | SCRAP       |
| SN:351118  | HRS  |           |          |          |                           |           |           |             |
| WC#: 26.100  | AFL  |           |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-13-960-801  |      |           |          |          |                           |           |           |             |
| <b>26-20-13-960-801-07M DISCARD NO. 2 ENGINE FIRST SHOOT LH FIRE EXTINGUISHER PERCUSSION (L6WB) CARTRIDGE (LIFE LIMIT) Service ATA:26</b>              |      |           |          |          |                           |           |           |             |
| PN:861375  | MOS  | 01-Nov-18 | 84       |          | 01-Nov-25                 |           | 711 d     | LIFE LIMIT  |
| SN:351118  | HRS  |           |          |          |                           |           |           |             |
| WC#: 26.100  | AFL  |           |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-13-960-801  |      |           |          |          |                           |           |           |             |
| <b>26-20-13-960-801-08 DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - ENGINE 2 FIRST-SHOOT RH PERCUSSION CARTRIDGE (R6WB) Service ATA:26</b> |      |           |          |          |                           |           |           |             |
| PN:861385  | MOS  | 12-Nov-20 | 60       |          | 12-Nov-25                 |           | 722 d     | SCRAP       |
| SN:UNKNOWN   | HRS  |           |          |          |                           |           |           |             |
| WC#: 26.090  | AFL  |           |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-13-960-801  |      |           |          |          |                           |           |           |             |
| <b>26-20-13-960-801-08M DISCARD NO. 2 ENGINE FIRST SHOOT RH FIRE EXTINGUISHER PERCUSSION (R6WB) CARTRIDGE (LIFE LIMIT) Service ATA:26</b>              |      |           |          |          |                           |           |           |             |
| PN:861385  | MOS  | 01-Jun-19 | 84       |          | 01-Jun-26                 |           | 923 d     | LIFE LIMIT  |
| SN:UNKNOWN   | HRS  |           |          |          |                           |           |           |             |
| WC#: 26.090  | AFL  |           |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-13-960-801  |      |           |          |          |                           |           |           |             |
| <b>26-20-13-960-801-09 DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - APU PERCUSSION CARTRIDGE (27WB) Service ATA:26</b>                     |      |           |          |          |                           |           |           |             |
| PN:861375  | MOS  | 22-Mar-19 | 60       |          | 22-Mar-24                 |           | 122 d     | SCRAP       |
| SN:331018  | HRS  |           |          |          |                           |           |           |             |
| WC#: 26.120  | AFL  |           |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-13-960-801  |      |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |
|---|------|-----------|----------|----------|---------------------------|-----------|-------------|-------------|
| <b>ATA 26 - FIRE PROTECTION</b>   |      |           |          |          |                           |           |             |             |
| <b>26-20-13-960-801-09M DISCARD APU FIRE EXTINGUISHER PERCUSSION (27WB) CARTRIDGE (LIFE LIMIT) Service ATA:26</b>                                 |      |           |          |          |                           |           |             |             |
| PN:861375   | MOS  | 01-Oct-18 | 84       |          | 01-Oct-25                 |           | 680 d       | LIFE LIMIT  |
| SN:331018   | HRS  |           |          |          |                           |           |             |             |
| WC#: 26.120   | AFL  |           |          |          |                           |           |             |             |
| PROC. REF: AMM 26-20-13-960-801   |      |           |          |          |                           |           |             |             |
| <b>26-20-13-960-801-10 DISCARD OF THE FIRE EXTINGUISHER PERCUSSION CARTRIDGES - BAGGAGE COMPARTMENT PERCUSSION CARTRIDGE (9WB) Service ATA:26</b> |      |           |          |          |                           |           |             |             |
| PN:861385   | MOS  | 22-Mar-19 | 60       |          | 22-Mar-24                 |           | 122 d       | SCRAP       |
| SN:321118   | HRS  |           |          |          |                           |           |             |             |
| WC#: 26.120   | AFL  |           |          |          |                           |           |             |             |
| PROC. REF: AMM 26-20-13-960-801   |      |           |          |          |                           |           |             |             |
| <b>26-20-13-960-801-10M DISCARD BAGGAGE COMPARTMENT FIRE EXTINGUISHER PERCUSSION (9WB) CARTRIDGE (LIFE LIMIT) Service ATA:26</b>                  |      |           |          |          |                           |           |             |             |
| PN:861385   | MOS  | 01-Nov-18 | 84       |          | 01-Nov-25                 |           | 711 d       | LIFE LIMIT  |
| SN:321118   | HRS  |           |          |          |                           |           |             |             |
| WC#: 26.120   | AFL  |           |          |          |                           |           |             |             |
| PROC. REF: AMM 26-20-13-960-801   |      |           |          |          |                           |           |             |             |
| <b>26-20-15-720-801-01 WEIGHING OF THE PORTABLE FIRE EXTINGUISHERS - COCKPIT PORTABLE FIRE EXTINGUISHER (500WB) Service ATA:26</b>                |      |           |          |          |                           |           |             |             |
| PN:C-354  | MOS  | 26-May-23 | 12 (+3%) |          | 26-May-24                 | 06-Jun-24 | 187 d (+11) |             |
| SN:B-10808052   | HRS  |           |          |          |                           |           |             |             |
| WC#: 26.130   | AFL  |           |          |          |                           |           |             |             |
| PROC. REF: AMM 26-20-15-720-801   |      |           |          |          |                           |           |             |             |
| <b>26-20-15-720-801-02 WEIGHING OF THE PORTABLE FIRE EXTINGUISHERS - CABIN FRONT PORTABLE FIRE EXTINGUISHER (501WB) Service ATA:26</b>            |      |           |          |          |                           |           |             |             |
| PN:C352TS   | MOS  | 28-Mar-23 | 12 (+3%) |          | 28-Mar-24                 | 08-Apr-24 | 128 d (+11) |             |
| SN:H-20651471   | HRS  |           |          |          |                           |           |             |             |
| WC#: 26.140   | AFL  |           |          |          |                           |           |             |             |
| PROC. REF: AMM 26-20-15-720-801   |      |           |          |          |                           |           |             |             |
| <b>26-20-15-720-801-03 WEIGHING OF THE PORTABLE FIRE EXTINGUISHERS - CABIN REAR PORTABLE FIRE EXTINGUISHER (502WB) Service ATA:26</b>             |      |           |          |          |                           |           |             |             |
| PN:C352TS   | MOS  | 17-Aug-23 | 12 (+3%) |          | 17-Aug-24                 | 28-Aug-24 | 270 d (+11) |             |
| SN:H-92103313   | HRS  |           |          |          |                           |           |             |             |
| WC#: 26.150   | AFL  |           |          |          |                           |           |             |             |
| PROC. REF: AMM 26-20-15-720-801   |      |           |          |          |                           |           |             |             |
| <b>26-20-15-790-801-01 HYDROSTATIC TEST OF THE PORTABLE FIRE EXTINGUISHERS - COCKPIT PORTABLE FIRE EXTINGUISHER (500WB) Service ATA:26</b>        |      |           |          |          |                           |           |             |             |
| PN:C-354  | MOS  | 30-Mar-16 | 144      |          | 30-Mar-28                 |           | 1591 d      |             |
| SN:B-10808052   | HRS  |           |          |          |                           |           |             |             |
| WC#: 26.130   | AFL  |           |          |          |                           |           |             |             |
| PROC. REF: AMM 26-20-15-790-801   |      |           |          |          |                           |           |             |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 26 - FIRE PROTECTION</b>  |         |           |          |          |                           |           |           |             |
| <b>26-20-15-790-801-02 HYDROSTATIC TEST OF THE PORTABLE FIRE EXTINGUISHERS - CABIN FRONT PORTABLE FIRE EXTINGUISHER (501WB) Service ATA:26</b> |         |           |          |          |                           |           |           |             |
| PN:C352TS  | MOS     | 01-May-22 | 144      |          | 01-May-28 (M)             |           | 1623 d    |             |
| SN:H-20651471  | HRS     |           |          |          |                           |           |           |             |
| WC#: 26.140  | AFL     |           |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-15-790-801  |         |           |          |          |                           |           |           |             |
| <b>26-20-15-790-801-03 HYDROSTATIC TEST OF THE PORTABLE FIRE EXTINGUISHERS - CABIN REAR PORTABLE FIRE EXTINGUISHER (502WB) Service ATA:26</b>  |         |           |          |          |                           |           |           |             |
| PN:C352TS  | MOS     | 10-Aug-23 | 144      |          | 10-Aug-35                 |           | 4280 d    |             |
| SN:H-92103313  | HRS     |           |          |          |                           |           |           |             |
| WC#: 26.150  | AFL     |           |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-15-790-801  |         |           |          |          |                           |           |           |             |
| <b>26-20-19-720-801-01 WEIGHING OF THE DISPOSABLE FIRE EXTINGUISHER - DISPOSABLE FIRE EXTINGUISHER (L7513ME) Service ATA:26</b>                |         |           |          |          |                           |           |           |             |
| PN:PN  | MOS/MSC |           | N/A      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     |           |          |          |                           |           |           |             |
|  | AFL     |           |          |          |                           |           |           |             |
| PROC. REF: AMM 26-20-19-720-801  |         |           |          |          |                           |           |           |             |
| <b>26-90-01-900-801-01 DISPOSABLE FIRE EXTINGUISHER Component ATA:26</b>   |         |           |          |          |                           |           |           |             |
| PN:PN  | MOS/MSC | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
|  | AFL     | 0         |          | TSN 0    |                           |           |           |             |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |             |
| <b>261251 BAGGAGE COMPARTMENT SMOKE DETECTOR Component ATA:26</b>  |         |           |          |          |                           |           |           |             |
| PN:FR2210-2  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:492   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 26.060  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |             |
| <b>261301 NO. 1 AND NO. 3 ENGINE MONITOR BOX Component ATA:26</b>  |         |           |          |          |                           |           |           |             |
| PN:6342-01   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:344   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 26.070  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |             |
| <b>261311 NO. 2 ENGINE AND APU FIRE MONITOR BOX Component ATA:26</b>   |         |           |          |          |                           |           |           |             |
| PN:6342-01   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:383   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 26.070  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval  | TSX/Adj.   | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|----------------------------------|---|-----------|-----------|------------|---------------------------|-----------|-----------|----------------|--------|
| <b>ATA 26 - FIRE PROTECTION</b>  |   |           |           |            |                           |           |           |                |        |
| 262601                           | COCKPIT PORTABLE HALON FIRE EXTINGUISHER  |           |           |            |                           |           |           | Component      | ATA:26 |
| PN:C-354                         | MOS/MSC   | 31-May-23 | O/C       | TSN 72     |                           |           |           |                |        |
| SN:B-10808052                    | HRS   | 9758.1    |           | TSN 1143.2 |                           |           |           |                |        |
| WC#: 26.130                      | AFL   | 4611      |           | TSN 435    |                           |           |           |                |        |
| PROC. REF: AMM GENERIC 1         |   |           |           |            |                           |           |           |                |        |
| 262651                           | FORWARD CABIN PORTABLE HALON FIRE EXTINGUISHER  |           |           |            |                           |           |           | Component      | ATA:26 |
| PN:C352TS                        | MOS/MSC   | 28-Mar-23 | O/C       | TSN 0      |                           |           |           |                |        |
| SN:H-20651471                    | HRS   | 9719.9    |           | TSN 0      |                           |           |           |                |        |
| WC#: 26.140                      | AFL   | 4600      |           | TSN 0      |                           |           |           |                |        |
| PROC. REF: AMM GENERIC 1         |   |           |           |            |                           |           |           |                |        |
| 262701                           | AFT CABIN PORTABLE HALON FIRE EXTINGUISHER  |           |           |            |                           |           |           | Component      | ATA:26 |
| PN:C352TS                        | MOS/MSC   | 10-Aug-23 | O/C       | TSN 0      |                           |           |           |                |        |
| SN:H-92103313                    | HRS   | 9804.1    |           | TSN 0      |                           |           |           |                |        |
| WC#: 26.150                      | AFL   | 4634      |           | TSN 0      |                           |           |           |                |        |
| PROC. REF: AMM GENERIC 1         |   |           |           |            |                           |           |           |                |        |
| 262751                           | BAGGAGE COMPARTMENT PORTABLE EXTINGUISHER   |           |           |            |                           |           |           | Component      | ATA:26 |
| PN:PN                            | MOS/MSC   |           | N/A       |            |                           |           |           |                |        |
| SN:UNKNOWN                       | HRS   |           |           |            |                           |           |           |                |        |
|                                  | AFL   |           |           |            |                           |           |           |                |        |
| PROC. REF: AMM GENERIC 1         |   |           |           |            |                           |           |           |                |        |
| <b>ATA 27 - FLIGHT CONTROLS</b>  |   |           |           |            |                           |           |           |                |        |
| 27-00-00-220-801-01A             | INTEGRITY CHECK AND VISUAL INSPECTION FOR CORROSION AND EXTERNAL LEAKS ON FLIGHT CONTROL HYDRAULIC COMPONENTS<br>(MANDATORY 5-40) |           |           |            |                           |           |           | Service        | ATA:27 |
|                                  | MOS   | 12-Nov-20 |           |            |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS   | 9182.3    | 4000      |            | 13182.3                   |           | 3351.1    |                |        |
| WC#: 27.010                      | AFL   | 4405      |           |            |                           |           |           |                |        |
| PROC. REF: AMM 27-00-00-220-801  |   |           |           |            |                           |           |           |                |        |
| 27-00-00-640-801-01 <sup>S</sup> | PRESSURE GREASING OF THE SERVO-ACTUATOR BEARINGS - LH AILERON SERVO-ACTUATOR (L521CC)   |           |           |            |                           |           |           | Service        | ATA:27 |
|                                  | MOS   | 19-Jun-14 | 144 (+2m) |            |                           |           |           |                |        |
|                                  | HRS   | 8032      |           |            |                           |           |           |                |        |
| WC#: 27.065                      | AFL   | 3965      | 7500      |            |                           |           |           |                |        |
| PROC. REF: AMM 27-00-00-640-801  |   |           |           |            |                           |           |           |                |        |

PKG:32

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|-----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 27 - FLIGHT CONTROLS         |  |           |           |          |                           |           |           |             |        |
| 27-00-00-640-801-02 <sup>S</sup> | PRESSURE GREASING OF THE SERVO-ACTUATOR BEARINGS - RH AILERON SERVO-ACTUATOR (R521CC)              |           |           |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS  | 19-Jun-14 | 144 (+2m) |          |                           |           |           |             |        |
|                                  | HRS  | 8032      |           |          |                           |           |           |             |        |
| WC#: 27.065                      | AFL  | 3965      | 7500      |          |                           |           |           |             |        |
| PROC. REF: AMM 27-00-00-640-801  |  |           |           |          |                           |           |           | PKG:32      |        |
| 27-00-00-640-801-03 <sup>S</sup> | PRESSURE GREASING OF THE SERVO-ACTUATOR BEARINGS - RUDDER SERVO-ACTUATOR (571CC)                   |           |           |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS  | 19-Jun-14 | 144 (+2m) |          |                           |           |           |             |        |
|                                  | HRS  | 8032      |           |          |                           |           |           |             |        |
| WC#: 27.125                      | AFL  | 3965      | 7500      |          |                           |           |           |             |        |
| PROC. REF: AMM 27-00-00-640-801  |  |           |           |          |                           |           |           | PKG:32      |        |
| 27-00-00-640-801-04 <sup>S</sup> | PRESSURE GREASING OF THE SERVO-ACTUATOR BEARINGS - ELEVATOR SERVO-ACTUATOR (522CW)                 |           |           |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS  | 04-Feb-19 | 144 (+2m) |          |                           |           |           |             |        |
|                                  | HRS  | 8877.2    |           |          |                           |           |           |             |        |
| WC#: 27.200                      | AFL  | 4285      | 7500      |          |                           |           |           |             |        |
| PROC. REF: AMM 27-00-00-640-801  |  |           |           |          |                           |           |           | PKG:32      |        |
| 27-00-00-640-803-01 <sup>S</sup> | PRESSURE GREASING / LUBRICATION OF FLIGHT CONTROL BEARINGS AND HINGE PINS IN PRESSURIZED AREA      |           |           |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS  | 19-Jun-14 | 144 (+2m) |          |                           |           |           |             |        |
|                                  | HRS  | 8032      |           |          |                           |           |           |             |        |
| WC#: 27.020                      | AFL  | 3965      | 7500      |          |                           |           |           |             |        |
| PROC. REF: AMM 27-00-00-640-803  |  |           |           |          |                           |           |           | PKG:32      |        |
| 27-00-00-640-804-01 <sup>S</sup> | PRESSURE GREASING / LUBRICATION OF FLIGHT CONTROL BEARINGS AND HINGE PINS OUTSIDE PRESSURIZED AREA |           |           |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS  | 19-Jun-14 | 144 (+2m) |          |                           |           |           |             |        |
|                                  | HRS  | 8032      |           |          |                           |           |           |             |        |
| WC#: 27.015                      | AFL  | 3965      | 7500      |          |                           |           |           |             |        |
| PROC. REF: AMM 27-00-00-640-804  |  |           |           |          |                           |           |           | PKG:32      |        |
| 27-00-00-640-806-01 <sup>S</sup> | VISUAL INSPECTION AND GREASING OF YAW AND PITCH CONTROL SEALED BOXES - RUDDER                      |           |           |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS  | 19-Jun-14 | 144 (+2m) |          |                           |           |           |             |        |
|                                  | HRS  | 8032      |           |          |                           |           |           |             |        |
| WC#: 27.155                      | AFL  | 3965      | 7500      |          |                           |           |           |             |        |
| PROC. REF: AMM 27-00-00-640-806  |  |           |           |          |                           |           |           | PKG:32      |        |
| 27-00-00-640-806-02 <sup>S</sup> | VISUAL INSPECTION AND GREASING OF YAW AND PITCH CONTROL SEALED BOXES - ELEVATOR                    |           |           |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS  | 19-Jun-14 | 144 (+2m) |          |                           |           |           |             |        |
|                                  | HRS  | 8032      |           |          |                           |           |           |             |        |
| WC#: 27.252                      | AFL  | 3965      | 7500      |          |                           |           |           |             |        |
| PROC. REF: AMM 27-00-00-640-806  |  |           |           |          |                           |           |           | PKG:32      |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C       | Max Limit | Remaining | Disposition    |        |
|----------------------------------|---|-----------|------------|----------|---------------------------------|-----------|-----------|----------------|--------|
| ATA 27 - FLIGHT CONTROLS         |   |           |            |          |                                 |           |           |                |        |
| 27-00-00-710-801-01 <sup>S</sup> | OPERATIONAL TEST OF THE FLIGHT CONTROLS - HYDRAULIC SYSTEM 1  |           |            |          |                                 |           |           | Service        | ATA:27 |
|                                  | MOS   | 29-Apr-20 |            |          |                                 |           |           |                |        |
|                                  | HRS   | 9167.7    | 1600 (+40) |          |                                 |           |           |                |        |
|                                  | AFL   |           |            |          |                                 |           |           |                |        |
|                                  |   |           |            |          | PROC. REF: AMM 27-00-00-710-801 |           |           | PKG:21         |        |
| 27-00-00-710-801-02 <sup>S</sup> | OPERATIONAL TEST OF THE FLIGHT CONTROLS - HYDRAULIC SYSTEM 2  |           |            |          |                                 |           |           | Service        | ATA:27 |
|                                  | MOS   | 29-Apr-20 |            |          |                                 |           |           |                |        |
|                                  | HRS   | 9167.7    | 1600 (+40) |          |                                 |           |           |                |        |
|                                  | AFL   |           |            |          |                                 |           |           |                |        |
|                                  |   |           |            |          | PROC. REF: AMM 27-00-00-710-801 |           |           | PKG:21         |        |
| 27-00-00-710-802-01 <sup>S</sup> | OPERATIONAL TEST OF THE TRIM SYSTEMS - ROLL TRIM  |           |            |          |                                 |           |           | Service        | ATA:27 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m)   |          |                                 |           |           |                |        |
|                                  | HRS   | 9182.3    |            |          |                                 |           |           |                |        |
|                                  | AFL   | 4405      | 3750       |          |                                 |           |           |                |        |
|                                  |   |           |            |          | PROC. REF: AMM 27-00-00-710-802 |           |           | PKG:31         |        |
| 27-00-00-710-802-02 <sup>S</sup> | OPERATIONAL TEST OF THE TRIM SYSTEMS - ROLL EMERGENCY TRIM  |           |            |          |                                 |           |           | Service        | ATA:27 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m)   |          |                                 |           |           |                |        |
|                                  | HRS   | 9182.3    |            |          |                                 |           |           |                |        |
|                                  | AFL   | 4405      | 3750       |          |                                 |           |           |                |        |
|                                  |   |           |            |          | PROC. REF: AMM 27-00-00-710-802 |           |           | PKG:31         |        |
| 27-00-00-710-802-03 <sup>S</sup> | OPERATIONAL TEST OF THE TRIM SYSTEMS - YAW TRIM   |           |            |          |                                 |           |           | Service        | ATA:27 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m)   |          |                                 |           |           |                |        |
|                                  | HRS   | 9182.3    |            |          |                                 |           |           |                |        |
| WC#: 27.075                      | AFL   | 4405      | 3750       |          |                                 |           |           |                |        |
|                                  |   |           |            |          | PROC. REF: AMM 27-00-00-710-802 |           |           | PKG:31         |        |
| 27-00-00-720-803-01 <sup>S</sup> | FUNCTIONAL TEST OF THE AUXILIARY AFU (AAFU CONNECTION AND VISUAL INSPECTION) - LH ROLL AAFU (L522CC)                  |           |            |          |                                 |           |           | Service        | ATA:27 |
|                                  | MOS   | 19-Jun-14 | 144 (+2m)  |          |                                 |           |           |                |        |
|                                  | HRS   | 8032      |            |          |                                 |           |           |                |        |
| WC#: 27.095                      | AFL   | 3965      | 7500       |          |                                 |           |           |                |        |
|                                  |   |           |            |          | PROC. REF: AMM 27-00-00-720-803 |           |           | PKG:32         |        |
| 27-00-00-720-803-01A             | FUNCTIONAL TEST OF THE AUXILIARY AFU (AAFU CONNECTION AND VISUAL INSPECTION) - LH ROLL AAFU (L522CC) (MANDATORY 5-40) |           |            |          |                                 |           |           | Service        | ATA:27 |
|                                  | MOS   | 19-Jun-14 |            |          |                                 |           |           | MANDATORY 5-40 |        |
|                                  | HRS   | 8032      | 10000      |          | 18032                           |           | 8200.8    |                |        |
| WC#: 27.095                      | AFL   | 3965      |            |          |                                 |           |           |                |        |
|                                  |   |           |            |          | PROC. REF: AMM 27-00-00-720-803 |           |           |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|----------------------------------|---|-----------|-----------|----------|---------------------------|-----------|-----------|----------------|--------|
| ATA 27 - FLIGHT CONTROLS         |   |           |           |          |                           |           |           |                |        |
| 27-00-00-720-803-02 <sup>S</sup> | FUNCTIONAL TEST OF THE AUXILIARY AFU (AAFU CONNECTION AND VISUAL INSPECTION) - RH ROLL AAFU (R522CC)                  |           |           |          |                           |           |           | Service        | ATA:27 |
|                                  | MOS   | 19-Jun-14 | 144 (+2m) |          |                           |           |           |                |        |
|                                  | HRS   | 8032      |           |          |                           |           |           |                |        |
| WC#: 27.095                      | AFL   | 3965      | 7500      |          |                           |           |           |                |        |
| PROC. REF: AMM 27-00-00-720-803  |   |           |           |          |                           |           |           | PKG:32         |        |
| 27-00-00-720-803-02A             | FUNCTIONAL TEST OF THE AUXILIARY AFU (AAFU CONNECTION AND VISUAL INSPECTION) - RH ROLL AAFU (R522CC) (MANDATORY 5-40) |           |           |          |                           |           |           | Service        | ATA:27 |
|                                  | MOS   | 19-Jun-14 |           |          |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS   | 8032      | 10000     |          | 18032                     |           | 8200.8    |                |        |
| WC#: 27.095                      | AFL   | 3965      |           |          |                           |           |           |                |        |
| PROC. REF: AMM 27-00-00-720-803  |   |           |           |          |                           |           |           |                |        |
| 27-00-00-720-803-03 <sup>S</sup> | FUNCTIONAL TEST OF THE AUXILIARY AFU (AAFU CONNECTION AND VISUAL INSPECTION) - PITCH AAFU (523CW)                     |           |           |          |                           |           |           | Service        | ATA:27 |
|                                  | MOS   | 19-Jun-14 | 144 (+2m) |          |                           |           |           |                |        |
|                                  | HRS   | 8032      |           |          |                           |           |           |                |        |
| WC#: 27.230                      | AFL   | 3965      | 7500      |          |                           |           |           |                |        |
| PROC. REF: AMM 27-00-00-720-803  |   |           |           |          |                           |           |           | PKG:32         |        |
| 27-00-00-720-803-03A             | FUNCTIONAL TEST OF THE AUXILIARY AFU (AAFU CONNECTION AND VISUAL INSPECTION) - PITCH AAFU (523CW) (MANDATORY 5-40)    |           |           |          |                           |           |           | Service        | ATA:27 |
|                                  | MOS   | 19-Jun-14 |           |          |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS   | 8032      | 10000     |          | 18032                     |           | 8200.8    |                |        |
| WC#: 27.230                      | AFL   | 3965      |           |          |                           |           |           |                |        |
| PROC. REF: AMM 27-00-00-720-803  |   |           |           |          |                           |           |           |                |        |
| 27-00-00-720-803-04 <sup>S</sup> | FUNCTIONAL TEST OF THE AUXILIARY AFU (AAFU CONNECTION AND VISUAL INSPECTION) - YAW AAFU (572CC)                       |           |           |          |                           |           |           | Service        | ATA:27 |
|                                  | MOS   | 19-Jun-14 | 144 (+2m) |          |                           |           |           |                |        |
|                                  | HRS   | 8032      |           |          |                           |           |           |                |        |
| WC#: 27.165                      | AFL   | 3965      | 7500      |          |                           |           |           |                |        |
| PROC. REF: AMM 27-00-00-720-803  |   |           |           |          |                           |           |           | PKG:32         |        |
| 27-00-00-720-803-04A             | FUNCTIONAL CHECK (AAFU CONNECTION AND VISUAL INSPECTION) (MANDATORY 5-40)   |           |           |          |                           |           |           | Service        | ATA:27 |
|                                  | MOS   | 19-Jun-14 |           |          |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS   | 8032      | 10000     |          | 18032                     |           | 8200.8    |                |        |
| WC#: 27.165                      | AFL   | 3965      |           |          |                           |           |           |                |        |
| PROC. REF: AMM 27-00-00-720-803  |   |           |           |          |                           |           |           |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 27 - FLIGHT CONTROLS</b>  |   |           |          |          |                           |           |           |             |        |
| 27-00-00-720-807-01              | DETAILED CHECK OF THE FLIGHT CONTROL FORCE PATTERNS - AILERON                       |           |          |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS/MSC   | 23-Oct-89 | A/R      |          |                           |           |           |             |        |
|                                  | HRS   | 0         |          |          |                           |           |           |             |        |
|                                  | AFL   | 0         |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 27-00-00-720-807   |           |          |          |                           |           |           |             |        |
| 27-00-00-720-807-02              | DETAILED CHECK OF THE FLIGHT CONTROL FORCE PATTERNS - RUDDER                        |           |          |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS/MSC   | 23-Oct-89 | A/R      |          |                           |           |           |             |        |
|                                  | HRS   | 0         |          |          |                           |           |           |             |        |
|                                  | AFL   | 0         |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 27-00-00-720-807   |           |          |          |                           |           |           |             |        |
| 27-00-00-720-807-03              | DETAILED CHECK OF THE FLIGHT CONTROL FORCE PATTERNS - ELEVATOR                      |           |          |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS/MSC   | 23-Oct-89 | A/R      |          |                           |           |           |             |        |
|                                  | HRS   | 0         |          |          |                           |           |           |             |        |
|                                  | AFL   | 0         |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 27-00-00-720-807   |           |          |          |                           |           |           |             |        |
| 27-00-00-790-804-01 <sup>S</sup> | CHECK OF THE INTERNAL LEAKS OF SERVO-ACTUATORS - LH AILERON SERVO-ACTUATOR (L521CC) |           |          |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |             |        |
| WC#: 27.065                      | AFL   | 4405      | 3750     |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 27-00-00-790-804   |           |          |          |                           |           |           | PKG:31      |        |
| 27-00-00-790-804-02 <sup>S</sup> | CHECK OF THE INTERNAL LEAKS OF SERVO-ACTUATORS - RH AILERON SERVO-ACTUATOR (R521CC) |           |          |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |             |        |
| WC#: 27.065                      | AFL   | 4405      | 3750     |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 27-00-00-790-804   |           |          |          |                           |           |           | PKG:31      |        |
| 27-00-00-790-804-03 <sup>S</sup> | CHECK OF THE INTERNAL LEAKS OF SERVO-ACTUATORS - RUDDER SERVO-ACTUATOR (571CC)      |           |          |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |             |        |
| WC#: 27.125                      | AFL   | 4405      | 3750     |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 27-00-00-790-804   |           |          |          |                           |           |           | PKG:31      |        |
| 27-00-00-790-804-04 <sup>S</sup> | CHECK OF THE INTERNAL LEAKS OF SERVO-ACTUATORS - ELEVATOR SERVO-ACTUATOR (522CW)    |           |          |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |             |        |
| WC#: 27.200                      | AFL   | 4405      | 3750     |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 27-00-00-790-804   |           |          |          |                           |           |           | PKG:31      |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval | TSX/Adj.        | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|---------|---|----------|-----------------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 27 - FLIGHT CONTROLS</b>  |         |   |          |                 |                           |           |           |             |        |
| 27-00-00-900-806-01              |         | REMOVAL / INSTALLATION OF THE AIRBRAKE / TAILPLANE / TRIM CONTROL BOX - AIRBRAKE/TAILPLANE/TRIM CONTROL BOX (2CF) |          |                 |                           |           | Component | ATA:27      |        |
| PN:013015-14                     | MOS/MSC | 26-Nov-91   | O/C      | TSN 0           |                           |           |           |             |        |
| SN:1305                          | HRS     | 1304  |          | TSN 0           |                           |           |           |             |        |
| WC#: 27.035                      | AFL     | 574   |          | TSN 0           |                           |           |           |             |        |
| PROC. REF: AMM 27-00-00-900-806  |         |   |          |                 |                           |           |           |             |        |
| 27-12-01-900-801-01              |         | REMOVAL / INSTALLATION OF THE AILERON SERVO-ACTUATORS - LH AILERON SERVO-ACTUATOR (L521CC)                        |          |                 |                           |           | Component | ATA:27      |        |
| PN:103117-05                     | MOS/MSC | 19-Jun-14   | O/C      | TSN 286, TSR 1  |                           |           |           |             |        |
| SN:566                           | HRS     | 8032  |          | TSN 7697, TSR 0 |                           |           |           |             |        |
| WC#: 27.065                      | AFL     | 3965  |          | TSN 3799, TSR 0 |                           |           |           |             |        |
| PROC. REF: AMM 27-12-01-900-801  |         |   |          |                 |                           |           |           |             |        |
| 27-12-01-900-801-02              |         | REMOVAL / INSTALLATION OF THE AILERON SERVO-ACTUATORS - RH AILERON SERVO-ACTUATOR (R521CC)                        |          |                 |                           |           | Component | ATA:27      |        |
| PN:103117-06                     | MOS/MSC | 19-Jun-14   | O/C      | TSR 1           |                           |           |           |             |        |
| SN:561                           | HRS     | 8032  |          | TSN 8032, TSR 0 |                           |           |           |             |        |
| WC#: 27.065                      | AFL     | 3965  |          | TSR 0           |                           |           |           |             |        |
| PROC. REF: AMM 27-12-01-900-801  |         |   |          |                 |                           |           |           |             |        |
| 27-13-01-640-806-01 <sup>S</sup> |         | LUBRICATION OF THE ROLL CONTROL LINKAGE HINGE PINS OUTSIDE PRESSURIZED AREA                                       |          |                 |                           |           | Service   | ATA:27      |        |
|                                  | MOS     | 12-Nov-20   | 72 (+2m) |                 |                           |           |           |             |        |
|                                  | HRS     | 9182.3  |          |                 |                           |           |           |             |        |
|                                  | AFL     | 4405  | 3750     |                 |                           |           |           |             |        |
| PROC. REF: AMM 27-13-01-640-806  |         |   |          |                 |                           |           |           |             |        |
| 27-13-01-640-808-01 <sup>S</sup> |         | GREASING OF THE ROLL CONTROL LINKAGE BALL-BUSHINGS OUTSIDE PRESSURIZED AREA                                       |          |                 |                           |           | Service   | ATA:27      | PKG:31 |
|                                  | MOS     | 16-Nov-22   | 24 (+1m) |                 |                           |           |           |             |        |
|                                  | HRS     | 9596.5  |          |                 |                           |           |           |             |        |
| WC#: 27.050                      | AFL     | 4562  |          |                 |                           |           |           |             |        |
| PROC. REF: AMM 27-13-01-640-808  |         |   |          |                 |                           |           |           |             |        |
| 27-13-01-900-802-01              |         | REMOVAL / INSTALLATION OF THE CONTROL WHEEL - PILOT CONTROL WHEEL (10CR)  |          |                 |                           |           | Component | ATA:27      |        |
| PN:FGFB215250850                 | MOS/MSC | 23-Oct-89   | O/C      |                 |                           |           |           |             |        |
| SN:081                           | HRS     | 0   |          | TSN 0           |                           |           |           |             |        |
| WC#: 27.025                      | AFL     | 0   |          |                 |                           |           |           |             |        |
| PROC. REF: AMM 27-13-01-900-802  |         |   |          |                 |                           |           |           |             |        |
| 27-13-01-900-802-02              |         | REMOVAL / INSTALLATION OF THE CONTROL WHEEL - COPILOT CONTROL WHEEL (20CR)  |          |                 |                           |           | Component | ATA:27      |        |
| PN:FGFB215500850                 | MOS/MSC | 23-Oct-89   | O/C      |                 |                           |           |           |             |        |
| SN:082                           | HRS     | 0   |          | TSN 0           |                           |           |           |             |        |
| WC#: 27.030                      | AFL     | 0   |          |                 |                           |           |           |             |        |
| PROC. REF: AMM 27-13-01-900-802  |         |   |          |                 |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit                            | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition      |
|--|---------------------------------|-----------|-----------|----------|---------------------------|-----------|--------------|------------------|
| <b>ATA 27 - FLIGHT CONTROLS</b>  |                                 |           |           |          |                           |           |              |                  |
| <b>27-13-03-960-801-01<sup>S</sup> REPLACEMENT OF THE FR15 ROLL BELLCRANK BALL BEARINGS - LH FR15 ROLL BELLCRANK BALL BEARINGS</b>       |                                 |           |           |          |                           |           |              |                  |
|  | MOS                             | 12-Nov-20 | 72 (+2m)  |          |                           |           |              | Service ATA:27   |
|  | HRS                             | 9182.3    |           |          |                           |           |              |                  |
|  | AFL                             | 4405      | 3750      |          |                           |           |              |                  |
|  | PROC. REF: AMM 27-13-03-960-801 |           |           |          |                           |           |              | PKG:31           |
| <b>27-13-03-960-801-02<sup>S</sup> REPLACEMENT OF THE FR15 ROLL BELLCRANK BALL BEARINGS - RH FR15 ROLL BELLCRANK BALL BEARINGS</b>       |                                 |           |           |          |                           |           |              |                  |
|  | MOS                             | 12-Nov-20 | 72 (+2m)  |          |                           |           |              | Service ATA:27   |
|  | HRS                             | 9182.3    |           |          |                           |           |              |                  |
|  | AFL                             | 4405      | 3750      |          |                           |           |              |                  |
|  | PROC. REF: AMM 27-13-03-960-801 |           |           |          |                           |           |              | PKG:31           |
| <b>27-13-05-640-801-01<sup>S</sup> VISUAL INSPECTION AND GREASING OF ROLL CONTROL SEALED BOXES - LH ROLL PRESSURE-SEALED BOX (L14CC)</b> |                                 |           |           |          |                           |           |              |                  |
|  | MOS                             | 19-Jun-14 | 144 (+2m) |          |                           |           |              | Service ATA:27   |
|  | HRS                             | 8032      |           |          |                           |           |              |                  |
| WC#: 27.097  | AFL                             | 3965      | 7500      |          |                           |           |              |                  |
|  | PROC. REF: AMM 27-13-05-640-801 |           |           |          |                           |           |              | PKG:32           |
| <b>27-13-05-640-801-02<sup>S</sup> VISUAL INSPECTION AND GREASING OF ROLL CONTROL SEALED BOXES - RH ROLL PRESSURE-SEALED BOX (R14CC)</b> |                                 |           |           |          |                           |           |              |                  |
|  | MOS                             | 19-Jun-14 | 144 (+2m) |          |                           |           |              | Service ATA:27   |
|  | HRS                             | 8032      |           |          |                           |           |              |                  |
| WC#: 27.097  | AFL                             | 3965      | 7500      |          |                           |           |              |                  |
|  | PROC. REF: AMM 27-13-05-640-801 |           |           |          |                           |           |              | PKG:32           |
| <b>27-14-01-350-801-01 RESTORATION OF THE ROLL TRIM ACTUATOR (FUNCTIONAL TEST) - ROLL TRIM ACTUATOR (13CC)</b>                           |                                 |           |           |          |                           |           |              |                  |
| PN:021057-32   | MOS                             | 23-Apr-14 | 144 (+3%) |          | 23-Apr-26                 | 01-Sep-26 | 884 d (+131) | Service ATA:27   |
| SN:7965  | HRS                             |           |           |          |                           |           |              |                  |
| WC#: 27.080  | AFL                             |           |           |          |                           |           |              |                  |
|  | PROC. REF: AMM 27-14-01-350-801 |           |           |          |                           |           |              |                  |
| <b>27-14-01-900-801-01 REMOVAL / INSTALLATION OF THE ROLL TRIM ACTUATOR - ROLL TRIM ACTUATOR (13CC)</b>                                  |                                 |           |           |          |                           |           |              |                  |
| PN:021057-32   | MOS/MSC                         | 19-Jun-14 | O/C       | TSR 145  |                           |           |              | Component ATA:27 |
| SN:7965  | HRS                             | 8032      |           | TSR 3714 |                           |           |              |                  |
| WC#: 27.080  | AFL                             | 3965      |           | TSR 1969 |                           |           |              |                  |
|  | PROC. REF: AMM 27-14-01-900-801 |           |           |          |                           |           |              |                  |
| <b>27-14-03-350-801-01 RESTORATION OF THE ROLL EMERGENCY TRIM ACTUATOR (FUNCTIONAL TEST) - ROLL EMERGENCY TRIM ACTUATOR (22CC)</b>       |                                 |           |           |          |                           |           |              |                  |
| PN:021127  | MOS                             | 23-May-14 | 144 (+3%) |          | 23-May-26                 | 02-Oct-26 | 914 d (+132) | Service ATA:27   |
| SN:296   | HRS                             |           |           |          |                           |           |              |                  |
| WC#: 27.070  | AFL                             |           |           |          |                           |           |              |                  |
|  | PROC. REF: AMM 27-14-03-350-801 |           |           |          |                           |           |              |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W  | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |  |
|---|---------|--|-----------|----------|---------------------------|-----------|-----------|----------------|--|
| <b>ATA 27 - FLIGHT CONTROLS</b>                       |         |  |           |          |                           |           |           |                |  |
| 27-14-03-900-801-01                                   |         | REMOVAL / INSTALLATION OF THE EMERGENCY ROLL TRIM ACTUATOR - ROLL EMERGENCY TRIM ACTUATOR (22CC)         |           |          |                           |           | Component | ATA:27         |  |
| PN:021127   | MOS/MSC | 19-Jun-14  | O/C       | TSR 1    |                           |           |           |                |  |
| SN:296  | HRS     | 8032   |           | TSR 0    |                           |           |           |                |  |
| WC#: 27.070   | AFL     | 3965   |           | TSR 0    |                           |           |           |                |  |
| PROC. REF: AMM 27-14-03-900-801                       |         |  |           |          |                           |           |           |                |  |
| 27-14-05-720-801-01 <sup>S</sup>                      |         | FUNCTIONAL TEST OF THE ROLL TRIM CONTROL SAFETY RELAYS - ROLL TRIM RELAY BOX (12CC)                      |           |          |                           |           | Service   | ATA:27         |  |
|   | MOS     | 19-Jun-14  | 144 (+2m) |          |                           |           |           |                |  |
|   | HRS     | 8032   |           |          |                           |           |           |                |  |
| WC#: 27.085   | AFL     | 3965   | 7500      |          |                           |           |           |                |  |
| PROC. REF: AMM 27-14-05-720-801, AMM 27-14-05-720-801 |         |  |           |          |                           |           |           |                |  |
| 27-14-05-720-801-01A                                  |         | FUNCTIONAL TEST OF THE ROLL TRIM CONTROL SAFETY RELAYS - ROLL TRIM RELAY BOX (12CC) (MANDATORY 5-40)     |           |          |                           |           | Service   | ATA:27         |  |
|   | MOS     | 19-Jun-14  |           |          |                           |           |           | MANDATORY 5-40 |  |
|   | HRS     | 8032   | 20000     |          | 28032                     |           | 18200.8   |                |  |
| WC#: 27.085   | AFL     | 3965   |           |          |                           |           |           |                |  |
| PROC. REF: AMM 27-14-05-720-801, AMM 27-14-05-720-801 |         |  |           |          |                           |           |           |                |  |
| 27-15-01-640-801-01 <sup>S</sup>                      |         | PRESSURE GREASING OF THE ROLL ARTHUR VARIABLE BELLCRANK BEARINGS - ROLL ARTHUR VARIABLE BELLCRANK (33CW) |           |          |                           |           | Service   | ATA:27         |  |
|   | MOS     |  | 144 (+2m) |          |                           |           |           |                |  |
|   | HRS     |  |           |          |                           |           |           |                |  |
| WC#: 27.060   | AFL     |  | 7500      |          |                           |           |           |                |  |
| PROC. REF: AMM 27-15-01-640-801                       |         |  |           |          |                           |           |           |                |  |
| 27-15-01-720-801-01 <sup>S</sup>                      |         | FUNCTIONAL TEST OF THE ROLL ARTHUR VARIABLE BELLCRANK - ROLL ARTHUR VARIABLE BELLCRANK (33CW)            |           |          |                           |           | Service   | ATA:27         |  |
|   | MOS     | 12-Nov-20  | 72 (+2m)  |          |                           |           |           |                |  |
|   | HRS     | 9182.3   |           |          |                           |           |           |                |  |
| WC#: 27.060   | AFL     | 4405   | 3750      |          |                           |           |           |                |  |
| PROC. REF: AMM 27-15-01-720-801                       |         |  |           |          |                           |           |           |                |  |
| 27-15-01-900-801-01                                   |         | REMOVAL / INSTALLATION OF THE ROLL ARTHUR VARIABLE BELLCRANK - ROLL ARTHUR VARIABLE BELLCRANK (33CW)     |           |          |                           |           | Component | ATA:27         |  |
| PN:106043-28  | MOS/MSC | 19-Jun-14  | O/C       | TSR 3    |                           |           |           |                |  |
| SN:2082   | HRS     | 8032   |           | TSR 0    |                           |           |           |                |  |
| WC#: 27.060   | AFL     | 3965   |           | TSR 0    |                           |           |           |                |  |
| PROC. REF: AMM 27-15-01-900-801                       |         |  |           |          |                           |           |           |                |  |
| 27-15-03-960-801-01                                   |         | REPLACEMENT OF THE SEALS ON THE SWIVEL COUPLING OF THE ROLL ARTHUR VARIABLE BELLCRANK                    |           |          |                           |           | Service   | ATA:27         |  |
|   | MOS/MSC |  | O/C       |          |                           |           |           |                |  |
|   | HRS     |  |           |          |                           |           |           |                |  |
|   | AFL     |  |           |          |                           |           |           |                |  |
| PROC. REF: AMM 27-15-03-960-801                       |         |  |           |          |                           |           |           |                |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval  | TSX/Adj.        | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition    |
|--|---------|-----------|-----------|-----------------|---------------------------|-----------|--------------|----------------|
| <b>ATA 27 - FLIGHT CONTROLS</b>  |         |           |           |                 |                           |           |              |                |
| <b>27-15-05-350-801-01 RESTORATION OF THE ROLL MAIN AFU (FUNCTIONAL TEST / SERVICING) - ROLL MAIN AFU (523CC) Service ATA:27</b>     |         |           |           |                 |                           |           |              |                |
| PN:105124  | MOS     | 22-Apr-14 | 144 (+3%) |                 | 22-Apr-26                 | 31-Aug-26 | 883 d (+131) |                |
| SN:88  | HRS     |           |           |                 |                           |           |              |                |
|  | AFL     |           |           |                 |                           |           |              |                |
| PROC. REF: AMM 27-15-05-350-801  |         |           |           |                 |                           |           |              |                |
| <b>27-15-05-900-801-01 REMOVAL / INSTALLATION OF THE ROLL MAIN AFU - ROLL MAIN AFU (523CC) Component ATA:27</b>                      |         |           |           |                 |                           |           |              |                |
| PN:105124  | MOS/MSC | 19-Jun-14 | O/C       | TSR 2           |                           |           |              |                |
| SN:88  | HRS     | 8032      |           | TSR 0           |                           |           |              |                |
| WC#: 27.090  | AFL     | 3965      |           | TSR 0           |                           |           |              |                |
| PROC. REF: AMM 27-15-05-900-801  |         |           |           |                 |                           |           |              |                |
| <b>27-15-07-640-801-01<sup>S</sup> PRESSURE GREASING OF THE ROLL AUXILIARY AFU BEARING - LH ROLL AAFU (L522CC) Service ATA:27</b>    |         |           |           |                 |                           |           |              |                |
|  | MOS     | 19-Jun-14 | 144 (+2m) |                 |                           |           |              |                |
|  | HRS     | 8032      |           |                 |                           |           |              |                |
| WC#: 27.095  | AFL     | 3965      | 7500      |                 |                           |           |              |                |
| PROC. REF: AMM 27-15-07-640-801  |         |           |           |                 |                           |           |              |                |
| <b>27-15-07-640-801-02<sup>S</sup> PRESSURE GREASING OF THE ROLL AUXILIARY AFU BEARING - RH ROLL AAFU (R522CC) Service ATA:27</b>    |         |           |           |                 |                           |           |              |                |
|  | MOS     | 19-Jun-14 | 144 (+2m) |                 |                           |           |              |                |
|  | HRS     | 8032      |           |                 |                           |           |              |                |
| WC#: 27.095  | AFL     | 3965      | 7500      |                 |                           |           |              |                |
| PROC. REF: AMM 27-15-07-640-801  |         |           |           |                 |                           |           |              |                |
| <b>27-22-01-350-801-01 RESTORATION OF THE RUDDER SERVO-ACTUATOR (FUNCTIONAL TEST) - RUDDER SERVO-ACTUATOR (571CC) Service ATA:27</b> |         |           |           |                 |                           |           |              |                |
| PN:103103-18   | MOS     | 19-Jun-14 |           |                 |                           |           |              |                |
| SN:805   | HRS     | 8032      | 4000      |                 | 12032                     |           | 2200.8       |                |
| WC#: 27.125  | AFL     | 3965      |           |                 |                           |           |              |                |
| PROC. REF: AMM 27-22-01-350-801  |         |           |           |                 |                           |           |              |                |
| <b>27-22-01-350-801-01A RESTORATION RUDDER SERVO-ACTUATOR (FUNCTIONAL TEST) (MANDATORY REF 5-40-10) Service ATA:27</b>               |         |           |           |                 |                           |           |              |                |
| PN:103103-18   | MOS     | 19-Jun-14 |           |                 |                           |           |              | MANDATORY 5-40 |
| SN:805   | HRS     | 8032      | 4000      |                 | 12032                     |           | 2200.8       |                |
| WC#: 27.125  | AFL     | 3965      |           |                 |                           |           |              |                |
| PROC. REF: AMM 27-22-01-350-801  |         |           |           |                 |                           |           |              |                |
| <b>27-22-01-900-801-01 REMOVAL / INSTALLATION OF THE RUDDER SERVO-ACTUATOR - RUDDER SERVO-ACTUATOR (571CC) Component ATA:27</b>      |         |           |           |                 |                           |           |              |                |
| PN:103103-18   | MOS/MSC | 19-Jun-14 | O/C       | TSR 1           |                           |           |              |                |
| SN:805   | HRS     | 8032      |           | TSN 8032, TSR 0 |                           |           |              |                |
| WC#: 27.125  | AFL     | 3965      |           | TSN 3965, TSR 0 |                           |           |              |                |
| PROC. REF: AMM 27-22-01-900-801  |         |           |           |                 |                           |           |              |                |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition |
|---|---------|-----------|-----------|----------|---------------------------|-----------|--------------|-------------|
| <b>ATA 27 - FLIGHT CONTROLS</b>   |         |           |           |          |                           |           |              |             |
| <b>27-23-01-640-806-01<sup>S</sup> LUBRICATION OF THE YAW CONTROL LINKAGE HINGE PINS OUTSIDE PRESSURIZED AREA Service ATA:27</b>              |         |           |           |          |                           |           |              |             |
|   | MOS     | 12-Nov-20 | 72 (+2m)  |          |                           |           |              |             |
|   | HRS     | 9182.3    |           |          |                           |           |              |             |
| WC#: 27.115   | AFL     | 4405      | 3750      |          |                           |           |              |             |
| PROC. REF: AMM 27-23-01-640-806   |         |           |           |          |                           |           |              | PKG:31      |
| <b>27-23-01-640-807-01<sup>S</sup> GREASING OF THE YAW CONTROL LINKAGE BALL-BUSHINGS IN PRESSURIZED AREA Service ATA:27</b>                   |         |           |           |          |                           |           |              |             |
|   | MOS     | 12-Nov-20 | 72 (+2m)  |          |                           |           |              |             |
|   | HRS     | 9182.3    |           |          |                           |           |              |             |
| WC#: 27.110   | AFL     | 4405      | 3750      |          |                           |           |              |             |
| PROC. REF: AMM 27-23-01-640-807   |         |           |           |          |                           |           |              | PKG:31      |
| <b>27-23-01-640-808-01<sup>S</sup> GREASING OF THE YAW CONTROL LINKAGE BALL-BUSHINGS OUTSIDE PRESSURIZED AREA Service ATA:27</b>              |         |           |           |          |                           |           |              |             |
|   | MOS     | 16-Nov-22 | 24 (+1m)  |          |                           |           |              |             |
|   | HRS     | 9596.5    |           |          |                           |           |              |             |
| WC#: 27.105   | AFL     | 4562      |           |          |                           |           |              |             |
| PROC. REF: AMM 27-23-01-640-808   |         |           |           |          |                           |           |              | PKG:16      |
| <b>27-24-01-350-801-01 RESTORATION OF THE YAW TRIM ACTUATOR (FUNCTIONAL TEST) - YAW TRIM ACTUATOR (3CC) Service ATA:27</b>                    |         |           |           |          |                           |           |              |             |
| PN:021057-28  | MOS     | 23-Apr-14 | 144 (+3%) |          | 23-Apr-26                 | 01-Sep-26 | 884 d (+131) |             |
| SN:7964   | HRS     |           |           |          |                           |           |              |             |
| WC#: 27.145   | AFL     |           |           |          |                           |           |              |             |
| PROC. REF: AMM 27-24-01-350-801   |         |           |           |          |                           |           |              |             |
| <b>27-24-01-900-801-01 REMOVAL / INSTALLATION OF THE YAW MAIN AFU / YAW TRIM ACTUATOR ASSEMBLY - YAW TRIM ACTUATOR (3CC) Component ATA:27</b> |         |           |           |          |                           |           |              |             |
| PN:021057-28  | MOS/MSC | 19-Jun-14 | O/C       | TSR 2    |                           |           |              |             |
| SN:7964   | HRS     | 8032      |           | TSR 0    |                           |           |              |             |
| WC#: 27.145   | AFL     | 3965      |           | TSR 0    |                           |           |              |             |
| PROC. REF: AMM 27-24-01-900-801   |         |           |           |          |                           |           |              |             |
| <b>27-24-01-900-801-02 REMOVAL / INSTALLATION OF THE YAW MAIN AFU / YAW TRIM ACTUATOR ASSEMBLY - YAW MAIN AFU (573CC) Component ATA:27</b>    |         |           |           |          |                           |           |              |             |
| PN:105125   | MOS/MSC | 19-Jun-14 | O/C       | TSR 2    |                           |           |              |             |
| SN:82   | HRS     | 8032      |           | TSR 0    |                           |           |              |             |
| WC#: 27.160   | AFL     | 3965      |           | TSR 0    |                           |           |              |             |
| PROC. REF: AMM 27-24-01-900-801   |         |           |           |          |                           |           |              |             |
| <b>27-24-05-720-802-01<sup>S</sup> FUNCTIONAL TEST OF THE YAW TRIM CONTROL SAFETY RELAYS - YAW TRIM RELAY BOX (2CC) Service ATA:27</b>        |         |           |           |          |                           |           |              |             |
|   | MOS     | 19-Jun-14 | 144 (+2m) |          |                           |           |              |             |
|   | HRS     | 8032      |           |          |                           |           |              |             |
| WC#: 27.150   | AFL     | 3965      | 7500      |          |                           |           |              |             |
| PROC. REF: AMM 27-24-05-720-802, AMM 27-24-05-720-802   |         |           |           |          |                           |           |              | PKG:32      |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval    | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition    |
|--|---------|-----------|-------------|----------|---------------------------|-----------|--------------|----------------|
| <b>ATA 27 - FLIGHT CONTROLS</b>  |         |           |             |          |                           |           |              |                |
| <b>27-24-05-720-802-01A FUNCTIONAL TEST OF THE YAW TRIM CONTROL SAFETY RELAYS - YAW TRIM RELAY BOX (2CC) (MANDATORY 5-40) Service ATA:27</b> |         |           |             |          |                           |           |              |                |
|  | MOS     | 19-Jun-14 |             |          |                           |           |              | MANDATORY 5-40 |
|  | HRS     | 8032      | 20000       |          | 28032                     |           | 18200.8      |                |
| WC#: 27.150  | AFL     | 3965      |             |          |                           |           |              |                |
| PROC. REF: AMM 27-24-05-720-802, AMM 27-24-05-720-802  |         |           |             |          |                           |           |              |                |
| <b>27-25-05-350-801-01 RESTORATION OF THE YAW MAIN AFU (FUNCTIONAL TEST / SERVICING) - YAW MAIN AFU (573CC) Service ATA:27</b>               |         |           |             |          |                           |           |              |                |
| PN:105125  | MOS     | 22-Apr-14 | 144 (+3%)   |          | 22-Apr-26                 | 31-Aug-26 | 883 d (+131) |                |
| SN:82  | HRS     |           |             |          |                           |           |              |                |
|  | AFL     |           |             |          |                           |           |              |                |
| PROC. REF: AMM 27-25-05-350-801  |         |           |             |          |                           |           |              |                |
| <b>27-25-07-350-801-01 RESTORATION OF THE YAW AUXILIARY AFU (FUNCTIONAL TEST / SERVICING) - YAW AAFU (572CC) Service ATA:27</b>              |         |           |             |          |                           |           |              |                |
| PN:105070-04   | MOS     | 19-Jun-14 | 144 (+3%)   |          | 19-Jun-26                 | 28-Oct-26 | 941 d (+131) |                |
| SN:807   | HRS     | 8032      |             |          |                           |           |              |                |
|  | AFL     | 3965      |             |          |                           |           |              |                |
| PROC. REF: AMM 27-25-07-350-801  |         |           |             |          |                           |           |              |                |
| <b>27-25-07-900-801-01 REMOVAL / INSTALLATION OF THE YAW AUXILIARY AFU - YAW AAFU (572CC) Component ATA:27</b>                               |         |           |             |          |                           |           |              |                |
| PN:105070-04   | MOS/MSC | 19-Jun-14 | O/C         | TSR 2    |                           |           |              |                |
| SN:807   | HRS     | 8032      |             | TSR 0    |                           |           |              |                |
| WC#: 27.165  | AFL     | 3965      |             | TSR 0    |                           |           |              |                |
| PROC. REF: AMM 27-25-07-900-801  |         |           |             |          |                           |           |              |                |
| <b>27-31-01-640-801-01<sup>S</sup> GREASING OF THE CONTROL COLUMNS - PILOT CONTROL COLUMN/WHEEL (L8TB) Service ATA:27</b>                    |         |           |             |          |                           |           |              |                |
|  | MOS     | 19-Jun-14 | 144 (+2m)   |          |                           |           |              |                |
|  | HRS     | 8032      |             |          |                           |           |              |                |
| WC#: 27.025  | AFL     | 3965      | 7500        |          |                           |           |              |                |
| PROC. REF: AMM 27-31-01-640-801  |         |           |             |          |                           |           |              |                |
| <b>27-31-01-640-801-02<sup>S</sup> GREASING OF THE CONTROL COLUMNS - COPILOT CONTROL COLUMN/WHEEL (R8TB) Service ATA:27</b>                  |         |           |             |          |                           |           |              |                |
|  | MOS     | 19-Jun-14 | 144 (+2m)   |          |                           |           |              |                |
|  | HRS     | 8032      |             |          |                           |           |              |                |
| WC#: 27.030  | AFL     | 3965      | 7500        |          |                           |           |              |                |
| PROC. REF: AMM 27-31-01-640-801  |         |           |             |          |                           |           |              |                |
| <b>27-32-01-350-801-01 RESTORATION OF THE ELEVATOR SERVO-ACTUATOR (FUNCTIONAL TEST) - ELEVATOR SERVO-ACTUATOR (522CW) Service ATA:27</b>     |         |           |             |          |                           |           |              |                |
| PN:103129  | MOS     | 04-Feb-19 |             |          |                           |           |              |                |
| SN:304   | HRS     | 8877.2    | 10000 (+3%) |          | 18877.2                   | 19177.2   | 9046 (+300)  |                |
|  | AFL     | 4285      |             |          |                           |           |              |                |
| PROC. REF: AMM 27-32-01-350-801  |         |           |             |          |                           |           |              |                |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W  | Interval   | TSX/Adj.        | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |                  |
|---|---------|--|------------|-----------------|---------------------------|-----------|-----------|----------------|------------------|
| <b>ATA 27 - FLIGHT CONTROLS</b>                       |         |  |            |                 |                           |           |           |                |                  |
| 27-32-01-350-801-01A                                  |         | RESTORATION ELEVATOR SERVO-ACTUATOR (FUNCTIONAL TEST) (MANDATORY REF 5-40-10)                              |            |                 |                           |           |           |                | Service ATA:27   |
| PN:103129   | MOS     | 04-Feb-19  |            |                 |                           |           |           | MANDATORY 5-40 |                  |
| SN:304  | HRS     | 8877.2   | 14000      |                 | 22877.2                   |           | 13046     |                |                  |
| WC#: 27.200   | AFL     | 4285   |            |                 |                           |           |           |                |                  |
| PROC. REF: AMM 27-32-01-350-801                       |         |  |            |                 |                           |           |           |                |                  |
| 27-32-01-900-801-01                                   |         | REMOVAL / INSTALLATION OF THE ELEVATOR SERVO-ACTUATOR - ELEVATOR SERVO-ACTUATOR (522CW)                    |            |                 |                           |           |           |                | Component ATA:27 |
| PN:103129   | MOS/MSC | 04-Feb-19  | O/C        | TSR 7           |                           |           |           |                |                  |
| SN:304  | HRS     | 8877.2   |            | TSN 5148, TSR 0 |                           |           |           |                |                  |
| WC#: 27.200   | AFL     | 4285   |            | TSN 1837, TSR 0 |                           |           |           |                |                  |
| PROC. REF: AMM 27-32-01-900-801                       |         |  |            |                 |                           |           |           |                |                  |
| 27-33-01-640-806-01 <sup>S</sup>                      |         | LUBRICATION OF THE PITCH CONTROL LINKAGE HINGE PINS OUTSIDE PRESSURIZED AREA                               |            |                 |                           |           |           |                | Service ATA:27   |
|   | MOS     | 12-Nov-20  | 72 (+2m)   |                 |                           |           |           |                |                  |
|   | HRS     | 9182.3   |            |                 |                           |           |           |                |                  |
| WC#: 27.185   | AFL     | 4405   | 3750       |                 |                           |           |           |                |                  |
| PROC. REF: AMM 27-33-01-640-806                       |         |  |            |                 |                           |           |           |                |                  |
| 27-33-01-640-807-01 <sup>S</sup>                      |         | GREASING OF THE PITCH CONTROL LINKAGE BALL-BUSHINGS IN PRESSURIZED AREA                                    |            |                 |                           |           |           |                | Service ATA:27   |
|   | MOS     | 12-Nov-20  | 72 (+2m)   |                 |                           |           |           |                |                  |
|   | HRS     | 9182.3   |            |                 |                           |           |           |                |                  |
| WC#: 27.180   | AFL     | 4405   | 3750       |                 |                           |           |           |                |                  |
| PROC. REF: AMM 27-33-01-640-807                       |         |  |            |                 |                           |           |           |                |                  |
| 27-33-01-640-808-01 <sup>S</sup>                      |         | GREASING OF THE PITCH CONTROL LINKAGE BALL-BUSHING OUTSIDE PRESSURIZED AREA                                |            |                 |                           |           |           |                | Service ATA:27   |
|   | MOS     | 16-Nov-22  | 24 (+1m)   |                 |                           |           |           |                |                  |
|   | HRS     | 9596.5   |            |                 |                           |           |           |                |                  |
| WC#: 27.175   | AFL     | 4562   |            |                 |                           |           |           |                |                  |
| PROC. REF: AMM 27-33-01-640-808                       |         |  |            |                 |                           |           |           |                |                  |
| 27-35-00-720-801-01 <sup>S</sup>                      |         | FUNCTIONAL TEST OF THE PITCH ARTHUR CONTROL SYSTEM   |            |                 |                           |           |           |                | Service ATA:27   |
|   | MOS     | 05-May-16  |            |                 |                           |           |           |                |                  |
|   | HRS     | 8447.8   | 3200 (+40) |                 |                           |           |           |                |                  |
| WC#: 27.193   | AFL     | 4114   |            |                 |                           |           |           |                |                  |
| PROC. REF: AMM 27-35-00-720-801, AMM 27-35-00-720-801 |         |  |            |                 |                           |           |           |                |                  |
| 27-35-01-640-801-01 <sup>S</sup>                      |         | PRESSURE GREASING OF THE PITCH ARTHUR VARIABLE BELLCRANK BEARINGS - PITCH ARTHUR VARIABLE BELLCRANK (43CW) |            |                 |                           |           |           |                | Service ATA:27   |
|   | MOS     | 19-Jun-14  | 144 (+2m)  |                 |                           |           |           |                |                  |
|   | HRS     | 8032   |            |                 |                           |           |           |                |                  |
| WC#: 27.195   | AFL     | 3965   | 7500       |                 |                           |           |           |                |                  |
| PROC. REF: AMM 27-35-01-640-801                       |         |  |            |                 |                           |           |           |                |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition    |  |
|----------------------------------|---------|---|-----------|----------|---------------------------|-----------|--------------|----------------|--|
| <b>ATA 27 - FLIGHT CONTROLS</b>  |         |   |           |          |                           |           |              |                |  |
| 27-35-01-900-801-01              |         | REMOVAL / INSTALLATION OF THE PITCH ARTHUR VARIABLE BELLCRANK - PITCH ARTHUR VARIABLE BELLCRANK (43CW)  |           |          |                           |           | Component    | ATA:27         |  |
| PN:106126-01                     | MOS/MSC | 23-Oct-89   | O/C       |          |                           |           |              |                |  |
| SN:88                            | HRS     | 0   |           | TSN 0    |                           |           |              |                |  |
| WC#: 27.195                      | AFL     | 0   |           |          |                           |           |              |                |  |
| PROC. REF: AMM 27-35-01-900-801  |         |   |           |          |                           |           |              |                |  |
| 27-35-05-350-801-01              |         | RESTORATION OF THE PITCH MAIN AFU (FUNCTIONAL TEST / SERVICING) - PITCH MAIN AFU (524CW)                |           |          |                           |           | Service      | ATA:27         |  |
| PN:105122-02                     | MOS     | 22-Apr-14   | 144 (+3%) |          | 22-Apr-26                 | 31-Aug-26 | 883 d (+131) |                |  |
| SN:78                            | HRS     |   |           |          |                           |           |              |                |  |
|                                  | AFL     |   |           |          |                           |           |              |                |  |
| PROC. REF: AMM 27-35-05-350-801  |         |   |           |          |                           |           |              |                |  |
| 27-35-05-900-801-01              |         | REMOVAL / INSTALLATION OF THE PITCH MAIN AFU - PITCH MAIN AFU (524CW)                                   |           |          |                           |           | Component    | ATA:27         |  |
| PN:105122-02                     | MOS/MSC | 19-Jun-14   | O/C       | TSR 2    |                           |           |              |                |  |
| SN:78                            | HRS     | 8032  |           | TSR 0    |                           |           |              |                |  |
| WC#: 27.225                      | AFL     | 3965  |           | TSR 0    |                           |           |              |                |  |
| PROC. REF: AMM 27-35-05-900-801  |         |   |           |          |                           |           |              |                |  |
| 27-35-07-350-801-01              |         | RESTORATION OF THE PITCH AUXILIARY AFU (DISCARD OF BUSHINGS 1050450002) - PITCH AAFU (523CW)            |           |          |                           |           | Service      | ATA:27         |  |
| PN:105045-13                     | MOS/MSC |   | O/C       |          |                           |           |              |                |  |
| SN:3429                          | HRS     |   |           |          |                           |           |              |                |  |
| WC#: 27.230                      | AFL     |   |           |          |                           |           |              |                |  |
| PROC. REF: AMM 27-35-07-350-801  |         |   |           |          |                           |           |              |                |  |
| 27-35-07-350-801-01A             |         | RESTORATION PITCH AUXILIARY ARTIFICIAL FEEL (AAFU) UNIT (DISCARD OF BUSHING 105040002) (MANDATORY 5-40) |           |          |                           |           | Service      | ATA:27         |  |
| PN:105045-13                     | MOS/MSC |   | O/C       |          |                           |           |              | MANDATORY 5-40 |  |
| SN:3429                          | HRS     |   |           |          |                           |           |              |                |  |
|                                  | AFL     |   |           |          |                           |           |              |                |  |
| PROC. REF: AMM 27-35-07-350-801  |         |   |           |          |                           |           |              |                |  |
| 27-35-07-640-801-01 <sup>S</sup> |         | PRESSURE GREASING OF THE PITCH AUXILIARY AFU BEARINGS - PITCH AAFU (523CW)                              |           |          |                           |           | Service      | ATA:27         |  |
|                                  | MOS     | 19-Jun-14   | 144 (+2m) |          |                           |           |              |                |  |
|                                  | HRS     | 8032  |           |          |                           |           |              |                |  |
| WC#: 27.230                      | AFL     | 3965  | 7500      |          |                           |           |              |                |  |
| PROC. REF: AMM 27-35-07-640-801  |         |   |           |          |                           |           |              |                |  |
| 27-35-07-900-801-01              |         | REMOVAL / INSTALLATION OF THE PITCH AUXILIARY AFU - PITCH AAFU (523CW)                                  |           |          |                           |           | Component    | ATA:27         |  |
| PN:105045-13                     | MOS/MSC | 06-Apr-11   | O/C       | TSR 0    |                           |           |              |                |  |
| SN:3429                          | HRS     | 7166.2  |           | TSR 0    |                           |           |              |                |  |
| WC#: 27.230                      | AFL     | 3547  |           | TSR 0    |                           |           |              |                |  |
| PROC. REF: AMM 27-35-07-900-801  |         |   |           |          |                           |           |              |                |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit | C/W  | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining     | Disposition |  |
|----------------------------------|------|--|------------|----------|---------------------------|-----------|---------------|-------------|--|
| <b>ATA 27 - FLIGHT CONTROLS</b>  |      |  |            |          |                           |           |               |             |  |
| 27-40-00-720-801-01 <sup>S</sup> |      | FUNCTIONAL TEST OF THE HORIZONTAL STABILIZER CONTROL AND INDICATING SYSTEM   |            |          |                           |           | Service       | ATA:27      |  |
|                                  | MOS  | 14-Apr-16  |            |          |                           |           |               |             |  |
|                                  | HRS  | 8447.8   | 1600 (+40) |          |                           |           |               |             |  |
| WC#: 27.245                      | AFL  | 4114   |            |          |                           |           |               |             |  |
| PROC. REF: AMM 27-40-00-720-801  |      |  |            |          |                           |           |               | PKG:21      |  |
| 27-40-01-210-802-01              |      | VISUAL INSPECTION OF THE HORIZONTAL STABILIZER ACTUATOR - HORIZONTAL STABILIZER ELECTRIC ACTUATOR (3CF)  |            |          |                           |           | Service       | ATA:27      |  |
| PN:021121-11                     | MOS  | 12-Nov-20  | 72 (+3%)   |          | 12-Nov-26                 | 16-Jan-27 | 1087 d (+65)  |             |  |
| SN:202                           | HRS  | 9182.3   |            |          |                           |           |               |             |  |
| WC#: 27.255                      | AFL  | 4405   | 3750 (+3%) |          | 8155                      | 8267.5    | 3515 (+112.5) |             |  |
| PROC. REF: AMM 27-40-01-210-802  |      |  |            |          |                           |           |               |             |  |
| 27-40-01-350-801-01              |      | RESTORATION OF THE HORIZONTAL STABILIZER ACTUATOR (FULL DISASSEMBLY, INSPECTION/CHECK AND NDT) - HORIZONTAL STABILIZER ELECTRIC ACTUATOR (3CF) |            |          |                           |           | Service       | ATA:27      |  |
| PN:021121-11                     | MOS  | 11-Nov-20  | 144 (+3%)  |          | 11-Nov-32                 | 20-Mar-33 | 3278 d (+129) |             |  |
| SN:202                           | HRS  | 9182.3   |            |          |                           |           |               |             |  |
| WC#: 27.255                      | AFL  | 4405   | 7500 (+3%) |          | 11905                     | 12130     | 7265 (+225)   |             |  |
| PROC. REF: AMM 27-40-01-350-801  |      |  |            |          |                           |           |               |             |  |
| 27-40-01-640-802-01 <sup>S</sup> |      | GREASING OF THE HORIZONTAL STABILIZER ACTUATOR HINGES AND JACK SCREW - HORIZONTAL STABILIZER ELECTRIC ACTUATOR (3CF)                           |            |          |                           |           | Service       | ATA:27      |  |
|                                  | MOS  | 09-Nov-23  | 12 (+1m)   |          |                           |           |               |             |  |
|                                  | HRS  | 9831.2   | 800 (+40)  |          |                           |           |               |             |  |
| WC#: 27.255                      | AFL  | 4640   |            |          |                           |           |               |             |  |
| PROC. REF: AMM 27-40-01-640-802  |      |  |            |          |                           |           |               | PKG:5       |  |
| 27-40-01-720-801-01 <sup>S</sup> |      | MEASUREMENT OF THE HORIZONTAL STABILIZER ACTUATOR SLIP - NORMAL ELECTRIC MOTOR (93CFA)   |            |          |                           |           | Service       | ATA:27      |  |
|                                  | MOS  | 14-Apr-16  |            |          |                           |           |               |             |  |
|                                  | HRS  | 8447.8   | 1600 (+40) |          |                           |           |               |             |  |
| WC#: 27.250                      | AFL  | 4114   |            |          |                           |           |               |             |  |
| PROC. REF: AMM 27-40-01-720-801  |      |  |            |          |                           |           |               | PKG:21      |  |
| 27-40-01-720-801-02 <sup>S</sup> |      | MEASUREMENT OF THE HORIZONTAL STABILIZER ACTUATOR SLIP - EMERGENCY ELECTRIC MOTOR (93CFB)  |            |          |                           |           | Service       | ATA:27      |  |
|                                  | MOS  | 14-Apr-16  |            |          |                           |           |               |             |  |
|                                  | HRS  | 8447.8   | 1600 (+40) |          |                           |           |               |             |  |
|                                  | AFL  | 4114   |            |          |                           |           |               |             |  |
| PROC. REF: AMM 27-40-01-720-801  |      |  |            |          |                           |           |               | PKG:21      |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|-----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 27 - FLIGHT CONTROLS</b>  |  |           |           |          |                           |           |           |             |        |
| 27-40-01-900-801-01              | REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER ACTUATOR - HORIZONTAL STABILIZER ELECTRIC ACTUATOR (3CF)                     |           |           |          |                           |           |           | Component   | ATA:27 |
| PN:021121-11                     | MOS/MSC  | 12-Nov-20 | O/C       | TSR 2    |                           |           |           |             |        |
| SN:202                           | HRS  | 9182.3    | TSR 0     |          |                           |           |           |             |        |
| WC#: 27.255                      | AFL  | 4405      | TSR 0     |          |                           |           |           |             |        |
| PROC. REF: AMM 27-40-01-900-801  |  |           |           |          |                           |           |           |             |        |
| 27-40-03-100-802-01              | CHECK / CLEANING OF THE ELECTROMAGNETIC BRAKE OF THE HORIZONTAL STABILIZER ACTUATOR NORMAL MOTOR - NORMAL ELECTRIC MOTOR (93CFA) |           |           |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS/MSC  | 01-Apr-99 | O/C       |          |                           |           |           |             |        |
|                                  | HRS  | 3642      |           |          |                           |           |           |             |        |
| WC#: 27.260                      | AFL  | 1621      |           |          |                           |           |           |             |        |
| PROC. REF: AMM 27-40-03-100-802  |  |           |           |          |                           |           |           |             |        |
| 27-40-03-760-801-01              | MEASUREMENT OF THE DROP-OUT CURRENT OF THE ELECTROMAGNETIC BRAKE OF HS ACTUATOR NORMAL MOTOR - NORMAL ELECTRIC MOTOR (93CFA)     |           |           |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS/MSC  | O/C       |           |          |                           |           |           |             |        |
|                                  | HRS  |           |           |          |                           |           |           |             |        |
| WC#: 27.260                      | AFL  |           |           |          |                           |           |           |             |        |
| PROC. REF: AMM 27-40-03-760-801  |  |           |           |          |                           |           |           |             |        |
| 27-40-03-900-801-01              | REMOVAL / INSTALLATION OF THE NORMAL MOTOR OF THE HORIZONTAL STABILIZER ACTUATOR - NORMAL ELECTRIC MOTOR (93CFA)                 |           |           |          |                           |           |           | Component   | ATA:27 |
| PN:1234-2                        | MOS/MSC  | 10-Apr-00 | O/C       |          |                           |           |           |             |        |
| SN:2672                          | HRS  | 3950      |           |          |                           |           |           |             |        |
| WC#: 27.260                      | AFL  | 1775      |           |          |                           |           |           |             |        |
| PROC. REF: AMM 27-40-03-900-801  |  |           |           |          |                           |           |           |             |        |
| 27-40-05-900-801-01              | REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER POSITION REPEATER BOX - HS POSITION REPEATER BOX (4CF)                       |           |           |          |                           |           |           | Component   | ATA:27 |
| PN:016092-02                     | MOS/MSC  | 23-Mar-90 | O/C       |          |                           |           |           |             |        |
| SN:79                            | HRS  | 27        | TSN 26    |          |                           |           |           |             |        |
| WC#: 27.262                      | AFL  | 12        |           |          |                           |           |           |             |        |
| PROC. REF: AMM 27-40-05-900-801  |  |           |           |          |                           |           |           |             |        |
| 27-40-15-710-801-01 <sup>S</sup> | OPERATIONAL TEST OF THE HS EMERGENCY TRIM CONTROL RELAY - AIRBRAKE/TAIPLANE/TRIM CONTROL BOX (2CF)                               |           |           |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS  | 19-Jun-14 | 144 (+2m) |          |                           |           |           |             |        |
|                                  | HRS  | 8032      |           |          |                           |           |           |             |        |
| WC#: 27.270                      | AFL  | 3965      | 7500      |          |                           |           |           |             |        |
| PROC. REF: AMM 27-40-15-710-801  |  |           |           |          |                           |           |           |             |        |

PKG:32

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|----------------------------------|--|-----------|------------|----------|---------------------------|-----------|-----------|----------------|--------|
| <b>ATA 27 - FLIGHT CONTROLS</b>  |  |           |            |          |                           |           |           |                |        |
| 27-40-15-710-801-01A             | OPERATIONAL TEST OF THE HS EMERGENCY TRIM CONTROL RELAY - AIRBRAKE/TAILPLANE/TRIM CONTROL BOX (2CF) (MANDATORY 5-40) |           |            |          |                           |           |           | Service        | ATA:27 |
|                                  | MOS  | 19-Jun-14 |            |          |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS  | 8032      | 16000      |          | 24032                     |           | 14200.8   |                |        |
| WC#: 27.270                      | AFL  | 3965      |            |          |                           |           |           |                |        |
| PROC. REF: AMM 27-40-15-710-801  |  |           |            |          |                           |           |           |                |        |
| 27-40-17-720-801-01 <sup>S</sup> | FUNCTIONAL TEST OF THE HORIZONTAL STABILIZER RELAY BOX - HS RELAY BOX (91CF)   |           |            |          |                           |           |           | Service        | ATA:27 |
|                                  | MOS  | 05-May-16 |            |          |                           |           |           |                |        |
|                                  | HRS  | 8447.8    | 4800 (+40) |          |                           |           |           |                |        |
| WC#: 27.265                      | AFL  | 4114      |            |          |                           |           |           |                |        |
| PROC. REF: AMM 27-40-17-720-801  |  |           |            |          |                           |           |           |                |        |
| 27-40-17-720-801-01A             | FUNCTIONAL TEST OF THE HORIZONTAL STABILIZER RELAY BOX - HS RELAY BOX (91CF) (MANDATORY 5-40)                        |           |            |          |                           |           |           | Service        | ATA:27 |
|                                  | MOS  | 05-May-16 |            |          |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS  | 8447.8    | 5000       |          | 13447.8                   |           | 3616.6    |                |        |
| WC#: 27.265                      | AFL  | 4114      |            |          |                           |           |           |                |        |
| PROC. REF: AMM 27-40-17-720-801  |  |           |            |          |                           |           |           |                |        |
| 27-50-00-640-801-01 <sup>S</sup> | GREASING / LUBRICATION OF FLAP MECHANISMS  |           |            |          |                           |           |           | Service        | ATA:27 |
|                                  | MOS  | 16-Nov-22 | 24 (+1m)   |          |                           |           |           |                |        |
|                                  | HRS  | 9596.5    |            |          |                           |           |           |                |        |
| WC#: 27.515                      | AFL  | 4562      |            |          |                           |           |           |                |        |
| PROC. REF: AMM 27-50-00-640-801  |  |           |            |          |                           |           |           |                |        |
| 27-50-00-720-801-01 <sup>S</sup> | FUNCTIONAL TEST OF THE FLAP CONTROL AND INDICATING SYSTEM  |           |            |          |                           |           |           | Service        | ATA:27 |
|                                  | MOS  | 14-Apr-16 |            |          |                           |           |           |                |        |
|                                  | HRS  | 8447.8    | 1600 (+40) |          |                           |           |           |                |        |
| WC#: 27.290                      | AFL  | 4114      |            |          |                           |           |           |                |        |
| PROC. REF: AMM 27-50-00-720-801  |  |           |            |          |                           |           |           |                |        |
| 27-50-00-720-802-01 <sup>S</sup> | FUNCTIONAL TEST OF THE FLAP ASYMMETRY DETECTION SYSTEM   |           |            |          |                           |           |           | Service        | ATA:27 |
|                                  | MOS  | 14-Apr-16 |            |          |                           |           |           |                |        |
|                                  | HRS  | 8447.8    | 1600 (+40) |          |                           |           |           |                |        |
| WC#: 27.285                      | AFL  | 4114      |            |          |                           |           |           |                |        |
| PROC. REF: AMM 27-50-00-720-802  |  |           |            |          |                           |           |           |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W  | Interval   | TSX/Adj.   | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |                  |
|----------------------------------|---------|--|------------|------------|---------------------------|-----------|-----------|----------------|------------------|
| <b>ATA 27 - FLIGHT CONTROLS</b>  |         |  |            |            |                           |           |           |                |                  |
| 27-50-00-720-802-01A             |         | FUNCTIONAL TEST OF THE FLAP ASYMMETRY DETECTION SYSTEM (MANDATORY 5-40)                        |            |            |                           |           |           |                | Service ATA:27   |
|                                  | MOS     | 14-Apr-16  |            |            |                           |           |           | MANDATORY 5-40 |                  |
|                                  | HRS     | 8447.8   | 1800       |            | 10247.8                   |           | 416.6     |                |                  |
| WC#: 27.285                      | AFL     | 4114   |            |            |                           |           |           |                |                  |
| PROC. REF: AMM 27-50-00-720-802  |         |  |            |            |                           |           |           |                |                  |
| 27-50-00-720-803-01 <sup>S</sup> |         | CHECK OF THE GEAR BACKLASH OF FLAP LINKAGE   |            |            |                           |           |           |                | Service ATA:27   |
|                                  | MOS     | 14-Apr-16  |            |            |                           |           |           |                |                  |
|                                  | HRS     | 8447.8   | 1600 (+40) |            |                           |           |           |                |                  |
|                                  | AFL     | 4114   |            |            |                           |           |           |                |                  |
| PROC. REF: AMM 27-50-00-720-803  |         |  |            |            |                           |           |           |                |                  |
| PKG:21                           |         |  |            |            |                           |           |           |                |                  |
| 27-51-01-900-801-01              |         | REMOVAL / INSTALLATION OF THE SLATS / FLAPS CONTROL BOX - SLATS/FLAPS CONTROL BOX (2CG)        |            |            |                           |           |           |                | Component ATA:27 |
| PN:013016-21                     | MOS/MSC | 23-Oct-89  | O/C        |            |                           |           |           |                |                  |
| SN:742                           | HRS     | 0  |            | TSN 0      |                           |           |           |                |                  |
| WC#: 27.040                      | AFL     | 0  |            |            |                           |           |           |                |                  |
| PROC. REF: AMM 27-51-01-900-801  |         |  |            |            |                           |           |           |                |                  |
| 27-52-01-900-801-01              |         | REMOVAL / INSTALLATION OF THE FLAP POWER DRIVE UNIT - FLAP POWER DRIVE UNIT (3CG)              |            |            |                           |           |           |                | Component ATA:27 |
| PN:021138-05                     | MOS/MSC | 12-Nov-20  | O/C        | TSR 160    |                           |           |           |                |                  |
| SN:335                           | HRS     | 9182.3   |            | TSR 2939.6 |                           |           |           |                |                  |
| WC#: 27.300                      | AFL     | 4405   |            | TSR 1388   |                           |           |           |                |                  |
| PROC. REF: AMM 27-52-01-900-801  |         |  |            |            |                           |           |           |                |                  |
| 27-52-13-200-801-01 <sup>S</sup> |         | CHECK / GREASING OF FLAP CONTROL ROD SPLINES - LH WING   |            |            |                           |           |           |                | Service ATA:27   |
|                                  | MOS     | 12-Nov-20  | 72 (+2m)   |            |                           |           |           |                |                  |
|                                  | HRS     | 9182.3   |            |            |                           |           |           |                |                  |
| WC#: 27.295                      | AFL     | 4405   | 3750       |            |                           |           |           |                |                  |
| PROC. REF: AMM 27-52-13-200-801  |         |  |            |            |                           |           |           |                |                  |
| PKG:31                           |         |  |            |            |                           |           |           |                |                  |
| 27-52-13-200-801-02 <sup>S</sup> |         | CHECK / GREASING OF FLAP CONTROL ROD SPLINES - RH WING   |            |            |                           |           |           |                | Service ATA:27   |
|                                  | MOS     | 12-Nov-20  | 72 (+2m)   |            |                           |           |           |                |                  |
|                                  | HRS     | 9182.3   |            |            |                           |           |           |                |                  |
|                                  | AFL     | 4405   | 3750       |            |                           |           |           |                |                  |
| PROC. REF: AMM 27-52-13-200-801  |         |  |            |            |                           |           |           |                |                  |
| PKG:31                           |         |  |            |            |                           |           |           |                |                  |
| 27-53-01-220-801-01 <sup>S</sup> |         | CLEANING / CHECK OF THE FLAP SCREW JACK ACTUATING SCREW - LH OUTBOARD FLAP SCREW JACK (L502CG) |            |            |                           |           |           |                | Service ATA:27   |
|                                  | MOS     | 09-Nov-23  | 12 (+1m)   |            |                           |           |           |                |                  |
|                                  | HRS     | 9831.2   | 800 (+40)  |            |                           |           |           |                |                  |
|                                  | AFL     | 4640   |            |            |                           |           |           |                |                  |
| PROC. REF: AMM 27-53-01-220-801  |         |  |            |            |                           |           |           |                |                  |
| PKG:5                            |         |  |            |            |                           |           |           |                |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |
|---|---------|-----------|-----------|----------|---------------------------|-----------|-----------|----------------|
| <b>ATA 27 - FLIGHT CONTROLS</b>   |         |           |           |          |                           |           |           |                |
| 27-53-01-220-801-02 <sup>S</sup> CLEANING / CHECK OF THE FLAP SCREW JACK ACTUATING SCREW - LH INBOARD FLAP LATERAL SCREW JACK (L501CG) Service ATA:27 |         |           |           |          |                           |           |           |                |
|   | MOS     | 09-Nov-23 | 12 (+1m)  |          |                           |           |           |                |
|   | HRS     | 9831.2    | 800 (+40) |          |                           |           |           |                |
|   | AFL     | 4640      |           |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-220-801   |         |           |           |          |                           |           |           | PKG:5          |
| 27-53-01-220-801-03 <sup>S</sup> CLEANING / CHECK OF THE FLAP SCREW JACK ACTUATING SCREW - LH INBOARD FLAP CENTER SCREW JACK (L500CG) Service ATA:27  |         |           |           |          |                           |           |           |                |
|   | MOS     | 09-Nov-23 | 12 (+1m)  |          |                           |           |           |                |
|   | HRS     | 9831.2    | 800 (+40) |          |                           |           |           |                |
|   | AFL     | 4640      |           |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-220-801   |         |           |           |          |                           |           |           | PKG:5          |
| 27-53-01-220-801-04 <sup>S</sup> CLEANING / CHECK OF THE FLAP SCREW JACK ACTUATING SCREW - RH INBOARD FLAP CENTER SCREW JACK (R500CG) Service ATA:27  |         |           |           |          |                           |           |           |                |
|   | MOS     | 09-Nov-23 | 12 (+1m)  |          |                           |           |           |                |
|   | HRS     | 9831.2    | 800 (+40) |          |                           |           |           |                |
|   | AFL     | 4640      |           |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-220-801   |         |           |           |          |                           |           |           | PKG:5          |
| 27-53-01-220-801-05 <sup>S</sup> CLEANING / CHECK OF THE FLAP SCREW JACK ACTUATING SCREW - RH INBOARD FLAP LATERAL SCREW JACK (R501CG) Service ATA:27 |         |           |           |          |                           |           |           |                |
|   | MOS     | 09-Nov-23 | 12 (+1m)  |          |                           |           |           |                |
|   | HRS     | 9831.2    | 800 (+40) |          |                           |           |           |                |
|   | AFL     | 4640      |           |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-220-801   |         |           |           |          |                           |           |           | PKG:5          |
| 27-53-01-220-801-06 <sup>S</sup> CLEANING / CHECK OF THE FLAP SCREW JACK ACTUATING SCREW - RH OUTBOARD FLAP SCREW JACK (R502CG) Service ATA:27        |         |           |           |          |                           |           |           |                |
|   | MOS     | 09-Nov-23 | 12 (+1m)  |          |                           |           |           |                |
|   | HRS     | 9831.2    | 800 (+40) |          |                           |           |           |                |
|   | AFL     | 4640      |           |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-220-801   |         |           |           |          |                           |           |           | PKG:5          |
| 27-53-01-350-801-01 RESTORATION OF THE FLAP SCREW JACKS (OVERHAUL) - LH OUTBOARD FLAP SCREW JACK (L502CG) Service ATA:27                              |         |           |           |          |                           |           |           |                |
| PN:021137-15  | MOS/MSC |           | O/C       |          |                           |           |           |                |
| SN:7069   | HRS     |           |           |          |                           |           |           |                |
| WC#: 27.315   | AFL     |           |           |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-350-801   |         |           |           |          |                           |           |           |                |
| 27-53-01-350-801-01A RESTORATION LH OUTBOARD FLAP SCREW JACK (OVERHAUL) (MANDATORY 5-40) Service ATA:27   |         |           |           |          |                           |           |           |                |
| PN:021137-15  | MOS/MSC |           | O/C       |          |                           |           |           | MANDATORY 5-40 |
| SN:7069   | HRS     |           |           |          |                           |           |           |                |
|   | AFL     |           |           |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-350-801   |         |           |           |          |                           |           |           |                |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|----------------|
| <b>ATA 27 - FLIGHT CONTROLS</b>  |         |           |          |          |                           |           |           |                |
| <b>27-53-01-350-801-02 RESTORATION OF THE FLAP SCREW JACKS (OVERHAUL) - LH INBOARD FLAP LATERAL SCREW JACK (L501CG) Service ATA:27</b> |         |           |          |          |                           |           |           |                |
| PN:021137-13   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                |
| SN:1719  | HRS     | 0         |          |          |                           |           |           |                |
| WC#: 27.320  | AFL     | 0         |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-350-801  |         |           |          |          |                           |           |           |                |
| <b>27-53-01-350-801-02A RESTORATION LH INBOARD FLAP LATERAL SCREW JACK (OVERHAUL) (MANDATORY 5-40) Service ATA:27</b>                  |         |           |          |          |                           |           |           |                |
| PN:021137-13   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           | MANDATORY 5-40 |
| SN:1719  | HRS     | 0         |          |          |                           |           |           |                |
|  | AFL     | 0         |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-350-801  |         |           |          |          |                           |           |           |                |
| <b>27-53-01-350-801-03 RESTORATION OF THE FLAP SCREW JACKS (OVERHAUL) - LH INBOARD FLAP CENTER SCREW JACK (L500CG) Service ATA:27</b>  |         |           |          |          |                           |           |           |                |
| PN:021137-13   | MOS/MSC |           | O/C      |          |                           |           |           |                |
| SN:1802  | HRS     |           |          |          |                           |           |           |                |
| WC#: 27.325  | AFL     |           |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-350-801  |         |           |          |          |                           |           |           |                |
| <b>27-53-01-350-801-03A RESTORATION LH INBOARD FLAP CENTER SCREW JACK (OVERHAUL) (MANDATORY 5-40) Service ATA:27</b>                   |         |           |          |          |                           |           |           |                |
| PN:021137-13   | MOS/MSC |           | O/C      |          |                           |           |           | MANDATORY 5-40 |
| SN:1802  | HRS     |           |          |          |                           |           |           |                |
|  | AFL     |           |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-350-801  |         |           |          |          |                           |           |           |                |
| <b>27-53-01-350-801-04 RESTORATION OF THE FLAP SCREW JACKS (OVERHAUL) - RH INBOARD FLAP CENTER SCREW JACK (R500CG) Service ATA:27</b>  |         |           |          |          |                           |           |           |                |
| PN:021137-13   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                |
| SN:1721  | HRS     | 0         |          |          |                           |           |           |                |
| WC#: 27.330  | AFL     | 0         |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-350-801  |         |           |          |          |                           |           |           |                |
| <b>27-53-01-350-801-04A RESTORATION RH INBOARD FLAP CENTER SCREW JACK (OVERHAUL) (MANDATORY 5-40) Service ATA:27</b>                   |         |           |          |          |                           |           |           |                |
| PN:021137-13   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           | MANDATORY 5-40 |
| SN:1721  | HRS     | 0         |          |          |                           |           |           |                |
|  | AFL     | 0         |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-350-801  |         |           |          |          |                           |           |           |                |
| <b>27-53-01-350-801-05 RESTORATION OF THE FLAP SCREW JACKS (OVERHAUL) - RH INBOARD FLAP LATERAL SCREW JACK (R501CG) Service ATA:27</b> |         |           |          |          |                           |           |           |                |
| PN:021137-13   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                |
| SN:1722  | HRS     | 0         |          |          |                           |           |           |                |
| WC#: 27.335  | AFL     | 0         |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-350-801  |         |           |          |          |                           |           |           |                |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition                      |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|----------------------------------|
| <b>ATA 27 - FLIGHT CONTROLS</b>  |         |           |          |          |                           |           |           |                                  |
| <b>27-53-01-350-801-05A RESTORATION RH INBOARD FLAP LATERAL SCREW JACK (OVERHAUL) (MANDATORY 5-40)</b>           |         |           |          |          |                           |           |           |                                  |
| PN:021137-13   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           | Service ATA:27<br>MANDATORY 5-40 |
| SN:1722  | HRS     | 0         |          |          |                           |           |           |                                  |
|  | AFL     | 0         |          |          |                           |           |           |                                  |
| PROC. REF: AMM 27-53-01-350-801  |         |           |          |          |                           |           |           |                                  |
| <b>27-53-01-350-801-06 RESTORATION OF THE FLAP SCREW JACKS (OVERHAUL) - RH OUTBOARD FLAP SCREW JACK (R502CG)</b> |         |           |          |          |                           |           |           |                                  |
| PN:021137-14   | MOS/MSC |           | O/C      |          |                           |           |           | Service ATA:27                   |
| SN:1443  | HRS     |           |          |          |                           |           |           |                                  |
| WC#: 27.340  | AFL     |           |          |          |                           |           |           |                                  |
| PROC. REF: AMM 27-53-01-350-801  |         |           |          |          |                           |           |           |                                  |
| <b>27-53-01-350-801-06A RESTORATION RH OUTBOARD FLAP SCREW JACK (OVERHAUL) (MANDATORY 5-40)</b>                  |         |           |          |          |                           |           |           |                                  |
| PN:021137-14   | MOS/MSC |           | O/C      |          |                           |           |           | Service ATA:27<br>MANDATORY 5-40 |
| SN:1443  | HRS     |           |          |          |                           |           |           |                                  |
|  | AFL     |           |          |          |                           |           |           |                                  |
| PROC. REF: AMM 27-53-01-350-801  |         |           |          |          |                           |           |           |                                  |
| <b>27-53-01-350-802-01 UPGRADE OF THE FLAP SCREW JACKS (AVIAC) - LH OUTBOARD FLAP SCREW JACK (L502CG)</b>        |         |           |          |          |                           |           |           |                                  |
| PN:021137-15   | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |           | Service ATA:27                   |
| SN:7069  | HRS     | 0         |          |          |                           |           |           |                                  |
|  | AFL     | 0         |          |          |                           |           |           |                                  |
| PROC. REF: AMM 27-53-01-350-802  |         |           |          |          |                           |           |           |                                  |
| <b>27-53-01-350-802-01A UPGRADE LH OUTBOARD FLAP SCREW JACK (AVIAC ONLY) (MANDATORY 5-40)</b>                    |         |           |          |          |                           |           |           |                                  |
| PN:021137-15   | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |           | Service ATA:27<br>MANDATORY 5-40 |
| SN:7069  | HRS     | 0         |          |          |                           |           |           |                                  |
|  | AFL     | 0         |          |          |                           |           |           |                                  |
| PROC. REF: AMM 27-53-01-350-802  |         |           |          |          |                           |           |           |                                  |
| <b>27-53-01-350-802-02 UPGRADE OF THE FLAP SCREW JACKS (AVIAC) - LH INBOARD FLAP LATERAL SCREW JACK (L501CG)</b> |         |           |          |          |                           |           |           |                                  |
| PN:021137-13   | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |           | Service ATA:27                   |
| SN:1719  | HRS     | 0         |          |          |                           |           |           |                                  |
|  | AFL     | 0         |          |          |                           |           |           |                                  |
| PROC. REF: AMM 27-53-01-350-802  |         |           |          |          |                           |           |           |                                  |
| <b>27-53-01-350-802-02A UPGRADE LH INBOARD FLAP LATERAL SCREW JACK (AVIAC ONLY) (MANDATORY 5-40)</b>             |         |           |          |          |                           |           |           |                                  |
| PN:021137-13   | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |           | Service ATA:27<br>MANDATORY 5-40 |
| SN:1719  | HRS     | 0         |          |          |                           |           |           |                                  |
|  | AFL     | 0         |          |          |                           |           |           |                                  |
| PROC. REF: AMM 27-53-01-350-802  |         |           |          |          |                           |           |           |                                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |
|---|---------|-----------|----------|----------|---------------------------|-----------|-----------|----------------|
| <b>ATA 27 - FLIGHT CONTROLS</b>   |         |           |          |          |                           |           |           |                |
| <b>27-53-01-350-802-03 UPGRADE OF THE FLAP SCREW JACKS (AVIAC) - LH INBOARD FLAP CENTER SCREW JACK (L500CG) Service ATA:27</b>  |         |           |          |          |                           |           |           |                |
| PN:021137-13  | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |           |                |
| SN:1802   | HRS     | 0         |          |          |                           |           |           |                |
|   | AFL     | 0         |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-350-802   |         |           |          |          |                           |           |           |                |
| <b>27-53-01-350-802-03A UPGRADE LH INBOARD FLAP CENTER SCREW JACK (AVIAC ONLY) (MANDATORY 5-40) Service ATA:27</b>              |         |           |          |          |                           |           |           |                |
| PN:021137-13  | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |           | MANDATORY 5-40 |
| SN:1802   | HRS     | 0         |          |          |                           |           |           |                |
|   | AFL     | 0         |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-350-802   |         |           |          |          |                           |           |           |                |
| <b>27-53-01-350-802-04 UPGRADE OF THE FLAP SCREW JACKS (AVIAC) - RH INBOARD FLAP CENTER SCREW JACK (R500CG) Service ATA:27</b>  |         |           |          |          |                           |           |           |                |
| PN:021137-13  | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |           |                |
| SN:1721   | HRS     | 0         |          |          |                           |           |           |                |
|   | AFL     | 0         |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-350-802   |         |           |          |          |                           |           |           |                |
| <b>27-53-01-350-802-04A UPGRADE RH INBOARD FLAP CENTER SCREW JACK (AVIAC ONLY) (MANDATORY 5-40) Service ATA:27</b>              |         |           |          |          |                           |           |           |                |
| PN:021137-13  | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |           | MANDATORY 5-40 |
| SN:1721   | HRS     | 0         |          |          |                           |           |           |                |
|   | AFL     | 0         |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-350-802   |         |           |          |          |                           |           |           |                |
| <b>27-53-01-350-802-05 UPGRADE OF THE FLAP SCREW JACKS (AVIAC) - RH INBOARD FLAP LATERAL SCREW JACK (R501CG) Service ATA:27</b> |         |           |          |          |                           |           |           |                |
| PN:021137-13  | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |           |                |
| SN:1722   | HRS     | 0         |          |          |                           |           |           |                |
|   | AFL     | 0         |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-350-802   |         |           |          |          |                           |           |           |                |
| <b>27-53-01-350-802-05A UPGRADE RH INBOARD FLAP LATERAL SCREW JACK (AVIAC ONLY) (MANDATORY 5-40) Service ATA:27</b>             |         |           |          |          |                           |           |           |                |
| PN:021137-13  | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |           | MANDATORY 5-40 |
| SN:1722   | HRS     | 0         |          |          |                           |           |           |                |
|   | AFL     | 0         |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-350-802   |         |           |          |          |                           |           |           |                |
| <b>27-53-01-350-802-06 UPGRADE OF THE FLAP SCREW JACKS (AVIAC) - RH OUTBOARD FLAP SCREW JACK (R502CG) Service ATA:27</b>        |         |           |          |          |                           |           |           |                |
| PN:021137-14  | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |           |                |
| SN:1443   | HRS     | 0         |          |          |                           |           |           |                |
|   | AFL     | 0         |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-350-802   |         |           |          |          |                           |           |           |                |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit   | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|---|--|-----------|-----------|----------|---------------------------|-----------|-----------|----------------|--------|
| ATA 27 - FLIGHT CONTROLS                              |  |           |           |          |                           |           |           |                |        |
| 27-53-01-350-802-06A                                  | UPGRADE RH OUTBOARD FLAP SCREW JACK (AVIAC ONLY) (MANDATORY 5-40)          |           |           |          |                           |           |           | Service        | ATA:27 |
| PN:021137-14  | MOS/MSC  | 23-Oct-89 | N/A       |          |                           |           |           | MANDATORY 5-40 |        |
| SN:1443   | HRS  | 0         |           |          |                           |           |           |                |        |
|   | AFL  | 0         |           |          |                           |           |           |                |        |
| PROC. REF: AMM 27-53-01-350-802                       |  |           |           |          |                           |           |           |                |        |
| 27-53-01-640-802-01 <sup>S</sup>                      | GREASING OF FLAP SCREW JACKS - LH OUTBOARD FLAP SCREW JACK (L502CG)        |           |           |          |                           |           |           | Service        | ATA:27 |
|   | MOS  | 09-Nov-23 | 12 (+1m)  |          |                           |           |           |                |        |
|   | HRS  | 9831.2    | 800 (+40) |          |                           |           |           |                |        |
|   | AFL  | 4640      |           |          |                           |           |           |                |        |
| PROC. REF: AMM 27-53-01-640-802, AMM 27-53-01-640-802 |  |           |           |          |                           |           |           |                |        |
| PKG:5   |  |           |           |          |                           |           |           |                |        |
| 27-53-01-640-802-02 <sup>S</sup>                      | GREASING OF FLAP SCREW JACKS - LH INBOARD FLAP LATERAL SCREW JACK (L501CG) |           |           |          |                           |           |           | Service        | ATA:27 |
|   | MOS  | 09-Nov-23 | 12 (+1m)  |          |                           |           |           |                |        |
|   | HRS  | 9831.2    | 800 (+40) |          |                           |           |           |                |        |
|   | AFL  | 4640      |           |          |                           |           |           |                |        |
| PROC. REF: AMM 27-53-01-640-802, AMM 27-53-01-640-802 |  |           |           |          |                           |           |           |                |        |
| PKG:5   |  |           |           |          |                           |           |           |                |        |
| 27-53-01-640-802-03 <sup>S</sup>                      | GREASING OF FLAP SCREW JACKS - LH INBOARD FLAP CENTER SCREW JACK (L500CG)  |           |           |          |                           |           |           | Service        | ATA:27 |
|   | MOS  | 09-Nov-23 | 12 (+1m)  |          |                           |           |           |                |        |
|   | HRS  | 9831.2    | 800 (+40) |          |                           |           |           |                |        |
|   | AFL  | 4640      |           |          |                           |           |           |                |        |
| PROC. REF: AMM 27-53-01-640-802, AMM 27-53-01-640-802 |  |           |           |          |                           |           |           |                |        |
| PKG:5   |  |           |           |          |                           |           |           |                |        |
| 27-53-01-640-802-04 <sup>S</sup>                      | GREASING OF FLAP SCREW JACKS - RH INBOARD FLAP CENTER SCREW JACK (R500CG)  |           |           |          |                           |           |           | Service        | ATA:27 |
|   | MOS  | 09-Nov-23 | 12 (+1m)  |          |                           |           |           |                |        |
|   | HRS  | 9831.2    | 800 (+40) |          |                           |           |           |                |        |
|   | AFL  | 4640      |           |          |                           |           |           |                |        |
| PROC. REF: AMM 27-53-01-640-802, AMM 27-53-01-640-802 |  |           |           |          |                           |           |           |                |        |
| PKG:5   |  |           |           |          |                           |           |           |                |        |
| 27-53-01-640-802-05 <sup>S</sup>                      | GREASING OF FLAP SCREW JACKS - RH INBOARD FLAP LATERAL SCREW JACK (R501CG) |           |           |          |                           |           |           | Service        | ATA:27 |
|   | MOS  | 09-Nov-23 | 12 (+1m)  |          |                           |           |           |                |        |
|   | HRS  | 9831.2    | 800 (+40) |          |                           |           |           |                |        |
|   | AFL  | 4640      |           |          |                           |           |           |                |        |
| PROC. REF: AMM 27-53-01-640-802, AMM 27-53-01-640-802 |  |           |           |          |                           |           |           |                |        |
| PKG:5   |  |           |           |          |                           |           |           |                |        |
| 27-53-01-640-802-06 <sup>S</sup>                      | GREASING OF FLAP SCREW JACKS - RH OUTBOARD FLAP SCREW JACK (R502CG)        |           |           |          |                           |           |           | Service        | ATA:27 |
|   | MOS  | 09-Nov-23 | 12 (+1m)  |          |                           |           |           |                |        |
|   | HRS  | 9831.2    | 800 (+40) |          |                           |           |           |                |        |
|   | AFL  | 4640      |           |          |                           |           |           |                |        |
| PROC. REF: AMM 27-53-01-640-802, AMM 27-53-01-640-802 |  |           |           |          |                           |           |           |                |        |
| PKG:5   |  |           |           |          |                           |           |           |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |
|---|---------|-----------|----------|----------|---------------------------|-----------|-----------|----------------|
| <b>ATA 27 - FLIGHT CONTROLS</b>   |         |           |          |          |                           |           |           |                |
| <b>27-53-01-720-803-01 CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - LH OUTBOARD FLAP SCREW JACK (L502CG) Service ATA:27</b>        |         |           |          |          |                           |           |           |                |
| PN:021137-15  | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |           |                |
| SN:7069   | HRS     | 0         |          |          |                           |           |           |                |
|   | AFL     | 0         |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-720-803   |         |           |          |          |                           |           |           |                |
| <b>27-53-01-720-803-01A CHECK LH OUTBOARD FLAP SCREW JACK SCREW/NUT PLAY (AVIAC ONLY) (MANDATORY REF 5-40) Service ATA:27</b>                     |         |           |          |          |                           |           |           |                |
| PN:021137-15  | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |           | MANDATORY 5-40 |
| SN:7069   | HRS     | 0         |          |          |                           |           |           |                |
|   | AFL     | 0         |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-720-803   |         |           |          |          |                           |           |           |                |
| <b>27-53-01-720-803-02 CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - LH INBOARD FLAP LATERAL SCREW JACK (L501CG) Service ATA:27</b> |         |           |          |          |                           |           |           |                |
| PN:021137-13  | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |           |                |
| SN:1719   | HRS     | 0         |          |          |                           |           |           |                |
|   | AFL     | 0         |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-720-803   |         |           |          |          |                           |           |           |                |
| <b>27-53-01-720-803-02A CHECK LH INBOARD FLAP LATERAL SCREW JACK SCREW/NUT PLAY (AVIAC ONLY) (MANDATORY REF 5-40) Service ATA:27</b>              |         |           |          |          |                           |           |           |                |
| PN:021137-13  | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |           | MANDATORY 5-40 |
| SN:1719   | HRS     | 0         |          |          |                           |           |           |                |
|   | AFL     | 0         |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-720-803   |         |           |          |          |                           |           |           |                |
| <b>27-53-01-720-803-03 CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - LH INBOARD FLAP CENTER SCREW JACK (L500CG) Service ATA:27</b>  |         |           |          |          |                           |           |           |                |
| PN:021137-13  | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |           |                |
| SN:1802   | HRS     | 0         |          |          |                           |           |           |                |
|   | AFL     | 0         |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-720-803   |         |           |          |          |                           |           |           |                |
| <b>27-53-01-720-803-03A CHECK LH INBOARD FLAP CENTER SCREW JACK SCREW/NUT PLAY (AVIAC ONLY) (MANDATORY REF 5-40) Service ATA:27</b>               |         |           |          |          |                           |           |           |                |
| PN:021137-13  | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |           | MANDATORY 5-40 |
| SN:1802   | HRS     | 0         |          |          |                           |           |           |                |
|   | AFL     | 0         |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-720-803   |         |           |          |          |                           |           |           |                |
| <b>27-53-01-720-803-04 CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - RH INBOARD FLAP CENTER SCREW JACK (R500CG) Service ATA:27</b>  |         |           |          |          |                           |           |           |                |
| PN:021137-13  | MOS/MSC | 23-Oct-89 | N/A      |          |                           |           |           |                |
| SN:1721   | HRS     | 0         |          |          |                           |           |           |                |
|   | AFL     | 0         |          |          |                           |           |           |                |
| PROC. REF: AMM 27-53-01-720-803   |         |           |          |          |                           |           |           |                |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |  |
|----------------------------------|---------|---|------------|----------|---------------------------|-----------|-----------|----------------|--|
| <b>ATA 27 - FLIGHT CONTROLS</b>  |         |   |            |          |                           |           |           |                |  |
| 27-53-01-720-803-04A             |         | CHECK RH INBOARD FLAP CENTER SCREW JACK SCREW/NUT PLAY (AVIAC ONLY) (MANDATORY REF 5-40)                |            |          |                           |           | Service   | ATA:27         |  |
| PN:021137-13                     | MOS/MSC | 23-Oct-89   | N/A        |          |                           |           |           | MANDATORY 5-40 |  |
| SN:1721                          | HRS     | 0   |            |          |                           |           |           |                |  |
|                                  | AFL     | 0   |            |          |                           |           |           |                |  |
| PROC. REF: AMM 27-53-01-720-803  |         |   |            |          |                           |           |           |                |  |
| 27-53-01-720-803-05              |         | CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - RH INBOARD FLAP LATERAL SCREW JACK (R501CG) |            |          |                           |           | Service   | ATA:27         |  |
| PN:021137-13                     | MOS/MSC | 23-Oct-89   | N/A        |          |                           |           |           |                |  |
| SN:1722                          | HRS     | 0   |            |          |                           |           |           |                |  |
|                                  | AFL     | 0   |            |          |                           |           |           |                |  |
| PROC. REF: AMM 27-53-01-720-803  |         |   |            |          |                           |           |           |                |  |
| 27-53-01-720-803-05A             |         | CHECK RH INBOARD FLAP LATERAL SCREW JACK SCREW/NUT PLAY (AVIAC ONLY) (MANDATORY REF 5-40)               |            |          |                           |           | Service   | ATA:27         |  |
| PN:021137-13                     | MOS/MSC | 23-Oct-89   | N/A        |          |                           |           |           | MANDATORY 5-40 |  |
| SN:1722                          | HRS     | 0   |            |          |                           |           |           |                |  |
|                                  | AFL     | 0   |            |          |                           |           |           |                |  |
| PROC. REF: AMM 27-53-01-720-803  |         |   |            |          |                           |           |           |                |  |
| 27-53-01-720-803-06              |         | CHECK OF THE SCREW / NUT PLAY ON FLAP SCREW JACKS (AVIAC) - RH OUTBOARD FLAP SCREW JACK (R502CG)        |            |          |                           |           | Service   | ATA:27         |  |
| PN:021137-14                     | MOS/MSC | 23-Oct-89   | N/A        |          |                           |           |           |                |  |
| SN:1443                          | HRS     | 0   |            |          |                           |           |           |                |  |
|                                  | AFL     | 0   |            |          |                           |           |           |                |  |
| PROC. REF: AMM 27-53-01-720-803  |         |   |            |          |                           |           |           |                |  |
| 27-53-01-720-803-06A             |         | CHECK RH OUTBOARD FLAP SCREW JACK SCREW/NUT PLAY (AVIAC ONLY) (MANDATORY REF 5-40)                      |            |          |                           |           | Service   | ATA:27         |  |
| PN:021137-14                     | MOS/MSC | 23-Oct-89   | N/A        |          |                           |           |           | MANDATORY 5-40 |  |
| SN:1443                          | HRS     | 0   |            |          |                           |           |           |                |  |
|                                  | AFL     | 0   |            |          |                           |           |           |                |  |
| PROC. REF: AMM 27-53-01-720-803  |         |   |            |          |                           |           |           |                |  |
| 27-53-01-720-804-01 <sup>S</sup> |         | CHECK OF SCREW / NUT PLAY ON FLAP SCREW JACKS - LH OUTBOARD FLAP SCREW JACK (L502CG)                    |            |          |                           |           | Service   | ATA:27         |  |
|                                  | MOS     | 14-Apr-16   |            |          |                           |           |           |                |  |
|                                  | HRS     | 8447.8  | 1600 (+40) |          |                           |           |           |                |  |
|                                  | AFL     | 4114  |            |          |                           |           |           |                |  |
| PROC. REF: AMM 27-53-01-720-804  |         |   |            |          |                           |           |           |                |  |
| PKG:21                           |         |   |            |          |                           |           |           |                |  |
| 27-53-01-720-804-02 <sup>S</sup> |         | CHECK OF SCREW / NUT PLAY ON FLAP SCREW JACKS - LH INBOARD FLAP LATERAL SCREW JACK (L501CG)             |            |          |                           |           | Service   | ATA:27         |  |
|                                  | MOS     | 14-Apr-16   |            |          |                           |           |           |                |  |
|                                  | HRS     | 8447.8  | 1600 (+40) |          |                           |           |           |                |  |
|                                  | AFL     | 4114  |            |          |                           |           |           |                |  |
| PROC. REF: AMM 27-53-01-720-804  |         |   |            |          |                           |           |           |                |  |
| PKG:21                           |         |   |            |          |                           |           |           |                |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C       | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|------------|----------|---------------------------------|-----------|-----------|-------------|--------|
| <b>ATA 27 - FLIGHT CONTROLS</b>  |  |           |            |          |                                 |           |           |             |        |
| 27-53-01-720-804-03 <sup>S</sup> | CHECK OF SCREW / NUT PLAY ON FLAP SCREW JACKS - LH INBOARD FLAP CENTER SCREW JACK (L500CG)   |           |            |          |                                 |           |           | Service     | ATA:27 |
|                                  | MOS  | 14-Apr-16 |            |          |                                 |           |           |             |        |
|                                  | HRS  | 8447.8    | 1600 (+40) |          |                                 |           |           |             |        |
|                                  | AFL  | 4114      |            |          |                                 |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 27-53-01-720-804 |           |           | PKG:21      |        |
| 27-53-01-720-804-04 <sup>S</sup> | CHECK OF SCREW / NUT PLAY ON FLAP SCREW JACKS - RH INBOARD FLAP CENTER SCREW JACK (R500CG)   |           |            |          |                                 |           |           | Service     | ATA:27 |
|                                  | MOS  | 14-Apr-16 |            |          |                                 |           |           |             |        |
|                                  | HRS  | 8447.8    | 1600 (+40) |          |                                 |           |           |             |        |
|                                  | AFL  | 4114      |            |          |                                 |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 27-53-01-720-804 |           |           | PKG:21      |        |
| 27-53-01-720-804-05 <sup>S</sup> | CHECK OF SCREW / NUT PLAY ON FLAP SCREW JACKS - RH INBOARD FLAP LATERAL SCREW JACK (R501CG)  |           |            |          |                                 |           |           | Service     | ATA:27 |
|                                  | MOS  | 14-Apr-16 |            |          |                                 |           |           |             |        |
|                                  | HRS  | 8447.8    | 1600 (+40) |          |                                 |           |           |             |        |
|                                  | AFL  | 4114      |            |          |                                 |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 27-53-01-720-804 |           |           | PKG:21      |        |
| 27-53-01-720-804-06 <sup>S</sup> | CHECK OF SCREW / NUT PLAY ON FLAP SCREW JACKS - RH OUTBOARD FLAP SCREW JACK (R502CG)         |           |            |          |                                 |           |           | Service     | ATA:27 |
|                                  | MOS  | 14-Apr-16 |            |          |                                 |           |           |             |        |
|                                  | HRS  | 8447.8    | 1600 (+40) |          |                                 |           |           |             |        |
|                                  | AFL  | 4114      |            |          |                                 |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 27-53-01-720-804 |           |           | PKG:21      |        |
| 27-53-01-900-803-01              | REMOVAL / INSTALLATION OF THE FLAP SCREW JACKS - LH OUTBOARD FLAP SCREW JACK (L502CG)        |           |            |          |                                 |           |           | Component   | ATA:27 |
| PN:021137-15                     | MOS/MSC  | 19-Jul-05 | O/C        |          | TSR 0                           |           |           |             |        |
| SN:7069                          | HRS  | 5408.1    |            |          | TSR 0                           |           |           |             |        |
| WC#: 27.315                      | AFL  | 2579      |            |          | TSR 0                           |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 27-53-01-900-803 |           |           |             |        |
| 27-53-01-900-803-02              | REMOVAL / INSTALLATION OF THE FLAP SCREW JACKS - LH INBOARD FLAP LATERAL SCREW JACK (L501CG) |           |            |          |                                 |           |           | Component   | ATA:27 |
| PN:021137-13                     | MOS/MSC  | 23-Oct-89 | O/C        |          |                                 |           |           |             |        |
| SN:1719                          | HRS  | 0         |            |          | TSN 0                           |           |           |             |        |
| WC#: 27.320                      | AFL  | 0         |            |          |                                 |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 27-53-01-900-803 |           |           |             |        |
| 27-53-01-900-803-03              | REMOVAL / INSTALLATION OF THE FLAP SCREW JACKS - LH INBOARD FLAP CENTER SCREW JACK (L500CG)  |           |            |          |                                 |           |           | Component   | ATA:27 |
| PN:021137-13                     | MOS/MSC  | 19-Jul-05 | O/C        |          | TSR 0                           |           |           |             |        |
| SN:1802                          | HRS  | 5408.1    |            |          | TSR 0                           |           |           |             |        |
| WC#: 27.325                      | AFL  | 2579      |            |          | TSR 0                           |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 27-53-01-900-803 |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|---------------------------------|---------|--|----------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 27 - FLIGHT CONTROLS</b> |         |  |          |          |                           |           |           |             |  |
| 27-53-01-900-803-04             |         | REMOVAL / INSTALLATION OF THE FLAP SCREW JACKS - RH INBOARD FLAP CENTER SCREW JACK (R500CG)  |          |          |                           |           | Component | ATA:27      |  |
| PN:021137-13                    | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:1721                         | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 27.330                     | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 27-53-01-900-803 |         |  |          |          |                           |           |           |             |  |
| 27-53-01-900-803-05             |         | REMOVAL / INSTALLATION OF THE FLAP SCREW JACKS - RH INBOARD FLAP LATERAL SCREW JACK (R501CG) |          |          |                           |           | Component | ATA:27      |  |
| PN:021137-13                    | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:1722                         | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 27.335                     | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 27-53-01-900-803 |         |  |          |          |                           |           |           |             |  |
| 27-53-01-900-803-06             |         | REMOVAL / INSTALLATION OF THE FLAP SCREW JACKS - RH OUTBOARD FLAP SCREW JACK (R502CG)        |          |          |                           |           | Component | ATA:27      |  |
| PN:021137-14                    | MOS/MSC | 19-Jul-05  | O/C      |          |                           |           |           |             |  |
| SN:1443                         | HRS     | 5408.1   |          |          |                           |           |           |             |  |
| WC#: 27.340                     | AFL     | 2579   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 27-53-01-900-803 |         |  |          |          |                           |           |           |             |  |
| 27-53-01-960-801-01             |         | DISCARD OF THE FLAP SCREW JACKS - LH OUTBOARD FLAP SCREW JACK (L502CG)                       |          |          |                           |           | Service   | ATA:27      |  |
| PN:021137-15                    | MOS/MSC | 19-Jul-05  | O/C      |          |                           |           |           |             |  |
| SN:7069                         | HRS     | 5408.1   |          |          |                           |           |           |             |  |
|                                 | AFL     | 2579   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 27-53-01-960-801 |         |  |          |          |                           |           |           |             |  |
| 27-53-01-960-801-02             |         | DISCARD OF THE FLAP SCREW JACKS - LH INBOARD FLAP LATERAL SCREW JACK (L501CG)                |          |          |                           |           | Service   | ATA:27      |  |
| PN:021137-13                    | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:1719                         | HRS     | 0  |          | TAC 0    |                           |           |           |             |  |
| WC#: 27.320                     | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 27-53-01-960-801 |         |  |          |          |                           |           |           |             |  |
| 27-53-01-960-801-03             |         | DISCARD OF THE FLAP SCREW JACKS - LH INBOARD FLAP CENTER SCREW JACK (L500CG)                 |          |          |                           |           | Service   | ATA:27      |  |
| PN:021137-13                    | MOS/MSC | 19-Jul-05  | O/C      |          |                           |           |           |             |  |
| SN:1802                         | HRS     | 5408.1   |          |          |                           |           |           |             |  |
| WC#: 27.325                     | AFL     | 2579   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 27-53-01-960-801 |         |  |          |          |                           |           |           |             |  |
| 27-53-01-960-801-04             |         | DISCARD OF THE FLAP SCREW JACKS - RH INBOARD FLAP CENTER SCREW JACK (R500CG)                 |          |          |                           |           | Service   | ATA:27      |  |
| PN:021137-13                    | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:1721                         | HRS     | 0  |          | TAC 0    |                           |           |           |             |  |
| WC#: 27.330                     | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 27-53-01-960-801 |         |  |          |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|----------------------------------|---------|---|------------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 27 - FLIGHT CONTROLS</b>  |         |   |            |          |                           |           |           |             |  |
| 27-53-01-960-801-05              |         | DISCARD OF THE FLAP SCREW JACKS - RH INBOARD FLAP LATERAL SCREW JACK (R501CG)                             |            |          |                           |           | Service   | ATA:27      |  |
| PN:021137-13                     | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |  |
| SN:1722                          | HRS     | 0   |            | TAC 0    |                           |           |           |             |  |
| WC#: 27.335                      | AFL     | 0   |            |          |                           |           |           |             |  |
| PROC. REF: AMM 27-53-01-960-801  |         |   |            |          |                           |           |           |             |  |
| 27-53-01-960-801-06              |         | DISCARD OF THE FLAP SCREW JACKS - RH OUTBOARD FLAP SCREW JACK (R502CG)                                    |            |          |                           |           | Service   | ATA:27      |  |
| PN:021137-14                     | MOS/MSC | 19-Jul-05   | O/C        |          |                           |           |           |             |  |
| SN:1443                          | HRS     | 5408.1  |            |          |                           |           |           |             |  |
|                                  | AFL     | 2579  |            |          |                           |           |           |             |  |
| PROC. REF: AMM 27-53-01-960-801  |         |   |            |          |                           |           |           |             |  |
| 27-60-00-710-803-01 <sup>S</sup> |         | OPERATIONAL TEST OF THE AIRBRAKES IN NORMAL MODE AND AUTOMATIC RETRACTION MODES                           |            |          |                           |           | Service   | ATA:27      |  |
|                                  | MOS     | 12-Apr-16   |            |          |                           |           |           |             |  |
|                                  | HRS     | 8447.8  | 1600 (+40) |          |                           |           |           |             |  |
| WC#: 27.365                      | AFL     | 4114  |            |          |                           |           |           |             |  |
| PROC. REF: AMM 27-60-00-710-803  |         |   |            |          |                           |           |           |             |  |
| PKG:21                           |         |   |            |          |                           |           |           |             |  |
| 27-61-01-720-801-01 <sup>S</sup> |         | FUNCTIONAL TEST OF THE AIRBRAKE POSITION MICROSWITCHES - LH OUTBOARD AIRBRAKE POSITION MICROSWITCH (L6CD) |            |          |                           |           | Service   | ATA:27      |  |
|                                  | MOS     | 11-Apr-16   |            |          |                           |           |           |             |  |
|                                  | HRS     | 8447.8  | 3200 (+40) |          |                           |           |           |             |  |
|                                  | AFL     | 4114  |            |          |                           |           |           |             |  |
| PROC. REF: AMM 27-61-01-720-801  |         |   |            |          |                           |           |           |             |  |
| PKG:22                           |         |   |            |          |                           |           |           |             |  |
| 27-61-01-720-801-02 <sup>S</sup> |         | FUNCTIONAL TEST OF THE AIRBRAKE POSITION MICROSWITCHES - LH CENTER AIRBRAKE POSITION MICROSWITCH (L5CD)   |            |          |                           |           | Service   | ATA:27      |  |
|                                  | MOS     | 11-Apr-16   |            |          |                           |           |           |             |  |
|                                  | HRS     | 8447.8  | 3200 (+40) |          |                           |           |           |             |  |
|                                  | AFL     | 4114  |            |          |                           |           |           |             |  |
| PROC. REF: AMM 27-61-01-720-801  |         |   |            |          |                           |           |           |             |  |
| PKG:22                           |         |   |            |          |                           |           |           |             |  |
| 27-61-01-720-801-03 <sup>S</sup> |         | FUNCTIONAL TEST OF THE AIRBRAKE POSITION MICROSWITCHES - LH INBOARD AIRBRAKE POSITION MICROSWITCH (L4CD)  |            |          |                           |           | Service   | ATA:27      |  |
|                                  | MOS     | 11-Apr-16   |            |          |                           |           |           |             |  |
|                                  | HRS     | 8447.8  | 3200 (+40) |          |                           |           |           |             |  |
|                                  | AFL     | 4114  |            |          |                           |           |           |             |  |
| PROC. REF: AMM 27-61-01-720-801  |         |   |            |          |                           |           |           |             |  |
| PKG:22                           |         |   |            |          |                           |           |           |             |  |
| 27-61-01-720-801-04 <sup>S</sup> |         | FUNCTIONAL TEST OF THE AIRBRAKE POSITION MICROSWITCHES - RH INBOARD AIRBRAKE POSITION MICROSWITCH (R4CD)  |            |          |                           |           | Service   | ATA:27      |  |
|                                  | MOS     | 11-Apr-16   |            |          |                           |           |           |             |  |
|                                  | HRS     | 8447.8  | 3200 (+40) |          |                           |           |           |             |  |
|                                  | AFL     | 4114  |            |          |                           |           |           |             |  |
| PROC. REF: AMM 27-61-01-720-801  |         |   |            |          |                           |           |           |             |  |
| PKG:22                           |         |   |            |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---|---------|-----------|------------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 27 - FLIGHT CONTROLS</b>   |         |           |            |          |                           |           |           |             |
| <b>27-61-01-720-801-05<sup>S</sup> FUNCTIONAL TEST OF THE AIRBRAKE POSITION MICROSWITCHES - RH CENTER AIRBRAKE POSITION MICROSWITCH (R5CD) Service ATA:27</b>   |         |           |            |          |                           |           |           |             |
|   | MOS     | 11-Apr-16 |            |          |                           |           |           |             |
|   | HRS     | 8447.8    | 3200 (+40) |          |                           |           |           |             |
|   | AFL     | 4114      |            |          |                           |           |           |             |
| PROC. REF: AMM 27-61-01-720-801   |         |           |            |          |                           |           |           | PKG:22      |
| <b>27-61-01-720-801-06<sup>S</sup> FUNCTIONAL TEST OF THE AIRBRAKE POSITION MICROSWITCHES - RH OUTBOARD AIRBRAKE POSITION MICROSWITCH (R6CD) Service ATA:27</b> |         |           |            |          |                           |           |           |             |
|   | MOS     | 11-Apr-06 |            |          |                           |           |           |             |
|   | HRS     | 8447.8    | 3200 (+40) |          |                           |           |           |             |
|   | AFL     | 4114      |            |          |                           |           |           |             |
| PROC. REF: AMM 27-61-01-720-801   |         |           |            |          |                           |           |           | PKG:22      |
| <b>27-61-01-900-801-01 LH INBOARD AIRBRAKE POSITION MICROSWITCH MICROSWITCH Component ATA:27</b>  |         |           |            |          |                           |           |           |             |
| PN:602EN1-6   | MOS/MSC | 23-Oct-89 | O/C        |          |                           |           |           |             |
| SN:UNKNOWN  | HRS     | 0         |            | TSN 0    |                           |           |           |             |
| WC#: 27.390   | AFL     | 0         |            |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1  |         |           |            |          |                           |           |           |             |
| <b>27-61-01-900-801-02 LH CENTER AIRBRAKE POSITION MICROSWITCH Component ATA:27</b>   |         |           |            |          |                           |           |           |             |
| PN:602EN1-6   | MOS/MSC | 23-Oct-89 | O/C        |          |                           |           |           |             |
| SN:UNKNOWN  | HRS     | 0         |            | TSN 0    |                           |           |           |             |
| WC#: 27.390   | AFL     | 0         |            |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1  |         |           |            |          |                           |           |           |             |
| <b>27-61-01-900-801-03 LH OUTBOARD AIRBRAKE POSITION MICROSWITCH Component ATA:27</b>   |         |           |            |          |                           |           |           |             |
| PN:602EN1-6   | MOS/MSC | 23-Oct-89 | O/C        |          |                           |           |           |             |
| SN:UNKNOWN  | HRS     | 0         |            | TSN 0    |                           |           |           |             |
| WC#: 27.390   | AFL     | 0         |            |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1  |         |           |            |          |                           |           |           |             |
| <b>27-61-01-900-801-04 RH INBOARD AIRBRAKE POSITION MICROSWITCH Component ATA:27</b>  |         |           |            |          |                           |           |           |             |
| PN:602EN1-6   | MOS/MSC | 23-Oct-89 | O/C        |          |                           |           |           |             |
| SN:UNKNOWN  | HRS     | 0         |            | TSN 0    |                           |           |           |             |
| WC#: 27.395   | AFL     | 0         |            |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1  |         |           |            |          |                           |           |           |             |
| <b>27-61-01-900-801-05 RH CENTER AIRBRAKE POSITION MICROSWITCH Component ATA:27</b>   |         |           |            |          |                           |           |           |             |
| PN:602EN1-6   | MOS/MSC | 23-Oct-89 | O/C        |          |                           |           |           |             |
| SN:UNKNOWN  | HRS     | 0         |            | TSN 0    |                           |           |           |             |
| WC#: 27.395   | AFL     | 0         |            |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1  |         |           |            |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 27 - FLIGHT CONTROLS         |   |           |          |          |                           |           |           |             |        |
| 27-61-01-900-801-06              | RH OUTBOARD AIRBRAKE POSITION MICROSWITCH                                   |           |          |          |                           |           |           | Component   | ATA:27 |
| PN:602EN1-6                      | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                       | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 27.395                      | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1         |   |           |          |          |                           |           |           |             |        |
| 27-62-01-640-801-01 <sup>S</sup> | GREASING OF THE AIRBRAKE ACTUATORS - LH OUTBOARD AIRBRAKE ACTUATOR (L502CD) |           |          |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS   | 09-Nov-23 | 12 (+1m) |          |                           |           |           |             |        |
|                                  | HRS   | 9831.2    |          |          |                           |           |           |             |        |
| WC#: 27.360                      | AFL   | 4640      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 27-62-01-640-801  |   |           |          |          |                           |           |           |             |        |
| 27-62-01-640-801-02 <sup>S</sup> | GREASING OF THE AIRBRAKE ACTUATORS - LH MIDDLE AIRBRAKE ACTUATOR (L501CD)   |           |          |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS   | 09-Nov-23 | 12 (+1m) |          |                           |           |           |             |        |
|                                  | HRS   | 9831.2    |          |          |                           |           |           |             |        |
|                                  | AFL   | 4640      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 27-62-01-640-801  |   |           |          |          |                           |           |           |             |        |
| 27-62-01-640-801-03 <sup>S</sup> | GREASING OF THE AIRBRAKE ACTUATORS - LH INBOARD AIRBRAKE ACTUATOR (L500CD)  |           |          |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS   | 09-Nov-23 | 12 (+1m) |          |                           |           |           |             |        |
|                                  | HRS   | 9831.2    |          |          |                           |           |           |             |        |
|                                  | AFL   | 4640      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 27-62-01-640-801  |   |           |          |          |                           |           |           |             |        |
| 27-62-01-640-801-04 <sup>S</sup> | GREASING OF THE AIRBRAKE ACTUATORS - RH INBOARD AIRBRAKE ACTUATOR (R500CD)  |           |          |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS   | 09-Nov-23 | 12 (+1m) |          |                           |           |           |             |        |
|                                  | HRS   | 9831.2    |          |          |                           |           |           |             |        |
|                                  | AFL   | 4640      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 27-62-01-640-801  |   |           |          |          |                           |           |           |             |        |
| 27-62-01-640-801-05 <sup>S</sup> | GREASING OF THE AIRBRAKE ACTUATORS - RH MIDDLE AIRBRAKE ACTUATOR (R501CD)   |           |          |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS   | 09-Nov-23 | 12 (+1m) |          |                           |           |           |             |        |
|                                  | HRS   | 9831.2    |          |          |                           |           |           |             |        |
|                                  | AFL   | 4640      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 27-62-01-640-801  |   |           |          |          |                           |           |           |             |        |
| 27-62-01-640-801-06 <sup>S</sup> | GREASING OF THE AIRBRAKE ACTUATORS - RH OUTBOARD AIRBRAKE ACTUATOR (R502CD) |           |          |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS   | 09-Nov-23 | 12 (+1m) |          |                           |           |           |             |        |
|                                  | HRS   | 9831.2    |          |          |                           |           |           |             |        |
|                                  | AFL   | 4640      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 27-62-01-640-801  |   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|---------------------------------|---------|---|----------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 27 - FLIGHT CONTROLS</b> |         |   |          |          |                           |           |           |             |  |
| 27-62-01-900-801-01             |         | REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - LH OUTBOARD AIRBRAKE ACTUATOR (L502CD)                           |          |          |                           |           | Component | ATA:27      |  |
| PN:106091-04                    | MOS/MSC | 15-Feb-06   | O/C      | TSR 0    |                           |           |           |             |  |
| SN:2545                         | HRS     | 5578.9  |          | TSR 0    |                           |           |           |             |  |
| WC#: 27.380                     | AFL     | 2675  |          | TSR 0    |                           |           |           |             |  |
| PROC. REF: AMM 27-62-01-900-801 |         |   |          |          |                           |           |           |             |  |
| 27-62-01-900-801-02             |         | REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - LH MIDDLE AIRBRAKE ACTUATOR (L501CD)                             |          |          |                           |           | Component | ATA:27      |  |
| PN:106091-05                    | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |  |
| SN:2559                         | HRS     | 0   |          | TSN 0    |                           |           |           |             |  |
| WC#: 27.380                     | AFL     | 0   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 27-62-01-900-801 |         |   |          |          |                           |           |           |             |  |
| 27-62-01-900-801-03             |         | REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - LH INBOARD AIRBRAKE ACTUATOR (L500CD)                            |          |          |                           |           | Component | ATA:27      |  |
| PN:106091-06                    | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |  |
| SN:2567                         | HRS     | 0   |          | TSN 0    |                           |           |           |             |  |
| WC#: 27.380                     | AFL     | 0   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 27-62-01-900-801 |         |   |          |          |                           |           |           |             |  |
| 27-62-01-900-801-04             |         | REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - RH INBOARD AIRBRAKE ACTUATOR (R500CD)                            |          |          |                           |           | Component | ATA:27      |  |
| PN:106091-06                    | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |  |
| SN:2598                         | HRS     | 0   |          | TSN 0    |                           |           |           |             |  |
| WC#: 27.385                     | AFL     | 0   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 27-62-01-900-801 |         |   |          |          |                           |           |           |             |  |
| 27-62-01-900-801-05             |         | REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - RH MIDDLE AIRBRAKE ACTUATOR (R501CD)                             |          |          |                           |           | Component | ATA:27      |  |
| PN:106091-05                    | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |  |
| SN:2560                         | HRS     | 0   |          | TSN 0    |                           |           |           |             |  |
| WC#: 27.385                     | AFL     | 0   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 27-62-01-900-801 |         |   |          |          |                           |           |           |             |  |
| 27-62-01-900-801-06             |         | REMOVAL / INSTALLATION OF THE AIRBRAKE ACTUATORS - RH OUTBOARD AIRBRAKE ACTUATOR (R502CD)                           |          |          |                           |           | Component | ATA:27      |  |
| PN:106091-04                    | MOS/MSC | 04-Feb-92   | O/C      |          |                           |           |           |             |  |
| SN:2542                         | HRS     | 1423  |          | TSN 1530 |                           |           |           |             |  |
| WC#: 27.385                     | AFL     | 617   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 27-62-01-900-801 |         |   |          |          |                           |           |           |             |  |
| 27-62-03-900-801-01             |         | REMOVAL / INSTALLATION OF THE AIRBRAKE PRESSURE HOLDING VALVE ACCUMULATOR - AIRBRAKE PRESSURE-HOLDING VALVE (503CD) |          |          |                           |           | Component | ATA:27      |  |
| PN:D25AB1702                    | MOS/MSC | 05-Oct-92   | O/C      |          |                           |           |           |             |  |
| SN:34                           | HRS     | 1631  |          |          |                           |           |           |             |  |
| WC#: 27.375                     | AFL     | 732   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 27-62-03-900-801 |         |   |          |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W   | Interval    | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition |        |
|---|---------|---|-------------|----------|---------------------------|-----------|--------------|-------------|--------|
| <b>ATA 27 - FLIGHT CONTROLS</b>                       |         |   |             |          |                           |           |              |             |        |
| 27-80-00-710-804-02                                   |         | OPERATIONAL TEST OF THE SLATS IN NORMAL AND EMERGENCY MODES - EMERGENCY MODE      |             |          |                           |           |              | Service     | ATA:27 |
|   | MOS     | 28-May-18   |             |          |                           |           |              |             |        |
|   | HRS     | 8780.3  | 10000 (+40) |          | 18780.3                   | 18820.3   | 8949.1 (+40) |             |        |
|   | AFL     | 4238  |             |          |                           |           |              |             |        |
| PROC. REF: AMM 27-80-00-710-804                       |         |   |             |          |                           |           |              |             |        |
| 27-80-00-710-807-02 <sup>S</sup>                      |         | OPERATIONAL TEST OF SLAT EXTENSION THROUGH LH AND RH SOLENOIDS - LH SOLENOID (S1) |             |          |                           |           |              | Service     | ATA:27 |
|   | MOS     | 23-Oct-89   |             |          |                           |           |              |             |        |
|   | HRS     | 0   | 1600 (+40)  |          |                           |           |              |             |        |
|   | AFL     | 0   |             |          |                           |           |              |             |        |
| PROC. REF: AMM 27-80-00-710-807                       |         |   |             |          |                           |           |              |             |        |
| 27-80-00-710-807-03 <sup>S</sup>                      |         | OPERATIONAL TEST OF SLAT EXTENSION THROUGH LH AND RH SOLENOIDS - RH SOLENOID (S2) |             |          |                           |           |              | Service     | ATA:27 |
|   | MOS     | 23-Oct-89   |             |          |                           |           |              |             |        |
|   | HRS     | 0   | 1600 (+40)  |          |                           |           |              |             |        |
|   | AFL     | 0   |             |          |                           |           |              |             |        |
| PROC. REF: AMM 27-80-00-710-807                       |         |   |             |          |                           |           |              |             |        |
| 27-80-00-720-801-02 <sup>S</sup>                      |         | FUNCTIONAL TEST OF THE SLATS - AUTOMATIC MODE                                     |             |          |                           |           |              | Service     | ATA:27 |
|   | MOS     | 14-Apr-16   |             |          |                           |           |              |             |        |
|   | HRS     | 8447.8  | 1600 (+40)  |          |                           |           |              |             |        |
| WC#: 27.490   | AFL     | 4114  |             |          |                           |           |              |             |        |
| PROC. REF: AMM 27-80-00-720-801                       |         |   |             |          |                           |           |              |             |        |
| 27-80-01-900-801-01                                   |         | OUTBOARD SLAT NORMAL SOLENOID SELECTOR/MANIFOLD VALVE                             |             |          |                           |           |              | Component   | ATA:27 |
| PN:108033-16  | MOS/MSC | 23-Oct-89   | O/C         |          |                           |           |              |             |        |
| SN:2010   | HRS     | 0   |             | TSN 0    |                           |           |              |             |        |
| WC#: 27.415   | AFL     | 0   |             |          |                           |           |              |             |        |
| PROC. REF: AMM 27-80-01-900-801, AMM 27-80-01-900-801 |         |   |             |          |                           |           |              |             |        |
| 27-80-05-900-801-01                                   |         | REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - LH INBOARD SLAT ACTUATOR (L500CM)  |             |          |                           |           |              | Component   | ATA:27 |
| PN:106107-15  | MOS/MSC | 24-Oct-97   | O/C         |          |                           |           |              |             |        |
| SN:337  | HRS     | 3291  |             |          |                           |           |              |             |        |
| WC#: 27.430   | AFL     | 1490  |             |          |                           |           |              |             |        |
| PROC. REF: AMM 27-80-05-900-801                       |         |   |             |          |                           |           |              |             |        |
| 27-80-05-900-801-02                                   |         | REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - RH INBOARD SLAT ACTUATOR (R500CM)  |             |          |                           |           |              | Component   | ATA:27 |
| PN:106107-15  | MOS/MSC | 28-Apr-02   | O/C         | TSR 0    |                           |           |              |             |        |
| SN:2406   | HRS     | 4318  |             | TSR 0    |                           |           |              |             |        |
| WC#: 27.435   | AFL     | 1996  |             | TSR 0    |                           |           |              |             |        |
| PROC. REF: AMM 27-80-05-900-801                       |         |   |             |          |                           |           |              |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval   | TSX/Adj.          | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|----------------------------------|---------|---|------------|-------------------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 27 - FLIGHT CONTROLS</b>  |         |   |            |                   |                           |           |           |             |  |
| 27-80-05-900-801-03              |         | REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - LH OUTBOARD SLAT INBOARD ACTUATOR (L501CM)               |            |                   |                           |           | Component | ATA:27      |  |
| PN:106107-12                     | MOS/MSC | 18-Jul-94   | O/C        | TSO 0             |                           |           |           |             |  |
| SN:721                           | HRS     | 1900  |            | TSO 0             |                           |           |           |             |  |
| WC#: 27.430                      | AFL     | 901   |            | TSO 0             |                           |           |           |             |  |
| PROC. REF: AMM 27-80-05-900-801  |         |   |            |                   |                           |           |           |             |  |
| 27-80-05-900-801-04              |         | REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - RH OUTBOARD SLAT INBOARD ACTUATOR (R501CM)               |            |                   |                           |           | Component | ATA:27      |  |
| PN:106107-12                     | MOS/MSC |   | O/C        | TSR 0             |                           |           |           |             |  |
| SN:2390                          | HRS     |   |            | TSR 0             |                           |           |           |             |  |
| WC#: 27.435                      | AFL     |   |            | TSR 0             |                           |           |           |             |  |
| PROC. REF: AMM 27-80-05-900-801  |         |   |            |                   |                           |           |           |             |  |
| 27-80-05-900-801-05              |         | REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - LH OUTBOARD SLAT EMERGENCY ACTUATOR (L502CM)             |            |                   |                           |           | Component | ATA:27      |  |
| PN:106107-17                     | MOS/MSC | 23-Oct-89   | O/C        |                   |                           |           |           |             |  |
| SN:2416                          | HRS     | 0   |            | TSN 0             |                           |           |           |             |  |
| WC#: 27.440                      | AFL     | 0   |            |                   |                           |           |           |             |  |
| PROC. REF: AMM 27-80-05-900-801  |         |   |            |                   |                           |           |           |             |  |
| 27-80-05-900-801-06              |         | REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - RH OUTBOARD SLAT EMERGENCY ACTUATOR (R502CM)             |            |                   |                           |           | Component | ATA:27      |  |
| PN:106107-17                     | MOS/MSC | 02-Apr-99   | O/C        | TSR 0             |                           |           |           |             |  |
| SN:2417                          | HRS     | 3641.8  |            | TSN 3641.8, TSR 0 |                           |           |           |             |  |
| WC#: 27.440                      | AFL     | 1621  |            | TSR 0             |                           |           |           |             |  |
| PROC. REF: AMM 27-80-05-900-801  |         |   |            |                   |                           |           |           |             |  |
| 27-80-05-900-801-07              |         | REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - LH OUTBOARD SLAT OUTBOARD ACTUATOR (L503CM)              |            |                   |                           |           | Component | ATA:27      |  |
| PN:106107-13                     | MOS/MSC | 02-Apr-99   | O/C        | TSR 0             |                           |           |           |             |  |
| SN:2398                          | HRS     | 3641.8  |            | TSN 3641.8, TSR 0 |                           |           |           |             |  |
| WC#: 27.430                      | AFL     | 1621  |            | TSR 0             |                           |           |           |             |  |
| PROC. REF: AMM 27-80-05-900-801  |         |   |            |                   |                           |           |           |             |  |
| 27-80-05-900-801-08              |         | REMOVAL / INSTALLATION OF THE SLAT ACTUATORS - RH OUTBOARD SLAT OUTBOARD ACTUATOR (R503CM)              |            |                   |                           |           | Component | ATA:27      |  |
| PN:106107-13                     | MOS/MSC | 02-Apr-99   | O/C        | TSR 0             |                           |           |           |             |  |
| SN:2028                          | HRS     | 3641.8  |            | TSN 4274.8, TSR 0 |                           |           |           |             |  |
| WC#: 27.435                      | AFL     | 1621  |            | TSR 0             |                           |           |           |             |  |
| PROC. REF: AMM 27-80-05-900-801  |         |   |            |                   |                           |           |           |             |  |
| 27-80-17-720-802-01 <sup>S</sup> |         | FUNCTIONAL TEST OF THE SLAT / FLAP POSITION MICROSWITCHES - LH INBOARD SLAT EXTENDED MICROSWITCH (L2DX) |            |                   |                           |           | Service   | ATA:27      |  |
|                                  | MOS     | 19-Apr-16   |            |                   |                           |           |           |             |  |
|                                  | HRS     | 8447.8  | 3200 (+40) |                   |                           |           |           |             |  |
| WC#: 27.465                      | AFL     | 4114  |            |                   |                           |           |           |             |  |
| PROC. REF: AMM 27-80-17-720-802  |         |   |            |                   |                           |           |           |             |  |

PKG:22

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|---|-----------|------------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 27 - FLIGHT CONTROLS         |   |           |            |          |                           |           |           |             |        |
| 27-80-17-720-802-02 <sup>S</sup> | FUNCTIONAL TEST OF THE SLAT / FLAP POSITION MICROSWITCHES - LH INBOARD SLAT RETRACTED MICROSWITCH (L15CM) |           |            |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS   | 19-Apr-16 |            |          |                           |           |           |             |        |
|                                  | HRS   | 8447.8    | 3200 (+40) |          |                           |           |           |             |        |
| WC#: 27.460                      | AFL   | 4114      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 27-80-17-720-802   |           |            |          |                           |           |           | PKG:22      |        |
| 27-80-17-720-802-03 <sup>S</sup> | FUNCTIONAL TEST OF THE SLAT / FLAP POSITION MICROSWITCHES - LH OUTBOARD SLAT RETRACTED MICROSWITCH (L3DX) |           |            |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS   | 19-Apr-16 |            |          |                           |           |           |             |        |
|                                  | HRS   | 8447.8    | 3200 (+40) |          |                           |           |           |             |        |
| WC#: 27.470                      | AFL   | 4114      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 27-80-17-720-802   |           |            |          |                           |           |           | PKG:22      |        |
| 27-80-17-720-802-04 <sup>S</sup> | FUNCTIONAL TEST OF THE SLAT / FLAP POSITION MICROSWITCHES - LH OUTBOARD SLAT EXTENDED MICROSWITCH (L16CM) |           |            |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS   | 19-Apr-16 |            |          |                           |           |           |             |        |
|                                  | HRS   | 8447.8    | 3200 (+40) |          |                           |           |           |             |        |
| WC#: 27.475                      | AFL   | 4114      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 27-80-17-720-802   |           |            |          |                           |           |           | PKG:22      |        |
| 27-80-17-720-802-05 <sup>S</sup> | FUNCTIONAL TEST OF THE SLAT / FLAP POSITION MICROSWITCHES - RH INBOARD SLAT EXTENDED MICROSWITCH (R2DX)   |           |            |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS   | 19-Apr-16 |            |          |                           |           |           |             |        |
|                                  | HRS   | 8447.8    | 3200 (+40) |          |                           |           |           |             |        |
| WC#: 27.465                      | AFL   | 4114      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 27-80-17-720-802   |           |            |          |                           |           |           | PKG:22      |        |
| 27-80-17-720-802-06 <sup>S</sup> | FUNCTIONAL TEST OF THE SLAT / FLAP POSITION MICROSWITCHES - RH INBOARD SLAT RETRACTED MICROSWITCH (R15CM) |           |            |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS   | 19-Apr-16 |            |          |                           |           |           |             |        |
|                                  | HRS   | 8447.8    | 3200 (+40) |          |                           |           |           |             |        |
| WC#: 27.460                      | AFL   | 4114      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 27-80-17-720-802   |           |            |          |                           |           |           | PKG:22      |        |
| 27-80-17-720-802-07 <sup>S</sup> | FUNCTIONAL TEST OF THE SLAT / FLAP POSITION MICROSWITCHES - RH OUTBOARD SLAT RETRACTED MICROSWITCH (R3DX) |           |            |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS   | 19-Apr-16 |            |          |                           |           |           |             |        |
|                                  | HRS   | 8447.8    | 3200 (+40) |          |                           |           |           |             |        |
| WC#: 27.470                      | AFL   | 4114      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 27-80-17-720-802   |           |            |          |                           |           |           | PKG:22      |        |
| 27-80-17-720-802-08 <sup>S</sup> | FUNCTIONAL TEST OF THE SLAT / FLAP POSITION MICROSWITCHES - RH OUTBOARD SLAT EXTENDED MICROSWITCH (R16CM) |           |            |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS   | 19-Apr-16 |            |          |                           |           |           |             |        |
|                                  | HRS   | 8447.8    | 3200 (+40) |          |                           |           |           |             |        |
| WC#: 27.475                      | AFL   | 4114      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 27-80-17-720-802   |           |            |          |                           |           |           | PKG:22      |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|----------------------------------|---------|---|------------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 27 - FLIGHT CONTROLS</b>  |         |   |            |          |                           |           |           |             |  |
| 27-80-17-720-802-09 <sup>S</sup> |         | FUNCTIONAL TEST OF THE SLAT / FLAP POSITION MICROSWITCHES - FLAP POSITION MICROSWITCH (7CM) |            |          |                           |           | Service   | ATA:27      |  |
|                                  | MOS     | 19-Apr-16   |            |          |                           |           |           |             |  |
|                                  | HRS     | 8447.8  | 3200 (+40) |          |                           |           |           |             |  |
| WC#: 27.477                      | AFL     | 4114  |            |          |                           |           |           |             |  |
| PROC. REF: AMM 27-80-17-720-802  |         |   |            |          |                           |           |           | PKG:22      |  |
| 27-80-17-900-801-01              |         | LH INBOARD SLAT EXTENDED MICROSWITCH  |            |          |                           |           | Component | ATA:27      |  |
| PN:602EN1-6                      | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |  |
| SN:UNKNOWN                       | HRS     | 0   |            | TSN 0    |                           |           |           |             |  |
| WC#: 27.465                      | AFL     | 0   |            |          |                           |           |           |             |  |
| PROC. REF: AMM GENERIC 1         |         |   |            |          |                           |           |           |             |  |
| 27-80-17-900-801-02              |         | LH INBOARD SLAT RETRACTED MICROSWITCH   |            |          |                           |           | Component | ATA:27      |  |
| PN:402EN1-6                      | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |  |
| SN:UNKNOWN                       | HRS     | 0   |            | TSN 0    |                           |           |           |             |  |
| WC#: 27.460                      | AFL     | 0   |            |          |                           |           |           |             |  |
| PROC. REF: AMM GENERIC 1         |         |   |            |          |                           |           |           |             |  |
| 27-80-17-900-801-03              |         | LH OUTBOARD SLAT RETRACTED MICROSWITCH  |            |          |                           |           | Component | ATA:27      |  |
| PN:402EN1-6                      | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |  |
| SN:UNKNOWN                       | HRS     | 0   |            | TSN 0    |                           |           |           |             |  |
| WC#: 27.470                      | AFL     | 0   |            |          |                           |           |           |             |  |
| PROC. REF: AMM GENERIC 1         |         |   |            |          |                           |           |           |             |  |
| 27-80-17-900-801-04              |         | LH OUTBOARD SLAT EXTENDED MICROSWITCH   |            |          |                           |           | Component | ATA:27      |  |
| PN:602EN1-6                      | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |  |
| SN:UNKNOWN                       | HRS     | 0   |            | TSN 0    |                           |           |           |             |  |
| WC#: 27.475                      | AFL     | 0   |            |          |                           |           |           |             |  |
| PROC. REF: AMM GENERIC 1         |         |   |            |          |                           |           |           |             |  |
| 27-80-17-900-801-05              |         | RH INBOARD SLAT EXTENDED MICROSWITCH  |            |          |                           |           | Component | ATA:27      |  |
| PN:602EN1-6                      | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |  |
| SN:UNKNOWN                       | HRS     | 0   |            | TSN 0    |                           |           |           |             |  |
| WC#: 27.465                      | AFL     | 0   |            |          |                           |           |           |             |  |
| PROC. REF: AMM GENERIC 1         |         |   |            |          |                           |           |           |             |  |
| 27-80-17-900-801-06              |         | RH INBOARD SLAT RETRACTED MICROSWITCH   |            |          |                           |           | Component | ATA:27      |  |
| PN:402EN1-6                      | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |  |
| SN:UNKNOWN                       | HRS     | 0   |            | TSN 0    |                           |           |           |             |  |
| WC#: 27.460                      | AFL     | 0   |            |          |                           |           |           |             |  |
| PROC. REF: AMM GENERIC 1         |         |   |            |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W   | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition |        |
|---------------------------------|---------|---|-----------|----------|---------------------------|-----------|--------------|-------------|--------|
| <b>ATA 27 - FLIGHT CONTROLS</b> |         |   |           |          |                           |           |              |             |        |
| 27-80-17-900-801-07             |         | RH OUTBOARD SLAT RETRACTED MICROSWITCH  |           |          |                           |           |              | Component   | ATA:27 |
| PN:402EN1-6                     | MOS/MSC | 23-Oct-89   | O/C       |          |                           |           |              |             |        |
| SN:UNKNOWN                      | HRS     | 0   |           | TSN 0    |                           |           |              |             |        |
| WC#: 27.470                     | AFL     | 0   |           |          |                           |           |              |             |        |
| PROC. REF: AMM GENERIC 1        |         |   |           |          |                           |           |              |             |        |
| 27-80-17-900-801-08             |         | RH OUTBOARD SLAT EXTENDED MICROSWITCH   |           |          |                           |           |              | Component   | ATA:27 |
| PN:602EN1-6                     | MOS/MSC | 23-Oct-89   | O/C       |          |                           |           |              |             |        |
| SN:UNKNOWN                      | HRS     | 0   |           | TSN 0    |                           |           |              |             |        |
| WC#: 27.475                     | AFL     | 0   |           |          |                           |           |              |             |        |
| PROC. REF: AMM GENERIC 1        |         |   |           |          |                           |           |              |             |        |
| 27-80-17-900-803-01             |         | FLAP POSITION MICROSWITCH   |           |          |                           |           |              | Component   | ATA:27 |
| PN:402EN1-6                     | MOS/MSC | 23-Oct-89   | O/C       |          |                           |           |              |             |        |
| SN:UNKNOWN                      | HRS     | 0   |           | TSN 0    |                           |           |              |             |        |
| WC#: 27.477                     | AFL     | 0   |           |          |                           |           |              |             |        |
| PROC. REF: AMM GENERIC 1        |         |   |           |          |                           |           |              |             |        |
| 27-80-23-720-801-01             |         | FUNCTIONAL TEST OF THE INBOARD SLAT VALVE BOX - INBOARD SLAT VALVE BOX (507CM)        |           |          |                           |           |              | Service     | ATA:27 |
| PN:108117-05                    | MOS     | 22-Apr-14   | 144 (+3%) |          | 22-Apr-26                 | 31-Aug-26 | 883 d (+131) |             |        |
| SN:270                          | HRS     |   |           |          |                           |           |              |             |        |
| WC#: 27.425                     | AFL     |   |           |          |                           |           |              |             |        |
| PROC. REF: AMM 27-80-23-720-801 |         |   |           |          |                           |           |              |             |        |
| 27-80-23-720-802-01             |         | FUNCTIONAL TEST OF THE OUTBOARD SLAT VALVE BOX - OUTBOARD SLAT VALVE BOX (517CM)      |           |          |                           |           |              | Service     | ATA:27 |
| PN:108117-06                    | MOS     | 22-Apr-14   | 144 (+3%) |          | 22-Apr-26                 | 31-Aug-26 | 883 d (+131) |             |        |
| SN:273                          | HRS     |   |           |          |                           |           |              |             |        |
| WC#: 27.425                     | AFL     |   |           |          |                           |           |              |             |        |
| PROC. REF: AMM 27-80-23-720-802 |         |   |           |          |                           |           |              |             |        |
| 27-80-23-900-801-01             |         | REMOVAL / INSTALLATION OF THE INBOARD SLAT VALVE BOX - INBOARD SLAT VALVE BOX (507CM) |           |          |                           |           |              | Component   | ATA:27 |
| PN:108117-05                    | MOS/MSC | 19-Jun-14   | O/C       | TSR 2    |                           |           |              |             |        |
| SN:270                          | HRS     | 8032  |           | TSR 0    |                           |           |              |             |        |
| WC#: 27.425                     | AFL     | 3965  |           | TSR 0    |                           |           |              |             |        |
| PROC. REF: AMM 27-80-23-900-801 |         |   |           |          |                           |           |              |             |        |
| 270101                          |         | PILOT CONTROL COLUMN  |           |          |                           |           |              | Component   | ATA:27 |
| PN:FGFB215002                   | MOS/MSC | 19-Jun-14   | O/C       | TSN 289  |                           |           |              |             |        |
| SN:71.1                         | HRS     | 8032  |           | TSN 8032 |                           |           |              |             |        |
| WC#: 27.025                     | AFL     | 3965  |           | TSN 3965 |                           |           |              |             |        |
| PROC. REF: AMM GENERIC 1        |         |   |           |          |                           |           |              |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit                           | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------|--------------------------------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 27 - FLIGHT CONTROLS</b> |                                |           |          |          |                           |           |           |             |        |
| 270121                          | COPILOT CONTROL COLUMN         |           |          |          |                           |           |           | Component   | ATA:27 |
| PN:FGFB215001                   | MOS/MSC                        | 19-Jun-14 | O/C      |          | TSN 289                   |           |           |             |        |
| SN:69.2                         | HRS                            | 8032      |          |          | TSN 8032                  |           |           |             |        |
| WC#: 27.030                     | AFL                            | 3965      |          |          | TSN 3965                  |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |                                |           |          |          |                           |           |           |             |        |
| 270221                          | TRIPLE TRIM INDICATOR          |           |          |          |                           |           |           | Component   | ATA:27 |
| PN:4863-557-80-13               | MOS/MSC                        | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:187                          | HRS                            | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 27.035                     | AFL                            | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 21-30-09-900-801 |                                |           |          |          |                           |           |           |             |        |
| 271251                          | AILERON TRIM BOX               |           |          |          |                           |           |           | Component   | ATA:27 |
| PN:F10A641812A1                 | MOS/MSC                        | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS                            | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 27.085                     | AFL                            | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |                                |           |          |          |                           |           |           |             |        |
| 271351                          | LH AILERON NEUTRAL RETURN UNIT |           |          |          |                           |           |           | Component   | ATA:27 |
| PN:105045-06                    | MOS/MSC                        | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:3224                         | HRS                            | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 27.095                     | AFL                            | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |                                |           |          |          |                           |           |           |             |        |
| 271381                          | RH AILERON NEUTRAL RETURN UNIT |           |          |          |                           |           |           | Component   | ATA:27 |
| PN:105045-06                    | MOS/MSC                        | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:3230                         | HRS                            | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 27.095                     | AFL                            | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |                                |           |          |          |                           |           |           |             |        |
| 271401                          | LH ROLL CONTROL SEALED BOX     |           |          |          |                           |           |           | Component   | ATA:27 |
| PN:FGFB271111A1                 | MOS/MSC                        | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS                            | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 27.097                     | AFL                            | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |                                |           |          |          |                           |           |           |             |        |
| 271421                          | RH ROLL CONTROL SEALED BOX     |           |          |          |                           |           |           | Component   | ATA:27 |
| PN:FGFB271211A1                 | MOS/MSC                        | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS                            | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 27.097                     | AFL                            | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |                                |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit                              | C/W       | Interval | TSX/Adj.   | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------|-----------------------------------|-----------|----------|------------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 27 - FLIGHT CONTROLS</b> |                                   |           |          |            |                           |           |           |             |        |
| 271601                          | RUDDER PRESSURE SEALED BOX        |           |          |            |                           |           |           | Component   | ATA:27 |
| PN:PN                           | MOS/MSC                           | 23-Oct-89 | O/C      |            |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS                               |           |          |            |                           |           |           |             |        |
| WC#: 27.155                     | AFL                               |           |          |            |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |                                   |           |          |            |                           |           |           |             |        |
| 271621                          | ELEVATOR PRESSURE SEALED BOX      |           |          |            |                           |           |           | Component   | ATA:27 |
| PN:PN                           | MOS/MSC                           | 23-Oct-89 | O/C      |            |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS                               |           |          |            |                           |           |           |             |        |
| WC#: 27.252                     | AFL                               |           |          |            |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |                                   |           |          |            |                           |           |           |             |        |
| 272071                          | PILOT RUDDER BAR PEDAL ASSEMBLY   |           |          |            |                           |           |           | Component   | ATA:27 |
| PN:0CV299-03                    | MOS/MSC                           | 23-Oct-89 | O/C      |            |                           |           |           |             |        |
| SN:167                          | HRS                               | 0         |          | TSN 0      |                           |           |           |             |        |
| WC#: 27.123                     | AFL                               | 0         |          |            |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |                                   |           |          |            |                           |           |           |             |        |
| 272081                          | COPILOT RUDDER BAR PEDAL ASSEMBLY |           |          |            |                           |           |           | Component   | ATA:27 |
| PN:0CV299-04                    | MOS/MSC                           | 19-Jul-10 | O/C      |            |                           |           |           |             |        |
| SN:177                          | HRS                               | 6886.2    |          | TSN 6886.2 |                           |           |           |             |        |
| WC#: 27.123                     | AFL                               | 3396      |          |            |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |                                   |           |          |            |                           |           |           |             |        |
| 272091                          | PILOT PEDALS ADJUSTMENT ROD BOX   |           |          |            |                           |           |           | Component   | ATA:27 |
| PN:4505-1                       | MOS/MSC                           | 23-Oct-89 | O/C      |            |                           |           |           |             |        |
| SN:263                          | HRS                               | 0         |          | TSN 0      |                           |           |           |             |        |
| WC#: 27.124                     | AFL                               | 0         |          |            |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |                                   |           |          |            |                           |           |           |             |        |
| 272096                          | COPILOT PEDALS ADJUSTMENT ROD BOX |           |          |            |                           |           |           | Component   | ATA:27 |
| PN:4505-1                       | MOS/MSC                           | 23-Oct-89 | O/C      |            |                           |           |           |             |        |
| SN:286                          | HRS                               | 0         |          | TSN 0      |                           |           |           |             |        |
| WC#: 27.124                     | AFL                               | 0         |          |            |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |                                   |           |          |            |                           |           |           |             |        |
| 272163                          | YAW TRIM RELAY BOX                |           |          |            |                           |           |           | Component   | ATA:27 |
| PN:PN                           | MOS/MSC                           |           | O/C      |            |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS                               | 0         |          |            |                           |           |           |             |        |
| WC#: 27.150                     | AFL                               | 0         |          |            |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |                                   |           |          |            |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W   | Interval | TSX/Adj.       | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |               |
|---------------------------------|---------|---|----------|----------------|---------------------------|-----------|-----------|------------------|---------------|
| <b>ATA 27 - FLIGHT CONTROLS</b> |         |   |          |                |                           |           |           |                  |               |
| <b>273161</b>                   |         | <b>ARTHUR Q-UNIT PITCH SERVO VALVE</b>              |          |                |                           |           |           | <b>Component</b> | <b>ATA:27</b> |
| PN:108019-13                    | MOS/MSC | 23-Oct-89   | O/C      |                |                           |           |           |                  |               |
| SN:1684                         | HRS     | 0   |          | TSN 0          |                           |           |           |                  |               |
| WC#: 27.215                     | AFL     | 0   |          |                |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 1        |         |   |          |                |                           |           |           |                  |               |
| <b>273171</b>                   |         | <b>PITCH ARTHUR BOX</b>                             |          |                |                           |           |           | <b>Component</b> | <b>ATA:27</b> |
| PN:062175-03                    | MOS/MSC | 12-Nov-20   | O/C      | TSN 410, TSR 4 |                           |           |           |                  |               |
| SN:16                           | HRS     | 9182.3  |          | TSR 0          |                           |           |           |                  |               |
| WC#: 27.220                     | AFL     | 4405  |          | TSR 0          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 1        |         |   |          |                |                           |           |           |                  |               |
| <b>274161</b>                   |         | <b>HORIZONTAL STABILIZER STANDBY ELECTRIC MOTOR</b> |          |                |                           |           |           | <b>Component</b> | <b>ATA:27</b> |
| PN:993                          | MOS/MSC | 23-Oct-89   | O/C      |                |                           |           |           |                  |               |
| SN:UNKNOWN                      | HRS     | 0   |          | TSN 0          |                           |           |           |                  |               |
| WC#: 27.260                     | AFL     | 0   |          |                |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 1        |         |   |          |                |                           |           |           |                  |               |
| <b>274201</b>                   |         | <b>HORIZONTAL STABILIZER RELAY BOX</b>              |          |                |                           |           |           | <b>Component</b> | <b>ATA:27</b> |
| PN:PN                           | MOS/MSC | 23-Oct-89   | O/C      |                |                           |           |           |                  |               |
| SN:UNKNOWN                      | HRS     | 0   |          | TSN 0          |                           |           |           |                  |               |
| WC#: 27.265                     | AFL     | 0   |          |                |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 1        |         |   |          |                |                           |           |           |                  |               |
| <b>274251</b>                   |         | <b>HORIZONTAL STABILIZER STANDBY CONTROL BOX</b>    |          |                |                           |           |           | <b>Component</b> | <b>ATA:27</b> |
| PN:FGFB641810A2                 | MOS/MSC | 23-Oct-89   | O/C      |                |                           |           |           |                  |               |
| SN:UNKNOWN                      | HRS     | 0   |          | TSN 0          |                           |           |           |                  |               |
| WC#: 27.270                     | AFL     | 0   |          |                |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 1        |         |   |          |                |                           |           |           |                  |               |
| <b>275121</b>                   |         | <b>LH FLAP DUAL BEVEL GEAR</b>                      |          |                |                           |           |           | <b>Component</b> | <b>ATA:27</b> |
| PN:021068-06                    | MOS/MSC | 23-Oct-89   | O/C      |                |                           |           |           |                  |               |
| SN:UNKNOWN                      | HRS     | 0   |          | TSN 0          |                           |           |           |                  |               |
| WC#: 27.305                     | AFL     | 0   |          |                |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 1        |         |   |          |                |                           |           |           |                  |               |
| <b>275141</b>                   |         | <b>RH FLAP DUAL BEVEL GEAR</b>                      |          |                |                           |           |           | <b>Component</b> | <b>ATA:27</b> |
| PN:021068-07                    | MOS/MSC | 23-Oct-89   | O/C      |                |                           |           |           |                  |               |
| SN:UNKNOWN                      | HRS     | 0   |          | TSN 0          |                           |           |           |                  |               |
| WC#: 27.305                     | AFL     | 0   |          |                |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 1        |         |   |          |                |                           |           |           |                  |               |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |               |
|---------------------------------|---------|---|----------|----------|---------------------------|-----------|-----------|------------------|---------------|
| <b>ATA 27 - FLIGHT CONTROLS</b> |         |   |          |          |                           |           |           |                  |               |
| <b>275161</b>                   |         | <b>LH FLAP BEVEL GEAR</b>                       |          |          |                           |           |           | <b>Component</b> | <b>ATA:27</b> |
| PN:021063-01                    | MOS/MSC | 23-Oct-89                                       | O/C      |          |                           |           |           |                  |               |
| SN:UNKNOWN                      | HRS     | 0   |          | TSN 0    |                           |           |           |                  |               |
| WC#: 27.310                     | AFL     | 0   |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 1        |         |   |          |          |                           |           |           |                  |               |
| <b>275181</b>                   |         | <b>RH FLAP BEVEL GEAR</b>                       |          |          |                           |           |           | <b>Component</b> | <b>ATA:27</b> |
| PN:021063-01                    | MOS/MSC | 23-Oct-89                                       | O/C      |          |                           |           |           |                  |               |
| SN:UNKNOWN                      | HRS     | 0   |          | TSN 0    |                           |           |           |                  |               |
| WC#: 27.310                     | AFL     | 0   |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 1        |         |   |          |          |                           |           |           |                  |               |
| <b>275351</b>                   |         | <b>LH FLAP POSITION TRANSMITTER</b>             |          |          |                           |           |           | <b>Component</b> | <b>ATA:27</b> |
| PN:1-4414-2                     | MOS/MSC | 23-Oct-89                                       | O/C      |          |                           |           |           |                  |               |
| SN:426                          | HRS     | 0   |          | TSN 0    |                           |           |           |                  |               |
| WC#: 27.350                     | AFL     | 0   |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 1        |         |   |          |          |                           |           |           |                  |               |
| <b>275361</b>                   |         | <b>RH FLAP POSITION TRANSMITTER</b>             |          |          |                           |           |           | <b>Component</b> | <b>ATA:27</b> |
| PN:2-4414-2                     | MOS/MSC | 23-Oct-89                                       | O/C      |          |                           |           |           |                  |               |
| SN:249                          | HRS     | 0   |          | TSN 0    |                           |           |           |                  |               |
| WC#: 27.350                     | AFL     | 0   |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 1        |         |   |          |          |                           |           |           |                  |               |
| <b>275371</b>                   |         | <b>FLAP ASYMMETRY DETECTOR</b>                  |          |          |                           |           |           | <b>Component</b> | <b>ATA:27</b> |
| PN:J2201-2-10MEB                | MOS/MSC | 23-Oct-89                                       | O/C      |          |                           |           |           |                  |               |
| SN:UNKNOWN                      | HRS     | 0   |          | TSN 0    |                           |           |           |                  |               |
| WC#: 27.355                     | AFL     | 0   |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 1        |         |   |          |          |                           |           |           |                  |               |
| <b>275401</b>                   |         | <b>CONFIGURATION PANEL</b>                      |          |          |                           |           |           | <b>Component</b> | <b>ATA:27</b> |
| PN:205TS04Y01                   | MOS/MSC | 17-Feb-98                                       | O/C      | TSR 0    |                           |           |           |                  |               |
| SN:462                          | HRS     | 3479  |          | TSR 0    |                           |           |           |                  |               |
| WC#: 27.355                     | AFL     | 1550  |          | TSR 0    |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 1        |         |   |          |          |                           |           |           |                  |               |
| <b>276101</b>                   |         | <b>INBOARD/OUTBOARD AIRBRAKE SELECTOR VALVE</b> |          |          |                           |           |           | <b>Component</b> | <b>ATA:27</b> |
| PN:65670-1                      | MOS/MSC | 23-Oct-89                                       | O/C      |          |                           |           |           |                  |               |
| SN:1052A                        | HRS     | 0   |          | TSN 0    |                           |           |           |                  |               |
| WC#: 27.370                     | AFL     | 0   |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 1        |         |   |          |          |                           |           |           |                  |               |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 27 - FLIGHT CONTROLS</b>                                |         |           |          |          |                           |           |           |             |
| <b>276141 MIDDLE AIRBRAKE SELECTOR VALVE Component ATA:27</b>  |         |           |          |          |                           |           |           |             |
| PN:65670-1   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:1072A   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 27.370  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1                                       |         |           |          |          |                           |           |           |             |
| <b>276191 AIRBRAKE HOLD VALVE GAUGE Component ATA:27</b>       |         |           |          |          |                           |           |           |             |
| PN:18040100  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 27.375  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1                                       |         |           |          |          |                           |           |           |             |
| <b>276401 LH OUTBOARD AIRBRAKE RESTRICTOR Component ATA:27</b> |         |           |          |          |                           |           |           |             |
| PN:C24370-202  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:B2743   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 27.402  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1                                       |         |           |          |          |                           |           |           |             |
| <b>276411 LH MIDDLE AIRBRAKE RESISTOR Component ATA:27</b>     |         |           |          |          |                           |           |           |             |
| PN:C24370-402  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:B2802   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 27.402  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1                                       |         |           |          |          |                           |           |           |             |
| <b>276421 LH INBOARD AIRBRAKE RESISTOR Component ATA:27</b>    |         |           |          |          |                           |           |           |             |
| PN:C24370-302  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:B2793   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 27.402  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1                                       |         |           |          |          |                           |           |           |             |
| <b>276431 RH INBOARD AIRBRAKE RESTRICTOR Component ATA:27</b>  |         |           |          |          |                           |           |           |             |
| PN:C24370-302  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:B2794   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 27.403  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1                                       |         |           |          |          |                           |           |           |             |
| <b>276441 RH MIDDLE AIRBRAKE RESTRICTOR Component ATA:27</b>   |         |           |          |          |                           |           |           |             |
| PN:C24370-402  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:B2803   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 27.403  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1                                       |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 27 - FLIGHT CONTROLS</b>  |         |           |          |          |                           |           |           |             |
| <b>276451 RH OUTBOARD AIRBRAKE RESTRICTOR Component ATA:27</b>               |         |           |          |          |                           |           |           |             |
| PN:C24370-202  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:B2781   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 27.403  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |             |
| <b>278101 OUTBOARD SLAT AUTOMATIC DISTRIBUTOR Component ATA:27</b>           |         |           |          |          |                           |           |           |             |
| PN:108103-04   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:574   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 27.415  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |             |
| <b>278121 OUTBOARD SLAT STANDBY ELECTRIC DISTRIBUTOR Component ATA:27</b>    |         |           |          |          |                           |           |           |             |
| PN:65670-1   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:1111A   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 27.420  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |             |
| <b>278131 INBOARD SLAT ELECTRIC DISTRIBUTOR Component ATA:27</b>             |         |           |          |          |                           |           |           |             |
| PN:65670-1   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:1078A   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 27.420  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |             |
| <b>278171 OUTBOARD SLAT VALVE BOX Component ATA:27</b>                       |         |           |          |          |                           |           |           |             |
| PN:108117-06   | MOS/MSC | 19-Jun-14 | O/C      | TSR 2    |                           |           |           |             |
| SN:273   | HRS     | 8032      |          | TSR 0    |                           |           |           |             |
| WC#: 27.425  | AFL     | 3965      |          | TSR 0    |                           |           |           |             |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |             |
| <b>278401 LH INBOARD SLAT ACTUATOR EXTENSION RESTRICTOR Component ATA:27</b> |         |           |          |          |                           |           |           |             |
| PN:C24346-102  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:B1240   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 27.445  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |             |
| <b>278411 RH INBOARD SLAT ACTUATOR EXTENSION RESTRICTOR Component ATA:27</b> |         |           |          |          |                           |           |           |             |
| PN:C24346-102  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:B1241   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 27.445  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 27 - FLIGHT CONTROLS</b>  |  |           |          |          |                           |           |           |             |        |
| 278421                           | LH OUTBOARD SLAT ACTUATOR EXTENSION RESTRICTOR VALVE |           |          |          |                           |           |           | Component   | ATA:27 |
| PN:C24370-102                    | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:B2725                         | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 27.450                      | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1         |  |           |          |          |                           |           |           |             |        |
| 278431                           | RH OUTBOARD SLAT ACTUATOR EXTENSION RESTRICTOR VALVE |           |          |          |                           |           |           | Component   | ATA:27 |
| PN:C24370-102                    | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:B2726                         | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 27.450                      | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1         |  |           |          |          |                           |           |           |             |        |
| 278441                           | LH ACTUATOR STANDBY RESTRICTOR VALVE                 |           |          |          |                           |           |           | Component   | ATA:27 |
| PN:FCFA1875150D                  | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:145                           | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 27.455                      | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1         |  |           |          |          |                           |           |           |             |        |
| 278451                           | RH ACTUATOR STANDBY RESTRICTOR VALVE                 |           |          |          |                           |           |           | Component   | ATA:27 |
| PN:FCFA1875150D                  | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:146                           | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 27.455                      | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1         |  |           |          |          |                           |           |           |             |        |
| 278461                           | SLATS ACTUATOR RETRACTION RESTRICTOR VALVE           |           |          |          |                           |           |           | Component   | ATA:27 |
| PN:C24346-302                    | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:B1286                         | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 27.455                      | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1         |  |           |          |          |                           |           |           |             |        |
| 57-41-13-640-801-01 <sup>S</sup> | LUBRICATION OF THE SLAT MECHANISMS                   |           |          |          |                           |           |           | Service     | ATA:27 |
|                                  | MOS  | 16-Nov-22 | 24 (+1m) |          |                           |           |           |             |        |
|                                  | HRS  | 9596.5    |          |          |                           |           |           |             |        |
| WC#: 27.405                      | AFL  | 4562      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 57-41-13-640-801  |  |           |          |          |                           |           |           |             |        |
| PKG:16                           |  |           |          |          |                           |           |           |             |        |
| <b>ATA 28 - FUEL</b>             |  |           |          |          |                           |           |           |             |        |
| 28-00-00-280-801-01 <sup>S</sup> | FUEL CONTAMINATION DETECTION TEST                    |           |          |          |                           |           |           | Service     | ATA:28 |
|                                  | MOS  | 09-Nov-23 | 12 (+1m) |          |                           |           |           |             |        |
|                                  | HRS  | 9831.2    | 800      |          |                           |           |           |             |        |
| WC#: 28.560                      | AFL  | 4640      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 28-00-00-280-801  |  |           |          |          |                           |           |           |             |        |
| PKG:5                            |  |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C       | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|------------|----------|---------------------------------|-----------|-----------|-------------|--------|
| ATA 28 - FUEL                    |  |           |            |          |                                 |           |           |             |        |
| 28-00-00-290-801-01 <sup>S</sup> | BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE LH FEEDER TANK      |           |            |          |                                 |           |           | Service     | ATA:28 |
|                                  | MOS  | 09-Nov-23 | 36 (+1m)   |          |                                 |           |           |             |        |
|                                  | HRS  | 9831.2    | 2400 (+40) |          |                                 |           |           |             |        |
|                                  | AFL  | 4640      |            |          |                                 |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 28-00-00-290-801 |           |           | PKG:7       |        |
| 28-00-00-290-801-02 <sup>S</sup> | BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE RH FEEDER TANK      |           |            |          |                                 |           |           | Service     | ATA:28 |
|                                  | MOS  | 09-Nov-23 | 36 (+1m)   |          |                                 |           |           |             |        |
|                                  | HRS  | 9831.2    | 2400 (+40) |          |                                 |           |           |             |        |
|                                  | AFL  | 4640      |            |          |                                 |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 28-00-00-290-801 |           |           | PKG:7       |        |
| 28-00-00-290-801-03 <sup>S</sup> | BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE CTR FEEDER TANK     |           |            |          |                                 |           |           | Service     | ATA:28 |
|                                  | MOS  | 09-Nov-23 | 36 (+1m)   |          |                                 |           |           |             |        |
|                                  | HRS  | 9831.2    | 2400 (+40) |          |                                 |           |           |             |        |
|                                  | AFL  | 4640      |            |          |                                 |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 28-00-00-290-801 |           |           | PKG:7       |        |
| 28-00-00-290-801-04              | BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE LH CENTER-WING TANK |           |            |          |                                 |           |           | Service     | ATA:28 |
|                                  | MOS/MSC  | 23-Oct-89 | O/C        |          |                                 |           |           |             |        |
|                                  | HRS  | 0         |            |          |                                 |           |           |             |        |
|                                  | AFL  | 0         |            |          |                                 |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 28-00-00-290-801 |           |           |             |        |
| 28-00-00-290-801-05              | BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE RH CENTER-WING TANK |           |            |          |                                 |           |           | Service     | ATA:28 |
|                                  | MOS/MSC  | 23-Oct-89 | O/C        |          |                                 |           |           |             |        |
|                                  | HRS  | 0         |            |          |                                 |           |           |             |        |
|                                  | AFL  | 0         |            |          |                                 |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 28-00-00-290-801 |           |           |             |        |
| 28-00-00-290-801-06              | BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE REAR TANK           |           |            |          |                                 |           |           | Service     | ATA:28 |
|                                  | MOS/MSC  | 23-Oct-89 | O/C        |          |                                 |           |           |             |        |
|                                  | HRS  | 0         |            |          |                                 |           |           |             |        |
|                                  | AFL  | 0         |            |          |                                 |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 28-00-00-290-801 |           |           |             |        |
| 28-00-00-290-801-07 <sup>S</sup> | BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE LH WING TANK        |           |            |          |                                 |           |           | Service     | ATA:28 |
|                                  | MOS  | 09-Nov-23 | 36 (+1m)   |          |                                 |           |           |             |        |
|                                  | HRS  | 9831.2    | 2400 (+40) |          |                                 |           |           |             |        |
|                                  | AFL  | 4640      |            |          |                                 |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 28-00-00-290-801 |           |           | PKG:7       |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C                             | Max Limit | Remaining | Disposition |
|----------------------------------|---|-----------|------------|----------|---|-----------|-----------|-------------|
| ATA 28 - FUEL                    |   |           |            |          |   |           |           |             |
| 28-00-00-290-801-08 <sup>S</sup> | BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE RH WING TANK                 |           |            |          |   |           | Service   | ATA:28      |
|                                  | MOS   | 09-Nov-23 | 36 (+1m)   |          |   |           |           |             |
|                                  | HRS   | 9831.2    | 2400 (+40) |          |   |           |           |             |
|                                  | AFL   | 4640      |            |          |   |           |           |             |
|                                  |   |           |            |          | PROC. REF: AMM 28-00-00-290-801                       |           |           | PKG:7       |
| 28-00-00-290-801-09              | BORESCOPE INSPECTION OF THE FUEL TANKS - BORESCOPE INSPECTION OF THE FRONT TANK                   |           |            |          |   |           | Service   | ATA:28      |
|                                  | MOS/MSC   | 23-Oct-89 | O/C        |          |   |           |           |             |
|                                  | HRS   | 0         |            |          |   |           |           |             |
|                                  | AFL   | 0         |            |          |   |           |           |             |
|                                  |   |           |            |          | PROC. REF: AMM 28-00-00-290-801                       |           |           |             |
| 28-00-00-910-803-01              | DECONTAMINATION OF THE FUEL SYSTEMS - TREATMENT WITH A MINIMUM FUEL LOAD - FUEL INJECTION METHOD  |           |            |          |   |           | Service   | ATA:28      |
|                                  | MOS/MSC   | 23-Oct-89 | O/C        |          |   |           |           |             |
|                                  | HRS   | 0         |            |          |   |           |           |             |
|                                  | AFL   | 0         |            |          |   |           |           |             |
|                                  |   |           |            |          | PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803 |           |           |             |
| 28-00-00-910-803-02              | DECONTAMINATION OF THE FUEL SYSTEMS - TREATMENT WITH A MINIMUM FUEL LOAD - GRAVITY POURING METHOD |           |            |          |   |           | Service   | ATA:28      |
|                                  | MOS/MSC   | 23-Oct-89 | O/C        |          |   |           |           |             |
|                                  | HRS   | 0         |            |          |   |           |           |             |
|                                  | AFL   | 0         |            |          |   |           |           |             |
|                                  |   |           |            |          | PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803 |           |           |             |
| 28-00-00-910-803-03              | DECONTAMINATION OF THE FUEL SYSTEMS - TREATMENT WITH A FULL FUEL LOAD - FUEL INJECTION METHOD     |           |            |          |   |           | Service   | ATA:28      |
|                                  | MOS/MSC   | 23-Oct-89 | O/C        |          |   |           |           |             |
|                                  | HRS   | 0         |            |          |   |           |           |             |
|                                  | AFL   | 0         |            |          |   |           |           |             |
|                                  |   |           |            |          | PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803 |           |           |             |
| 28-00-00-910-803-04              | DECONTAMINATION OF THE FUEL SYSTEMS - TREATMENT WITH A FULL FUEL LOAD - GRAVITY POURING METHOD    |           |            |          |   |           | Service   | ATA:28      |
|                                  | MOS/MSC   | 23-Oct-89 | O/C        |          |   |           |           |             |
|                                  | HRS   | 0         |            |          |   |           |           |             |
|                                  | AFL   | 0         |            |          |   |           |           |             |
|                                  |   |           |            |          | PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803 |           |           |             |
| 28-00-00-910-803-06              | DECONTAMINATION OF THE FUEL SYSTEMS - CLEANING / REPLACEMENT OF FILTERS                           |           |            |          |   |           | Service   | ATA:28      |
|                                  | MOS/MSC   | 23-Oct-89 | O/C        |          |   |           |           |             |
|                                  | HRS   | 0         |            |          |   |           |           |             |
|                                  | AFL   | 0         |            |          |   |           |           |             |
|                                  |   |           |            |          | PROC. REF: AMM 28-00-00-910-803, AMM 28-00-00-910-803 |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |                  |
|----------------------------------|---------|--|----------|----------|---------------------------|-----------|-----------|-------------|------------------|
| ATA 28 - FUEL                    |         |  |          |          |                           |           |           |             |                  |
| 28-00-00-910-804-01              |         | MEASURES TO BE TAKEN AFTER MAINTENANCE OPERATIONS IN THE FUEL TANKS          |          |          |                           |           |           |             | Service ATA:28   |
|                                  | MOS/MSC | 23-Oct-89  | A/R      |          |                           |           |           |             |                  |
|                                  | HRS     | 0  |          |          |                           |           |           |             |                  |
| WC#: 28.570                      | AFL     | 0  |          |          |                           |           |           |             |                  |
| PROC. REF: AMM 28-00-00-910-804  |         |  |          |          |                           |           |           |             |                  |
| 28-10-00-280-801-01 <sup>S</sup> |         | SPECIAL DETAILED INSPECTION OF THE FUEL TANK FLAPPER VALVES                  |          |          |                           |           |           |             | Service ATA:28   |
|                                  | MOS     | 12-Nov-20  | 72 (+2m) |          |                           |           |           |             |                  |
|                                  | HRS     | 9182.3   |          |          |                           |           |           |             |                  |
| WC#: 28.030                      | AFL     | 4405   | 3750     |          |                           |           |           |             |                  |
| PROC. REF: AMM 28-10-00-280-801  |         |  |          |          |                           |           |           |             |                  |
| PKG:31                           |         |  |          |          |                           |           |           |             |                  |
| 28-21-01-900-801-01              |         | REMOVAL / INSTALLATION OF THE BOOSTER PUMPS - BOOSTER PUMP 1 (3QN1)          |          |          |                           |           |           |             | Component ATA:28 |
| PN:226-650-51                    | MOS/MSC | 03-Nov-97  | O/C      |          |                           |           |           |             |                  |
| SN:507                           | HRS     |  |          |          |                           |           |           |             |                  |
| WC#: 28.370                      | AFL     |  |          |          |                           |           |           |             |                  |
| PROC. REF: AMM 28-21-01-900-801  |         |  |          |          |                           |           |           |             |                  |
| 28-21-01-900-801-02              |         | REMOVAL / INSTALLATION OF THE BOOSTER PUMPS - BOOSTER PUMP 2 (3QN2)          |          |          |                           |           |           |             | Component ATA:28 |
| PN:226-650-51                    | MOS/MSC | 25-Jul-00  | O/C      |          |                           |           |           |             |                  |
| SN:00824                         | HRS     | 4078   |          | TSO 0    |                           |           |           |             |                  |
| WC#: 28.380                      | AFL     | 1836   |          | TSO 0    |                           |           |           |             |                  |
| PROC. REF: AMM 28-21-01-900-801  |         |  |          |          |                           |           |           |             |                  |
| 28-21-01-900-801-03              |         | REMOVAL / INSTALLATION OF THE BOOSTER PUMPS - BOOSTER PUMP 3 (3QN3)          |          |          |                           |           |           |             | Component ATA:28 |
| PN:226-650-3                     | MOS/MSC | 03-Feb-98  | O/C      |          |                           |           |           |             |                  |
| SN:470                           | HRS     | 3429   |          |          |                           |           |           |             |                  |
| WC#: 28.370                      | AFL     | 1527   |          |          |                           |           |           |             |                  |
| PROC. REF: AMM 28-21-01-900-801  |         |  |          |          |                           |           |           |             |                  |
| 28-21-01-900-801-04              |         | REMOVAL / INSTALLATION OF THE BOOSTER PUMPS - STAND-BY BOOSTER PUMP 2 (13QN) |          |          |                           |           |           |             | Component ATA:28 |
| PN:P99C31-604                    | MOS/MSC | 17-Sep-10  | O/C      |          | TSO 0                     |           |           |             |                  |
| SN:840                           | HRS     | 6907.3   |          |          | TSO 0                     |           |           |             |                  |
| WC#: 28.380                      | AFL     | 3417   |          |          | TSO 0                     |           |           |             |                  |
| PROC. REF: AMM 28-21-01-900-801  |         |  |          |          |                           |           |           |             |                  |
| 28-21-05-900-801-01              |         | REMOVAL / INSTALLATION OF THE BP MANIFOLDS - BP 1 MANIFOLD (32WB1)           |          |          |                           |           |           |             | Component ATA:28 |
| PN:L88A31-662                    | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |                  |
| SN:20120                         | HRS     | 0  |          |          | TSN 0                     |           |           |             |                  |
| WC#: 28.280                      | AFL     | 0  |          |          |                           |           |           |             |                  |
| PROC. REF: AMM 28-21-05-900-801  |         |  |          |          |                           |           |           |             |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |  |
|----------------------------------|---------|---|------------|----------|---------------------------|-----------|-----------|----------------|--|
| <b>ATA 28 - FUEL</b>             |         |   |            |          |                           |           |           |                |  |
| 28-21-05-900-801-02              |         | REMOVAL / INSTALLATION OF THE BP MANIFOLDS - BP 2 MANIFOLD (32WB2)  |            |          |                           |           | Component | ATA:28         |  |
| PN:L88A31-663                    | MOS/MSC | 23-Dec-08   | O/C        | TSN 0    |                           |           |           |                |  |
| SN:20293                         | HRS     | 6625.9  |            | TSN 0    |                           |           |           |                |  |
| WC#: 28.290                      | AFL     | 3218  |            | TSN 0    |                           |           |           |                |  |
| PROC. REF: AMM 28-21-05-900-801  |         |   |            |          |                           |           |           |                |  |
| 28-21-05-900-801-03              |         | REMOVAL / INSTALLATION OF THE BP MANIFOLDS - BP 3 MANIFOLD (32WB3)  |            |          |                           |           | Component | ATA:28         |  |
| PN:L88A31-664                    | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |                |  |
| SN:20127                         | HRS     | 0   |            | TSN 0    |                           |           |           |                |  |
| WC#: 28.300                      | AFL     | 0   |            |          |                           |           |           |                |  |
| PROC. REF: AMM 28-21-05-900-801  |         |   |            |          |                           |           |           |                |  |
| 28-21-11-710-801-01 <sup>S</sup> |         | OPERATIONAL TEST OF THE BP MANIFOLD CROSSFEED ELECTRICAL VALVES - BP 1 MANIFOLD CROSSFEED VALVE ELECTRICAL ACTUATOR (3221WB1) |            |          |                           |           | Service   | ATA:28         |  |
|                                  | MOS     | 09-Nov-23   | 36 (+1m)   |          |                           |           |           |                |  |
|                                  | HRS     | 9831.2  | 2400 (+40) |          |                           |           |           |                |  |
| WC#: 28.350                      | AFL     | 4640  |            |          |                           |           |           |                |  |
| PROC. REF: AMM 28-21-11-710-801  |         |   |            |          |                           |           |           |                |  |
| 28-21-11-710-801-02 <sup>S</sup> |         | OPERATIONAL TEST OF THE BP MANIFOLD CROSSFEED ELECTRICAL VALVES - BP 3 MANIFOLD CROSSFEED VALVE ELECTRICAL ACTUATOR (3221WB3) |            |          |                           |           | Service   | ATA:28         |  |
|                                  | MOS     | 09-Nov-23   | 36 (+1m)   |          |                           |           |           |                |  |
|                                  | HRS     | 9831.2  | 2400 (+40) |          |                           |           |           |                |  |
| WC#: 28.350                      | AFL     | 4640  |            |          |                           |           |           |                |  |
| PROC. REF: AMM 28-21-11-710-801  |         |   |            |          |                           |           |           |                |  |
| 28-21-13-710-801-01 <sup>S</sup> |         | OPERATIONAL TEST OF THE FUEL SHUT-OFF VALVES - BP 1 MANIFOLD ENGINE SOV (321WB1)  |            |          |                           |           | Service   | ATA:28         |  |
|                                  | MOS     | 12-Nov-20   | 72 (+2m)   |          |                           |           |           |                |  |
|                                  | HRS     | 9182.3  |            |          |                           |           |           |                |  |
| WC#: 76.100                      | AFL     | 4405  | 3750       |          |                           |           |           |                |  |
| PROC. REF: AMM 28-21-13-710-801  |         |   |            |          |                           |           |           |                |  |
| 28-21-13-710-801-01A             |         | OPERATIONAL TEST OF THE FUEL SHUT-OFF VALVES - BP 1 MANIFOLD ENGINE SOV (321WB1) (MANDATORY 5-40)                             |            |          |                           |           | Service   | ATA:28         |  |
|                                  | MOS     | 12-Nov-20   |            |          |                           |           |           | MANDATORY 5-40 |  |
|                                  | HRS     | 9182.3  | 11600      |          | 20782.3                   |           | 10951.1   |                |  |
| WC#: 76.100                      | AFL     | 4405  |            |          |                           |           |           |                |  |
| PROC. REF: AMM 28-21-13-710-801  |         |   |            |          |                           |           |           |                |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|----------------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|----------------|--------|
| ATA 28 - FUEL                    |   |           |          |          |                           |           |           |                |        |
| 28-21-13-710-801-02 <sup>S</sup> | OPERATIONAL TEST OF THE FUEL SHUT-OFF VALVES - BP 2 MANIFOLD ENGINE SOV (321WB2)                  |           |          |          |                           |           |           | Service        | ATA:28 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |           |                |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |                |        |
| WC#: 76.110                      | AFL   | 4405      | 3750     |          |                           |           |           |                |        |
| PROC. REF: AMM 28-21-13-710-801  |   |           |          |          |                           |           |           | PKG:31         |        |
| 28-21-13-710-801-02A             | OPERATIONAL TEST OF THE FUEL SHUT-OFF VALVES - BP 2 MANIFOLD ENGINE SOV (321WB2) (MANDATORY 5-40) |           |          |          |                           |           |           | Service        | ATA:28 |
|                                  | MOS   | 12-Nov-20 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS   | 9182.3    | 11600    |          | 20782.3                   |           | 10951.1   |                |        |
| WC#: 76.110                      | AFL   | 4405      |          |          |                           |           |           |                |        |
| PROC. REF: AMM 28-21-13-710-801  |   |           |          |          |                           |           |           |                |        |
| 28-21-13-710-801-03 <sup>S</sup> | OPERATIONAL TEST OF THE FUEL SHUT-OFF VALVES - BP 3 MANIFOLD ENGINE SOV (321WB3)                  |           |          |          |                           |           |           | Service        | ATA:28 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |           |                |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |                |        |
| WC#: 76.120                      | AFL   | 4405      | 3750     |          |                           |           |           |                |        |
| PROC. REF: AMM 28-21-13-710-801  |   |           |          |          |                           |           |           | PKG:31         |        |
| 28-21-13-710-801-03A             | OPERATIONAL TEST OF THE FUEL SHUT-OFF VALVES - BP 3 MANIFOLD ENGINE SOV (321WB3) (MANDATORY 5-40) |           |          |          |                           |           |           | Service        | ATA:28 |
|                                  | MOS   | 12-Nov-20 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS   | 9182.3    | 11600    |          | 20782.3                   |           | 10951.1   |                |        |
| WC#: 76.120                      | AFL   | 4405      |          |          |                           |           |           |                |        |
| PROC. REF: AMM 28-21-13-710-801  |   |           |          |          |                           |           |           |                |        |
| 28-21-13-710-801-04 <sup>S</sup> | OPERATIONAL TEST OF THE FUEL SHUT-OFF VALVES - BP 1 MANIFOLD ENGINE SOV CLOSING                   |           |          |          |                           |           |           | Service        | ATA:28 |
|                                  | MOS   | 12-Nov-20 | 72       |          |                           |           |           |                |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |                |        |
| WC#: 76.100                      | AFL   | 4405      | 3750     |          |                           |           |           |                |        |
| PROC. REF: AMM 28-21-13-710-801  |   |           |          |          |                           |           |           | PKG:31         |        |
| 28-21-13-710-801-05 <sup>S</sup> | OPERATIONAL TEST OF THE FUEL SHUT-OFF VALVES - BP 2 MANIFOLD ENGINE SOV CLOSING                   |           |          |          |                           |           |           | Service        | ATA:28 |
|                                  | MOS   | 12-Nov-20 | 72       |          |                           |           |           |                |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |                |        |
| WC#: 76.110                      | AFL   | 4405      | 3750     |          |                           |           |           |                |        |
| PROC. REF: AMM 28-21-13-710-801  |   |           |          |          |                           |           |           | PKG:31         |        |
| 28-21-13-710-801-06 <sup>S</sup> | OPERATIONAL TEST OF THE FUEL SHUT-OFF VALVES - BP 3 MANIFOLD ENGINE SOV CLOSING                   |           |          |          |                           |           |           | Service        | ATA:28 |
|                                  | MOS   | 12-Nov-20 | 72       |          |                           |           |           |                |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |                |        |
| WC#: 76.120                      | AFL   | 4405      | 3750     |          |                           |           |           |                |        |
| PROC. REF: AMM 28-21-13-710-801  |   |           |          |          |                           |           |           | PKG:31         |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W  | Interval    | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining     | Disposition |  |
|----------------------------------|---------|--|-------------|----------|---------------------------|-----------|---------------|-------------|--|
| <b>ATA 28 - FUEL</b>             |         |  |             |          |                           |           |               |             |  |
| 28-21-14-720-801-01              |         | FUNCTIONAL TEST OF THE BP MANIFOLD THERMAL EXPANSION SYSTEMS - BP 1 MANIFOLD (32WB1)             |             |          |                           |           | Service       | ATA:28      |  |
| PN:L88A31-662                    | MOS     | 23-Oct-89  |             |          |                           |           |               |             |  |
| SN:20120                         | HRS     | 0  | 10000 (+3%) |          | 10000                     | 10300     | 168.8 (+300)  |             |  |
| WC#: 28.280                      | AFL     | 0  |             |          |                           |           |               |             |  |
| PROC. REF: AMM 28-21-14-720-801  |         |  |             |          |                           |           |               |             |  |
| 28-21-14-720-801-02              |         | FUNCTIONAL TEST OF THE BP MANIFOLD THERMAL EXPANSION SYSTEMS - BP 2 MANIFOLD (32WB2)             |             |          |                           |           | Service       | ATA:28      |  |
| PN:L88A31-663                    | MOS     | 23-Dec-08  |             |          |                           |           |               |             |  |
| SN:20293                         | HRS     | 6625.9   | 10000 (+3%) |          | 16625.9                   | 16925.9   | 6794.7 (+300) |             |  |
| WC#: 28.290                      | AFL     | 3218   |             |          |                           |           |               |             |  |
| PROC. REF: AMM 28-21-14-720-801  |         |  |             |          |                           |           |               |             |  |
| 28-21-14-720-801-03              |         | FUNCTIONAL TEST OF THE BP MANIFOLD THERMAL EXPANSION SYSTEMS - BP 3 MANIFOLD (32WB3)             |             |          |                           |           | Service       | ATA:28      |  |
| PN:L88A31-664                    | MOS     | 23-Oct-89  |             |          |                           |           |               |             |  |
| SN:20127                         | HRS     | 0  | 10000 (+3%) |          | 10000                     | 10300     | 168.8 (+300)  |             |  |
| WC#: 28.300                      | AFL     | 0  |             |          |                           |           |               |             |  |
| PROC. REF: AMM 28-21-14-720-801  |         |  |             |          |                           |           |               |             |  |
| 28-21-25-710-801-01 <sup>S</sup> |         | OPERATIONAL TEST OF THE CROSSFEED UNITS  |             |          |                           |           | Service       | ATA:28      |  |
|                                  | MOS     | 09-Nov-23  | 36 (+1m)    |          |                           |           |               |             |  |
|                                  | HRS     | 9831.2   | 2400 (+40)  |          |                           |           |               |             |  |
| WC#: 28.160                      | AFL     | 4640   |             |          |                           |           |               |             |  |
| PROC. REF: AMM 28-21-25-710-801  |         |  |             |          |                           |           |               |             |  |
| 28-21-25-900-801-01              |         | REMOVAL / INSTALLATION OF THE LH AND RH CROSSFEED UNITS - LH CROSSFEED UNIT (L500QA)             |             |          |                           |           | Component     | ATA:28      |  |
| PN:L88A31-665-1                  | MOS/MSC | 23-Oct-89  | O/C         |          |                           |           |               |             |  |
| SN:20168                         | HRS     | 0  |             | TSN 0    |                           |           |               |             |  |
| WC#: 28.270                      | AFL     | 0  |             |          |                           |           |               |             |  |
| PROC. REF: AMM 28-21-25-900-801  |         |  |             |          |                           |           |               |             |  |
| 28-21-25-900-801-02              |         | REMOVAL / INSTALLATION OF THE LH AND RH CROSSFEED UNITS - RH CROSSFEED UNIT (R500QA)             |             |          |                           |           | Component     | ATA:28      |  |
| PN:L88A31-665-1                  | MOS/MSC | 23-Oct-89  | O/C         |          |                           |           |               |             |  |
| SN:20141                         | HRS     | 0  |             | TSN 0    |                           |           |               |             |  |
| WC#: 28.270                      | AFL     | 0  |             |          |                           |           |               |             |  |
| PROC. REF: AMM 28-21-25-900-801  |         |  |             |          |                           |           |               |             |  |
| 28-21-29-100-801-01 <sup>S</sup> |         | CLEANING OF THE CROSSFEED UNIT FILTERS AND BOOSTER PUMP 2 UNIT FILTER - LH CROSSFEED UNIT FILTER |             |          |                           |           | Service       | ATA:28      |  |
|                                  | MOS     | 09-Nov-23  | 12 (+1m)    |          |                           |           |               |             |  |
|                                  | HRS     | 9831.2   | 800 (+40)   |          |                           |           |               |             |  |
| WC#: 28.270                      | AFL     | 4640   |             |          |                           |           |               |             |  |
| PROC. REF: AMM 28-21-29-100-801  |         |  |             |          |                           |           |               |             |  |

PKG:7

PKG:5

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|-----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 28 - FUEL                    |  |           |           |          |                           |           |           |             |        |
| 28-21-29-100-801-02 <sup>S</sup> | CLEANING OF THE CROSSFEED UNIT FILTERS AND BOOSTER PUMP 2 UNIT FILTER - RH CROSSFEED UNIT FILTER   |           |           |          |                           |           |           | Service     | ATA:28 |
|                                  | MOS  | 09-Nov-23 | 12 (+1m)  |          |                           |           |           |             |        |
|                                  | HRS  | 9831.2    | 800 (+40) |          |                           |           |           |             |        |
| WC#: 28.270                      | AFL  | 4640      |           |          |                           |           |           |             |        |
| PROC. REF: AMM 28-21-29-100-801  |  |           |           |          |                           |           |           | PKG:5       |        |
| 28-21-29-100-801-03 <sup>S</sup> | CLEANING OF THE CROSSFEED UNIT FILTERS AND BOOSTER PUMP 2 UNIT FILTER - BOOSTER PUMP 2 UNIT FILTER |           |           |          |                           |           |           | Service     | ATA:28 |
|                                  | MOS  | 09-Nov-23 | 12 (+1m)  |          |                           |           |           |             |        |
|                                  | HRS  | 9831.2    | 800 (+40) |          |                           |           |           |             |        |
| WC#: 28.330                      | AFL  | 4640      |           |          |                           |           |           |             |        |
| PROC. REF: AMM 28-21-29-100-801  |  |           |           |          |                           |           |           | PKG:5       |        |
| 28-22-00-610-801-01              | SERVICING OF THE TRANSFER SOLENOID VALVE STAND-BY MANUAL CONTROL                                   |           |           |          |                           |           |           | Service     | ATA:28 |
|                                  | MOS/MSC  | 23-Oct-89 | N/A       |          |                           |           |           |             |        |
|                                  | HRS  | 0         |           |          |                           |           |           |             |        |
| WC#: 28.250                      | AFL  | 0         |           |          |                           |           |           |             |        |
| PROC. REF: AMM 28-22-00-610-801  |  |           |           |          |                           |           |           |             |        |
| 28-22-01-710-801-01              | OPERATIONAL TEST OF THE XTK2 VALVE - XTK2 VALVE (34QA)   |           |           |          |                           |           |           | Service     | ATA:28 |
|                                  | MOS/MSC  | 23-Oct-89 | N/A       |          |                           |           |           |             |        |
|                                  | HRS  | 0         |           |          |                           |           |           |             |        |
| WC#: 28.260                      | AFL  | 0         |           |          |                           |           |           |             |        |
| PROC. REF: AMM 28-22-01-710-801  |  |           |           |          |                           |           |           |             |        |
| 28-22-01-900-801-01              | REMOVAL / INSTALLATION OF THE TANK INTERCONNECTION VALVE - TANK INTERCONNECTION VALVE (28QA)       |           |           |          |                           |           |           | Component   | ATA:28 |
| PN:L87B63-653                    | MOS/MSC  | 23-Oct-89 | O/C       |          |                           |           |           |             |        |
| SN:20088                         | HRS  | 0         |           | TSN 0    |                           |           |           |             |        |
| WC#: 28.150                      | AFL  | 0         |           |          |                           |           |           |             |        |
| PROC. REF: AMM 28-22-01-900-801  |  |           |           |          |                           |           |           |             |        |
| 28-30-00-680-802-06              | DRAINING OF THE FUEL TANKS / FUEL SAMPLING - LEAK CHECK OF THE DRY BAY                             |           |           |          |                           |           |           | Service     | ATA:28 |
|                                  | MOS/MSC  | 13-Sep-18 | O/C       |          |                           |           |           |             |        |
|                                  | HRS  | 8810.6    |           |          |                           |           |           |             |        |
|                                  | AFL  | 4256      |           |          |                           |           |           |             |        |
| PROC. REF: AMM 28-30-00-680-802  |  |           |           |          |                           |           |           |             |        |
| 28-30-00-680-803-01              | DRAINING OF THE GRAVITY DEFUELING LINE   |           |           |          |                           |           |           | Service     | ATA:28 |
|                                  | MOS  | 16-Oct-23 | 2 (+5d)   | Adj -3d  | 13-Dec-23                 | 18-Dec-23 | 22 d (+5) |             |        |
|                                  | HRS  | 9831.2    |           |          |                           |           |           |             |        |
| WC#: 28.340                      | AFL  | 4640      |           |          |                           |           |           |             |        |
| PROC. REF: AMM 28-30-00-680-803  |  |           |           |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------|---------|--|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 28 - FUEL</b>            |         |  |          |          |                           |           |           |             |        |
| 28-30-00-680-804-01             |         | DRAINING WATER FROM THE FUEL TANKS   |          |          |                           |           |           | Service     | ATA:28 |
|                                 | MOS     | 16-Oct-23  | 2 (+5d)  | Adj -3d  | 13-Dec-23                 | 18-Dec-23 | 22 d (+5) |             |        |
|                                 | HRS     | 9831.2   |          |          |                           |           |           |             |        |
|                                 | AFL     | 4640   |          |          |                           |           |           |             |        |
| PROC. REF: AMM 28-30-00-680-804 |         |  |          |          |                           |           |           |             |        |
| 28-30-11-900-801-01             |         | REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - FRONT TANK SUMP DRAIN VALVE (505QS)              |          |          |                           |           |           | Component   | ATA:28 |
| PN:142G12-31                    | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS     | 0  |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.060                     | AFL     | 0  |          |          |                           |           |           |             |        |
| PROC. REF: AMM 28-30-11-900-801 |         |  |          |          |                           |           |           |             |        |
| 28-30-11-900-801-02             |         | REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - RH CENTERWING TANK REAR SUMP DRAIN VALVE (507QS) |          |          |                           |           |           | Component   | ATA:28 |
| PN:142G12-32                    | MOS/MSC | 23-Aug-08  | O/C      |          | TSN 0                     |           |           |             |        |
| SN:D13857                       | HRS     | 6548.2   |          |          | TSN 0                     |           |           |             |        |
| WC#: 28.070                     | AFL     | 3175   |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: AMM 28-30-11-900-801 |         |  |          |          |                           |           |           |             |        |
| 28-30-11-900-801-03             |         | REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - LH WING INBOARD TANK SUMP DRAIN VALVE (508QS)    |          |          |                           |           |           | Component   | ATA:28 |
| PN:142D12-1                     | MOS/MSC | 15-Apr-05  | O/C      |          | TSN 0                     |           |           |             |        |
| SN:B64230                       | HRS     | 5355.5   |          |          | TSN 0                     |           |           |             |        |
| WC#: 28.060                     | AFL     | 2547   |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: AMM 28-30-11-900-801 |         |  |          |          |                           |           |           |             |        |
| 28-30-11-900-801-04             |         | REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - RH WING INBOARD TANK SUMP DRAIN VALVE (509QS)    |          |          |                           |           |           | Component   | ATA:28 |
| PN:142D12-11                    | MOS/MSC | 13-May-96  | O/C      |          | TSN 0                     |           |           |             |        |
| SN:1374                         | HRS     | 2505   |          |          | TSN 0                     |           |           |             |        |
| WC#: 28.060                     | AFL     | 1209   |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: AMM 28-30-11-900-801 |         |  |          |          |                           |           |           |             |        |
| 28-30-11-900-801-05             |         | REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - REAR TANK SUMP DRAIN VALVE (510QS)               |          |          |                           |           |           | Component   | ATA:28 |
| PN:142G12-31                    | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS     | 0  |          |          | TSN 0                     |           |           |             |        |
| WC#: 28.080                     | AFL     | 0  |          |          |                           |           |           |             |        |
| PROC. REF: AMM 28-30-11-900-801 |         |  |          |          |                           |           |           |             |        |
| 28-30-11-900-801-06             |         | REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - LH FEEDER TANK SUMP DRAIN VALVE (512QS)          |          |          |                           |           |           | Component   | ATA:28 |
| PN:142G12-31                    | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS     | 0  |          |          | TSN 0                     |           |           |             |        |
| WC#: 28.080                     | AFL     | 0  |          |          |                           |           |           |             |        |
| PROC. REF: AMM 28-30-11-900-801 |         |  |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|----------------------------------|---------|---|------------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 28 - FUEL</b>             |         |   |            |          |                           |           |           |             |
| 28-30-11-900-801-07              |         | REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - CENTER FEEDER TANK SUMP DRAIN VALVE (513QS)       |            |          |                           |           | Component | ATA:28      |
| PN:142G12-31                     | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |
| SN:UNKNOWN                       | HRS     | 0   |            | TSN 0    |                           |           |           |             |
| WC#: 28.080                      | AFL     | 0   |            |          |                           |           |           |             |
| PROC. REF: AMM 28-30-11-900-801  |         |   |            |          |                           |           |           |             |
| 28-30-11-900-801-08              |         | REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - RH CENTERWING TANK FRONT SUMP DRAIN VALVE (514QS) |            |          |                           |           | Component | ATA:28      |
| PN:142G12-31                     | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |
| SN:UNKNOWN                       | HRS     | 0   |            | TSN 0    |                           |           |           |             |
| WC#: 28.070                      | AFL     | 0   |            |          |                           |           |           |             |
| PROC. REF: AMM 28-30-11-900-801  |         |   |            |          |                           |           |           |             |
| 28-30-11-900-801-09              |         | REMOVAL / INSTALLATION OF THE SUMP DRAIN VALVES - RH FEEDER TANK SUMP DRAIN VALVE (515QS)           |            |          |                           |           | Component | ATA:28      |
| PN:142G12-31                     | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |
| SN:UNKNOWN                       | HRS     | 0   |            | TSN 0    |                           |           |           |             |
| WC#: 28.070                      | AFL     | 0   |            |          |                           |           |           |             |
| PROC. REF: AMM 28-30-11-900-801  |         |   |            |          |                           |           |           |             |
| 28-30-11-960-802-01              |         | DISCARD OF THE FUEL DRAIN CAPS  |            |          |                           |           | Service   | ATA:28      |
|                                  | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |
|                                  | HRS     | 0   |            |          |                           |           |           |             |
|                                  | AFL     | 0   |            |          |                           |           |           |             |
| PROC. REF: AMM 28-30-11-960-802  |         |   |            |          |                           |           |           |             |
| 28-41-00-720-801-01 <sup>S</sup> |         | FUNCTIONAL TEST OF THE FUEL QUANTITY INDICATING SYSTEM  |            |          |                           |           | Service   | ATA:28      |
|                                  | MOS     | 15-Apr-16   |            |          |                           |           |           |             |
|                                  | HRS     | 8447.8  | 3200 (+40) |          |                           |           |           |             |
| WC#: 28.385                      | AFL     | 4114  |            |          |                           |           |           |             |
| PROC. REF: AMM 28-41-00-720-801  |         |   |            |          |                           |           |           |             |
| 28-41-05-900-801-01              |         | REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGES - LH WING CENTER TANK GAUGE (L6EJ)               |            |          |                           |           | Component | ATA:28      |
| PN:766-189-4                     | MOS/MSC | 13-May-96   | O/C        | TSN 0    |                           |           |           |             |
| SN:448                           | HRS     | 2505  |            | TSN 0    |                           |           |           |             |
| WC#: 28.430                      | AFL     | 1209  |            | TSN 0    |                           |           |           |             |
| PROC. REF: AMM 28-41-05-900-801  |         |   |            |          |                           |           |           |             |
| 28-41-05-900-801-02              |         | REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGES - RH WING CENTER TANK GAUGE (R6EJ)               |            |          |                           |           | Component | ATA:28      |
| PN:766-189-4                     | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |
| SN:249                           | HRS     | 0   |            | TSN 0    |                           |           |           |             |
| WC#: 28.430                      | AFL     | 0   |            |          |                           |           |           |             |
| PROC. REF: AMM 28-41-05-900-801  |         |   |            |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|------------------|
| <b>ATA 28 - FUEL</b>   |         |           |          |          |                           |           |           |                  |
| 28-41-05-900-801-03 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGES - LH FEEDER TANK GAUGE (L7EJ)     |         |           |          |          |                           |           |           | Component ATA:28 |
| PN:766-190-1   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:191   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 28.440  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM 28-41-05-900-801  |         |           |          |          |                           |           |           |                  |
| 28-41-05-900-801-04 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGES - CENTER FEEDER TANK GAUGE (25EJ) |         |           |          |          |                           |           |           | Component ATA:28 |
| PN:766-195-2   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 28.460  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM 28-41-05-900-801  |         |           |          |          |                           |           |           |                  |
| 28-41-05-900-801-05 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGES - RH FEEDER TANK GAUGE (R7EJ)     |         |           |          |          |                           |           |           | Component ATA:28 |
| PN:766-190-1   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:255   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 28.440  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM 28-41-05-900-801  |         |           |          |          |                           |           |           |                  |
| 28-41-05-900-801-06 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGES - FRONT TANK REAR GAUGE (23EJ)    |         |           |          |          |                           |           |           | Component ATA:28 |
| PN:766-193-3   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:201   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 28.450  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM 28-41-05-900-801  |         |           |          |          |                           |           |           |                  |
| 28-41-05-900-801-07 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGES - FRONT TANK FRONT GAUGE (24EJ)   |         |           |          |          |                           |           |           | Component ATA:28 |
| PN:766-192-4   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:169   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 28.450  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM 28-41-05-900-801  |         |           |          |          |                           |           |           |                  |
| 28-41-05-900-801-08 REMOVAL / INSTALLATION OF THE FUSELAGE FUEL GAUGES - REAR TANK GAUGE (26EJ)          |         |           |          |          |                           |           |           | Component ATA:28 |
| PN:766-608-1   | MOS/MSC | 13-May-96 | O/C      | TSN 0    |                           |           |           |                  |
| SN:217   | HRS     | 2505      |          | TSN 0    |                           |           |           |                  |
| WC#: 28.460  | AFL     | 1209      |          | TSN 0    |                           |           |           |                  |
| PROC. REF: AMM 28-41-05-900-801  |         |           |          |          |                           |           |           |                  |
| 28-41-09-900-801-01 REMOVAL / INSTALLATION OF THE WING FUEL GAUGES - LH WING INBOARD TANK GAUGE (L3EJ)   |         |           |          |          |                           |           |           | Component ATA:28 |
| PN:792-366-1   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:680   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 28.400  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM 28-41-09-900-801  |         |           |          |          |                           |           |           |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|---------------------------------|---------|---|----------|----------|---------------------------|-----------|-----------|-------------|--|
| ATA 28 - FUEL                   |         |   |          |          |                           |           |           |             |  |
| 28-41-09-900-801-02             |         | REMOVAL / INSTALLATION OF THE WING FUEL GAUGES - RH WING INBOARD TANK GAUGE (R3EJ)                  |          |          |                           |           | Component | ATA:28      |  |
| PN:792-366-1                    | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |  |
| SN:681                          | HRS     | 0   |          | TSN 0    |                           |           |           |             |  |
| WC#: 28.410                     | AFL     | 0   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 28-41-09-900-801 |         |   |          |          |                           |           |           |             |  |
| 28-41-09-900-801-03             |         | REMOVAL / INSTALLATION OF THE WING FUEL GAUGES - LH WING CENTER TANK GAUGE (L4EJ)                   |          |          |                           |           | Component | ATA:28      |  |
| PN:792-367-2                    | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |  |
| SN:752                          | HRS     | 0   |          | TSN 0    |                           |           |           |             |  |
| WC#: 28.400                     | AFL     | 0   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 28-41-09-900-801 |         |   |          |          |                           |           |           |             |  |
| 28-41-09-900-801-04             |         | REMOVAL / INSTALLATION OF THE WING FUEL GAUGES - RH WING CENTER TANK GAUGE (R4EJ)                   |          |          |                           |           | Component | ATA:28      |  |
| PN:792-367-2                    | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |  |
| SN:753                          | HRS     | 0   |          | TSN 0    |                           |           |           |             |  |
| WC#: 28.410                     | AFL     | 0   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 28-41-09-900-801 |         |   |          |          |                           |           |           |             |  |
| 28-41-09-900-801-05             |         | REMOVAL / INSTALLATION OF THE WING FUEL GAUGES - LH WING OUTBOARD TANK GAUGE (L5EJ)                 |          |          |                           |           | Component | ATA:28      |  |
| PN:792-368-2                    | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |  |
| SN:750                          | HRS     | 0   |          | TSN 0    |                           |           |           |             |  |
| WC#: 28.400                     | AFL     | 0   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 28-41-09-900-801 |         |   |          |          |                           |           |           |             |  |
| 28-41-09-900-801-06             |         | REMOVAL / INSTALLATION OF THE WING FUEL GAUGES - RH WING OUTBOARD TANK GAUGE (R5EJ)                 |          |          |                           |           | Component | ATA:28      |  |
| PN:748-326-2                    | MOS/MSC | 23-Mar-90   | O/C      | TSN 0    |                           |           |           |             |  |
| SN:281                          | HRS     | 27  |          | TSN 0    |                           |           |           |             |  |
| WC#: 28.410                     | AFL     | 12  |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 28-41-09-900-801 |         |   |          |          |                           |           |           |             |  |
| 28-41-13-900-801-04             |         | REMOVAL/INSTALLATION OF FUEL QUANTITY INDICATORS - LH TANK GROUP FUEL QUANTITY INDICATOR (L8EJ)     |          |          |                           |           | Component | ATA:28      |  |
| PN:748-326-2                    | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |  |
| SN:263                          | HRS     | 0   |          | TSN 0    |                           |           |           |             |  |
| WC#: 28.420                     | AFL     | 0   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 28-41-13-900-801 |         |   |          |          |                           |           |           |             |  |
| 28-41-13-900-801-05             |         | REMOVAL/INSTALLATION OF FUEL QUANTITY INDICATORS - CENTER TANK GROUP FUEL QUANTITY INDICATOR (27EJ) |          |          |                           |           | Component | ATA:28      |  |
| PN:748-326-2                    | MOS/MSC | 23-Mar-90   | O/C      |          |                           |           |           |             |  |
| SN:281                          | HRS     | 26.92   |          |          |                           |           |           |             |  |
| WC#: 28.420                     | AFL     | 12  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 28-41-13-900-801 |         |   |          |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|----------------------------------|---------|---|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 28 - FUEL</b>             |         |   |          |          |                           |           |           |             |
| 28-41-13-900-801-06              |         | REMOVAL/INSTALLATION OF FUEL QUANTITY INDICATORS - RH TANK GROUP FUEL QUANTITY INDICATOR (R8EJ) |          |          |                           |           | Component | ATA:28      |
| PN:748-326-2                     | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |
| SN:266                           | HRS     | 0   |          | TSN 0    |                           |           |           |             |
| WC#: 28.420                      | AFL     | 0   |          |          |                           |           |           |             |
| PROC. REF: AMM 28-41-13-900-801  |         |   |          |          |                           |           |           |             |
| 28-41-17-900-801-01              |         | REMOVAL / INSTALLATION OF THE FUEL GAUGE AMPLIFIERS - LH TANK GROUP GAUGES AMPLIFIER (L2EJ)     |          |          |                           |           | Component | ATA:28      |
| PN:736-327-1                     | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |
| SN:278                           | HRS     | 0   |          | TSN 0    |                           |           |           |             |
| WC#: 28.390                      | AFL     | 0   |          |          |                           |           |           |             |
| PROC. REF: AMM 28-41-17-900-801  |         |   |          |          |                           |           |           |             |
| 28-41-17-900-801-02              |         | REMOVAL / INSTALLATION OF THE FUEL GAUGE AMPLIFIERS - RH TANK GROUP GAUGES AMPLIFIER (R2EJ)     |          |          |                           |           | Component | ATA:28      |
| PN:736-327-1                     | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |
| SN:274                           | HRS     | 0   |          | TSN 0    |                           |           |           |             |
| WC#: 28.390                      | AFL     | 0   |          |          |                           |           |           |             |
| PROC. REF: AMM 28-41-17-900-801  |         |   |          |          |                           |           |           |             |
| 28-41-17-900-801-03              |         | REMOVAL / INSTALLATION OF THE FUEL GAUGE AMPLIFIERS - CENTER TANK GROUP GAUGES AMPLIFIER (22EJ) |          |          |                           |           | Component | ATA:28      |
| PN:736-328-2                     | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |
| SN:185                           | HRS     | 0   |          | TSN 0    |                           |           |           |             |
| WC#: 28.390                      | AFL     | 0   |          |          |                           |           |           |             |
| PROC. REF: AMM 28-41-17-900-801  |         |   |          |          |                           |           |           |             |
| 28-43-01-720-801-01 <sup>S</sup> |         | FUNCTIONAL TEST OF THE FUEL TEMPERATURE SENSOR - FUEL TEMPERATURE SENSOR (3ER)                  |          |          |                           |           | Service   | ATA:28      |
|                                  | MOS     | 19-Jun-14   | 72 (+2m) |          |                           |           |           |             |
|                                  | HRS     | 8032  |          |          |                           |           |           |             |
| WC#: 28.490                      | AFL     | 3965  | 3750     |          |                           |           |           |             |
| PROC. REF: AMM 28-43-01-720-801  |         |   |          |          |                           |           |           |             |
| 28-43-01-900-801-01              |         | REMOVAL / INSTALLATION OF THE FUEL TEMPERATURE SENSOR - FUEL TEMPERATURE SENSOR (3ER)           |          |          |                           |           | Component | ATA:28      |
| PN:1122505                       | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |
| SN:UNKNOWN                       | HRS     | 0   |          | TSN 0    |                           |           |           |             |
| WC#: 28.490                      | AFL     | 0   |          |          |                           |           |           |             |
| PROC. REF: AMM 28-43-01-900-801  |         |   |          |          |                           |           |           |             |
| 28-50-05-700-801-01              |         | INTEGRITY CHECK OF HIGH-LEVEL SENSORS   |          |          |                           |           | Service   | ATA:28      |
|                                  | MOS/MSC | 20-Jun-12   | O/C      |          |                           |           |           |             |
|                                  | HRS     | 7663.6  |          |          |                           |           |           |             |
| WC#: 28.590                      | AFL     | 3809  |          |          |                           |           |           |             |
| PROC. REF: AMM 28-50-05-700-801  |         |   |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W  | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition |  |
|----------------------------------|---------|--|------------|----------|---------------------------|-----------|--------------|-------------|--|
| <b>ATA 28 - FUEL</b>             |         |  |            |          |                           |           |              |             |  |
| 28-50-05-900-801-01              |         | REMOVAL / INSTALLATION OF THE HIGH-LEVEL SENSORS - LH HIGH LEVEL SENSOR (L12QS)                |            |          |                           |           | Component    | ATA:28      |  |
| PN:722105-3                      | MOS/MSC | 01-Aug-11  | O/C        | TSN 0    |                           |           |              |             |  |
| SN:1301                          | HRS     | 7319.1   |            | TSN 0    |                           |           |              |             |  |
| WC#: 28.470                      | AFL     | 3640   |            | TSN 0    |                           |           |              |             |  |
| PROC. REF: AMM 28-50-05-900-801  |         |  |            |          |                           |           |              |             |  |
| 28-50-05-900-801-02              |         | REMOVAL / INSTALLATION OF THE HIGH-LEVEL SENSORS - RH HIGH LEVEL SENSOR (R12QS)                |            |          |                           |           | Component    | ATA:28      |  |
| PN:722105-3                      | MOS/MSC | 01-Aug-11  | O/C        | TSN 0    |                           |           |              |             |  |
| SN:UNKNOWN                       | HRS     | 7319.1   |            | TSN 0    |                           |           |              |             |  |
| WC#: 28.470                      | AFL     | 3640   |            | TSN 0    |                           |           |              |             |  |
| PROC. REF: AMM 28-50-05-900-801  |         |  |            |          |                           |           |              |             |  |
| 28-70-01-780-801-01 <sup>S</sup> |         | CHECK FOR CORRECT CALIBRATION OF THE PRESSURE GAUGE - PRESSURE GAUGE (506QD)                   |            |          |                           |           | Service      | ATA:28      |  |
|                                  | MOS     | 12-Nov-20  | 72 (+2m)   |          |                           |           |              |             |  |
|                                  | HRS     | 9182.3   |            |          |                           |           |              |             |  |
| WC#: 28.240                      | AFL     | 4405   | 3750       |          |                           |           |              |             |  |
| PROC. REF: AMM 28-70-01-780-801  |         |  |            |          |                           |           |              |             |  |
| 28-70-05-900-801-01              |         | REMOVAL / INSTALLATION OF THE PRESSURE REDUCING VALVE - PRESSURE REDUCING VALVE (500QD)        |            |          |                           |           | Component    | ATA:28      |  |
| PN:B14DE2080                     | MOS/MSC | 23-Oct-89  | O/C        |          |                           |           |              |             |  |
| SN:190                           | HRS     | 0  |            | TSN 0    |                           |           |              |             |  |
| WC#: 28.170                      | AFL     | 0  |            |          |                           |           |              |             |  |
| PROC. REF: AMM 28-70-05-900-801  |         |  |            |          |                           |           |              |             |  |
| 28-70-09-350-801-01              |         | RESTORATION OF THE VALVE BOXES (FILTER CLEANING AND CALIBRATION CHECK) - LH VALVE BOX (L507QD) |            |          |                           |           | Service      | ATA:28      |  |
| PN:B04BA1005                     | MOS     | 09-Nov-23  |            |          |                           |           |              |             |  |
| SN:4837                          | HRS     | 9831.2   | 5000 (+3%) |          | 14831.2                   | 14981.2   | 5000 (+150)  |             |  |
|                                  | AFL     | 4640   |            |          |                           |           |              |             |  |
| PROC. REF: AMM 28-70-09-350-801  |         |  |            |          |                           |           |              |             |  |
| 28-70-09-350-801-02              |         | RESTORATION OF THE VALVE BOXES (FILTER CLEANING AND CALIBRATION CHECK) - RH VALVE BOX (R507QD) |            |          |                           |           | Service      | ATA:28      |  |
| PN:B04BA1005                     | MOS     | 15-Feb-06  |            |          |                           |           |              |             |  |
| SN:200                           | HRS     | 5578.9   | 5000 (+3%) |          | 10578.9                   | 10728.9   | 747.7 (+150) |             |  |
|                                  | AFL     | 2675   |            |          |                           |           |              |             |  |
| PROC. REF: AMM 28-70-09-350-801  |         |  |            |          |                           |           |              |             |  |
| 28-70-09-900-801-01              |         | REMOVAL / INSTALLATION OF THE VALVE BOXES - LH VALVE BOX (L507QD)                              |            |          |                           |           | Component    | ATA:28      |  |
| PN:B04BA1005                     | MOS/MSC | 09-Nov-23  | O/C        | TSO 3    |                           |           |              |             |  |
| SN:4837                          | HRS     | 9831.2   |            | TSO 0    |                           |           |              |             |  |
| WC#: 28.210                      | AFL     | 4640   |            | TSO 0    |                           |           |              |             |  |
| PROC. REF: AMM 28-70-09-900-801  |         |  |            |          |                           |           |              |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------|---------|---|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 28 - FUEL</b>            |         |   |          |          |                           |           |           |             |        |
| 28-70-09-900-801-02             |         | REMOVAL / INSTALLATION OF THE VALVE BOXES - RH VALVE BOX (R507QD)   |          |          |                           |           |           | Component   | ATA:28 |
| PN:B04BA1005                    | MOS/MSC | 15-Feb-06   | O/C      | TSO 0    |                           |           |           |             |        |
| SN:200                          | HRS     | 5578.9  |          | TSO 0    |                           |           |           |             |        |
| WC#: 28.210                     | AFL     | 2675  |          | TSO 0    |                           |           |           |             |        |
| PROC. REF: AMM 28-70-09-900-801 |         |   |          |          |                           |           |           |             |        |
| 28-70-13-350-801-01             |         | RESTORATION OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES (AIR FLOW AND PRESSURE DROP TEST / LEAK TEST) - LH WING TANK NEGATIVE PRESSURE RELIEF VALVE (L509QD) |          |          |                           |           |           | Service     | ATA:28 |
| PN:B06GA1051                    | MOS/MSC |   | O/C      |          |                           |           |           |             |        |
| SN:607                          | HRS     | EFF   |          |          |                           |           |           |             |        |
|                                 | AFL     |   |          |          |                           |           |           |             |        |
| PROC. REF: AMM 28-70-13-350-801 |         |   |          |          |                           |           |           |             |        |
| 28-70-13-350-801-02             |         | RESTORATION OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES (AIR FLOW AND PRESSURE DROP TEST / LEAK TEST) - RH WING TANK NEGATIVE PRESSURE RELIEF VALVE (R509QD) |          |          |                           |           |           | Service     | ATA:28 |
| PN:B06GA1051                    | MOS/MSC |   | O/C      |          |                           |           |           |             |        |
| SN:190                          | HRS     | EFF   |          |          |                           |           |           |             |        |
|                                 | AFL     |   |          |          |                           |           |           |             |        |
| PROC. REF: AMM 28-70-13-350-801 |         |   |          |          |                           |           |           |             |        |
| 28-70-13-720-802-01             |         | FUNCTIONAL TEST OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - LH WING TANK NEGATIVE PRESSURE RELIEF VALVE (L509QD)   |          |          |                           |           |           | Service     | ATA:28 |
| PN:B06GA1051                    | MOS     | 19-Jul-05   |          |          |                           |           |           |             |        |
| SN:607                          | HRS     | 5408.1  | 5000     |          | 10408.1                   |           | 576.9     |             |        |
|                                 | AFL     | 2579  |          |          |                           |           |           |             |        |
| PROC. REF: AMM 28-70-13-720-802 |         |   |          |          |                           |           |           |             |        |
| 28-70-13-720-802-02             |         | FUNCTIONAL TEST OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - RH WING TANK NEGATIVE PRESSURE RELIEF VALVE (R509QD)   |          |          |                           |           |           | Service     | ATA:28 |
| PN:B06GA1051                    | MOS     | 03-Nov-23   |          |          |                           |           |           |             |        |
| SN:190                          | HRS     | 9831.2  | 5000     |          | 14831.2                   |           | 5000      |             |        |
|                                 | AFL     | 4640  |          |          |                           |           |           |             |        |
| PROC. REF: AMM 28-70-13-720-802 |         |   |          |          |                           |           |           |             |        |
| 28-70-13-900-801-01             |         | REMOVAL / INSTALLATION OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - LH WING TANK NEGATIVE PRESSURE RELIEF VALVE (L509QD)                                    |          |          |                           |           |           | Component   | ATA:28 |
| PN:B06GA1051                    | MOS/MSC | 19-Jul-05   | O/C      | TSO 0    |                           |           |           |             |        |
| SN:607                          | HRS     | 5408.1  |          | TSO 0    |                           |           |           |             |        |
| WC#: 28.230                     | AFL     | 2579  |          | TSO 0    |                           |           |           |             |        |
| PROC. REF: AMM 28-70-13-900-801 |         |   |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval   | TSX/Adj.   | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|----------------------------------|--|-----------|------------|------------|---------------------------|-----------|-----------|-------------|
| <b>ATA 28 - FUEL</b>             |  |           |            |            |                           |           |           |             |
| 28-70-13-900-801-02              | REMOVAL / INSTALLATION OF THE WING TANK NEGATIVE PRESSURE RELIEF VALVES - RH WING TANK NEGATIVE PRESSURE RELIEF VALVE (R509QD) |           |            |            |                           |           | Component | ATA:28      |
| PN:B06GA1051                     | MOS/MSC  | 16-Nov-22 | O/C        | TSO 222    |                           |           |           |             |
| SN:190                           | HRS  | 9596.5    |            | TSO 4749.1 |                           |           |           |             |
| WC#: 28.230                      | AFL  | 4562      |            | TSO 2286   |                           |           |           |             |
| PROC. REF: AMM 28-70-13-900-801  |  |           |            |            |                           |           |           |             |
| 28-70-17-130-801-01 <sup>S</sup> | CLEANING OF FUEL TANK PRESSURIZATION AIR FILTERS - ENGINE 1 PRESSURIZATION AIR FILTER (L502QD)                                 |           |            |            |                           |           | Service   | ATA:28      |
|                                  | MOS  | 29-Apr-16 |            |            |                           |           |           |             |
|                                  | HRS  | 8447.8    | 1600 (+40) |            |                           |           |           |             |
| WC#: 28.190                      | AFL  | 4114      |            |            |                           |           |           |             |
| PROC. REF: AMM 28-70-17-130-801  |  |           |            |            |                           |           |           |             |
| 28-70-17-130-801-02 <sup>S</sup> | CLEANING OF FUEL TANK PRESSURIZATION AIR FILTERS - ENGINE 2 PRESSURIZATION AIR FILTER (M502QD)                                 |           |            |            |                           |           | Service   | ATA:28      |
|                                  | MOS  | 29-Apr-16 |            |            |                           |           |           |             |
|                                  | HRS  | 8447.8    | 1600 (+40) |            |                           |           |           |             |
| WC#: 28.190                      | AFL  | 4114      |            |            |                           |           |           |             |
| PROC. REF: AMM 28-70-17-130-801  |  |           |            |            |                           |           |           |             |
| 28-70-21-900-801-01              | REMOVAL / INSTALLATION OF THE VENT VALVES - LH VENT VALVE (L5QS)   |           |            |            |                           |           | Component | ATA:28      |
| PN:B97F38-653                    | MOS/MSC  | 23-Oct-89 | O/C        |            |                           |           |           |             |
| SN:20180                         | HRS  | 0         |            | TSN 0      |                           |           |           |             |
| WC#: 28.130                      | AFL  | 0         |            |            |                           |           |           |             |
| PROC. REF: AMM 28-70-21-900-801  |  |           |            |            |                           |           |           |             |
| 28-70-21-900-801-02              | RH WING VENT VALVE   |           |            |            |                           |           | Component | ATA:28      |
| PN:B97F38-653                    | MOS/MSC  | 23-Oct-89 | O/C        |            |                           |           |           |             |
| SN:20181                         | HRS  | 0         |            | TSN 0      |                           |           |           |             |
| WC#: 28.130                      | AFL  | 0         |            |            |                           |           |           |             |
| PROC. REF: AMM 28-70-21-900-801  |  |           |            |            |                           |           |           |             |
| 28-70-37-230-801-01              | SPECIAL DETAILED INSPECTION OF FRAME 12 PRESSURIZATION LINE BASEPLATES   |           |            |            |                           |           | Service   | ATA:28      |
|                                  | MOS/MSC  | 23-Oct-89 | N/A        |            |                           |           |           |             |
|                                  | HRS  | 0         |            |            |                           |           |           |             |
| WC#: 28.580                      | AFL  | 0         |            |            |                           |           |           |             |
| PROC. REF: AMM 28-70-37-230-801  |  |           |            |            |                           |           |           |             |
| 281101                           | PRESSURE FUELING COUPLING  |           |            |            |                           |           | Component | ATA:28      |
| PN:K97-63-206                    | MOS/MSC  | 23-Oct-89 | O/C        |            |                           |           |           |             |
| SN:20348                         | HRS  | 0         |            | TSN 0      |                           |           |           |             |
| WC#: 28.040                      | AFL  | 0         |            |            |                           |           |           |             |
| PROC. REF: AMM GENERIC 1         |  |           |            |            |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                  | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|--------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 28 - FUEL            |  |           |          |          |                           |           |           |             |        |
| 281211                   | FILLING BLOCK                                |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:K99-31-007            | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:20080                 | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.090              | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1 |  |           |          |          |                           |           |           |             |        |
| 281221                   | FRONT FUEL TANK FILLING ELECTRIC CHECK VALVE |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:L96Z31-201            | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN               | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.100              | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1 |  |           |          |          |                           |           |           |             |        |
| 281231                   | CENTER FUEL TANK FILLING ELECTRIC VALVE      |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:L96Z31-201            | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN               | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.100              | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1 |  |           |          |          |                           |           |           |             |        |
| 281241                   | REAR FUEL TANK FILLING ELECTRIC VALVE        |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:L96Z31-201            | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN               | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.100              | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1 |  |           |          |          |                           |           |           |             |        |
| 281251                   | FRONT FUEL TANK FILLING RESTRICTOR VALVE     |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:PN                    | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN               | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.110              | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1 |  |           |          |          |                           |           |           |             |        |
| 281261                   | CENTER FUEL TANK FILLING RESTRICTOR VALVE    |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:PN                    | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN               | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.110              | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1 |  |           |          |          |                           |           |           |             |        |
| 281271                   | REAR FUEL TANK FILLING RESTRICTOR VALVE      |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:PN                    | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN               | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.110              | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1 |  |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 28 - FUEL                   |   |           |          |          |                           |           |           |             |        |
| 281281                          | REAR FUEL TANK FILLING CHECK VALVE          |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:L85D38-001                   | MOS/MSC                                     | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.120                     | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |   |           |          |          |                           |           |           |             |        |
| 281311                          | LH WING FUELING ELECTRIC VALVE              |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:L94Z31-201                   | MOS/MSC                                     | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:20968                        | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.140                     | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |   |           |          |          |                           |           |           |             |        |
| 281321                          | RH WING FUELING ELECTRIC VALVE              |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:L94Z31-201                   | MOS/MSC                                     | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:20969                        | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.140                     | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |   |           |          |          |                           |           |           |             |        |
| 281331                          | FRONT/REAR FUEL TANK FUELING ELECTRIC VALVE |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:L94731-201                   | MOS/MSC                                     | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:20970                        | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.140                     | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |   |           |          |          |                           |           |           |             |        |
| 281351                          | LP3-1 ELECTRIC INTERCONNECTION VALVE        |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:L92B07-205                   | MOS/MSC                                     | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.150                     | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 28-22-01-900-801 |   |           |          |          |                           |           |           |             |        |
| 282151                          | NO. 1 ENGINE PRESSURE BLEED CHECK VALVE     |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:L96Z19-003                   | MOS/MSC                                     | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.180                     | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |   |           |          |          |                           |           |           |             |        |
| 282161                          | NO. 2 ENGINE PRESSURE BLEED CHECK VALVE     |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:L96Z19-003                   | MOS/MSC                                     | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.180                     | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN              | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 28 - FUEL</b> |   |           |          |          |                           |           |           |             |        |
| 282201               | NO. 1 ENGINE FUEL TANK PRESSURIZATION SYSTEM FILTER ELEMENT |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:P6742             | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN           | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.190          | AFL   | 0         |          |          |                           |           |           |             |        |
|                      | PROC. REF: AMM GENERIC 1                                    |           |          |          |                           |           |           |             |        |
| 282221               | NO. 2 ENGINE FUEL TANK PRESSURIZATION SYSTEM FILTER ELEMENT |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:P6742             | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN           | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.190          | AFL   | 0         |          |          |                           |           |           |             |        |
|                      | PROC. REF: AMM GENERIC 1                                    |           |          |          |                           |           |           |             |        |
| 282451               | FUEL PRESSURE GAGE  |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:MPMC53301-01      | MOS/MSC   | 12-Nov-20 | O/C      | TSN 14   |                           |           |           |             |        |
| SN:880               | HRS   | 9182.3    |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.240          | AFL   | 4405      |          | TSN 0    |                           |           |           |             |        |
|                      | PROC. REF: AMM 28-41-05-900-801, AMM 28-41-09-900-801       |           |          |          |                           |           |           |             |        |
| 282501               | PARTIAL FUEL SELECTOR                                       |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:796-740           | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:189               | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.550          | AFL   | 0         |          |          |                           |           |           |             |        |
|                      | PROC. REF: AMM GENERIC 1                                    |           |          |          |                           |           |           |             |        |
| 283121               | XTK2 TRANSFER SOLENOID VALVE                                |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:B97-38-662        | MOS/MSC   | 23-Mar-90 | O/C      |          |                           |           |           |             |        |
| SN:NOT INST.         | HRS   | 27        |          |          |                           |           |           |             |        |
| WC#: 28.260          | AFL   | 12        |          |          |                           |           |           |             |        |
|                      | PROC. REF: AMM GENERIC 1                                    |           |          |          |                           |           |           |             |        |
| 284251               | NO. 2 ENGINE PUMPS BLOCK                                    |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:L88A31-206        | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:20080             | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.330          | AFL   | 0         |          |          |                           |           |           |             |        |
|                      | PROC. REF: AMM GENERIC 1                                    |           |          |          |                           |           |           |             |        |
| 284321               | LOW PRESSURE 1-2 CROSSFEED ELECTRIC VALVE                   |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:L88A31-655        | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN           | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.350          | AFL   | 0         |          |          |                           |           |           |             |        |
|                      | PROC. REF: AMM GENERIC 1                                    |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN              | Unit                                      | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 28 - FUEL</b> |   |           |          |          |                           |           |           |             |        |
| 284351               | LOW PRESSURE 2-3 CROSSFEED ELECTRIC VALVE |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:L88A31-656        | MOS/MSC                                   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN           | HRS                                       | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.350          | AFL                                       | 0         |          |          |                           |           |           |             |        |
|                      |   |           |          |          | PROC. REF: AMM GENERIC 1  |           |           |             |        |
| 285401               | LOW LEVEL THERMISTOR RELAY BOX            |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:722-087-2         | MOS/MSC                                   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:317               | HRS                                       | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.480          | AFL                                       | 0         |          |          |                           |           |           |             |        |
|                      |   |           |          |          | PROC. REF: AMM GENERIC 1  |           |           |             |        |
| 285421               | 1000 LBS LEVEL DETECTION BOX              |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:722-087-2         | MOS/MSC                                   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:257               | HRS                                       | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.480          | AFL                                       | 0         |          |          |                           |           |           |             |        |
|                      |   |           |          |          | PROC. REF: AMM GENERIC 1  |           |           |             |        |
| 285461               | FUEL TEMPERATURE INDICATOR                |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:5318-201-80-10    | MOS/MSC                                   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN           | HRS                                       | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.490          | AFL                                       | 0         |          |          |                           |           |           |             |        |
|                      |   |           |          |          | PROC. REF: AMM GENERIC 1  |           |           |             |        |
| 285471               | REAR TANK LEVEL RELAY BOX                 |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:722-233-1         | MOS/MSC                                   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:195               | HRS                                       | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.500          | AFL                                       | 0         |          |          |                           |           |           |             |        |
|                      |   |           |          |          | PROC. REF: AMM GENERIC 1  |           |           |             |        |
| 285501               | NO. 1 ENGINE LOW PRESSURE PRESSURE SWITCH |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:8G1256-1          | MOS/MSC                                   | 23-Mar-90 | O/C      |          |                           |           |           |             |        |
| SN:579               | HRS                                       | 27        |          | TSN 31   |                           |           |           |             |        |
| WC#: 28.510          | AFL                                       | 12        |          |          |                           |           |           |             |        |
|                      |   |           |          |          | PROC. REF: AMM GENERIC 1  |           |           |             |        |
| 285511               | NO. 2 ENGINE LOW PRESSURE SWITCH          |           |          |          |                           |           |           | Component   | ATA:28 |
| PN:8G1256-1          | MOS/MSC                                   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:495               | HRS                                       | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 28.510          | AFL                                       | 0         |          |          |                           |           |           |             |        |
|                      |   |           |          |          | PROC. REF: AMM GENERIC 1  |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining      | Disposition |        |
|----------------------------------|---|-----------|------------|----------|---------------------------|-----------|----------------|-------------|--------|
| <b>ATA 28 - FUEL</b>             |   |           |            |          |                           |           |                |             |        |
| 285521                           | NO. 3 ENGINE LOW PRESSURE SWITCH  |           |            |          |                           |           |                | Component   | ATA:28 |
| PN:8G1256-1                      | MOS/MSC   | 23-Oct-89 | O/C        |          |                           |           |                |             |        |
| SN:370                           | HRS   | 0         |            | TSN 0    |                           |           |                |             |        |
| WC#: 28.510                      | AFL   | 0         |            |          |                           |           |                |             |        |
| PROC. REF: AMM GENERIC 1         |   |           |            |          |                           |           |                |             |        |
| 285531                           | HIGH LEVEL RELAY BOX  |           |            |          |                           |           |                | Component   | ATA:28 |
| PN:722-087-2                     | MOS/MSC   | 23-Oct-89 | O/C        |          |                           |           |                |             |        |
| SN:307                           | HRS   | 0         |            | TSN 0    |                           |           |                |             |        |
| WC#: 28.520                      | AFL   | 0         |            |          |                           |           |                |             |        |
| PROC. REF: AMM GENERIC 1         |   |           |            |          |                           |           |                |             |        |
| 285701                           | FUELING PANEL   |           |            |          |                           |           |                | Component   | ATA:28 |
| PN:19-54-6                       | MOS/MSC   | 23-Oct-89 | O/C        |          |                           |           |                |             |        |
| SN:183                           | HRS   | 0         |            | TSN 0    |                           |           |                |             |        |
| WC#: 28.540                      | AFL   | 0         |            |          |                           |           |                |             |        |
| PROC. REF: AMM GENERIC 1         |   |           |            |          |                           |           |                |             |        |
| <b>ATA 29 - HYDRAULIC POWER</b>  |   |           |            |          |                           |           |                |             |        |
| 29-10-00-720-801-01 <sup>S</sup> | FUNCTIONAL TEST OF THE MAIN HYDRAULIC SYSTEMS - SYSTEM 1                  |           |            |          |                           |           |                | Service     | ATA:29 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m)   |          |                           |           |                |             |        |
|                                  | HRS   | 9182.3    |            |          |                           |           |                |             |        |
|                                  | AFL   | 4405      | 3750       |          |                           |           |                |             |        |
| PROC. REF: AMM 29-10-00-720-801  |   |           |            |          |                           |           |                |             |        |
| 29-10-00-720-801-02 <sup>S</sup> | FUNCTIONAL TEST OF THE MAIN HYDRAULIC SYSTEMS - SYSTEM 2                  |           |            |          |                           |           |                | Service     | ATA:29 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m)   |          |                           |           |                |             |        |
|                                  | HRS   | 9182.3    |            |          |                           |           |                |             |        |
|                                  | AFL   | 4405      | 3750       |          |                           |           |                |             |        |
| PROC. REF: AMM 29-10-00-720-801  |   |           |            |          |                           |           |                |             |        |
| 29-11-01-350-801-01              | RESTORATION OF THE HYDRAULIC PUMPS (OVERHAUL) - HYDRAULIC PUMP 1 (L500ML) |           |            |          |                           |           |                | Service     | ATA:29 |
| PN:42045                         | MOS   | 12-Nov-20 |            |          |                           |           |                | OVERHAUL    |        |
| SN:CE01                          | HRS   | 9182.3    | 3240 (+3%) |          | 12422.3                   | 12519.5   | 2591.1 (+97.2) |             |        |
| WC#: 29.050                      | AFL   | 4405      |            |          |                           |           |                |             |        |
| PROC. REF: AMM 29-11-01-350-801  |   |           |            |          |                           |           |                |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining      | Disposition |
|---|---------|-----------|------------|----------|---------------------------|-----------|----------------|-------------|
| <b>ATA 29 - HYDRAULIC POWER</b>   |         |           |            |          |                           |           |                |             |
| <b>29-11-01-350-801-02 RESTORATION OF THE HYDRAULIC PUMPS (OVERHAUL) - HYDRAULIC PUMP 2 (M500ML) Service ATA:29</b>                                     |         |           |            |          |                           |           |                |             |
| PN:42045  | MOS     | 12-Nov-20 |            |          |                           |           |                | OVERHAUL    |
| SN:IF 44  | HRS     | 9182.3    | 3240 (+3%) |          | 12422.3                   | 12519.5   | 2591.1 (+97.2) |             |
| WC#: 29.050   | AFL     | 4405      |            |          |                           |           |                |             |
| PROC. REF: AMM 29-11-01-350-801   |         |           |            |          |                           |           |                |             |
| <b>29-11-01-350-801-03 RESTORATION OF THE HYDRAULIC PUMPS (OVERHAUL) - HYDRAULIC PUMP 3 (R500ML) Service ATA:29</b>                                     |         |           |            |          |                           |           |                |             |
| PN:4204501  | MOS     | 09-Nov-23 |            |          |                           |           |                | OVERHAUL    |
| SN:NJ66   | HRS     | 9831.2    | 3240 (+3%) |          | 13071.2                   | 13168.4   | 3240 (+97.2)   |             |
| WC#: 29.050   | AFL     | 4640      |            |          |                           |           |                |             |
| PROC. REF: AMM 29-11-01-350-801   |         |           |            |          |                           |           |                |             |
| <b>29-11-01-900-801-01 REMOVAL / INSTALLATION OF THE HYDRAULIC PUMPS - HYDRAULIC PUMP 1 (L500ML) Component ATA:29</b>                                   |         |           |            |          |                           |           |                |             |
| PN:42045  | MOS/MSC | 12-Nov-20 | H/T        | TSO 3    |                           |           |                |             |
| SN:CE01   | HRS     | 9182.3    |            | TSO 0    |                           |           |                |             |
| WC#: 29.050   | AFL     | 4405      |            | TSO 0    |                           |           |                |             |
| PROC. REF: AMM 29-11-01-900-801   |         |           |            |          |                           |           |                |             |
| <b>29-11-01-900-801-02 REMOVAL / INSTALLATION OF THE HYDRAULIC PUMPS - HYDRAULIC PUMP 2 (M500ML) Component ATA:29</b>                                   |         |           |            |          |                           |           |                |             |
| PN:42045  | MOS/MSC | 12-Nov-20 | H/T        | TSO 5    |                           |           |                |             |
| SN:IF 44  | HRS     | 9182.3    |            | TSO 0    |                           |           |                |             |
| WC#: 29.050   | AFL     | 4405      |            | TSO 0    |                           |           |                |             |
| PROC. REF: AMM 29-11-01-900-801   |         |           |            |          |                           |           |                |             |
| <b>29-11-01-900-801-03 REMOVAL / INSTALLATION OF THE HYDRAULIC PUMPS - HYDRAULIC PUMP 3 (R500ML) Component ATA:29</b>                                   |         |           |            |          |                           |           |                |             |
| PN:4204501  | MOS/MSC | 09-Nov-23 | H/T        |          |                           |           |                |             |
| SN:NJ66   | HRS     | 9831.2    |            |          |                           |           |                |             |
| WC#: 29.050   | AFL     | 4640      |            |          |                           |           |                |             |
| PROC. REF: AMM 29-11-01-900-801   |         |           |            |          |                           |           |                |             |
| <b>29-11-21-230-801-01 SPECIAL DETAILED INSPECTION OF THE INTERNAL PART OF THE BODY OF THE PRESSURE RELIEF VALVES - HYDRAULIC PUMP 1 Service ATA:29</b> |         |           |            |          |                           |           |                |             |
| PN:A24518-001A  | MOS/MSC | 13-May-96 | O/C        |          |                           |           |                |             |
| SN:FM741  | HRS     | 2505      |            |          |                           |           |                |             |
| WC#: 29.070   | AFL     | 1209      |            |          |                           |           |                |             |
| PROC. REF: AMM 29-11-21-230-801   |         |           |            |          |                           |           |                |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 29 - HYDRAULIC POWER</b> |  |           |          |          |                           |           |           |             |        |
| 29-11-21-230-801-02             | SPECIAL DETAILED INSPECTION OF THE INTERNAL PART OF THE BODY OF THE PRESSURE RELIEF VALVES - HYDRAULIC PUMP 2 PRESSURE RELIEF VALVE (M100ML) |           |          |          |                           |           |           | Service     | ATA:29 |
| PN:A24518-001A                  | MOS/MSC  | 13-May-96 | O/C      |          |                           |           |           |             |        |
| SN:FM825                        | HRS  | 2505      |          |          |                           |           |           |             |        |
| WC#: 29.070                     | AFL  | 1209      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 29-11-21-230-801 |  |           |          |          |                           |           |           |             |        |
| 29-11-21-230-801-03             | SPECIAL DETAILED INSPECTION OF THE INTERNAL PART OF THE BODY OF THE PRESSURE RELIEF VALVES - HYDRAULIC PUMP 3 PRESSURE RELIEF VALVE (R100ML) |           |          |          |                           |           |           | Service     | ATA:29 |
| PN:A24518-001A                  | MOS/MSC  | 13-May-96 | O/C      |          |                           |           |           |             |        |
| SN:FM755                        | HRS  | 2505      |          |          |                           |           |           |             |        |
| WC#: 29.075                     | AFL  | 1209      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 29-11-21-230-801 |  |           |          |          |                           |           |           |             |        |
| 29-11-21-900-801-01             | REMOVAL / INSTALLATION OF THE HYDRAULIC PRESSURE RELIEF VALVES - HYDRAULIC PUMP 1 PRESSURE RELIEF VALVE (L100ML)                             |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:A24518-001A                  | MOS/MSC  | 13-May-96 | O/C      | TSO 0    |                           |           |           |             |        |
| SN:FM741                        | HRS  | 2505      |          | TSO 0    |                           |           |           |             |        |
| WC#: 29.070                     | AFL  | 1209      |          | TSO 0    |                           |           |           |             |        |
| PROC. REF: AMM 29-11-21-900-801 |  |           |          |          |                           |           |           |             |        |
| 29-11-21-900-801-02             | REMOVAL / INSTALLATION OF THE HYDRAULIC PRESSURE RELIEF VALVES - HYDRAULIC PUMP 2 PRESSURE RELIEF VALVE (M100ML)                             |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:A24518-001A                  | MOS/MSC  | 13-May-96 | O/C      | TSO 0    |                           |           |           |             |        |
| SN:FM825                        | HRS  | 2505      |          | TSO 0    |                           |           |           |             |        |
| WC#: 29.070                     | AFL  | 1209      |          | TSO 0    |                           |           |           |             |        |
| PROC. REF: AMM 29-11-21-900-801 |  |           |          |          |                           |           |           |             |        |
| 29-11-21-900-801-03             | REMOVAL / INSTALLATION OF THE HYDRAULIC PRESSURE RELIEF VALVES - HYDRAULIC PUMP 3 PRESSURE RELIEF VALVE (R100ML)                             |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:A24518-001A                  | MOS/MSC  | 13-May-96 | O/C      | TSO 0    |                           |           |           |             |        |
| SN:FM755                        | HRS  | 2505      |          | TSO 0    |                           |           |           |             |        |
| WC#: 29.075                     | AFL  | 1209      |          | TSO 0    |                           |           |           |             |        |
| PROC. REF: AMM 29-11-21-900-801 |  |           |          |          |                           |           |           |             |        |
| 29-11-25-900-801-01             | REMOVAL / INSTALLATION OF THE HYDRAULIC PUMP PRESSURE SWITCHES - HYDRAULIC PUMP 1 PRESSURE SWITCH (2DW1)                                     |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:15H0089PH                    | MOS/MSC  | 23-Aug-08 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:399                          | HRS  | 6548.2    |          | TSN 0    |                           |           |           |             |        |
| WC#: 29.190                     | AFL  | 3175      |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM 29-11-25-900-801 |  |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|---------------------------------|---------|--|----------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 29 - HYDRAULIC POWER</b> |         |  |          |          |                           |           |           |             |  |
| 29-11-25-900-801-02             |         | REMOVAL / INSTALLATION OF THE HYDRAULIC PUMP PRESSURE SWITCHES - HYDRAULIC PUMP 2 PRESSURE SWITCH (2DW2) |          |          |                           |           | Component | ATA:29      |  |
| PN:15H0089PH                    | MOS/MSC | 23-Aug-08  | O/C      | TSN 0    |                           |           |           |             |  |
| SN:0400                         | HRS     | 6548.2   |          | TSN 0    |                           |           |           |             |  |
| WC#: 29.190                     | AFL     | 3175   |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 29-11-25-900-801 |         |  |          |          |                           |           |           |             |  |
| 29-11-25-900-801-03             |         | REMOVAL / INSTALLATION OF THE HYDRAULIC PUMP PRESSURE SWITCHES - HYDRAULIC PUMP 3 PRESSURE SWITCH (2DW3) |          |          |                           |           | Component | ATA:29      |  |
| PN:15H0089PH                    | MOS/MSC | 23-Aug-08  | O/C      | TSN 0    |                           |           |           |             |  |
| SN:0401                         | HRS     | 6548.2   |          | TSN 0    |                           |           |           |             |  |
| WC#: 29.190                     | AFL     | 3175   |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 29-11-25-900-801 |         |  |          |          |                           |           |           |             |  |
| 29-11-25-960-801-01             |         | DISCARD OF THE HYDRAULIC PUMP PRESSURE SWITCHES - HYDRAULIC PUMP 1 PRESSURE SWITCH (2DW1)                |          |          |                           |           | Service   | ATA:29      |  |
| PN:15H0089PH                    | MOS/MSC | 23-Aug-08  | O/C      |          |                           |           |           |             |  |
| SN:399                          | HRS     | 6548.2   |          |          |                           |           |           |             |  |
| WC#: 29.190                     | AFL     | 3175   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 29-11-25-960-801 |         |  |          |          |                           |           |           |             |  |
| 29-11-25-960-801-02             |         | DISCARD OF THE HYDRAULIC PUMP PRESSURE SWITCHES - HYDRAULIC PUMP 2 PRESSURE SWITCH (2DW2)                |          |          |                           |           | Service   | ATA:29      |  |
| PN:15H0089PH                    | MOS/MSC | 23-Aug-08  | O/C      |          |                           |           |           |             |  |
| SN:0400                         | HRS     | 6548.2   |          |          |                           |           |           |             |  |
| WC#: 29.190                     | AFL     | 3175   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 29-11-25-960-801 |         |  |          |          |                           |           |           |             |  |
| 29-11-25-960-801-03             |         | DISCARD OF THE HYDRAULIC PUMP PRESSURE SWITCHES - HYDRAULIC PUMP 3 PRESSURE SWITCH (2DW3)                |          |          |                           |           | Service   | ATA:29      |  |
| PN:15H0089PH                    | MOS/MSC | 23-Aug-08  | O/C      |          |                           |           |           |             |  |
| SN:0401                         | HRS     | 6548.2   |          |          |                           |           |           |             |  |
| WC#: 29.190                     | AFL     | 3175   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 29-11-25-960-801 |         |  |          |          |                           |           |           |             |  |
| 29-13-09-900-801-01             |         | NO. 1 SYSTEM HYDRAULIC FILTER  |          |          |                           |           | Component | ATA:29      |  |
| PN:AC9607F10                    | MOS/MSC | 22-Aug-08  | O/C      | TSN 0    |                           |           |           |             |  |
| SN:0282                         | HRS     | 6548.2   |          | TSN 0    |                           |           |           |             |  |
| WC#: 29.110                     | AFL     | 3175   |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM GENERIC 1        |         |  |          |          |                           |           |           |             |  |
| 29-13-09-900-801-02             |         | NO. 2 SYSTEM HYDRAULIC FILTER  |          |          |                           |           | Component | ATA:29      |  |
| PN:AC3255F8Y60                  | MOS/MSC | 22-Aug-08  | O/C      | TSN 0    |                           |           |           |             |  |
| SN:0282                         | HRS     | 6548.2   |          | TSN 0    |                           |           |           |             |  |
| WC#: 29.110                     | AFL     | 3175   |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM GENERIC 1        |         |  |          |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C       | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|----------|----------|---------------------------------|-----------|-----------|-------------|--------|
| ATA 29 - HYDRAULIC POWER         |  |           |          |          |                                 |           |           |             |        |
| 29-13-09-960-801-01 <sup>S</sup> | REPLACEMENT OF THE HYDRAULIC FILTERS - STANDBY PUMP FILTER (14ML)                |           |          |          |                                 |           |           | Service     | ATA:29 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                                 |           |           |             |        |
|                                  | HRS  | 9182.3    |          |          |                                 |           |           |             |        |
|                                  | AFL  | 4405      | 3750     |          |                                 |           |           |             |        |
|                                  |  |           |          |          | PROC. REF: AMM 29-13-09-960-801 |           |           | PKG:31      |        |
| 29-13-09-960-801-02 <sup>S</sup> | REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC PUMP 1 RETURN FILTER (L200ML)   |           |          |          |                                 |           |           | Service     | ATA:29 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                                 |           |           |             |        |
|                                  | HRS  | 9182.3    |          |          |                                 |           |           |             |        |
|                                  | AFL  | 4405      | 3750     |          |                                 |           |           |             |        |
|                                  |  |           |          |          | PROC. REF: AMM 29-13-09-960-801 |           |           | PKG:31      |        |
| 29-13-09-960-801-03 <sup>S</sup> | REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC PUMP 2 RETURN FILTER (M200ML)   |           |          |          |                                 |           |           | Service     | ATA:29 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                                 |           |           |             |        |
|                                  | HRS  | 9182.3    |          |          |                                 |           |           |             |        |
|                                  | AFL  | 4405      | 3750     |          |                                 |           |           |             |        |
|                                  |  |           |          |          | PROC. REF: AMM 29-13-09-960-801 |           |           | PKG:31      |        |
| 29-13-09-960-801-04 <sup>S</sup> | REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC PUMP 3 RETURN FILTER (R200ML)   |           |          |          |                                 |           |           | Service     | ATA:29 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                                 |           |           |             |        |
|                                  | HRS  | 9182.3    |          |          |                                 |           |           |             |        |
|                                  | AFL  | 4405      | 3750     |          |                                 |           |           |             |        |
|                                  |  |           |          |          | PROC. REF: AMM 29-13-09-960-801 |           |           | PKG:31      |        |
| 29-13-09-960-801-05 <sup>S</sup> | REPLACEMENT OF THE HYDRAULIC FILTERS - SYSTEM 1 GENERAL RETURN FILTER (L300ML)   |           |          |          |                                 |           |           | Service     | ATA:29 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                                 |           |           |             |        |
|                                  | HRS  | 9182.3    |          |          |                                 |           |           |             |        |
|                                  | AFL  | 4405      | 3750     |          |                                 |           |           |             |        |
|                                  |  |           |          |          | PROC. REF: AMM 29-13-09-960-801 |           |           | PKG:31      |        |
| 29-13-09-960-801-06 <sup>S</sup> | REPLACEMENT OF THE HYDRAULIC FILTERS - SYSTEM 2 GENERAL RETURN FILTER (R300ML)   |           |          |          |                                 |           |           | Service     | ATA:29 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                                 |           |           |             |        |
|                                  | HRS  | 9182.3    |          |          |                                 |           |           |             |        |
|                                  | AFL  | 4405      | 3750     |          |                                 |           |           |             |        |
|                                  |  |           |          |          | PROC. REF: AMM 29-13-09-960-801 |           |           | PKG:31      |        |
| 29-13-09-960-801-07 <sup>S</sup> | REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC PUMP 1 DELIVERY FILTER (L350ML) |           |          |          |                                 |           |           | Service     | ATA:29 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                                 |           |           |             |        |
|                                  | HRS  | 9182.3    |          |          |                                 |           |           |             |        |
|                                  | AFL  | 4405      | 3750     |          |                                 |           |           |             |        |
|                                  |  |           |          |          | PROC. REF: AMM 29-13-09-960-801 |           |           | PKG:31      |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 29 - HYDRAULIC POWER</b>  |  |           |          |          |                           |           |           |             |        |
| 29-13-09-960-801-08 <sup>S</sup> | REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC PUMP 2 DELIVERY FILTER (M350ML)                               |           |          |          |                           |           |           | Service     | ATA:29 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |             |        |
|                                  | AFL  | 4405      | 3750     |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 29-13-09-960-801  |           |          |          |                           |           |           | PKG:31      |        |
| 29-13-09-960-801-09 <sup>S</sup> | REPLACEMENT OF THE HYDRAULIC FILTERS - HYDRAULIC PUMP 3 DELIVERY FILTER (R350ML)                               |           |          |          |                           |           |           | Service     | ATA:29 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |             |        |
|                                  | AFL  | 4405      | 3750     |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 29-13-09-960-801  |           |          |          |                           |           |           | PKG:31      |        |
| 29-14-01-680-801-01              | DRAINING OF THE HYDRAULIC RESERVOIRS - SYSTEM 1 HYDRAULIC RESERVOIR (L501ML)                                   |           |          |          |                           |           |           | Service     | ATA:29 |
|                                  | MOS/MSC  |           | O/C      |          |                           |           |           |             |        |
|                                  | HRS  |           |          |          |                           |           |           |             |        |
| WC#: 29.030                      | AFL  |           |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 29-14-01-680-801  |           |          |          |                           |           |           |             |        |
| 29-14-01-680-801-02              | DRAINING OF THE HYDRAULIC RESERVOIRS - SYSTEM 2 HYDRAULIC RESERVOIR (R501ML)                                   |           |          |          |                           |           |           | Service     | ATA:29 |
|                                  | MOS/MSC  | 19-Jun-14 | O/C      |          |                           |           |           |             |        |
|                                  | HRS  | 8032      |          |          |                           |           |           |             |        |
| WC#: 29.030                      | AFL  | 3965      |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 29-14-01-680-801  |           |          |          |                           |           |           |             |        |
| 29-14-01-900-801-01              | REMOVAL / INSTALLATION OF THE HYDRAULIC RESERVOIRS - SYSTEM 1 HYDRAULIC RESERVOIR (L501ML)                     |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:029029-08                     | MOS/MSC  | 19-Jun-14 | O/C      |          |                           |           |           |             |        |
| SN:895                           | HRS  | 8032      |          |          | TSN 868                   |           |           |             |        |
| WC#: 29.030                      | AFL  | 3965      |          |          | TSN 368                   |           |           |             |        |
|                                  | PROC. REF: AMM 29-14-01-900-801  |           |          |          |                           |           |           |             |        |
| 29-14-01-900-801-02              | REMOVAL / INSTALLATION OF THE HYDRAULIC RESERVOIRS - SYSTEM 2 HYDRAULIC RESERVOIR (R501ML)                     |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:029029-05                     | MOS/MSC  | 23-Aug-08 | O/C      |          | TSR 0                     |           |           |             |        |
| SN:165                           | HRS  | 6548.2    |          |          | TSN 6548.2, TSR 0         |           |           |             |        |
| WC#: 29.030                      | AFL  | 3175      |          |          | TSR 0                     |           |           |             |        |
|                                  | PROC. REF: AMM 29-14-01-900-801  |           |          |          |                           |           |           |             |        |
| 29-14-09-900-802-01              | REMOVAL / INSTALLATION OF HYDRAULIC SYSTEM PRESSURE- HOLDING VALVES - SYSTEM 1 PRESSURE-HOLDING VALVE (L525ML) |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:70073                         | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:176                           | HRS  | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 29.090                      | AFL  | 0         |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 29-14-09-900-802  |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining  | Disposition |
|--|---------|-----------|------------|----------|---------------------------|-----------|------------|-------------|
| <b>ATA 29 - HYDRAULIC POWER</b>  |         |           |            |          |                           |           |            |             |
| <b>29-14-09-900-802-02 REMOVAL / INSTALLATION OF HYDRAULIC SYSTEM PRESSURE- HOLDING VALVES - SYSTEM 2 PRESSURE-HOLDING VALVE (R525ML) Component ATA:29</b> |         |           |            |          |                           |           |            |             |
| PN:70073   | MOS/MSC | 23-Oct-89 | O/C        |          |                           |           |            |             |
| SN:177   | HRS     | 0         |            | TSN 0    |                           |           |            |             |
| WC#: 29.090  | AFL     | 0         |            |          |                           |           |            |             |
| PROC. REF: AMM 29-14-09-900-802  |         |           |            |          |                           |           |            |             |
| <b>29-14-11-900-801-01 REMOVAL / INSTALLATION OF THE HYDRAULIC SYSTEM ACCUMULATORS - SYSTEM 1 ACCUMULATOR (L515ML) Component ATA:29</b>                    |         |           |            |          |                           |           |            |             |
| PN:60833-2   | MOS/MSC | 23-Oct-89 | O/C        |          |                           |           |            |             |
| SN:432   | HRS     | 0         |            | TSN 0    |                           |           |            |             |
| WC#: 29.060  | AFL     | 0         |            |          |                           |           |            |             |
| PROC. REF: AMM 29-14-11-900-801  |         |           |            |          |                           |           |            |             |
| <b>29-14-11-900-801-02 REMOVAL / INSTALLATION OF THE HYDRAULIC SYSTEM ACCUMULATORS - SYSTEM 2 ACCUMULATOR (R515ML) Component ATA:29</b>                    |         |           |            |          |                           |           |            |             |
| PN:60833-2   | MOS/MSC | 23-Oct-89 | O/C        |          |                           |           |            |             |
| SN:436   | HRS     | 0         |            | TSN 0    |                           |           |            |             |
| WC#: 29.060  | AFL     | 0         |            |          |                           |           |            |             |
| PROC. REF: AMM 29-14-11-900-801  |         |           |            |          |                           |           |            |             |
| <b>29-20-00-720-801-02 FUNCTIONAL TEST OF THE AUXILIARY HYDRAULIC SYSTEM - SYSTEM 2 Service ATA:29</b>   |         |           |            |          |                           |           |            |             |
|  | MOS     | 31-Jan-05 |            |          |                           |           |            |             |
|  | HRS     | 5271.2    | 5000       |          | 10271.2                   |           | 440        |             |
|  | AFL     | 2499      |            |          |                           |           |            |             |
| PROC. REF: AMM 29-20-00-720-801  |         |           |            |          |                           |           |            |             |
| <b>29-20-01-900-801-01 REMOVAL / INSTALLATION OF THE STAND-BY ELECTRIC PUMP - STANDBY ELECTRIC PUMP (3ML) Component ATA:29</b>                             |         |           |            |          |                           |           |            |             |
| PN:42032   | MOS/MSC | 14-Nov-90 | O/C        |          |                           |           |            |             |
| SN:AH57456   | HRS     | 474       |            |          |                           |           |            |             |
| WC#: 29.240  | AFL     | 242       |            |          |                           |           |            |             |
| PROC. REF: AMM 29-20-01-900-801  |         |           |            |          |                           |           |            |             |
| <b>29-20-03-220-801-01 CHECK OF THE STANDBY ELECTRIC PUMP MOTOR BRUSHES - STANDBY ELECTRIC PUMP (3ML) Service ATA:29</b>                                   |         |           |            |          |                           |           |            |             |
| PN:42032   | MOS     | 31-Jan-05 |            |          |                           |           |            |             |
| SN:AH57456   | HRS     | 5271.2    | 5000 (+3%) |          | 10271.2                   | 10421.2   | 440 (+150) |             |
| WC#: 29.240  | AFL     | 2499      |            |          |                           |           |            |             |
| PROC. REF: AMM 29-20-03-220-801  |         |           |            |          |                           |           |            |             |
| <b>29-20-03-720-801-01 FUNCTIONAL TEST OF THE STANDBY ELECTRIC PUMP MOTOR - STANDBY ELECTRIC PUMP (3ML) Service ATA:29</b>                                 |         |           |            |          |                           |           |            |             |
| PN:42032   | MOS/MSC | 31-Jan-05 | O/C        |          |                           |           |            |             |
| SN:AH57456   | HRS     | 5271.2    |            |          |                           |           |            |             |
| WC#: 29.240  | AFL     | 2499      |            |          |                           |           |            |             |
| PROC. REF: AMM 29-20-03-720-801  |         |           |            |          |                           |           |            |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|---------------------------------|---------|---|----------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 29 - HYDRAULIC POWER</b> |         |   |          |          |                           |           |           |             |  |
| 29-20-05-900-801-01             |         | REMOVAL / INSTALLATION OF THE STANDBY PUMP SELECTOR VALVE - STANDBY PUMP SELECTOR VALVE (5ML)               |          |          |                           |           | Component | ATA:29      |  |
| PN:B94A13-205                   | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |  |
| SN:20200                        | HRS     | 0   |          | TSN 0    |                           |           |           |             |  |
| WC#: 29.260                     | AFL     | 0   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 29-20-05-900-801 |         |   |          |          |                           |           |           |             |  |
| 29-20-07-900-801-01             |         | REMOVAL / INSTALLATION OF THE STANDBY PUMP PRESSURE SWITCHES - SYSTEM 1 STANDBY PUMP PRESSURE SWITCH (L4ML) |          |          |                           |           | Component | ATA:29      |  |
| PN:15H0092PH                    | MOS/MSC | 23-Aug-08   | O/C      |          | TSN 0                     |           |           |             |  |
| SN:0259                         | HRS     | 6548.2  |          | TSN 0    |                           |           |           |             |  |
| WC#: 29.200                     | AFL     | 3175  |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 29-20-07-900-801 |         |   |          |          |                           |           |           |             |  |
| 29-20-07-900-801-02             |         | REMOVAL / INSTALLATION OF THE STANDBY PUMP PRESSURE SWITCHES - SYSTEM 2 STANDBY PUMP PRESSURE SWITCH (R4ML) |          |          |                           |           | Component | ATA:29      |  |
| PN:15H0092PH                    | MOS/MSC | 23-Aug-08   | O/C      |          | TSN 0                     |           |           |             |  |
| SN:0258                         | HRS     | 6548.2  |          | TSN 0    |                           |           |           |             |  |
| WC#: 29.200                     | AFL     | 3175  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 29-20-07-900-801 |         |   |          |          |                           |           |           |             |  |
| 29-20-07-960-801-01             |         | DISCARD OF THE STANDBY PUMP PRESSURE SWITCHES - SYSTEM 1 STANDBY PUMP PRESSURE SWITCH (L4ML)                |          |          |                           |           | Service   | ATA:29      |  |
| PN:15H0092PH                    | MOS/MSC | 23-Aug-08   | O/C      |          |                           |           |           |             |  |
| SN:0259                         | HRS     | 6548.2  |          |          |                           |           |           |             |  |
| WC#: 29.200                     | AFL     | 3175  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 29-20-07-960-801 |         |   |          |          |                           |           |           |             |  |
| 29-20-07-960-801-02             |         | DISCARD OF THE STANDBY PUMP PRESSURE SWITCHES - SYSTEM 2 STANDBY PUMP PRESSURE SWITCH (R4ML)                |          |          |                           |           | Service   | ATA:29      |  |
| PN:15H0092PH                    | MOS/MSC | 23-Aug-08   | O/C      |          |                           |           |           |             |  |
| SN:0258                         | HRS     | 6548.2  |          |          |                           |           |           |             |  |
| WC#: 29.200                     | AFL     | 3175  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 29-20-07-960-801 |         |   |          |          |                           |           |           |             |  |
| 291091                          |         | NO. 1 SYSTEM HYDRAULIC RESERVOIR DE-AERATOR VALVE   |          |          |                           |           | Component | ATA:29      |  |
| PN:034001                       | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |  |
| SN:UNKNOWN                      | HRS     | 0   |          | TSN 0    |                           |           |           |             |  |
| WC#: 29.040                     | AFL     | 0   |          |          |                           |           |           |             |  |
| PROC. REF: AMM GENERIC 1        |         |   |          |          |                           |           |           |             |  |
| 291141                          |         | NO. 2 SYSTEM HYDRAULIC RESERVOIR DE-AERATOR VALVE   |          |          |                           |           | Component | ATA:29      |  |
| PN:034001                       | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |  |
| SN:UNKNOWN                      | HRS     | 0   |          | TSN 0    |                           |           |           |             |  |
| WC#: 29.040                     | AFL     | 0   |          |          |                           |           |           |             |  |
| PROC. REF: AMM GENERIC 1        |         |   |          |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 29 - HYDRAULIC POWER</b>                                      |         |           |          |          |                           |           |           |             |
| <b>291311 NO. 1 HYDRAULIC PUMP DISCHARGE FILTER Component ATA:29</b> |         |           |          |          |                           |           |           |             |
| PN:AC9607F10   | MOS/MSC | 23-Aug-08 | O/C      |          | TSN 0                     |           |           |             |
| SN:UNKNOWN   | HRS     | 6548.2    |          |          | TSN 0                     |           |           |             |
| WC#: 29.080  | AFL     | 3175      |          |          | TSN 0                     |           |           |             |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |             |
| <b>291321 NO. 2 HYDRAULIC PUMP DISCHARGE FILTER Component ATA:29</b> |         |           |          |          |                           |           |           |             |
| PN:AC3255F8Y60   | MOS/MSC | 23-Aug-08 | O/C      |          | TSN 0                     |           |           |             |
| SN:UNKNOWN   | HRS     | 6548.2    |          |          | TSN 0                     |           |           |             |
| WC#: 29.080  | AFL     | 3175      |          |          | TSN 0                     |           |           |             |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |             |
| <b>291331 NO. 3 HYDRAULIC PUMP DISCHARGE FILTER Component ATA:29</b> |         |           |          |          |                           |           |           |             |
| PN:ACA767F415  | MOS/MSC | 23-Aug-08 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 6548.2    |          |          | TSN 0                     |           |           |             |
| WC#: 29.080  | AFL     | 3175      |          |          | TSN 0                     |           |           |             |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |             |
| <b>291346 NO. 1 HYDRAULIC SYSTEM PRESSURE GAUGE Component ATA:29</b> |         |           |          |          |                           |           |           |             |
| PN:18040100  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 29.095  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |             |
| <b>291356 NO. 2 HYDRAULIC SYSTEM PRESSURE GAUGE Component ATA:29</b> |         |           |          |          |                           |           |           |             |
| PN:18040100  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 29.095  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |             |
| <b>291361 NO. 1 PUMP REGULATION RETURN FILTER Component ATA:29</b>   |         |           |          |          |                           |           |           |             |
| PN:ADB296-5Y3  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:0227  | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 29.100  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |             |
| <b>291381 NO. 2 PUMP REGULATION RETURN FILTER Component ATA:29</b>   |         |           |          |          |                           |           |           |             |
| PN:ADB296-5Y3  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:0226  | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 29.100  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|------------------|
| <b>ATA 29 - HYDRAULIC POWER</b>                                  |         |           |          |          |                           |           |           |                  |
| <b>291401 NO. 3 PUMP REGULATION RETURN FILTER</b>                |         |           |          |          |                           |           |           | Component ATA:29 |
| PN:ADB296-5Y3  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:0219  | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 29.100  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                  |
| <b>291461 NO. 1 SUCTION SYSTEM HYDRAULIC GROUND CONNECTION</b>   |         |           |          |          |                           |           |           | Component ATA:29 |
| PN:B3005-S4-12D  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 29.120  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                  |
| <b>291471 NO. 2 SUCTION SYSTEM HYDRAULIC GROUND CONNECTION</b>   |         |           |          |          |                           |           |           | Component ATA:29 |
| PN:B3005-S4-12D  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 29.120  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                  |
| <b>291481 NO. 1 DISCHARGE SYSTEM HYDRAULIC GROUND CONNECTION</b> |         |           |          |          |                           |           |           | Component ATA:29 |
| PN:TB3005-S4-8D  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 29.130  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                  |
| <b>291491 NO. 2 DISCHARGE SYSTEM HYDRAULIC GROUND CONNECTION</b> |         |           |          |          |                           |           |           | Component ATA:29 |
| PN:TB3005-S4-8D  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 29.130  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                  |
| <b>291501 NO. 1 DISCHARGE PUMP QUICK DISCHARGE VALVE</b>         |         |           |          |          |                           |           |           | Component ATA:29 |
| PN:405-20403-13200   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 29.140  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                  |
| <b>291511 NO. 2 DISCHARGE PUMP QUICK DISCHARGE VALVE</b>         |         |           |          |          |                           |           |           | Component ATA:29 |
| PN:405-20403-13200   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 29.140  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 29 - HYDRAULIC POWER</b> |  |           |          |          |                           |           |           |             |        |
| 291521                          | NO. 3 DISCHARGE PUMP QUICK DISCHARGE VALVE   |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:405-20403-13200              | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 29.140                     | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |  |           |          |          |                           |           |           |             |        |
| 291531                          | NO. 1 SUCTION PUMP QUICK DISCHARGE VALVE     |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:405-20402-13300              | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 29.150                     | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |  |           |          |          |                           |           |           |             |        |
| 291541                          | NO. 2 SUCTION PUMP QUICK DISCHARGE VALVE     |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:405-20402-13300              | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 29.150                     | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |  |           |          |          |                           |           |           |             |        |
| 291551                          | NO. 3 SUCTION PUMP QUICK DISCHARGE VALVE     |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:405-20402-13300              | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 29.150                     | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |  |           |          |          |                           |           |           |             |        |
| 291561                          | NO. 1 RETURN REGULATION PUMP CHECK VALVE     |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:A24515-1                     | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 29.160                     | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |  |           |          |          |                           |           |           |             |        |
| 291571                          | NO. 2 AFT RETURN REGULATION PUMP CHECK VALVE |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:A24515-1                     | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 29.160                     | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |  |           |          |          |                           |           |           |             |        |
| 291581                          | NO. 3 RETURN REGULATION PUMP CHECK VALVE     |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:A24515-1                     | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 29.160                     | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |  |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 29 - HYDRAULIC POWER</b>   |         |           |          |          |                           |           |           |             |
| <b>291591 NO. 1 FILTER/PUMP PROTECTION CHECK VALVE Component ATA:29</b>       |         |           |          |          |                           |           |           |             |
| PN:A24517   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:FM1945   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 29.170   | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1  |         |           |          |          |                           |           |           |             |
| <b>291601 NO. 2 PUMP PROTECTION CHECK VALVE Component ATA:29</b>              |         |           |          |          |                           |           |           |             |
| PN:A24517   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:FM1947   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 29.180   | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1  |         |           |          |          |                           |           |           |             |
| <b>291611 NO. 2 FILTER PROTECTION CHECK VALVE Component ATA:29</b>            |         |           |          |          |                           |           |           |             |
| PN:A24517   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:FM1957   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 29.170   | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1  |         |           |          |          |                           |           |           |             |
| <b>291621 NO. 3 PUMP PROTECTION CHECK VALVE Component ATA:29</b>              |         |           |          |          |                           |           |           |             |
| PN:A24517   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:FM1961   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 29.180   | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1  |         |           |          |          |                           |           |           |             |
| <b>291631 NO. 2 SYSTEM EXTERIOR POWER SUPPLY CHECK VALVE Component ATA:29</b> |         |           |          |          |                           |           |           |             |
| PN:A24517   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 29.185   | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1  |         |           |          |          |                           |           |           |             |
| <b>291701 NO. 1 LEVEL/PRESSURE DUAL INDICATOR Component ATA:29</b>            |         |           |          |          |                           |           |           |             |
| PN:5502-380-80-10   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:270  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 29.210   | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1  |         |           |          |          |                           |           |           |             |
| <b>291711 NO. 2 LEVEL/PRESSURE DUAL INDICATOR Component ATA:29</b>            |         |           |          |          |                           |           |           |             |
| PN:5502-380-80-10   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:271  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 29.210   | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 1  |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 29 - HYDRAULIC POWER</b> |   |           |          |          |                           |           |           |             |        |
| 291721                          | NO. 1 SYSTEM PRESSURE TRANSMITTER                 |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:8107-132-00-10               | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:277                          | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 29.220                     | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |   |           |          |          |                           |           |           |             |        |
| 291731                          | NO. 2 SYSTEM PRESSURE TRANSMITTER                 |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:8107-132-00-10               | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:278                          | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 29.220                     | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |   |           |          |          |                           |           |           |             |        |
| 291751                          | NO. 1 SYSTEM HYDRAULIC QUANTITY GAUGE             |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:18040100                     | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 29.230                     | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |   |           |          |          |                           |           |           |             |        |
| 291761                          | NO. 2 SYSTEM HYDRAULIC QUANTITY GAUGE             |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:18040100                     | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 29.230                     | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |   |           |          |          |                           |           |           |             |        |
| 292171                          | ELECTRIC PUMP DISCHARGE FILTER                    |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:AD3255-8Y63                  | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:0092                         | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 29.260                     | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |   |           |          |          |                           |           |           |             |        |
| 292201                          | NO. 1 SYSTEM ELECTRIC PUMP PROTECTION CHECK VALVE |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:A24516                       | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 29.270                     | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |   |           |          |          |                           |           |           |             |        |
| 292211                          | NO. 2 SYSTEM ELECTRIC PUMP PROTECTION CHECK VALVE |           |          |          |                           |           |           | Component   | ATA:29 |
| PN:A24516                       | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 29.270                     | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1        |   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                 | Unit  | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---|---|-----------|-----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 29 - HYDRAULIC POWER</b>         |   |           |           |          |                           |           |           |             |        |
| 292301                                  | HYDRAULIC CONTROL PANEL   |           |           |          |                           |           |           | Component   | ATA:29 |
| PN:380TS06Y02                           | MOS/MSC   | 23-Oct-89 | O/C       |          |                           |           |           |             |        |
| SN:181                                  | HRS   | 0         |           | TSN 0    |                           |           |           |             |        |
| WC#: 29.280                             | AFL   | 0         |           |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 1                |   |           |           |          |                           |           |           |             |        |
| <b>ATA 30 - ICE AND RAIN PROTECTION</b> |   |           |           |          |                           |           |           |             |        |
| 30-00-00-960-801-01 <sup>S</sup>        | REPLACEMENT OF THE ANTI-ICING SYSTEM WIGGINS COUPLING SEALS                                     |           |           |          |                           |           |           | Service     | ATA:30 |
|   | MOS   | 19-Jun-14 | 144 (+2m) |          |                           |           |           |             |        |
|   | HRS   | 8032      |           |          |                           |           |           |             |        |
| WC#: 30.040                             | AFL   | 3965      | 7500      |          |                           |           |           |             |        |
| PROC. REF: AMM 30-00-00-960-801         |   |           |           |          |                           |           |           |             |        |
| PKG:32                                  |   |           |           |          |                           |           |           |             |        |
| 30-11-00-350-801-01                     | RESTORATION OF THE SLAT TELESCOPIC DUCTS (OVERHAUL) - LH INBOARD SLAT TELESCOPIC DUCT (L501HJ)  |           |           |          |                           |           |           | Service     | ATA:30 |
| PN:5036-400                             | MOS/MSC   | 18-Dec-09 | O/C       |          |                           |           |           |             |        |
| SN:188                                  | HRS   | 6711.9    |           |          |                           |           |           |             |        |
| WC#: 30.060                             | AFL   | 3281      |           |          |                           |           |           |             |        |
| PROC. REF: AMM 30-11-00-350-801         |   |           |           |          |                           |           |           |             |        |
| 30-11-00-350-801-02                     | RESTORATION OF THE SLAT TELESCOPIC DUCTS (OVERHAUL) - RH INBOARD SLAT TELESCOPIC DUCT (R501HJ)  |           |           |          |                           |           |           | Service     | ATA:30 |
| PN:5036-500                             | MOS/MSC   | 18-Dec-09 | O/C       |          |                           |           |           |             |        |
| SN:182                                  | HRS   | 6711.9    |           |          |                           |           |           |             |        |
| WC#: 30.060                             | AFL   | 3281      |           |          |                           |           |           |             |        |
| PROC. REF: AMM 30-11-00-350-801         |   |           |           |          |                           |           |           |             |        |
| 30-11-00-350-801-03                     | RESTORATION OF THE SLAT TELESCOPIC DUCTS (OVERHAUL) - LH OUTBOARD SLAT TELESCOPIC DUCT (L502HJ) |           |           |          |                           |           |           | Service     | ATA:30 |
| PN:5035-000                             | MOS/MSC   | 23-Oct-13 | O/C       |          |                           |           |           |             |        |
| SN:629R                                 | HRS   | 7955.9    |           |          |                           |           |           |             |        |
| WC#: 30.050                             | AFL   | 3932      |           |          |                           |           |           |             |        |
| PROC. REF: AMM 30-11-00-350-801         |   |           |           |          |                           |           |           |             |        |
| 30-11-00-350-801-04                     | RESTORATION OF THE SLAT TELESCOPIC DUCTS (OVERHAUL) - RH OUTBOARD SLAT TELESCOPIC DUCT (R502HJ) |           |           |          |                           |           |           | Service     | ATA:30 |
| PN:5035-500                             | MOS/MSC   | 18-Dec-09 | O/C       |          |                           |           |           |             |        |
| SN:175                                  | HRS   | 6711.9    |           |          |                           |           |           |             |        |
| WC#: 30.050                             | AFL   | 3281      |           |          |                           |           |           |             |        |
| PROC. REF: AMM 30-11-00-350-801         |   |           |           |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining     | Disposition |
|---|---------|-----------|------------|----------|---------------------------|-----------|---------------|-------------|
| <b>ATA 30 - ICE AND RAIN PROTECTION</b>   |         |           |            |          |                           |           |               |             |
| <b>30-11-00-720-801-01 FUNCTIONAL TEST OF THE SLAT TELESCOPIC DUCTS - LH INBOARD SLAT TELESCOPIC DUCT (L501HJ) Service ATA:30</b>     |         |           |            |          |                           |           |               |             |
| PN:5036-400   | MOS     | 23-Nov-17 |            |          |                           |           |               |             |
| SN:188  | HRS     | 8692.9    | 1240 (+3%) |          | 9932.9                    | 9970.1    | 101.7 (+37.2) |             |
| WC#: 30.060   | AFL     | 4213      | 1000 (+3%) |          | 5213                      | 5243      | 573 (+30)     |             |
| PROC. REF: AMM 30-11-00-720-801   |         |           |            |          |                           |           |               |             |
| <b>30-11-00-720-801-02 FUNCTIONAL TEST OF THE SLAT TELESCOPIC DUCTS - RH INBOARD SLAT TELESCOPIC DUCT (R501HJ) Service ATA:30</b>     |         |           |            |          |                           |           |               |             |
| PN:5036-500   | MOS     | 23-Nov-17 |            |          |                           |           |               |             |
| SN:182  | HRS     | 8692.9    | 1240 (+3%) |          | 9932.9                    | 9970.1    | 101.7 (+37.2) |             |
| WC#: 30.060   | AFL     | 4213      | 1000 (+3%) |          | 5213                      | 5243      | 573 (+30)     |             |
| PROC. REF: AMM 30-11-00-720-801   |         |           |            |          |                           |           |               |             |
| <b>30-11-00-720-801-03 FUNCTIONAL TEST OF THE SLAT TELESCOPIC DUCTS - LH OUTBOARD SLAT TELESCOPIC DUCT (L502HJ) Service ATA:30</b>    |         |           |            |          |                           |           |               |             |
| PN:5035-000   | MOS     | 23-Oct-13 |            |          |                           |           |               |             |
| SN:629R   | HRS     | 7955.9    | 2480 (+3%) |          | 10435.9                   | 10510.3   | 604.7 (+74.4) |             |
| WC#: 30.050   | AFL     | 3932      | 2000 (+3%) |          | 5932                      | 5992      | 1292 (+60)    |             |
| PROC. REF: AMM 30-11-00-720-801   |         |           |            |          |                           |           |               |             |
| <b>30-11-00-720-801-04 FUNCTIONAL TEST OF THE SLAT TELESCOPIC DUCTS - RH OUTBOARD SLAT TELESCOPIC DUCT (R502HJ) Service ATA:30</b>    |         |           |            |          |                           |           |               |             |
| PN:5035-500   | MOS     | 23-Nov-17 |            |          |                           |           |               |             |
| SN:175  | HRS     | 8692.9    | 1240 (+3%) |          | 9932.9                    | 9970.1    | 101.7 (+37.2) |             |
| WC#: 30.050   | AFL     | 4213      | 1000 (+3%) |          | 5213                      | 5243      | 573 (+30)     |             |
| PROC. REF: AMM 30-11-00-720-801   |         |           |            |          |                           |           |               |             |
| <b>30-11-00-900-801-01 REMOVAL / INSTALLATION OF THE SLAT TELESCOPIC DUCTS - LH INBOARD TELESCOPIC DUCT (L501HJ) Component ATA:30</b> |         |           |            |          |                           |           |               |             |
| PN:5036-400   | MOS/MSC | 23-Nov-17 | O/C        |          |                           |           |               |             |
| SN:188  | HRS     | 8692.9    |            |          |                           |           |               |             |
| WC#: 30.060   | AFL     | 4213      |            |          |                           |           |               |             |
| PROC. REF: AMM 30-11-00-900-801   |         |           |            |          |                           |           |               |             |
| <b>30-11-00-900-801-02 REMOVAL / INSTALLATION OF THE SLAT TELESCOPIC DUCTS - RH INBOARD TELESCOPIC DUCT (R501HJ) Component ATA:30</b> |         |           |            |          |                           |           |               |             |
| PN:5036-500   | MOS/MSC | 23-Nov-17 | O/C        |          |                           |           |               |             |
| SN:182  | HRS     | 8692.9    |            |          |                           |           |               |             |
| WC#: 30.060   | AFL     | 4213      |            |          |                           |           |               |             |
| PROC. REF: AMM 30-11-00-900-801   |         |           |            |          |                           |           |               |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 30 - ICE AND RAIN PROTECTION</b>   |         |           |          |          |                           |           |           |             |
| <b>30-11-00-900-801-03      REMOVAL / INSTALLATION OF THE SLAT TELESCOPIC DUCTS - LH OUTBOARD TELESCOPIC DUCT (L502HJ)      Component    ATA:30</b>   |         |           |          |          |                           |           |           |             |
| PN:5035-000   | MOS/MSC | 23-Oct-13 | O/C      |          |                           |           |           |             |
| SN:629R   | HRS     | 7955.9    |          |          |                           |           |           |             |
| WC#: 30.050   | AFL     | 3932      |          |          |                           |           |           |             |
| PROC. REF: AMM 30-11-00-900-801   |         |           |          |          |                           |           |           |             |
| <b>30-11-00-900-801-04      REMOVAL / INSTALLATION OF THE SLAT TELESCOPIC DUCTS - RH OUTBOARD TELESCOPIC DUCT (R502HJ)      Component    ATA:30</b>   |         |           |          |          |                           |           |           |             |
| PN:5035-500   | MOS/MSC | 23-Nov-17 | O/C      |          |                           |           |           |             |
| SN:175  | HRS     | 8692.9    |          |          |                           |           |           |             |
| WC#: 30.050   | AFL     | 4213      |          |          |                           |           |           |             |
| PROC. REF: AMM 30-11-00-900-801   |         |           |          |          |                           |           |           |             |
| <b>30-11-01-200-801-01      INSPECTION OF THE INBOARD SLAT TELESCOPIC DUCTS - LH INBOARD TELESCOPIC TUBE (L501HJ)      Service    ATA:30</b>          |         |           |          |          |                           |           |           |             |
|   | MOS/MSC | 18-Dec-09 | O/C      |          |                           |           |           |             |
|   | HRS     | 6711.9    |          |          |                           |           |           |             |
| WC#: 30.060   | AFL     | 3281      |          |          |                           |           |           |             |
| PROC. REF: AMM 30-11-01-200-801   |         |           |          |          |                           |           |           |             |
| <b>30-11-01-200-801-02      INSPECTION OF THE INBOARD SLAT TELESCOPIC DUCTS - RH INBOARD TELESCOPIC TUBE (R501HJ)      Service    ATA:30</b>          |         |           |          |          |                           |           |           |             |
|   | MOS/MSC | 18-Dec-09 | O/C      |          |                           |           |           |             |
|   | HRS     | 6711.9    |          |          |                           |           |           |             |
| WC#: 30.060   | AFL     | 3281      |          |          |                           |           |           |             |
| PROC. REF: AMM 30-11-01-200-801   |         |           |          |          |                           |           |           |             |
| <b>30-11-17-200-801-01<sup>S</sup>      INSPECTION OF THE WING ANTI-ICING SYSTEM COUPLINGS LOCATED IN THE REAR COMPARTMENT      Service    ATA:30</b> |         |           |          |          |                           |           |           |             |
|   | MOS     | 16-Nov-22 | 24 (+1m) |          |                           |           |           |             |
|   | HRS     | 9596.5    |          |          |                           |           |           |             |
| WC#: 30.020   | AFL     | 4562      |          |          |                           |           |           |             |
| PROC. REF: AMM 30-11-17-200-801   |         |           |          |          |                           |           |           |             |
| PKG:16  |         |           |          |          |                           |           |           |             |
| <b>30-11-17-200-803-01<sup>S</sup>      INSPECTION OF THE WING ANTI-ICING SYSTEM GENERAL CONNECTOR COUPLINGS      Service    ATA:30</b>               |         |           |          |          |                           |           |           |             |
|   | MOS     | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |
|   | HRS     | 9182.3    |          |          |                           |           |           |             |
| WC#: 30.150   | AFL     | 4405      | 3750     |          |                           |           |           |             |
| PROC. REF: AMM 30-11-17-200-803   |         |           |          |          |                           |           |           |             |
| PKG:31  |         |           |          |          |                           |           |           |             |
| <b>30-12-01-900-801-01      REMOVAL / INSTALLATION OF THE WING ANTI-ICING VALVE - WING ANTI-ICING VALVE (3HJ)      Component    ATA:30</b>            |         |           |          |          |                           |           |           |             |
| PN:BYLB51035-1  | MOS/MSC | 09-Nov-91 | O/C      |          |                           |           |           |             |
| SN:188  | HRS     | 1273      |          | TSN 1010 |                           |           |           |             |
| WC#: 30.070   | AFL     | 556       |          |          |                           |           |           |             |
| PROC. REF: AMM 30-12-01-900-801   |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit                            | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition    |
|---|---------------------------------|-----------|------------|----------|---------------------------|-----------|-------------|----------------|
| <b>ATA 30 - ICE AND RAIN PROTECTION</b>   |                                 |           |            |          |                           |           |             |                |
| <b>30-20-00-710-801-01<sup>S</sup> OPERATIONAL TEST OF THE ENGINE AIR INTAKE ANTI-ICING SYSTEM - ENGINE 1</b>                                 |                                 |           |            |          |                           |           |             |                |
|   | MOS                             | 08-Apr-16 |            |          |                           |           |             | Service ATA:30 |
|   | HRS                             | 8447.8    | 1600 (+40) |          |                           |           |             |                |
|   | AFL                             | 4114      |            |          |                           |           |             |                |
|   | PROC. REF: AMM 30-20-00-710-801 |           |            |          |                           |           |             | PKG:21         |
| <b>30-20-00-710-801-02<sup>S</sup> OPERATIONAL TEST OF THE ENGINE AIR INTAKE ANTI-ICING SYSTEM - ENGINE 2</b>                                 |                                 |           |            |          |                           |           |             |                |
|   | MOS                             | 08-Apr-16 |            |          |                           |           |             | Service ATA:30 |
|   | HRS                             | 8447.8    | 1600 (+40) |          |                           |           |             |                |
| WC#: 30.100   | AFL                             | 4114      |            |          |                           |           |             |                |
|   | PROC. REF: AMM 30-20-00-710-801 |           |            |          |                           |           |             | PKG:21         |
| <b>30-20-00-710-801-03<sup>S</sup> OPERATIONAL TEST OF THE ENGINE AIR INTAKE ANTI-ICING SYSTEM - ENGINE 3</b>                                 |                                 |           |            |          |                           |           |             |                |
|   | MOS                             | 08-Apr-16 |            |          |                           |           |             | Service ATA:30 |
|   | HRS                             | 8447.8    | 1600 (+40) |          |                           |           |             |                |
|   | AFL                             | 4114      |            |          |                           |           |             |                |
|   | PROC. REF: AMM 30-20-00-710-801 |           |            |          |                           |           |             | PKG:21         |
| <b>30-20-01-700-801-01 FUNCTIONAL / LEAKAGE TEST OF THE ENGINE AIR INTAKE ANTI-ICING VALVES - ENGINE 1 AIR INTAKE ANTI-ICING VALVE (L3HA)</b> |                                 |           |            |          |                           |           |             |                |
| PN:1818-00-1A   | MOS                             | 27-May-04 |            |          |                           |           |             | Service ATA:30 |
| SN:UNKNOWN  | HRS                             | 4847.4    | 5000 (+3%) |          | 9847.4                    | 9997.4    | 16.2 (+150) |                |
| WC#: 30.110   | AFL                             | 2276      |            |          |                           |           |             |                |
|   | PROC. REF: AMM 30-20-01-700-801 |           |            |          |                           |           |             |                |
| <b>30-20-01-700-801-02 FUNCTIONAL / LEAKAGE TEST OF THE ENGINE AIR INTAKE ANTI-ICING VALVES - ENGINE 2 AIR INTAKE ANTI-ICING VALVE (M3HA)</b> |                                 |           |            |          |                           |           |             |                |
| PN:1818-00-1A   | MOS                             | 27-May-04 |            |          |                           |           |             | Service ATA:30 |
| SN:0674   | HRS                             | 4847.4    | 5000 (+3%) |          | 9847.4                    | 9997.4    | 16.2 (+150) |                |
| WC#: 30.120   | AFL                             | 2276      |            |          |                           |           |             |                |
|   | PROC. REF: AMM 30-20-01-700-801 |           |            |          |                           |           |             |                |
| <b>30-20-01-700-801-03 FUNCTIONAL / LEAKAGE TEST OF THE ENGINE AIR INTAKE ANTI-ICING VALVES - ENGINE 3 AIR INTAKE ANTI-ICING VALVE (R3HA)</b> |                                 |           |            |          |                           |           |             |                |
| PN:1818-00-1A   | MOS                             | 31-Jan-23 |            |          |                           |           |             | Service ATA:30 |
| SN:0653   | HRS                             | 9660.2    | 5000 (+3%) |          | 14660.2                   | 14810.2   | 4829 (+150) |                |
| WC#: 30.130   | AFL                             | 4580      |            |          |                           |           |             |                |
|   | PROC. REF: AMM 30-20-01-700-801 |           |            |          |                           |           |             |                |
| <b>30-30-00-710-801-01<sup>S</sup> OPERATIONAL TEST OF THE AIR DATA PROBE ANTI-ICING SYSTEM</b>   |                                 |           |            |          |                           |           |             |                |
|   | MOS                             | 29-Apr-16 |            |          |                           |           |             | Service ATA:30 |
|   | HRS                             | 8447.8    | 1600 (+40) |          |                           |           |             |                |
|   | AFL                             | 4114      |            |          |                           |           |             |                |
|   | PROC. REF: AMM 30-30-00-710-801 |           |            |          |                           |           |             | PKG:21         |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval    | TSX/Adj. | Next Due<br>(ENG/APU) A/C       | Max Limit | Remaining     | Disposition      |
|--|---------|-----------|-------------|----------|---------------------------------|-----------|---------------|------------------|
| <b>ATA 30 - ICE AND RAIN PROTECTION</b>  |         |           |             |          |                                 |           |               |                  |
| <b>30-41-00-200-801-01<sup>S</sup> INSPECTION OF THE WINDSHIELD HEATING SYSTEM CONNECTORS</b>  |         |           |             |          |                                 |           |               |                  |
|  | MOS     | 16-Nov-22 | 24 (+1m)    |          |                                 |           |               | Service ATA:30   |
|  | HRS     | 9596.5    |             |          |                                 |           |               |                  |
|  | AFL     | 4562      |             |          |                                 |           |               |                  |
|  |         |           |             |          | PROC. REF: AMM 30-41-00-200-801 |           |               | PKG:16           |
| <b>30-41-00-710-801-01<sup>S</sup> OPERATIONAL TEST OF THE WINDSHIELD DE-ICING SYSTEM</b>  |         |           |             |          |                                 |           |               |                  |
|  | MOS     | 11-Apr-16 |             |          |                                 |           |               | Service ATA:30   |
|  | HRS     | 8447.8    | 4800 (+40)  |          |                                 |           |               |                  |
| WC#: 30.230  | AFL     | 4114      |             |          |                                 |           |               |                  |
|  |         |           |             |          | PROC. REF: AMM 30-41-00-710-801 |           |               | PKG:23           |
| <b>30-43-05-900-801-01 REMOVAL / INSTALLATION OF THE WINDSHIELD WIPER MOTOR-ACTUATED ANGLE DRIVES - LH WINDSHIELD WIPER ARTICULATED ARM (L500MK)</b> |         |           |             |          |                                 |           |               |                  |
| PN:4218246   | MOS/MSC | 23-Oct-89 | O/C         |          |                                 |           |               | Component ATA:30 |
| SN:UNKNOWN   | HRS     | 0         |             | TSN 0    |                                 |           |               |                  |
| WC#: 30.270  | AFL     | 0         |             |          |                                 |           |               |                  |
|  |         |           |             |          | PROC. REF: AMM 30-43-05-900-801 |           |               |                  |
| <b>30-43-05-900-801-02 REMOVAL / INSTALLATION OF THE WINDSHIELD WIPER MOTOR-ACTUATED ANGLE DRIVES - RH WINDSHIELD WIPER ARTICULATED ARM (R500MK)</b> |         |           |             |          |                                 |           |               |                  |
| PN:4218209   | MOS/MSC | 23-Oct-89 | O/C         |          |                                 |           |               | Component ATA:30 |
| SN:UNKNOWN   | HRS     | 0         |             | TSN 0    |                                 |           |               |                  |
| WC#: 30.270  | AFL     | 0         |             |          |                                 |           |               |                  |
|  |         |           |             |          | PROC. REF: AMM 30-43-05-900-801 |           |               |                  |
| <b>30-43-09-220-801-01 CHECK OF THE WINDSHIELD WIPER MOTOR BRUSHES - LH WINDSHIELD WIPER MOTOR (L5MK)</b>  |         |           |             |          |                                 |           |               |                  |
| PN:4267568   | MOS     | 23-Oct-89 |             |          |                                 |           |               | Service ATA:30   |
| SN:12050   | HRS     | 0         | 15000 (+3%) |          | 15000                           | 15450     | 5168.8 (+450) |                  |
| WC#: 30.260  | AFL     | 0         |             |          |                                 |           |               |                  |
|  |         |           |             |          | PROC. REF: AMM 30-43-09-220-801 |           |               |                  |
| <b>30-43-09-220-801-02 CHECK OF THE WINDSHIELD WIPER MOTOR BRUSHES - RH WINDSHIELD WIPER MOTOR (R5MK)</b>  |         |           |             |          |                                 |           |               |                  |
| PN:4260432   | MOS     | 23-Aug-08 |             |          |                                 |           |               | Service ATA:30   |
| SN:10511   | HRS     | 6548.2    | 15000 (+3%) |          | 21548.2                         | 21998.2   | 11717 (+450)  |                  |
| WC#: 30.260  | AFL     | 3175      |             |          |                                 |           |               |                  |
|  |         |           |             |          | PROC. REF: AMM 30-43-09-220-801 |           |               |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                 | Unit    | C/W  | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |                  |
|---|---------|--|------------|----------|---------------------------|-----------|-----------|-------------|------------------|
| <b>ATA 30 - ICE AND RAIN PROTECTION</b> |         |  |            |          |                           |           |           |             |                  |
| 30-90-00-710-801-01 <sup>S</sup>        |         | OPERATIONAL TEST OF THE BRAKE HEATING SYSTEM                 |            |          |                           |           |           |             | Service ATA:30   |
|   | MOS     | 08-Apr-16  |            |          |                           |           |           |             |                  |
|   | HRS     | 8447.8   | 1600 (+40) |          |                           |           |           |             |                  |
| WC#: 30.045                             | AFL     | 4114   |            |          |                           |           |           |             |                  |
| PROC. REF: AMM 30-90-00-710-801         |         |  |            |          |                           |           |           | PKG:21      |                  |
| 301351                                  |         | LH WING ANTI-ICING PRESSURE SWITCH                           |            |          |                           |           |           |             | Component ATA:30 |
| PN:8G1199-2                             | MOS/MSC | 18-Nov-91  | O/C        |          | TSN 0                     |           |           |             |                  |
| SN:166                                  | HRS     | 1292   |            |          | TSN 0                     |           |           |             |                  |
| WC#: 30.080                             | AFL     | 567  |            |          | TSN 0                     |           |           |             |                  |
| PROC. REF: AMM GENERIC 1                |         |  |            |          |                           |           |           |             |                  |
| 301381                                  |         | RH WING ANTI-ICING PRESSURE SWITCH                           |            |          |                           |           |           |             | Component ATA:30 |
| PN:8G1199-2                             | MOS/MSC | 23-Oct-89  | O/C        |          |                           |           |           |             |                  |
| SN:515                                  | HRS     | 0  |            |          | TSN 0                     |           |           |             |                  |
| WC#: 30.080                             | AFL     | 0  |            |          |                           |           |           |             |                  |
| PROC. REF: AMM GENERIC 1                |         |  |            |          |                           |           |           |             |                  |
| 301401                                  |         | BLEED AIR HIGH PRESSURE MONITOR-                             |            |          |                           |           |           |             | Component ATA:30 |
| PN:EL126-00                             | MOS/MSC | 31-Oct-90  | O/C        |          |                           |           |           |             |                  |
| SN:118                                  | HRS     | 453  |            |          | TSN 371                   |           |           |             |                  |
| WC#: 30.080                             | AFL     | 233  |            |          |                           |           |           |             |                  |
| PROC. REF: AMM GENERIC 1                |         |  |            |          |                           |           |           |             |                  |
| 302101                                  |         | NO. 1 ENGINE AIR INTAKE ANTI-ICING PRESSURE REGULATING VALVE |            |          |                           |           |           |             | Component ATA:30 |
| PN:1818-00-1A                           | MOS/MSC | 27-May-04  | O/C        |          | TSN 0                     |           |           |             |                  |
| SN:UNKNOWN                              | HRS     | 4847.4   |            |          | TSN 0                     |           |           |             |                  |
| WC#: 30.110                             | AFL     | 2276   |            |          | TSN 0                     |           |           |             |                  |
| PROC. REF: AMM GENERIC 1                |         |  |            |          |                           |           |           |             |                  |
| 302121                                  |         | NO. 2 ENGINE AIR INTAKE ANTI-ICING PRESSURE REGULATING VALVE |            |          |                           |           |           |             | Component ATA:30 |
| PN:1818-00-1A                           | MOS/MSC | 27-May-04  | O/C        |          | TSN 0                     |           |           |             |                  |
| SN:0674                                 | HRS     | 4847.4   |            |          | TSN 0                     |           |           |             |                  |
| WC#: 30.120                             | AFL     | 2276   |            |          | TSN 0                     |           |           |             |                  |
| PROC. REF: AMM GENERIC 1                |         |  |            |          |                           |           |           |             |                  |
| 302141                                  |         | NO. 3 ENGINE AIR INTAKE ANTI-ICING PRESSURE REGULATING VALVE |            |          |                           |           |           |             | Component ATA:30 |
| PN:1818-00-1A                           | MOS/MSC | 31-Jan-23  | O/C        |          | TSO 0                     |           |           |             |                  |
| SN:0653                                 | HRS     | 9660.2   |            |          | TSO 0                     |           |           |             |                  |
| WC#: 30.130                             | AFL     | 4580   |            |          | TSO 0                     |           |           |             |                  |
| PROC. REF: AMM GENERIC 1                |         |  |            |          |                           |           |           |             |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition             |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------------------|
| <b>ATA 30 - ICE AND RAIN PROTECTION</b>                                    |         |           |          |          |                           |           |           |                         |
| <b>302261 NO. 2 ENGINE DUCT ANTI-ICING VALVE</b>                           |         |           |          |          |                           |           |           | <b>Component ATA:30</b> |
| PN:B48CA1121   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                         |
| SN:T502  | HRS     | 0         |          | TSN 0    |                           |           |           |                         |
| WC#: 30.160  | AFL     | 0         |          |          |                           |           |           |                         |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                         |
| <b>302301 NO. 1 ENGINE INTAKE LOW PRESSURE ANTI-ICING PRESSURE SWITCH</b>  |         |           |          |          |                           |           |           | <b>Component ATA:30</b> |
| PN:8G1199-2  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                         |
| SN:747   | HRS     | 0         |          | TSN 0    |                           |           |           |                         |
| WC#: 30.170  | AFL     | 0         |          |          |                           |           |           |                         |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                         |
| <b>302321 NO. 1 ENGINE INTAKE HIGH PRESSURE ANTI-ICING PRESSURE SWITCH</b> |         |           |          |          |                           |           |           | <b>Component ATA:30</b> |
| PN:8G1340-1  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                         |
| SN:314   | HRS     | 0         |          | TSN 0    |                           |           |           |                         |
| WC#: 30.170  | AFL     | 0         |          |          |                           |           |           |                         |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                         |
| <b>302341 NO. 2 ENGINE INTAKE LOW PRESSURE ANTI-ICING PRESSURE SWITCH</b>  |         |           |          |          |                           |           |           | <b>Component ATA:30</b> |
| PN:8G1199-2  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                         |
| SN:686   | HRS     | 0         |          | TSN 0    |                           |           |           |                         |
| WC#: 30.180  | AFL     | 0         |          |          |                           |           |           |                         |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                         |
| <b>302361 NO. 2 ENGINE INTAKE HIGH PRESSURE ANTI-ICING PRESSURE SWITCH</b> |         |           |          |          |                           |           |           | <b>Component ATA:30</b> |
| PN:8G1340-1  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                         |
| SN:226   | HRS     | 0         |          | TSN 0    |                           |           |           |                         |
| WC#: 30.180  | AFL     | 0         |          |          |                           |           |           |                         |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                         |
| <b>302381 NO. 2 ENGINE DUCT ANTI-ICING PRESSURE SWITCH</b>                 |         |           |          |          |                           |           |           | <b>Component ATA:30</b> |
| PN:8G1199-2  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                         |
| SN:507   | HRS     | 0         |          | TSN 0    |                           |           |           |                         |
| WC#: 30.190  | AFL     | 0         |          |          |                           |           |           |                         |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                         |
| <b>302401 NO. 3 ENGINE INTAKE LOW PRESSURE ANTI-ICING PRESSURE SWITCH</b>  |         |           |          |          |                           |           |           | <b>Component ATA:30</b> |
| PN:8G1199-2  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                         |
| SN:133   | HRS     | 0         |          | TSN 0    |                           |           |           |                         |
| WC#: 30.200  | AFL     | 0         |          |          |                           |           |           |                         |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                         |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|------------------|
| <b>ATA 30 - ICE AND RAIN PROTECTION</b>                                    |         |           |          |          |                           |           |           |                  |
| <b>302421 NO. 3 ENGINE INTAKE HIGH PRESSURE ANTI-ICING PRESSURE SWITCH</b> |         |           |          |          |                           |           |           | Component ATA:30 |
| PN:8G1340-1  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:272   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 30.200  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                  |
| <b>303101 LH PITOT/STATIC HEAT MONITORING BOX</b>                          |         |           |          |          |                           |           |           | Component ATA:30 |
| PN:24-255  | MOS/MSC | 11-Jun-10 | O/C      |          |                           |           |           |                  |
| SN:32  | HRS     | 6880.8    |          |          |                           |           |           |                  |
| WC#: 30.220  | AFL     | 3392      |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                  |
| <b>303131 RH PITOT/STATIC HEAT MONITORING BOX</b>                          |         |           |          |          |                           |           |           | Component ATA:30 |
| PN:24-255  | MOS/MSC | 11-Jun-10 | O/C      |          |                           |           |           |                  |
| SN:189   | HRS     | 6880.2    |          |          |                           |           |           |                  |
| WC#: 30.220  | AFL     | 3391      |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                  |
| <b>303161 STANDBY PITOT HEAT MONITORING BOX</b>                            |         |           |          |          |                           |           |           | Component ATA:30 |
| PN:24-256  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:98  | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 30.220  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                  |
| <b>304101 PILOT WINDSHIELD HEATING REGULATOR</b>                           |         |           |          |          |                           |           |           | Component ATA:30 |
| PN:HYZ50426-1  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:157D  | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 30.240  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                  |
| <b>304121 COPILOT WINDSHIELD HEATING REGULATOR</b>                         |         |           |          |          |                           |           |           | Component ATA:30 |
| PN:HYZ50426-1  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:745D  | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 30.240  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                  |
| <b>304141 LH SIDE WINDOW HEATING REGULATOR</b>                             |         |           |          |          |                           |           |           | Component ATA:30 |
| PN:HYZ50422  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:907D  | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 30.250  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 1   |         |           |          |          |                           |           |           |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                      | Unit    | C/W   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining        | Disposition   |  |
|--|---------|---|----------|----------|---------------------------|-----------|------------------|---------------|--|
| <b>ATA 30 - ICE AND RAIN PROTECTION</b>      |         |   |          |          |                           |           |                  |               |  |
| <b>304161</b>                                |         | <b>RH SIDE WINDOW HEATING REGULATOR</b>   |          |          |                           |           | <b>Component</b> | <b>ATA:30</b> |  |
| PN:HYZ50422                                  | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |                  |               |  |
| SN:947D                                      | HRS     | 0   |          | TSN 0    |                           |           |                  |               |  |
| WC#: 30.250                                  | AFL     | 0   |          |          |                           |           |                  |               |  |
| PROC. REF: AMM GENERIC 1                     |         |   |          |          |                           |           |                  |               |  |
| <b>304301</b>                                |         | <b>PILOT WINDSHIELD WIPER MOTOR</b>   |          |          |                           |           | <b>Component</b> | <b>ATA:30</b> |  |
| PN:4267568                                   | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |                  |               |  |
| SN:12050                                     | HRS     | 0   |          | TSN 0    |                           |           |                  |               |  |
| WC#: 30.260                                  | AFL     | 0   |          |          |                           |           |                  |               |  |
| PROC. REF: AMM GENERIC 1                     |         |   |          |          |                           |           |                  |               |  |
| <b>304331</b>                                |         | <b>COPILOT WINDSHIELD WIPER MOTOR</b>   |          |          |                           |           | <b>Component</b> | <b>ATA:30</b> |  |
| PN:4260432                                   | MOS/MSC | 23-Aug-08   | O/C      | TSN 0    |                           |           |                  |               |  |
| SN:10511                                     | HRS     | 6548.2  |          | TSN 0    |                           |           |                  |               |  |
| WC#: 30.260                                  | AFL     | 3175  |          | TSN 0    |                           |           |                  |               |  |
| PROC. REF: AMM GENERIC 1                     |         |   |          |          |                           |           |                  |               |  |
| <b>ATA 31 - INDICATING/RECORDING SYSTEMS</b> |         |   |          |          |                           |           |                  |               |  |
| <b>25-62-00-900-801-01</b>                   |         | <b>REMOVAL / INSTALLATION OF THE FDR / CVR UNDERWATER LOCATOR BEACONS - CVR UNDERWATER LOCATOR BEACON (900RK)</b> |          |          |                           |           | <b>Component</b> | <b>ATA:31</b> |  |
| PN:DK120                                     | MOS/MSC | 13-Jun-23   | O/C      |          |                           |           |                  |               |  |
| SN:SD17251                                   | HRS     |   |          |          |                           |           |                  |               |  |
| WC#: 31.070                                  | AFL     |   |          |          |                           |           |                  |               |  |
| PROC. REF: AMM 25-62-00-900-801              |         |   |          |          |                           |           |                  |               |  |
| <b>25-62-00-900-801-02</b>                   |         | <b>REMOVAL / INSTALLATION OF THE FDR / CVR UNDERWATER LOCATOR BEACONS - FDR UNDERWATER LOCATOR BEACON (900FZ)</b> |          |          |                           |           | <b>Component</b> | <b>ATA:31</b> |  |
| PN:DK120/90                                  | MOS/MSC | 23-Jun-23   | O/C      | TSN 0    |                           |           |                  |               |  |
| SN:AT190134                                  | HRS     | 9773  |          | TSN 0    |                           |           |                  |               |  |
| WC#: 31.100                                  | AFL     | 4617  |          | TSN 0    |                           |           |                  |               |  |
| PROC. REF: AMM 25-62-00-900-801              |         |   |          |          |                           |           |                  |               |  |
| <b>31-21-05-960-801-01</b>                   |         | <b>REPLACEMENT OF THE PILOT CLOCK BATTERIES - LH PILOT CLOCK (L1DT) BATTERY</b>                                   |          |          |                           |           | <b>Service</b>   | <b>ATA:31</b> |  |
| PN:M877-24HR                                 | MOS     | 16-Nov-22   | 25       |          | 16-Dec-24                 |           | 391 d            | LIFE LIMIT    |  |
| SN:02514                                     | HRS     | 9596.5  |          |          |                           |           |                  |               |  |
| WC#: 31.080                                  | AFL     | 4562  |          |          |                           |           |                  |               |  |
| PROC. REF: AMM 31-21-05-960-801              |         |   |          |          |                           |           |                  |               |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|----------------|
| <b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>   |         |           |          |          |                           |           |           |                |
| <b>31-21-05-960-801-02 REPLACEMENT OF THE PILOT CLOCK BATTERIES - RH PILOT CLOCK (R1DT) BATTERY</b>                          |         |           |          |          |                           |           |           |                |
| PN:M877-24HR   | MOS     | 16-Nov-22 | 25       |          | 16-Dec-24                 |           | 391 d     | Service ATA:31 |
| SN:02714   | HRS     | 9596.5    |          |          |                           |           |           | SCRAP          |
| WC#: 31.080  | AFL     | 4562      |          |          |                           |           |           |                |
| PROC. REF: AMM 31-21-05-960-801  |         |           |          |          |                           |           |           |                |
| <b>31-31-00-710-802-01<sup>S</sup> OPERATIONAL TEST OF THE FLIGHT DATA RECORDER (FDR) SYSTEM</b>                             |         |           |          |          |                           |           |           |                |
|  | MOS     | 11-Nov-23 | 36 (+1m) |          |                           |           |           | Service ATA:31 |
|  | HRS     | 9831.2    |          |          |                           |           |           |                |
| WC#: 31.100  | AFL     | 4640      |          |          |                           |           |           |                |
| PROC. REF: AMM 31-31-00-710-802  |         |           |          |          |                           |           |           |                |
| <b>31-31-00-720-802-01 FUNCTIONAL TEST FLIGHT DATA (FDR) RECORDER 57-PARAMETERS</b>  |         |           |          |          |                           |           |           |                |
| PN:2100-4043-00  | MOS/MSC | 14-Dec-16 | O/C      |          |                           |           |           | Service ATA:31 |
| SN:1672202   | HRS     | 8526      |          |          |                           |           |           |                |
| WC#: 31.100  | AFL     | 4151      |          |          |                           |           |           |                |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |                |
| <b>31-31-00-720-803-01 FUNCTIONAL TEST OF THE 32-PARAMETER FDR - FDR (14FZ)</b>  |         |           |          |          |                           |           |           |                |
|  | MOS/MSC | 13-Oct-10 | O/C      |          |                           |           |           | Service ATA:31 |
|  | HRS     | 6926.5    |          |          |                           |           |           |                |
| WC#: 31.100  | AFL     | 3430      |          |          |                           |           |           |                |
| PROC. REF: AMM 31-31-00-720-803  |         |           |          |          |                           |           |           |                |
| <b>31-31-00-970-801-01 DOWNLOAD OF THE FLIGHT DATA RECORDER (FDR) - FDR (14FZ)</b>   |         |           |          |          |                           |           |           |                |
|  | MOS/MSC | 12-Nov-21 | A/R      |          |                           |           |           | Service ATA:31 |
|  | HRS     | 9317.5    |          |          |                           |           |           |                |
| WC#: 31.100  | AFL     | 4465      |          |          |                           |           |           |                |
| PROC. REF: AMM 31-31-00-970-801  |         |           |          |          |                           |           |           |                |
| <b>31-31-09-710-801-01 OPERATIONAL TEST OF THE FDR/CVR ACCELERATION CONTACTS - CVR ACCELERATION CONTACT (5RK)</b>            |         |           |          |          |                           |           |           |                |
| PN:400-10  | MOS/MSC | 10-Jun-02 | N/A      |          |                           |           |           | Service ATA:31 |
| SN:NOT INST.   | HRS     | 4319.9    |          |          |                           |           |           |                |
|  | AFL     | 1999      |          |          |                           |           |           |                |
| PROC. REF: AMM 31-31-09-710-801  |         |           |          |          |                           |           |           |                |
| <b>31-31-09-710-801-02 OPERATIONAL TEST OF THE FDR/CVR ACCELERATION CONTACTS - FDR ACCELERATION CONTACT (15FZ) OR (23FZ)</b> |         |           |          |          |                           |           |           |                |
| PN:400-10  | MOS/MSC | 10-Jun-02 | N/A      |          |                           |           |           | Service ATA:31 |
| SN:UNKNOWN   | HRS     | 4319.9    |          |          |                           |           |           |                |
|  | AFL     | 1999      |          |          |                           |           |           |                |
| PROC. REF: AMM 31-31-09-710-801  |         |           |          |          |                           |           |           |                |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C             | Max Limit | Remaining | Disposition |
|---|---------|-----------|----------|----------|---------------------------------------|-----------|-----------|-------------|
| <b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>  |         |           |          |          |                                       |           |           |             |
| <b>31-31-09-900-801-01 REMOVAL / INSTALLATION OF THE FDR / CVR ACCELERATION CONTACTS - CVR ACCELERATION CONTACT (5RK) Component ATA:31</b>            |         |           |          |          |                                       |           |           |             |
| PN:400-10   | MOS/MSC | 23-Oct-89 | O/C      |          |                                       |           |           |             |
| SN:NOT INST.  | HRS     | 0         |          |          |                                       |           |           |             |
| WC#: 31.110   | AFL     | 0         |          |          |                                       |           |           |             |
| PROC. REF: AMM 31-31-09-900-801   |         |           |          |          |                                       |           |           |             |
| <b>31-31-09-900-801-02 REMOVAL / INSTALLATION OF THE FDR / CVR ACCELERATION CONTACTS - FDR ACCELERATION CONTACT (15FZ) OR (23FZ) Component ATA:31</b> |         |           |          |          |                                       |           |           |             |
| PN:400-10   | MOS/MSC | 23-Oct-89 | O/C      |          |                                       |           |           |             |
| SN:UNKNOWN  | HRS     | 0         |          | TSN 0    |                                       |           |           |             |
| WC#: 31.110   | AFL     | 0         |          |          |                                       |           |           |             |
| PROC. REF: AMM 31-31-09-900-801   |         |           |          |          |                                       |           |           |             |
| <b>31-31-31-900-801-01 REMOVAL / INSTALLATION OF THE FLIGHT DATA RECORDER (FDR) - FDR (14FZ) Component ATA:31</b>                                     |         |           |          |          |                                       |           |           |             |
| PN:2100-4043-00   | MOS/MSC | 14-Dec-16 | O/C      |          |                                       |           |           |             |
| SN:1672202  | HRS     | 8526      |          |          |                                       |           |           |             |
| WC#: 31.100   | AFL     | 4151      |          |          |                                       |           |           |             |
| PROC. REF: AMM 31-31-31-900-801   |         |           |          |          |                                       |           |           |             |
| <b>31-31-50-710-801-01<sup>S</sup> OPERATIONAL TEST OF THE COCKPIT VOICE RECORDER (CVR) SYSTEM Service ATA:31</b>                                     |         |           |          |          |                                       |           |           |             |
|   | MOS     | 11-Nov-23 | 36 (+1m) |          |                                       |           |           |             |
|   | HRS     | 9831.2    |          |          |                                       |           |           |             |
| WC#: 31.070   | AFL     | 4640      |          |          |                                       |           |           |             |
| PROC. REF: AMM 31-31-50-710-801   |         |           |          |          |                                       |           |           |             |
| <b>31-31-50-970-801-01 DOWNLOAD OF THE COCKPIT VOICE RECORDER (CVR) - CVR (2RK) Service ATA:31</b>  |         |           |          |          |                                       |           |           |             |
|   | MOS/MSC | 20-Apr-22 | O/C      |          |                                       |           |           |             |
|   | HRS     | 9465.8    |          |          |                                       |           |           |             |
|   | AFL     | 4519      |          |          |                                       |           |           |             |
| PROC. REF: AMM 31-31-50-970-801   |         |           |          |          |                                       |           |           |             |
| <b>31-31-51-900-801-01 REMOVAL / INSTALLATION OF THE COCKPIT VOICE RECORDER (CVR) - CVR (2RK) Component ATA:31</b>                                    |         |           |          |          |                                       |           |           |             |
| PN:1601-02-3  | MOS/MSC | 30-Mar-23 | O/C      |          | TSO 376, TSR 117                      |           |           |             |
| SN:6105   | HRS     | 9719.9    |          |          | TSN 9580.9, TSO 8425.9,<br>TSR 1865.1 |           |           |             |
| WC#: 31.070   | AFL     | 4600      |          |          | TSO 4031, TSR 711                     |           |           |             |
| PROC. REF: AMM 31-31-51-900-801   |         |           |          |          |                                       |           |           |             |
| <b>31-32-00-970-801-01 DOWNLOAD OF THE QUICK ACCESS RECORDER (QAR) - QAR (42FZ) Service ATA:31</b>  |         |           |          |          |                                       |           |           |             |
| PN:PN   | MOS/MSC | 23-Oct-89 | O/C      |          |                                       |           |           |             |
| SN:NOT INSTALLED  | HRS     | 0         |          |          |                                       |           |           |             |
| WC#: 31.140   | AFL     | 0         |          |          |                                       |           |           |             |
| PROC. REF: AMM 31-32-00-970-801, AMM 31-32-00-970-801   |         |           |          |          |                                       |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W  | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |        |
|---|---------|--|------------|----------|---------------------------|-----------|-------------|-------------|--------|
| <b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>          |         |  |            |          |                           |           |             |             |        |
| 31-32-01-900-801-01                                   |         | <b>QUICK ACCESS (QAR) RECORDER</b>   |            |          |                           |           |             | Component   | ATA:31 |
| PN:PN   | MOS/MSC | 23-Oct-89  | O/C        | TSN 0    |                           |           |             |             |        |
| SN:NOT INSTALLED                                      | HRS     | 0  |            | TSN 0    |                           |           |             |             |        |
| WC#: 31.140   | AFL     | 0  |            | TSN 0    |                           |           |             |             |        |
| PROC. REF: AMM 31-32-01-900-801, AMM 31-32-01-900-801 |         |  |            |          |                           |           |             |             |        |
| 31-32-05-350-801-01                                   |         | <b>RESTORATION OF THE QUICK ACCESS RECORDER (QAR BATTERY REPLACEMENT) - QAR (42FZ)</b> |            |          |                           |           |             | Service     | ATA:31 |
|   | MOS/MSC | 23-Oct-89  | O/C        |          |                           |           |             |             |        |
|   | HRS     | 0  |            |          |                           |           |             |             |        |
|   | AFL     | 0  |            |          |                           |           |             |             |        |
| PROC. REF: AMM 31-32-05-350-801                       |         |  |            |          |                           |           |             |             |        |
| 31-32-05-960-801-01                                   |         | <b>REPLACEMENT OF THE QUICK ACCESS RECORDER (QAR) BATTERY - QAR (42FZ) BATTERY</b>     |            |          |                           |           |             | Service     | ATA:31 |
| PN:PN   | MOS/MSC | 23-Oct-89  | N/A        |          |                           |           |             |             |        |
| SN:NOT INSTALLED                                      | HRS     | 0  |            |          |                           |           |             |             |        |
| WC#: 31.140   | AFL     | 0  |            |          |                           |           |             |             |        |
| PROC. REF: AMM 31-32-05-960-801, AMM 31-32-05-960-801 |         |  |            |          |                           |           |             |             |        |
| 31-52-00-710-801-01 <sup>S</sup>                      |         | <b>OPERATIONAL TEST OF THE WARNING PANEL DUAL POWER SUPPLY</b>                         |            |          |                           |           |             | Service     | ATA:31 |
|   | MOS     | 09-Nov-23  | 36 (+1m)   |          |                           |           |             |             |        |
|   | HRS     | 9831.2   | 2400 (+40) |          |                           |           |             |             |        |
| WC#: 31.010   | AFL     | 4640   |            |          |                           |           |             |             |        |
| PROC. REF: AMM 31-52-00-710-801                       |         |  |            |          |                           |           |             |             |        |
| 31-54-00-720-803-01                                   |         | <b>FUNCTIONAL TEST OF THE TAKE-OFF SAFETIES - ALARM TEST</b>                           |            |          |                           |           |             | Service     | ATA:31 |
|   | MOS     | 23-Jun-23  |            |          |                           |           |             |             |        |
|   | HRS     | 9773   | 600 (+40)  |          | 10373                     | 10413     | 541.8 (+40) |             |        |
| WC#: 31.030   | AFL     | 4617   |            |          |                           |           |             |             |        |
| PROC. REF: AMM 31-54-00-720-803                       |         |  |            |          |                           |           |             |             |        |
| 31-54-00-720-803-02 <sup>S</sup>                      |         | <b>FUNCTIONAL TEST OF THE TAKE-OFF SAFETIES - TEST OF INDICATION LOGIC</b>             |            |          |                           |           |             | Service     | ATA:31 |
|   | MOS     | 29-Apr-16  |            |          |                           |           |             |             |        |
|   | HRS     | 8447.8   | 1600 (+40) |          |                           |           |             |             |        |
| WC#: 31.030   | AFL     | 4114   |            |          |                           |           |             |             |        |
| PROC. REF: AMM 31-54-00-720-803                       |         |  |            |          |                           |           |             |             |        |
| 31-55-00-720-801-01 <sup>S</sup>                      |         | <b>FUNCTIONAL TEST OF THE LANDING SAFETIES</b>   |            |          |                           |           |             | Service     | ATA:31 |
|   | MOS     | 29-Apr-16  |            |          |                           |           |             |             |        |
|   | HRS     | 8447.8   | 1600 (+40) |          |                           |           |             |             |        |
| WC#: 31.040   | AFL     | 4114   |            |          |                           |           |             |             |        |
| PROC. REF: AMM 31-55-00-720-801                       |         |  |            |          |                           |           |             |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj.                 | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---|---------|-----------|----------|--------------------------|---------------------------|-----------|-----------|-------------|
| <b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>  |         |           |          |                          |                           |           |           |             |
| <b>31-CARS-625-016-00<sup>U</sup> FDR ULD RECERTIFICATION Service ATA:31</b>              |         |           |          |                          |                           |           |           |             |
|   | MOS     | 14-Apr-23 | 12       |                          | 14-Apr-24                 |           | 145 d     |             |
|   | HRS     | 9743.1    |          |                          |                           |           |           |             |
|   | AFL     | 4606      |          |                          |                           |           |           |             |
| <b>31-CARS-625-016-01<sup>U</sup> FDR ULD CLEANING OF THE WATER SWITCH Service ATA:31</b> |         |           |          |                          |                           |           |           |             |
|   | MOS/MSC |           | A/R      |                          |                           |           |           |             |
|   | HRS     |           |          |                          |                           |           |           |             |
|   | AFL     |           |          |                          |                           |           |           |             |
| <b>31-CARS-625-016-05<sup>U S</sup> FDR ULD BATTERY REPLACEMENT Service ATA:31</b>        |         |           |          |                          |                           |           |           |             |
|   | MOS/MSC |           | DUE      |                          |                           |           |           |             |
|   | HRS     |           |          |                          |                           |           |           |             |
|   | AFL     |           |          |                          |                           |           |           |             |
| <b>310101 WARNING PANEL Component ATA:31</b>  |         |           |          |                          |                           |           |           |             |
| PN:90300-4  | MOS/MSC | 23-Aug-08 | O/C      | TSR 0                    |                           |           |           |             |
| SN:193  | HRS     | 6548.2    |          | TSN 6548.2, TSR 0        |                           |           |           |             |
| WC#: 31.010   | AFL     | 3175      |          | TSR 0                    |                           |           |           |             |
|   |         |           |          | PROC. REF: AMM GENERIC 2 |                           |           |           |             |
| <b>312001 LH PILOT CLOCK (L1DT) Component ATA:31</b>                                      |         |           |          |                          |                           |           |           |             |
| PN:M877-24HR  | MOS/MSC | 23-Mar-17 | O/C      |                          |                           |           |           |             |
| SN:02514  | HRS     | 8586.1    |          | TSN 8559.1               |                           |           |           |             |
| WC#: 31.080   | AFL     | 4168      |          |                          |                           |           |           |             |
|   |         |           |          | PROC. REF: AMM GENERIC 2 |                           |           |           |             |
| <b>312006 RH PILOT CLOCK (R1DT) Component ATA:31</b>                                      |         |           |          |                          |                           |           |           |             |
| PN:M877-24HR  | MOS/MSC | 23-Mar-17 | O/C      |                          |                           |           |           |             |
| SN:02714  | HRS     | 8586.1    |          | TSN 8559.1               |                           |           |           |             |
| WC#: 31.080   | AFL     | 4168      |          |                          |                           |           |           |             |
|   |         |           |          | PROC. REF: AMM GENERIC 2 |                           |           |           |             |
| <b>314A03<sup>U</sup> (E)GPWS COMPUTER Component ATA:31</b>                               |         |           |          |                          |                           |           |           |             |
| PN:965-0976-040-218-218   | MOS/MSC | 20-Nov-18 | O/C      | TSR 0                    |                           |           |           |             |
| SN:22303  | HRS     | 8836.1    |          | TSR 0                    |                           |           |           |             |
|   | AFL     | 4266      |          | TSR 0                    |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |
|---|---------|-----------|----------|----------|---------------------------|-----------|-------------|-------------|
| <b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>  |         |           |          |          |                           |           |             |             |
| <b>315101 AUDIO WARNING UNIT Component ATA:31</b>   |         |           |          |          |                           |           |             |             |
| PN:240ZS01Y05   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |             |             |
| SN:182  | HRS     | 0         |          | TSN 0    |                           |           |             |             |
| WC#: 31.050   | AFL     | 0         |          |          |                           |           |             |             |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |             |             |
| <b>315256 VOICE DATA RECORDER CONTROL Component ATA:31</b>  |         |           |          |          |                           |           |             |             |
| PN:1610-01  | MOS/MSC | 23-Mar-90 | O/C      |          |                           |           |             |             |
| SN:101  | HRS     | 27        |          | TSN 0    |                           |           |             |             |
| WC#: 31.120   | AFL     | 12        |          |          |                           |           |             |             |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |             |             |
| <b>315261 VOICE DATA RECORDER REMOTE MICROPHONE Component ATA:31</b>                                    |         |           |          |          |                           |           |             |             |
| PN:16101  | MOS/MSC | 23-Mar-90 | O/C      |          |                           |           |             |             |
| SN:101  | HRS     | 27        |          | TSN 0    |                           |           |             |             |
| WC#: 31.130   | AFL     | 12        |          |          |                           |           |             |             |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |             |             |
| <b>315A06<sup>U</sup> CHECK FLIGHT DATA (FDR) RECORDER CORRELATION (CARS 625 APP. C) Service ATA:31</b> |         |           |          |          |                           |           |             |             |
| PN:2100-4043-00   | MOS     | 16-Nov-22 | 12       |          | 16-Nov-23                 |           | OVD         |             |
| SN:1672202  | HRS     | 9596.5    |          |          |                           |           |             |             |
|   | AFL     | 4562      |          |          |                           |           |             |             |
| <b>315A15<sup>U</sup> RECERTIFY VOICE DATA RECORDER UNDERWATER LOCATOR BEACON Service ATA:31</b>        |         |           |          |          |                           |           |             |             |
| PN:DK120  | MOS     | 30-Mar-23 | 12       |          | 30-Mar-24                 |           | 130 d       |             |
| SN:SD17251  | HRS     | 9719.9    |          |          |                           |           |             |             |
|   | AFL     | 4600      |          |          |                           |           |             |             |
| <b>315A16<sup>U</sup> PERFORM VOICE DATA RECORDER FUNCTION AND INTELLIGIBILITY TEST Service ATA:31</b>  |         |           |          |          |                           |           |             |             |
| PN:1601-02-3  | MOS     | 29-Mar-23 | 12       |          | 29-Mar-24                 |           | 129 d       |             |
| SN:6105   | HRS     | 9719.9    | 3000     |          | 12719.9                   |           | 2888.7      |             |
|   | AFL     | 4600      |          |          |                           |           |             |             |
| <b>315A18<sup>U</sup> RECERTIFY FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON Service ATA:31</b>       |         |           |          |          |                           |           |             |             |
| PN:DK120/90   | MOS     | 23-Jun-23 | 12       |          | 23-Jun-24                 |           | 215 d       |             |
| SN:AT190134   | HRS     | 9773      |          |          |                           |           |             |             |
|   | AFL     | 4617      |          |          |                           |           |             |             |
| <b>ATA 32 - LANDING GEAR</b>  |         |           |          |          |                           |           |             |             |
| <b>32-00-00-700-801-01 CHECK OF THE MLG AND NLG UPLOCK BOXES - NLG UPLOCK BOX (13GA) Service ATA:32</b> |         |           |          |          |                           |           |             |             |
|   | MOS     | 31-Oct-23 | 18 (+1m) |          | 30-Apr-25                 | 31-May-25 | 526 d (+31) |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |        |
|----------------------------------|---|-----------|------------|----------|---------------------------|-----------|-------------|-------------|--------|
| ATA 32 - LANDING GEAR            |   |           |            |          |                           |           |             |             |        |
|                                  | HRS   | 9831.2    |            |          |                           |           |             |             |        |
| WC#: 32.130                      | AFL   | 4640      |            |          |                           |           |             |             |        |
| PROC. REF: AMM 32-00-00-700-801  |   |           |            |          |                           |           |             |             |        |
| 32-00-00-700-801-02              | CHECK OF THE MLG AND NLG UPLOCK BOXES - LH MLG UPLOCK BOX (L7GA)                                  |           |            |          |                           |           |             | Service     | ATA:32 |
|                                  | MOS   | 31-Oct-23 | 18 (+1m)   |          | 30-Apr-25                 | 31-May-25 | 526 d (+31) |             |        |
|                                  | HRS   | 9831.2    |            |          |                           |           |             |             |        |
| WC#: 32.050                      | AFL   | 4640      |            |          |                           |           |             |             |        |
| PROC. REF: AMM 32-00-00-700-801  |   |           |            |          |                           |           |             |             |        |
| 32-00-00-700-801-03              | CHECK OF THE MLG AND NLG UPLOCK BOXES - RH MLG UPLOCK BOX (R7GA)                                  |           |            |          |                           |           |             | Service     | ATA:32 |
|                                  | MOS   | 31-Oct-23 | 18 (+1m)   |          | 30-Apr-25                 | 31-May-25 | 526 d (+31) |             |        |
|                                  | HRS   | 9831.2    |            |          |                           |           |             |             |        |
| WC#: 32.050                      | AFL   | 4640      |            |          |                           |           |             |             |        |
| PROC. REF: AMM 32-00-00-700-801  |   |           |            |          |                           |           |             |             |        |
| 32-00-00-780-802-01 <sup>S</sup> | CHECK OF THE CHARGING PRESSURE OF THE MLG AND NLG SHOCK ABSORBERS - LH MLG SHOCK ABSORBER (L2GF5) |           |            |          |                           |           |             | Service     | ATA:32 |
|                                  | MOS   | 13-Apr-16 |            |          |                           |           |             |             |        |
|                                  | HRS   | 8447.8    | 1600 (+40) |          |                           |           |             |             |        |
|                                  | AFL   | 4114      |            |          |                           |           |             |             |        |
| PROC. REF: AMM 32-00-00-780-802  |   |           |            |          |                           |           |             |             |        |
| 32-00-00-780-802-02 <sup>S</sup> | CHECK OF THE CHARGING PRESSURE OF THE MLG AND NLG SHOCK ABSORBERS - RH MLG SHOCK ABSORBER (R2GF5) |           |            |          |                           |           |             | Service     | ATA:32 |
|                                  | MOS   | 13-Apr-16 |            |          |                           |           |             |             |        |
|                                  | HRS   | 8447.8    | 1600 (+40) |          |                           |           |             |             |        |
|                                  | AFL   | 4114      |            |          |                           |           |             |             |        |
| PROC. REF: AMM 32-00-00-780-802  |   |           |            |          |                           |           |             |             |        |
| 32-00-00-780-802-03 <sup>S</sup> | CHECK OF THE CHARGING PRESSURE OF THE MLG AND NLG SHOCK ABSORBERS - NLG SHOCK ABSORBER (3GF5)     |           |            |          |                           |           |             | Service     | ATA:32 |
|                                  | MOS   | 13-Apr-16 |            |          |                           |           |             |             |        |
|                                  | HRS   | 8447.8    | 1600 (+40) |          |                           |           |             |             |        |
|                                  | AFL   | 4114      |            |          |                           |           |             |             |        |
| PROC. REF: AMM 32-00-00-780-802  |   |           |            |          |                           |           |             |             |        |
| 32-10-00-640-801-01              | LUBRICATION OF THE MAIN LANDING GEARS (MLG) AND MLG DOORS - LH MLG AND DOORS                      |           |            |          |                           |           |             | Service     | ATA:32 |
|                                  | MOS   | 02-Nov-23 | 8 (+1m)    |          | 02-Jul-24                 | 02-Aug-24 | 224 d (+31) |             |        |
|                                  | HRS   | 9831.2    |            |          |                           |           |             |             |        |
| WC#: 32.010                      | AFL   | 4640      | 400        |          | 5040                      |           | 400         |             |        |
| PROC. REF: AMM 32-10-00-640-801  |   |           |            |          |                           |           |             |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval  | TSX/Adj.               | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining     | Disposition |
|--|---------|-----------|-----------|------------------------|---------------------------|-----------|---------------|-------------|
| <b>ATA 32 - LANDING GEAR</b>   |         |           |           |                        |                           |           |               |             |
| <b>32-10-00-640-801-02 LUBRICATION OF THE MAIN LANDING GEARS (MLG) AND MLG DOORS - RH MLG AND DOORS Service ATA:32</b> |         |           |           |                        |                           |           |               |             |
|  | MOS     | 02-Nov-23 | 8 (+1m)   |                        | 02-Jul-24                 | 02-Aug-24 | 224 d (+31)   |             |
|  | HRS     | 9831.2    |           |                        |                           |           |               |             |
| WC#: 32.010  | AFL     | 4640      | 400       |                        | 5040                      |           | 400           |             |
| PROC. REF: AMM 32-10-00-640-801  |         |           |           |                        |                           |           |               |             |
| <b>32-11-00-220-801-01 DETAILED INSPECTION OF THE MLG LEGS - LH MLG LEG (L2GF) Service ATA:32</b>                      |         |           |           |                        |                           |           |               |             |
| PN:D22801100-11-/-13-14  | MOS     | 12-Nov-20 | 72 (+8m)  |                        | 12-Nov-26                 | 12-Jul-27 | 1087 d (+242) |             |
| SN:U80   | HRS     | 9182.3    |           |                        |                           |           |               |             |
| WC#: 32.020  | AFL     | 4405      |           |                        |                           |           |               |             |
| PROC. REF: AMM 32-11-00-220-801  |         |           |           |                        |                           |           |               |             |
| <b>32-11-00-220-801-02 DETAILED INSPECTION OF THE MLG LEGS - RH MLG LEG (R2GF) Service ATA:32</b>                      |         |           |           |                        |                           |           |               |             |
| PN:D22802100-11-/-13-14  | MOS     | 12-Nov-20 | 72 (+8m)  |                        | 12-Nov-26                 | 12-Jul-27 | 1087 d (+242) |             |
| SN:U79   | HRS     | 9182.3    |           |                        |                           |           |               |             |
| WC#: 32.030  | AFL     | 4405      |           |                        |                           |           |               |             |
| PROC. REF: AMM 32-11-00-220-801  |         |           |           |                        |                           |           |               |             |
| <b>32-11-00-350-801-01 RESTORATION OF THE MLG LEGS (OVERHAUL) - LH MLG LEG (L2GF) Service ATA:32</b>                   |         |           |           |                        |                           |           |               |             |
| PN:D22801100-11-/-13-14  | MOS     | 19-Jun-14 | 144 (+3%) |                        | 19-Jun-26                 | 28-Oct-26 | 941 d (+131)  | OVERHAUL    |
| SN:U80   | HRS     | 8032      |           |                        |                           |           |               |             |
|  | AFL     | 3965      | 6000      |                        | 9965                      |           | 5325          |             |
| PROC. REF: AMM 32-11-00-350-801  |         |           |           |                        |                           |           |               |             |
| <b>32-11-00-350-801-02 RESTORATION OF THE MLG LEGS (OVERHAUL) - RH MLG LEG (R2GF) Service ATA:32</b>                   |         |           |           |                        |                           |           |               |             |
| PN:D22802100-11-/-13-14  | MOS     | 19-Jun-14 | 144 (+3%) |                        | 19-Jun-26                 | 28-Oct-26 | 941 d (+131)  | OVERHAUL    |
| SN:U79   | HRS     | 8032      |           |                        |                           |           |               |             |
|  | AFL     | 3965      | 6000      |                        | 9965                      |           | 5325          |             |
| PROC. REF: AMM 32-11-00-350-801  |         |           |           |                        |                           |           |               |             |
| <b>32-11-00-900-801-01 REMOVAL / INSTALLATION OF THE MLG LEGS - LH MLG LEG (L2GF) Component ATA:32</b>                 |         |           |           |                        |                           |           |               |             |
| PN:D22801100-11-/-13-14  | MOS/MSC | 12-Nov-20 | H/T       | TSN 222, TSO 79        |                           |           |               |             |
| SN:U80   | HRS     | 9182.3    |           | TSN 4864.3, TSO 1150.3 |                           |           |               |             |
| WC#: 32.020  | AFL     | 4405      |           | TSN 2409, TSO 440      |                           |           |               |             |
| PROC. REF: AMM 32-11-00-900-801  |         |           |           |                        |                           |           |               |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj.               | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |
|---|---------|-----------|----------|------------------------|---------------------------|-----------|-----------|------------------|
| <b>ATA 32 - LANDING GEAR</b>  |         |           |          |                        |                           |           |           |                  |
| 32-11-00-900-801-02 REMOVAL / INSTALLATION OF THE MLG LEGS - RH MLG LEG (R2GF)                                |         |           |          |                        |                           |           |           | Component ATA:32 |
| PN:D22802100-11-/-13-14   | MOS/MSC | 12-Nov-20 | H/T      | TSO 79                 |                           |           |           |                  |
| SN:U79  | HRS     | 9182.3    |          | TSN 9182.3, TSO 1150.3 |                           |           |           |                  |
| WC#: 32.030   | AFL     | 4405      |          | TSN 4405, TSO 440      |                           |           |           |                  |
| PROC. REF: AMM 32-11-00-900-801   |         |           |          |                        |                           |           |           |                  |
| 32-11-00-960-801-01 REPLACEMENT OF THE MLG LEGS (DISCARD OF LIFE LIMITED PARTS) - LH MLG LEG (L2GF)           |         |           |          |                        |                           |           |           | Service ATA:32   |
| PN:D22801100-11-/-13-14   | MOS     | 19-Jun-14 |          | TAC 145                |                           |           |           | LIFE LIMIT       |
| SN:U80  | HRS     | 8032      |          | TAC 3714               |                           |           |           |                  |
| WC#: 32.020   | AFL     | 3965      | 20000    | TAC 1969               | 21996                     |           | 17356     |                  |
| PROC. REF: AMM 32-11-00-960-801   |         |           |          |                        |                           |           |           |                  |
| 32-11-00-960-801-01A REPLACEMENT LH MAIN LANDING GEAR (MLG) LEG (DISCARD LIFE LIMITED PARTS) (MANDATORY 5-40) |         |           |          |                        |                           |           |           | Service ATA:32   |
| PN:D22801100-11-/-13-14   | MOS     | 19-Jun-14 |          | TAC 145                |                           |           |           | LIFE LIMIT       |
| SN:U80  | HRS     | 8032      |          | TAC 3714               |                           |           |           |                  |
| WC#: 32.020   | AFL     | 3965      | 20000    | TAC 1969               | 21996                     |           | 17356     |                  |
| PROC. REF: AMM 32-11-00-960-801   |         |           |          |                        |                           |           |           |                  |
| 32-11-00-960-801-02 REPLACEMENT OF THE MLG LEGS (DISCARD OF LIFE LIMITED PARTS) - RH MLG LEG (R2GF)           |         |           |          |                        |                           |           |           | Service ATA:32   |
| PN:D22802100-11-/-13-14   | MOS     | 19-Jun-14 |          | TAC 8032               |                           |           |           | LIFE LIMIT       |
| SN:U79  | HRS     | 8032      |          | TAC 8032               |                           |           |           |                  |
| WC#: 32.030   | AFL     | 3965      | 20000    | TAC 3965               | 20000                     |           | 15360     |                  |
| PROC. REF: AMM 32-11-00-960-801   |         |           |          |                        |                           |           |           |                  |
| 32-11-00-960-801-02A REPLACEMENT RH MAIN LANDING GEAR (MLG) LEG (DISCARD LIFE LIMITED PARTS) (MANDATORY 5-40) |         |           |          |                        |                           |           |           | Service ATA:32   |
| PN:D22802100-11-/-13-14   | MOS     | 19-Jun-14 |          | TAC 8032               |                           |           |           | LIFE LIMIT       |
| SN:U79  | HRS     | 8032      |          | TAC 8032               |                           |           |           |                  |
| WC#: 32.020   | AFL     | 3965      | 20000    | TAC 3965               | 20000                     |           | 15360     |                  |
| PROC. REF: AMM 32-11-00-960-801   |         |           |          |                        |                           |           |           |                  |
| 32-11-05-900-801-01 REMOVAL / INSTALLATION OF THE MLG SHOCK ABSORBERS - LH MLG SHOCK ABSORBER                 |         |           |          |                        |                           |           |           | Component ATA:32 |
| PN:D22805100-6  | MOS/MSC | 03-May-02 | O/C      | TSO 0, TSR 0           |                           |           |           |                  |
| SN:UNKNOWN  | HRS     | 4318      |          | TSO 0, TSR 0           |                           |           |           |                  |
| WC#: 32.020   | AFL     | 1996      |          | TSO 0, TSR 0           |                           |           |           |                  |
| PROC. REF: AMM 32-11-05-900-801   |         |           |          |                        |                           |           |           |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W  | Interval | TSX/Adj.               | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining     | Disposition |  |
|---------------------------------|---------|--|----------|------------------------|---------------------------|-----------|---------------|-------------|--|
| <b>ATA 32 - LANDING GEAR</b>    |         |  |          |                        |                           |           |               |             |  |
| 32-11-05-900-801-02             |         | REMOVAL / INSTALLATION OF THE MLG SHOCK ABSORBERS - RH MLG SHOCK ABSORBER                                  |          |                        |                           |           | Component     | ATA:32      |  |
| PN:D22806100-6                  | MOS/MSC | 30-Apr-02  | O/C      | TSO 0, TSR 0           |                           |           |               |             |  |
| SN:U80                          | HRS     | 4318   |          | TSN 4318, TSO 0, TSR 0 |                           |           |               |             |  |
| WC#: 32.030                     | AFL     | 1996   |          | TSN 1996, TSO 0, TSR 0 |                           |           |               |             |  |
| PROC. REF: AMM 32-11-05-900-801 |         |  |          |                        |                           |           |               |             |  |
| 32-11-21-900-801-01             |         | REMOVAL / INSTALLATION OF THE MLG BRACE STRUT ACTUATORS - LH MLG BRACE STRUT ACTUATOR (L12GA)              |          |                        |                           |           | Component     | ATA:32      |  |
| PN:D22791002                    | MOS/MSC | 23-Oct-89  | O/C      |                        |                           |           |               |             |  |
| SN:U73                          | HRS     | 0  |          | TSN 0                  |                           |           |               |             |  |
| WC#: 32.040                     | AFL     | 0  |          |                        |                           |           |               |             |  |
| PROC. REF: AMM 32-11-21-900-801 |         |  |          |                        |                           |           |               |             |  |
| 32-11-21-900-801-02             |         | REMOVAL / INSTALLATION OF THE MLG BRACE STRUT ACTUATORS - RH MLG BRACE STRUT ACTUATOR (R12GA)              |          |                        |                           |           | Component     | ATA:32      |  |
| PN:D22792002                    | MOS/MSC | 23-Oct-89  | O/C      |                        |                           |           |               |             |  |
| SN:U79                          | HRS     | 0  |          | TSN 0                  |                           |           |               |             |  |
| WC#: 32.040                     | AFL     | 0  |          |                        |                           |           |               |             |  |
| PROC. REF: AMM 32-11-21-900-801 |         |  |          |                        |                           |           |               |             |  |
| 32-11-25-220-801-01             |         | DETAILED INSPECTION OF MLG BALL-JOINT BEARINGS AND BEARING BORES - LH MLG FRONT BALL-JOINT BEARING (L90GA) |          |                        |                           |           | Service       | ATA:32      |  |
|                                 | MOS     | 12-Nov-20  | 72 (+8m) |                        | 12-Nov-26                 | 12-Jul-27 | 1087 d (+242) |             |  |
|                                 | HRS     | 9182.3   |          |                        |                           |           |               |             |  |
|                                 | AFL     | 4405   |          |                        |                           |           |               |             |  |
| PROC. REF: AMM 32-11-25-220-801 |         |  |          |                        |                           |           |               |             |  |
| 32-11-25-220-801-02             |         | DETAILED INSPECTION OF MLG BALL-JOINT BEARINGS AND BEARING BORES - LH MLG REAR BALL-JOINT BEARING (L100GA) |          |                        |                           |           | Service       | ATA:32      |  |
|                                 | MOS     | 12-Nov-20  | 72 (+8m) |                        | 12-Nov-26                 | 12-Jul-27 | 1087 d (+242) |             |  |
|                                 | HRS     | 9182.3   |          |                        |                           |           |               |             |  |
|                                 | AFL     | 4405   |          |                        |                           |           |               |             |  |
| PROC. REF: AMM 32-11-25-220-801 |         |  |          |                        |                           |           |               |             |  |
| 32-11-25-220-801-03             |         | DETAILED INSPECTION OF MLG BALL-JOINT BEARINGS AND BEARING BORES - RH MLG FRONT BALL-JOINT BEARING (R90GA) |          |                        |                           |           | Service       | ATA:32      |  |
|                                 | MOS     | 12-Nov-20  | 72 (+8m) |                        | 12-Nov-26                 | 12-Jul-27 | 1087 d (+242) |             |  |
|                                 | HRS     | 9182.3   |          |                        |                           |           |               |             |  |
|                                 | AFL     | 4405   |          |                        |                           |           |               |             |  |
| PROC. REF: AMM 32-11-25-220-801 |         |  |          |                        |                           |           |               |             |  |
| 32-11-25-220-801-04             |         | DETAILED INSPECTION OF MLG BALL-JOINT BEARINGS AND BEARING BORES - RH MLG REAR BALL-JOINT BEARING (R100GA) |          |                        |                           |           | Service       | ATA:32      |  |
|                                 | MOS     | 12-Nov-20  | 72 (+8m) |                        | 12-Nov-26                 | 12-Jul-27 | 1087 d (+242) |             |  |
|                                 | HRS     | 9182.3   |          |                        |                           |           |               |             |  |
|                                 | AFL     | 4405   |          |                        |                           |           |               |             |  |
| PROC. REF: AMM 32-11-25-220-801 |         |  |          |                        |                           |           |               |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition      |
|---|---------|-----------|----------|----------|---------------------------|-----------|-------------|------------------|
| <b>ATA 32 - LANDING GEAR</b>  |         |           |          |          |                           |           |             |                  |
| 32-12-17-900-801-01 REMOVAL / INSTALLATION OF THE MLG UPLOCK BOXES - LH MLG UPLOCK BOX (L7GA)                 |         |           |          |          |                           |           |             | Component ATA:32 |
| PN:C24244007-1  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |             |                  |
| SN:U263   | HRS     | 0         |          | TSN 0    |                           |           |             |                  |
| WC#: 32.050   | AFL     | 0         |          |          |                           |           |             |                  |
| PROC. REF: AMM 32-12-17-900-801   |         |           |          |          |                           |           |             |                  |
| 32-12-17-900-801-02 REMOVAL / INSTALLATION OF THE MLG UPLOCK BOXES - RH MLG UPLOCK BOX (R7GA)                 |         |           |          |          |                           |           |             | Component ATA:32 |
| PN:C24245007-1  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |             |                  |
| SN:U492   | HRS     | 0         |          | TSN 0    |                           |           |             |                  |
| WC#: 32.050   | AFL     | 0         |          |          |                           |           |             |                  |
| PROC. REF: AMM 32-12-17-900-801   |         |           |          |          |                           |           |             |                  |
| 32-12-25-900-801-01 REMOVAL / INSTALLATION OF THE MLG DOOR ACTUATORS - LH MLG MAIN DOOR ACTUATOR (L6GA)       |         |           |          |          |                           |           |             | Component ATA:32 |
| PN:VN1031-1   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |             |                  |
| SN:159  | HRS     | 0         |          | TSN 0    |                           |           |             |                  |
| WC#: 32.080   | AFL     | 0         |          |          |                           |           |             |                  |
| PROC. REF: AMM 32-12-25-900-801   |         |           |          |          |                           |           |             |                  |
| 32-12-25-900-801-02 REMOVAL / INSTALLATION OF THE MLG DOOR ACTUATORS - RH MLG MAIN DOOR ACTUATOR (R6GA)       |         |           |          |          |                           |           |             | Component ATA:32 |
| PN:VN1031-2   | MOS/MSC | 13-Aug-04 | O/C      | TSR 0    |                           |           |             |                  |
| SN:935  | HRS     | 5078      |          | TSR 0    |                           |           |             |                  |
| WC#: 32.080   | AFL     | 2382      |          | TSR 0    |                           |           |             |                  |
| PROC. REF: AMM 32-12-25-900-801   |         |           |          |          |                           |           |             |                  |
| 32-12-29-900-801-01 REMOVAL / INSTALLATION OF THE MLG DOOR UPLOCK BOXES - LH MLG MAIN DOOR UPLOCK BOX (L14GA) |         |           |          |          |                           |           |             | Component ATA:32 |
| PN:C24257002  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |             |                  |
| SN:U663   | HRS     | 0         |          | TSN 0    |                           |           |             |                  |
| WC#: 32.090   | AFL     | 0         |          |          |                           |           |             |                  |
| PROC. REF: AMM 32-12-29-900-801   |         |           |          |          |                           |           |             |                  |
| 32-12-29-900-801-02 REMOVAL / INSTALLATION OF THE MLG DOOR UPLOCK BOXES - RH MLG MAIN DOOR UPLOCK BOX (R14GA) |         |           |          |          |                           |           |             | Component ATA:32 |
| PN:C24257002  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |             |                  |
| SN:U664   | HRS     | 0         |          | TSN 0    |                           |           |             |                  |
| WC#: 32.090   | AFL     | 0         |          |          |                           |           |             |                  |
| PROC. REF: AMM 32-12-29-900-801   |         |           |          |          |                           |           |             |                  |
| 32-20-00-640-801-01 LUBRICATION OF THE NOSE LANDING GEAR (NLG) AND NLG DOORS - NLG LEG (3GF)                  |         |           |          |          |                           |           |             | Service ATA:32   |
|   | MOS     | 02-Nov-23 | 8 (+1m)  |          | 02-Jul-24                 | 02-Aug-24 | 224 d (+31) |                  |
|   | HRS     | 9831.2    |          |          |                           |           |             |                  |
| WC#: 32.100   | AFL     | 4640      | 400      |          | 5040                      |           | 400         |                  |
| PROC. REF: AMM 32-20-00-640-801   |         |           |          |          |                           |           |             |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval  | TSX/Adj.               | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining     | Disposition |
|---|---------|-----------|-----------|------------------------|---------------------------|-----------|---------------|-------------|
| <b>ATA 32 - LANDING GEAR</b>  |         |           |           |                        |                           |           |               |             |
| <b>32-21-00-220-801-01 DETAILED INSPECTION OF THE NLG LEG - NLG LEG (3GF) Service ATA:32</b>  |         |           |           |                        |                           |           |               |             |
| PN:D22811200-14-/-16-X-18-19-/-/-22   | MOS     | 12-Nov-20 | 72 (+8m)  |                        | 12-Nov-26                 | 12-Jul-27 | 1087 d (+242) |             |
| SN:U79  | HRS     | 9182.3    |           |                        |                           |           |               |             |
| WC#: 32.110   | AFL     | 4405      |           |                        |                           |           |               |             |
| PROC. REF: AMM 32-21-00-220-801   |         |           |           |                        |                           |           |               |             |
| <b>32-21-00-350-801-01 RESTORATION OF THE NLG LEG (OVERHAUL) - NLG LEG (3GF) Service ATA:32</b>   |         |           |           |                        |                           |           |               |             |
| PN:D22811200-14-/-16-X-18-19-/-/-22   | MOS     | 19-Jun-14 | 144 (+3%) |                        | 19-Jun-26                 | 28-Oct-26 | 941 d (+131)  | OVERHAUL    |
| SN:U79  | HRS     | 8032      |           |                        |                           |           |               |             |
|   | AFL     | 3965      | 6000      |                        | 9965                      |           | 5325          |             |
| PROC. REF: AMM 32-21-00-350-801   |         |           |           |                        |                           |           |               |             |
| <b>32-21-00-900-801-01 REMOVAL / INSTALLATION OF THE NLG LEG - NLG LEG (3GF) Component ATA:32</b>   |         |           |           |                        |                           |           |               |             |
| PN:D22811200-14-/-16-X-18-19-/-/-22   | MOS/MSC | 12-Nov-20 | H/T       | TSO 79                 |                           |           |               |             |
| SN:U79  | HRS     | 9182.3    |           | TSN 9182.3, TSO 1150.3 |                           |           |               |             |
| WC#: 32.110   | AFL     | 4405      |           | TSN 4405, TSO 440      |                           |           |               |             |
| PROC. REF: AMM 32-21-00-900-801   |         |           |           |                        |                           |           |               |             |
| <b>32-21-00-960-801-01 REPLACEMENT OF THE NLG LEG (DISCARD OF LIFE LIMITED PARTS) - NLG LEG (3GF) Service ATA:32</b>                                    |         |           |           |                        |                           |           |               |             |
| PN:D22811200-14-/-16-X-18-19-/-/-22   | MOS     | 19-Jun-14 |           |                        |                           |           |               | LIFE LIMIT  |
| SN:U79  | HRS     | 8032      |           | TAC 8032               |                           |           |               |             |
| WC#: 32.110   | AFL     | 3965      | 20000     | TAC 3965               | 20000                     |           | 15360         |             |
| PROC. REF: AMM 32-21-00-960-801   |         |           |           |                        |                           |           |               |             |
| <b>32-21-00-960-801-01A REPLACEMENT NOSE LANDING GEAR (NLG) LEG (DISCARD LIFE LIMITED PARTS) (MANDATORY 5-40) Service ATA:32</b>                        |         |           |           |                        |                           |           |               |             |
| PN:D22811200-14-/-16-X-18-19-/-/-22   | MOS     | 19-Jun-14 |           |                        |                           |           |               | LIFE LIMIT  |
| SN:U79  | HRS     | 8032      |           | TAC 8032               |                           |           |               |             |
|   | AFL     | 3965      | 20000     | TAC 3965               | 20000                     |           | 15360         |             |
| PROC. REF: AMM 32-21-00-960-801   |         |           |           |                        |                           |           |               |             |
| <b>32-21-01-780-802-01 CHECK OF THE CHARGING PRESSURE OF THE NLG SHOCK ABSORBER BY APPLYING A ROTATIONAL TORQUE - NLG SHOCK ABSORBER Service ATA:32</b> |         |           |           |                        |                           |           |               |             |
|   | MOS/MSC | 20-Jun-12 | O/C       |                        |                           |           |               |             |
|   | HRS     | 7663.6    |           |                        |                           |           |               |             |
|   | AFL     | 3809      |           |                        |                           |           |               |             |
| PROC. REF: AMM 32-21-01-780-802   |         |           |           |                        |                           |           |               |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval  | TSX/Adj.     | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining     | Disposition |
|--|---------|-----------|-----------|--------------|---------------------------|-----------|---------------|-------------|
| <b>ATA 32 - LANDING GEAR</b>   |         |           |           |              |                           |           |               |             |
| <b>32-21-01-900-801-01 REMOVAL / INSTALLATION OF THE NLG SHOCK ABSORBER - NLG SHOCK ABSORBER (3GF5) Component ATA:32</b>   |         |           |           |              |                           |           |               |             |
| PN:D22813200-8   | MOS/MSC | 29-Apr-02 | O/C       | TSO 0, TSR 0 |                           |           |               |             |
| SN:U81   | HRS     | 4318      |           | TSO 0, TSR 0 |                           |           |               |             |
| WC#: 32.110  | AFL     | 1996      |           | TSO 0, TSR 0 |                           |           |               |             |
| PROC. REF: AMM 32-21-01-900-801  |         |           |           |              |                           |           |               |             |
| <b>32-21-09-220-801-01 DETAILED INSPECTION OF THE NLG LEG AND NLG DRAG BRACE BALL-JOINT BEARINGS AND BEARING BORES - LH NLG DRAG BRACE BALL-JOINT BEARING Service ATA:32</b> |         |           |           |              |                           |           |               |             |
|  | MOS     | 12-Nov-20 | 72 (+8m)  |              | 12-Nov-26                 | 12-Jul-27 | 1087 d (+242) |             |
|  | HRS     | 9182.3    |           |              |                           |           |               |             |
| WC#: 32.135  | AFL     | 4405      |           |              |                           |           |               |             |
| PROC. REF: AMM 32-21-09-220-801  |         |           |           |              |                           |           |               |             |
| <b>32-21-09-220-801-02 DETAILED INSPECTION OF THE NLG LEG AND NLG DRAG BRACE BALL-JOINT BEARINGS AND BEARING BORES - RH NLG DRAG BRACE BALL-JOINT BEARING Service ATA:32</b> |         |           |           |              |                           |           |               |             |
|  | MOS     | 12-Nov-20 | 72 (+8m)  |              | 12-Nov-26                 | 12-Jul-27 | 1087 d (+242) |             |
|  | HRS     | 9182.3    |           |              |                           |           |               |             |
|  | AFL     | 4405      |           |              |                           |           |               |             |
| PROC. REF: AMM 32-21-09-220-801  |         |           |           |              |                           |           |               |             |
| <b>32-21-09-220-801-03 DETAILED INSPECTION OF THE NLG LEG AND NLG DRAG BRACE BALL-JOINT BEARINGS AND BEARING BORES - LH NLG LEG BALL-JOINT BEARING Service ATA:32</b>        |         |           |           |              |                           |           |               |             |
|  | MOS     | 12-Nov-20 | 72 (+8m)  |              | 12-Nov-26                 | 12-Jul-27 | 1087 d (+242) |             |
|  | HRS     | 9182.3    |           |              |                           |           |               |             |
|  | AFL     | 4405      |           |              |                           |           |               |             |
| PROC. REF: AMM 32-21-09-220-801  |         |           |           |              |                           |           |               |             |
| <b>32-21-09-220-801-04 DETAILED INSPECTION OF THE NLG LEG AND NLG DRAG BRACE BALL-JOINT BEARINGS AND BEARING BORES - RH NLG LEG BALL-JOINT BEARING Service ATA:32</b>        |         |           |           |              |                           |           |               |             |
|  | MOS     | 12-Nov-20 | 72 (+8m)  |              | 12-Nov-26                 | 12-Jul-27 | 1087 d (+242) |             |
|  | HRS     | 9182.3    |           |              |                           |           |               |             |
|  | AFL     | 4405      |           |              |                           |           |               |             |
| PROC. REF: AMM 32-21-09-220-801  |         |           |           |              |                           |           |               |             |
| <b>32-22-01-350-801-01 RESTORATION OF THE NLG DRAG BRACE YOKE ASSY (OVERHAUL) - NLG DRAG BRACE (11GA) Service ATA:32</b>   |         |           |           |              |                           |           |               |             |
| PN:GA62269   | MOS     | 19-Jun-14 | 144 (+3%) |              | 19-Jun-26                 | 28-Oct-26 | 941 d (+131)  |             |
| SN:438MNR  | HRS     | 8032      |           |              |                           |           |               |             |
| WC#: 32.120  | AFL     | 3965      | 6000      |              | 9965                      |           | 5325          |             |
| PROC. REF: AMM 32-22-01-350-801  |         |           |           |              |                           |           |               |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|----------------------------------|---------|---|------------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 32 - LANDING GEAR</b>     |         |   |            |          |                           |           |           |             |  |
| 32-22-01-900-801-01              |         | REMOVAL / INSTALLATION OF THE NLG DRAG BRACE - NLG DRAG BRACE (11GA)  |            |          |                           |           | Component | ATA:32      |  |
| PN:D22796001-1                   | MOS/MSC | 12-Nov-20   | O/C        |          |                           |           |           |             |  |
| SN:U91                           | HRS     | 9182.3  |            |          |                           |           |           |             |  |
| WC#: 32.120                      | AFL     | 4405  |            |          |                           |           |           |             |  |
| PROC. REF: AMM 32-22-01-900-801  |         |   |            |          |                           |           |           |             |  |
| 32-22-13-900-801-01              |         | REMOVAL / INSTALLATION OF THE NLG ACTUATOR - NLG LEG ACTUATOR (500GA)                                       |            |          |                           |           | Component | ATA:32      |  |
| PN:D22795001                     | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |  |
| SN:U79                           | HRS     | 0   |            | TSN 0    |                           |           |           |             |  |
| WC#: 32.130                      | AFL     | 0   |            |          |                           |           |           |             |  |
| PROC. REF: AMM 32-22-13-900-801  |         |   |            |          |                           |           |           |             |  |
| 32-22-17-900-801-01              |         | REMOVAL / INSTALLATION OF THE NLG UPLOCK BOX - NLG UPLOCK BOX (13GA)  |            |          |                           |           | Component | ATA:32      |  |
| PN:C24245006-1                   | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |  |
| SN:U472                          | HRS     | 0   |            | TSN 0    |                           |           |           |             |  |
| WC#: 32.130                      | AFL     | 0   |            |          |                           |           |           |             |  |
| PROC. REF: AMM 32-22-17-900-801  |         |   |            |          |                           |           |           |             |  |
| 32-30-00-720-801-01 <sup>S</sup> |         | FUNCTIONAL TEST OF EXTENSION AND RETRACTION OF LANDING GEARS AND DOORS - NORMAL OPERATION                   |            |          |                           |           | Service   | ATA:32      |  |
|                                  | MOS     | 17-Apr-16   |            |          |                           |           |           |             |  |
|                                  | HRS     | 8447.8  | 1600 (+40) |          |                           |           |           |             |  |
| WC#: 32.160                      | AFL     | 4114  |            |          |                           |           |           |             |  |
| PROC. REF: AMM 32-30-00-720-801  |         |   |            |          |                           |           |           |             |  |
| PKG:21                           |         |   |            |          |                           |           |           |             |  |
| 32-30-00-720-801-02 <sup>S</sup> |         | FUNCTIONAL TEST OF EXTENSION AND RETRACTION OF LANDING GEARS AND DOORS - HYDRAULIC EMERGENCY OPERATION      |            |          |                           |           | Service   | ATA:32      |  |
|                                  | MOS     | 17-Apr-16   |            |          |                           |           |           |             |  |
|                                  | HRS     | 8447.8  | 1600 (+40) |          |                           |           |           |             |  |
|                                  | AFL     | 4114  |            |          |                           |           |           |             |  |
| PROC. REF: AMM 32-30-00-720-801  |         |   |            |          |                           |           |           |             |  |
| PKG:21                           |         |   |            |          |                           |           |           |             |  |
| 32-30-00-720-801-03 <sup>S</sup> |         | FUNCTIONAL TEST OF EXTENSION AND RETRACTION OF LANDING GEARS AND DOORS - MECHANICAL EMERGENCY OPERATION     |            |          |                           |           | Service   | ATA:32      |  |
|                                  | MOS     | 17-Apr-16   |            |          |                           |           |           |             |  |
|                                  | HRS     | 8447.8  | 1600 (+40) |          |                           |           |           |             |  |
|                                  | AFL     | 4114  |            |          |                           |           |           |             |  |
| PROC. REF: AMM 32-30-00-720-801  |         |   |            |          |                           |           |           |             |  |
| PKG:21                           |         |   |            |          |                           |           |           |             |  |
| 32-30-13-900-801-01              |         | REMOVAL / INSTALLATION OF THE NORMAL / EMERGENCY SELECTOR VALVE - L/G NORMAL/EMERGENCY SELECTOR VALVE (3GA) |            |          |                           |           | Component | ATA:32      |  |
| PN:B94B09-202-1                  | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |  |
| SN:UNKNOWN                       | HRS     | 0   |            | TSN 0    |                           |           |           |             |  |
| WC#: 32.240                      | AFL     | 0   |            |          |                           |           |           |             |  |
| PROC. REF: AMM 32-30-13-900-801  |         |   |            |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|------------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 32 - LANDING GEAR</b>     |  |           |            |          |                           |           |           |             |        |
| 32-31-00-700-801-01 <sup>S</sup> | CHECK OF THE LANDING GEAR RETRACTION INHIBITION ON THE GROUND  |           |            |          |                           |           |           | Service     | ATA:32 |
|                                  | MOS  | 17-Apr-16 |            |          |                           |           |           |             |        |
|                                  | HRS  | 8447.8    | 1600 (+40) |          |                           |           |           |             |        |
| WC#: 32.190                      | AFL  | 4114      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 32-31-00-700-801  |           |            |          |                           |           |           | PKG:21      |        |
| 32-32-00-640-801-01 <sup>S</sup> | SERVICING OF THE LANDING GEAR MECHANICAL EMERGENCY RELEASE CONTROL - LUBRICATION OF THE NLG CONTROL                                |           |            |          |                           |           |           | Service     | ATA:32 |
|                                  | MOS  | 16-Nov-22 | 24 (+1m)   |          |                           |           |           |             |        |
|                                  | HRS  | 9596.5    |            |          |                           |           |           |             |        |
| WC#: 32.180                      | AFL  | 4562      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 32-32-00-640-801  |           |            |          |                           |           |           | PKG:16      |        |
| 32-32-00-640-801-02 <sup>S</sup> | SERVICING OF THE LANDING GEAR MECHANICAL EMERGENCY RELEASE CONTROL - CHECK OF THE NLG CONTROL ACTUATION FORCE                      |           |            |          |                           |           |           | Service     | ATA:32 |
|                                  | MOS  | 16-Nov-22 | 24 (+1m)   |          |                           |           |           |             |        |
|                                  | HRS  | 9596.5    |            |          |                           |           |           |             |        |
|                                  | AFL  | 4562      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 32-32-00-640-801  |           |            |          |                           |           |           | PKG:16      |        |
| 32-32-00-640-801-03 <sup>S</sup> | SERVICING OF THE LANDING GEAR MECHANICAL EMERGENCY RELEASE CONTROL - LUBRICATION OF THE MLG CONTROLS                               |           |            |          |                           |           |           | Service     | ATA:32 |
|                                  | MOS  | 16-Nov-22 | 24 (+1m)   |          |                           |           |           |             |        |
|                                  | HRS  | 9596.5    |            |          |                           |           |           |             |        |
|                                  | AFL  | 4562      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 32-32-00-640-801  |           |            |          |                           |           |           | PKG:16      |        |
| 32-32-00-640-801-04 <sup>S</sup> | SERVICING OF THE LANDING GEAR MECHANICAL EMERGENCY RELEASE CONTROL - CHECK OF THE MLG CONTROL ACTUATION FORCE                      |           |            |          |                           |           |           | Service     | ATA:32 |
|                                  | MOS  | 16-Nov-22 | 24 (+1m)   |          |                           |           |           |             |        |
|                                  | HRS  | 9596.5    |            |          |                           |           |           |             |        |
|                                  | AFL  | 4562      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 32-32-00-640-801  |           |            |          |                           |           |           | PKG:16      |        |
| 32-32-00-700-801-01              | CHECK AFTER LANDING GEAR EMERGENCY EXTENSION   |           |            |          |                           |           |           | Service     | ATA:32 |
|                                  | MOS/MS   | 23-Oct-89 | A/R        |          |                           |           |           |             |        |
|                                  | HRS  | 0         |            |          |                           |           |           |             |        |
| WC#: 32.830                      | AFL  | 0         |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 32-32-00-700-801  |           |            |          |                           |           |           |             |        |
| 32-32-17-640-801-01 <sup>S</sup> | SERVICING OF THE LANDING GEAR HYDRAULIC EMERGENCY EXTENSION CONTROL - LUBRICATION OF THE L/G HYDRAULIC EMERGENCY EXTENSION CONTROL |           |            |          |                           |           |           | Service     | ATA:32 |
|                                  | MOS  | 16-Nov-22 | 24 (+1m)   |          |                           |           |           |             |        |
|                                  | HRS  | 9596.5    |            |          |                           |           |           |             |        |
| WC#: 32.170                      | AFL  | 4562      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 32-32-17-640-801  |           |            |          |                           |           |           | PKG:16      |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C       | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|------------|----------|---------------------------------|-----------|-----------|-------------|--------|
| <b>ATA 32 - LANDING GEAR</b>     |  |           |            |          |                                 |           |           |             |        |
| 32-32-17-640-801-02 <sup>S</sup> | SERVICING OF THE LANDING GEAR HYDRAULIC EMERGENCY EXTENSION CONTROL - CHECK OF CONTROL ACTUATION LOADS   |           |            |          |                                 |           |           | Service     | ATA:32 |
|                                  | MOS  | 16-Nov-22 | 24 (+1m)   |          |                                 |           |           |             |        |
|                                  | HRS  | 9596.5    |            |          |                                 |           |           |             |        |
|                                  | AFL  | 4562      |            |          |                                 |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 32-32-17-640-801 |           |           | PKG:16      |        |
| 32-32-17-900-801-01              | REMOVAL / INSTALLATION OF THE LANDING GEAR HYDRAULIC EMERGENCY EXTENSION CONTROL CABLE - L/G HYDRAULIC EMERGENCY EXTENSION CONTROL CABLE (504GA) |           |            |          |                                 |           |           | Component   | ATA:32 |
| PN:PN                            | MOS/MSC  | 23-Oct-89 | O/C        |          | TSN 0                           |           |           |             |        |
| SN:UNKNOWN                       | HRS  | 0         |            |          | TSN 0                           |           |           |             |        |
|                                  | AFL  | 0         |            |          | TSN 0                           |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 32-32-17-900-801 |           |           |             |        |
| 32-40-00-780-801-01 <sup>S</sup> | CHECK OF BRAKING PRESSURES - NORMAL BRAKING SYSTEM   |           |            |          |                                 |           |           | Service     | ATA:32 |
|                                  | MOS  | 15-Apr-16 |            |          |                                 |           |           |             |        |
|                                  | HRS  | 8447.8    | 3200 (+40) |          |                                 |           |           |             |        |
|                                  | AFL  | 4114      |            |          |                                 |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 32-40-00-780-801 |           |           | PKG:22      |        |
| 32-40-00-780-801-02 <sup>S</sup> | CHECK OF BRAKING PRESSURES - EMERGENCY BRAKING SYSTEM  |           |            |          |                                 |           |           | Service     | ATA:32 |
|                                  | MOS  | 15-Apr-16 |            |          |                                 |           |           |             |        |
|                                  | HRS  | 8447.8    | 3200 (+40) |          |                                 |           |           |             |        |
|                                  | AFL  | 4114      |            |          |                                 |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 32-40-00-780-801 |           |           | PKG:22      |        |
| 32-41-00-710-802-01              | OPERATIONAL TEST OF THE BLOCKED WHEEL DETECTION - LH MLG OUTBOARD WHEEL  |           |            |          |                                 |           |           | Service     | ATA:32 |
|                                  | MOS/MSC  | 23-Oct-89 | O/C        |          |                                 |           |           |             |        |
|                                  | HRS  | 0         |            |          |                                 |           |           |             |        |
|                                  | AFL  | 0         |            |          |                                 |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 32-41-00-710-802 |           |           |             |        |
| 32-41-00-710-802-02              | OPERATIONAL TEST OF THE BLOCKED WHEEL DETECTION - LH MLG INBOARD WHEEL   |           |            |          |                                 |           |           | Service     | ATA:32 |
|                                  | MOS/MSC  | 23-Oct-89 | O/C        |          |                                 |           |           |             |        |
|                                  | HRS  | 0         |            |          |                                 |           |           |             |        |
|                                  | AFL  | 0         |            |          |                                 |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 32-41-00-710-802 |           |           |             |        |
| 32-41-00-710-802-03              | OPERATIONAL TEST OF THE BLOCKED WHEEL DETECTION - RH MLG OUTBOARD WHEEL  |           |            |          |                                 |           |           | Service     | ATA:32 |
|                                  | MOS/MSC  | 23-Oct-89 | O/C        |          |                                 |           |           |             |        |
|                                  | HRS  | 0         |            |          |                                 |           |           |             |        |
|                                  | AFL  | 0         |            |          |                                 |           |           |             |        |
|                                  |  |           |            |          | PROC. REF: AMM 32-41-00-710-802 |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|---|-----------|------------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 32 - LANDING GEAR            |   |           |            |          |                           |           |           |             |        |
| 32-41-00-710-802-04              | OPERATIONAL TEST OF THE BLOCKED WHEEL DETECTION - RH MLG INBOARD WHEEL  |           |            |          |                           |           |           | Service     | ATA:32 |
|                                  | MOS/MSC   | 23-Oct-89 | O/C        |          |                           |           |           |             |        |
|                                  | HRS   | 0         |            |          |                           |           |           |             |        |
|                                  | AFL   | 0         |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 32-41-00-710-802   |           |            |          |                           |           |           |             |        |
| 32-41-07-610-801-01 <sup>S</sup> | SERVICING OF THE PEDAL INTERCONNECTION FLEXIBLE CONTROLS - SERVICING  |           |            |          |                           |           |           | Service     | ATA:32 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m)   |          |                           |           |           |             |        |
|                                  | HRS   | 9182.3    |            |          |                           |           |           |             |        |
| WC#: 32.415                      | AFL   | 4405      | 3750       |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 32-41-07-610-801   |           |            |          |                           |           |           |             |        |
|                                  | PKG:31  |           |            |          |                           |           |           |             |        |
| 32-41-07-610-801-02 <sup>S</sup> | SERVICING OF THE PEDAL INTERCONNECTION FLEXIBLE CONTROLS - MEASUREMENT OF SLIDING FORCES                              |           |            |          |                           |           |           | Service     | ATA:32 |
|                                  | MOS   | 16-Nov-22 | 24 (+1m)   |          |                           |           |           |             |        |
|                                  | HRS   | 9596.5    |            |          |                           |           |           |             |        |
| WC#: 32.415                      | AFL   | 4562      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 32-41-07-610-801   |           |            |          |                           |           |           |             |        |
|                                  | PKG:16  |           |            |          |                           |           |           |             |        |
| 32-41-37-960-801-01 <sup>S</sup> | REPLACEMENT OF THE FILTER ELEMENTS OF BRAKING SYSTEM FILTERS - LH MLG BRAKE FILTER (L580GC)                           |           |            |          |                           |           |           | Service     | ATA:32 |
|                                  | MOS   | 13-Apr-16 |            |          |                           |           |           |             |        |
|                                  | HRS   | 8447.8    | 1600 (+40) |          |                           |           |           |             |        |
| WC#: 32.590                      | AFL   | 4114      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 32-41-37-960-801   |           |            |          |                           |           |           |             |        |
|                                  | PKG:21  |           |            |          |                           |           |           |             |        |
| 32-41-37-960-801-02 <sup>S</sup> | REPLACEMENT OF THE FILTER ELEMENTS OF BRAKING SYSTEM FILTERS - RH MLG BRAKE FILTER (R580GC)                           |           |            |          |                           |           |           | Service     | ATA:32 |
|                                  | MOS   | 13-Apr-16 |            |          |                           |           |           |             |        |
|                                  | HRS   | 8447.8    | 1600 (+40) |          |                           |           |           |             |        |
| WC#: 32.590                      | AFL   | 4114      |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 32-41-37-960-801   |           |            |          |                           |           |           |             |        |
|                                  | PKG:21  |           |            |          |                           |           |           |             |        |
| 32-41-37-960-801-03              | REPLACEMENT OF THE FILTER ELEMENTS OF BRAKING SYSTEM FILTERS - UPSTREAM FILTER OF PARK BRAKE SELECTOR VALVE (900GC)   |           |            |          |                           |           |           | Service     | ATA:32 |
|                                  | DAYS/MSC  |           | N/A        |          |                           |           |           |             |        |
|                                  | HRS   | 0         |            |          |                           |           |           |             |        |
|                                  | AFL   | 0         |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 32-41-37-960-801   |           |            |          |                           |           |           |             |        |
| 32-41-37-960-801-04              | REPLACEMENT OF THE FILTER ELEMENTS OF BRAKING SYSTEM FILTERS - DOWNSTREAM FILTER OF PARK BRAKE SELECTOR VALVE (901GC) |           |            |          |                           |           |           | Service     | ATA:32 |
|                                  | DAYS/MSC  |           | N/A        |          |                           |           |           |             |        |
|                                  | HRS   | 0         |            |          |                           |           |           |             |        |
|                                  | AFL   | 0         |            |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 32-41-37-960-801   |           |            |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|---------------------------------|---------|---|----------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 32 - LANDING GEAR</b>    |         |   |          |          |                           |           |           |             |  |
| 32-41-45-900-801-01             |         | REMOVAL / INSTALLATION OF THE ANTI-SKID CONTROL UNIT - ANTISKID CONTROL UNIT (2GC)                                  |          |          |                           |           | Component | ATA:32      |  |
| PN:C20188102                    | MOS/MSC | 03-Jun-10   | O/C      |          |                           |           |           |             |  |
| SN:M120                         | HRS     | 6874.7  |          |          |                           |           |           |             |  |
| WC#: 32.610                     | AFL     | 3388  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 32-41-45-900-801 |         |   |          |          |                           |           |           |             |  |
| 32-41-49-900-802-01             |         | REMOVAL / INSTALLATION OF THE NLG WHEEL TACHOMETER GENERATORS - LH NLG WHEEL TACHOMETER GENERATOR (L575GC)          |          |          |                           |           | Component | ATA:32      |  |
| PN:C20260000-1                  | MOS/MSC | 23-Mar-10   | O/C      | TSN 0    |                           |           |           |             |  |
| SN:2629                         | HRS     | 6797.5  |          | TSN 0    |                           |           |           |             |  |
| WC#: 32.620                     | AFL     | 3338  |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 32-41-49-900-802 |         |   |          |          |                           |           |           |             |  |
| 32-41-49-900-802-02             |         | REMOVAL / INSTALLATION OF THE NLG WHEEL TACHOMETER GENERATORS - RH NLG WHEEL TACHOMETER GENERATOR (R575GC)          |          |          |                           |           | Component | ATA:32      |  |
| PN:C20260000                    | MOS/MSC | 03-Nov-97   | O/C      |          |                           |           |           |             |  |
| SN:2462                         | HRS     |   |          |          |                           |           |           |             |  |
| WC#: 32.620                     | AFL     |   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 32-41-49-900-802 |         |   |          |          |                           |           |           |             |  |
| 32-41-49-900-803-01             |         | REMOVAL / INSTALLATION OF THE MLG WHEEL TACHOMETER GENERATORS - LH MLG OUTBOARD WHEEL TACHOMETER GENERATOR (L560GC) |          |          |                           |           | Component | ATA:32      |  |
| PN:00-200-1021                  | MOS/MSC | 31-Oct-91   | O/C      |          |                           |           |           |             |  |
| SN:3330                         | HRS     | 1244  |          | TSN 1244 |                           |           |           |             |  |
| WC#: 32.630                     | AFL     | 545   |          | TSN 545  |                           |           |           |             |  |
| PROC. REF: AMM 32-41-49-900-803 |         |   |          |          |                           |           |           |             |  |
| 32-41-49-900-803-02             |         | REMOVAL / INSTALLATION OF THE MLG WHEEL TACHOMETER GENERATORS - LH MLG INBOARD WHEEL TACHOMETER GENERATOR (L555GC)  |          |          |                           |           | Component | ATA:32      |  |
| PN:C20260000                    | MOS/MSC | 17-Feb-98   | O/C      | TSN 0    |                           |           |           |             |  |
| SN:3170                         | HRS     | 3549.1  |          | TSN 0    |                           |           |           |             |  |
| WC#: 32.630                     | AFL     | 1576  |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 32-41-49-900-803 |         |   |          |          |                           |           |           |             |  |
| 32-41-49-900-803-03             |         | REMOVAL / INSTALLATION OF THE MLG WHEEL TACHOMETER GENERATORS - RH MLG INBOARD WHEEL TACHOMETER GENERATOR (R555GC)  |          |          |                           |           | Component | ATA:32      |  |
| PN:00-200-1021                  | MOS/MSC | 31-Oct-91   | O/C      |          |                           |           |           |             |  |
| SN:3505                         | HRS     | 1244  |          |          |                           |           |           |             |  |
| WC#: 32.640                     | AFL     | 545   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 32-41-49-900-803 |         |   |          |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|----------------------------------|---|-----------|------------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 32 - LANDING GEAR</b>     |   |           |            |          |                           |           |           |             |
| 32-41-49-900-803-04              | REMOVAL / INSTALLATION OF THE MLG WHEEL TACHOMETER GENERATORS - RH MLG OUTBOARD WHEEL TACHOMETER GENERATOR (R560GC) |           |            |          |                           |           | Component | ATA:32      |
| PN:00-200-1021                   | MOS/MSC   | 23-Oct-89 | O/C        |          |                           |           |           |             |
| SN:3332                          | HRS   | 0         |            | TSN 0    |                           |           |           |             |
| WC#: 32.640                      | AFL   | 0         |            |          |                           |           |           |             |
| PROC. REF: AMM 32-41-49-900-803  |   |           |            |          |                           |           |           |             |
| 32-41-57-900-801-01              | REMOVAL / INSTALLATION OF THE BRAKE SERVOVALVES - LH MLG BRAKE SERVOVALVE (L5GC)                                    |           |            |          |                           |           | Component | ATA:32      |
| PN:C20103300                     | MOS/MSC   | 07-Jan-10 | O/C        |          |                           |           |           |             |
| SN:188                           | HRS   | 6732.8    |            |          |                           |           |           |             |
| WC#: 32.550                      | AFL   | 3298      |            |          |                           |           |           |             |
| PROC. REF: AMM 32-41-57-900-801  |   |           |            |          |                           |           |           |             |
| 32-41-57-900-801-02              | REMOVAL / INSTALLATION OF THE BRAKE SERVOVALVES - RH MLG BRAKE SERVOVALVE (R5GC)                                    |           |            |          |                           |           | Component | ATA:32      |
| PN:C20103300                     | MOS/MSC   | 07-Jan-10 | O/C        |          |                           |           |           |             |
| SN:187                           | HRS   | 6732.8    |            |          |                           |           |           |             |
| WC#: 32.550                      | AFL   | 3298      |            |          |                           |           |           |             |
| PROC. REF: AMM 32-41-57-900-801  |   |           |            |          |                           |           |           |             |
| 32-42-00-610-801-01              | SERVICING OF THE PARK BRAKE CONTROL - SERVICING OF THE PARK BRAKE CONTROL CABLE (511GC)                             |           |            |          |                           |           | Service   | ATA:32      |
|                                  | MOS/MSC   | 30-Jan-18 | O/C        |          |                           |           |           |             |
|                                  | HRS   | 8722.5    |            |          |                           |           |           |             |
| WC#: 32.420                      | AFL   | 4222      |            |          |                           |           |           |             |
| PROC. REF: AMM 32-42-00-610-801  |   |           |            |          |                           |           |           |             |
| 32-42-00-720-801-01 <sup>S</sup> | FUNCTIONAL TEST OF THE PARK BRAKE SYSTEM - PARK BRAKE SYSTEM  |           |            |          |                           |           | Service   | ATA:32      |
|                                  | MOS   | 15-Apr-16 |            |          |                           |           |           |             |
|                                  | HRS   | 8447.8    | 3200 (+40) |          |                           |           |           |             |
|                                  | AFL   | 4114      |            |          |                           |           |           |             |
| PROC. REF: AMM 32-42-00-720-801  |   |           |            |          |                           |           |           |             |
| 32-42-01-900-801-01              | REMOVAL / INSTALLATION OF THE PARK BRAKE SELECTOR VALVE - PARK BRAKE SELECTOR VALVE (30GC)                          |           |            |          |                           |           | Component | ATA:32      |
| PN:70012-1                       | MOS/MSC   | 23-Oct-89 | O/C        |          |                           |           |           |             |
| SN:93                            | HRS   | 0         |            | TSN 0    |                           |           |           |             |
| WC#: 32.680                      | AFL   | 0         |            |          |                           |           |           |             |
| PROC. REF: AMM 32-42-01-900-801  |   |           |            |          |                           |           |           |             |
| 32-42-05-720-801-01              | FUNCTIONAL TEST OF THE PARK BRAKE ACCUMULATOR CAPACITY - PARK BRAKE ACCUMULATOR (520GC)                             |           |            |          |                           |           | Service   | ATA:32      |
|                                  | MOS/MSC   | 14-Dec-16 | O/C        |          |                           |           |           |             |
|                                  | HRS   | 8526      |            |          |                           |           |           |             |
| WC#: 32.690                      | AFL   | 4151      |            |          |                           |           |           |             |
| PROC. REF: GENERIC NO REF        |   |           |            |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|-----------|----------|---------------------------|-----------|-----------|-------------|
| ATA 32 - LANDING GEAR  |         |           |           |          |                           |           |           |             |
| 32-42-05-780-801-01 CHECK OF THE PARK BRAKE ACCUMULATOR PRESSURE Service ATA:32  |         |           |           |          |                           |           |           |             |
|  | MOS/MSC | 31-Jan-18 | O/C       |          |                           |           |           |             |
|  | HRS     | 8722.5    |           |          |                           |           |           |             |
|  | AFL     | 4222      |           |          |                           |           |           |             |
| PROC. REF: AMM 32-42-05-780-801  |         |           |           |          |                           |           |           |             |
| 32-42-05-780-801-02 <sup>S</sup> CHECK OF THE PARK BRAKE SYSTEM ACCUMULATOR PRESSURE - PARK BRAKE ACCUMULATOR (520GC) Service ATA:32 |         |           |           |          |                           |           |           |             |
|  | MOS     | 16-Nov-22 | 24        |          |                           |           |           |             |
|  | HRS     | 9596.5    | 1600      |          |                           |           |           |             |
|  | AFL     | 4562      |           |          |                           |           |           |             |
| PROC. REF: AMM 32-42-05-780-801  |         |           |           |          |                           |           |           |             |
| 32-42-05-900-801-01 REMOVAL / INSTALLATION OF THE PARK BRAKE SYSTEM ACCUMULATOR - PARK BRAKE ACCUMULATOR (520GC) Component ATA:32    |         |           |           |          |                           |           |           |             |
| PN:60833-2   | MOS/MSC | 23-Oct-89 | O/C       |          |                           |           |           |             |
| SN:332   | HRS     | 0         |           | TSN 0    |                           |           |           |             |
| WC#: 32.690  | AFL     | 0         |           |          |                           |           |           |             |
| PROC. REF: AMM 32-42-05-900-801  |         |           |           |          |                           |           |           |             |
| 32-42-17-900-801-01 REMOVAL/INSTALLATION OF PARK BRAKE PRESSURE SWITCH - PARK BRAKE PRESSURE SWITCH (13GW) Component ATA:32          |         |           |           |          |                           |           |           |             |
| PN:90G198-1  | MOS/MSC | 23-Oct-89 | O/C       |          |                           |           |           |             |
| SN:133   | HRS     | 0         |           | TSN 0    |                           |           |           |             |
| WC#: 32.700  | AFL     | 0         |           |          |                           |           |           |             |
| PROC. REF: AMM 32-42-17-900-801  |         |           |           |          |                           |           |           |             |
| 32-44-00-220-801-01 DETAILED INSPECTION OF THE MLG AND NLG WHEEL TIRES Service ATA:32  |         |           |           |          |                           |           |           |             |
|  | MOS/MSC | 20-May-21 | O/C       |          |                           |           |           |             |
|  | HRS     | 9227.5    |           |          |                           |           |           |             |
|  | AFL     | 4427      |           |          |                           |           |           |             |
| PROC. REF: AMM 32-44-00-220-801  |         |           |           |          |                           |           |           |             |
| 32-44-00-250-801-01 SPECIAL DETAILED INSPECTION OF THE WHEEL SUBASSEMBLIES - LH MLG OUTBOARD WHEEL (L540GC) Service ATA:32           |         |           |           |          |                           |           |           |             |
| PN:C20180410   | MOS     | 20-May-21 |           |          |                           |           |           |             |
| SN:02867/02984   | HRS     | 9227.5    |           |          |                           |           |           |             |
| WC#: 32.450  | AFL     | 4427      | 400 (+3%) |          | 4827                      | 4839      | 187 (+12) |             |
| PROC. REF: AMM 32-44-00-250-801  |         |           |           |          |                           |           |           |             |
| 32-44-00-250-801-02 SPECIAL DETAILED INSPECTION OF THE WHEEL SUBASSEMBLIES - LH MLG INBOARD WHEEL (L535GC) Service ATA:32            |         |           |           |          |                           |           |           |             |
| PN:C20180410   | MOS     | 20-May-21 |           |          |                           |           |           |             |
| SN:01711/01711   | HRS     | 9227.5    |           |          |                           |           |           |             |
| WC#: 32.460  | AFL     | 4427      | 400 (+3%) |          | 4827                      | 4839      | 187 (+12) |             |
| PROC. REF: AMM 32-44-00-250-801  |         |           |           |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W   | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |                  |
|---------------------------------|---------|---|-----------|----------|---------------------------|-----------|-----------|-------------|------------------|
| <b>ATA 32 - LANDING GEAR</b>    |         |   |           |          |                           |           |           |             |                  |
| 32-44-00-250-801-03             |         | SPECIAL DETAILED INSPECTION OF THE WHEEL SUBASSEMBLIES - RH MLG INBOARD WHEEL (R535GC)  |           |          |                           |           |           |             | Service ATA:32   |
| PN:C20180410                    | MOS     | 24-Jun-21   |           |          |                           |           |           |             |                  |
| SN:02509/02593                  | HRS     | 9243.8  |           |          |                           |           |           |             |                  |
| WC#: 32.470                     | AFL     | 4434  | 400 (+3%) |          | 4834                      | 4846      | 194 (+12) |             |                  |
| PROC. REF: AMM 32-44-00-250-801 |         |   |           |          |                           |           |           |             |                  |
| 32-44-00-250-801-04             |         | SPECIAL DETAILED INSPECTION OF THE WHEEL SUBASSEMBLIES - RH MLG OUTBOARD WHEEL (R540GC) |           |          |                           |           |           |             | Service ATA:32   |
| PN:C20180410                    | MOS     | 28-Jun-19   |           |          |                           |           |           |             |                  |
| SN:03151                        | HRS     | 8979.3  |           |          |                           |           |           |             |                  |
| WC#: 32.480                     | AFL     | 4322  | 400 (+3%) |          | 4722                      | 4734      | 82 (+12)  |             |                  |
| PROC. REF: AMM 32-44-00-250-801 |         |   |           |          |                           |           |           |             |                  |
| 32-44-00-250-801-05             |         | SPECIAL DETAILED INSPECTION OF THE WHEEL SUBASSEMBLIES - LH NLG WHEEL (L565GC)          |           |          |                           |           |           |             | Service ATA:32   |
| PN:C20182100                    | MOS     | 09-Oct-19   |           |          |                           |           |           |             |                  |
| SN:1345/1341                    | HRS     | 9069  |           |          |                           |           |           |             |                  |
| WC#: 32.490                     | AFL     | 4361  | 500 (+3%) |          | 4861                      | 4876      | 221 (+15) |             |                  |
| PROC. REF: AMM 32-44-00-250-801 |         |   |           |          |                           |           |           |             |                  |
| 32-44-00-250-801-06             |         | SPECIAL DETAILED INSPECTION OF THE WHEEL SUBASSEMBLIES - RH NLG WHEEL (R565GC)          |           |          |                           |           |           |             | Service ATA:32   |
| PN:C20182100                    | MOS     | 09-Oct-19   |           |          |                           |           |           |             |                  |
| SN:01279/01242                  | HRS     | 9069  |           |          |                           |           |           |             |                  |
| WC#: 32.500                     | AFL     | 4361  | 500 (+3%) |          | 4861                      | 4876      | 221 (+15) |             |                  |
| PROC. REF: AMM 32-44-00-250-801 |         |   |           |          |                           |           |           |             |                  |
| 32-44-00-780-801-01             |         | PRESSURE CHECK OF THE MLG AND NLG WHEEL TIRES   |           |          |                           |           |           |             | Service ATA:32   |
|                                 | MOS     | 16-Oct-23   | 2 (+5d)   | Adj -13d | 03-Dec-23                 | 08-Dec-23 | 12 d (+5) |             |                  |
|                                 | HRS     | 9831.2  |           |          |                           |           |           |             |                  |
|                                 | AFL     | 4640  |           |          |                           |           |           |             |                  |
| PROC. REF: AMM 32-44-00-780-801 |         |   |           |          |                           |           |           |             |                  |
| 32-44-01-900-801-01             |         | REMOVAL / INSTALLATION OF THE NLG WHEELS - LH NLG WHEEL (L565GC)                        |           |          |                           |           |           |             | Component ATA:32 |
| PN:C20182100                    | MOS/MSC | 09-Oct-19   | O/C       | TSO 12   |                           |           |           |             |                  |
| SN:1345/1341                    | HRS     | 9069  |           | TSO 0    |                           |           |           |             |                  |
| WC#: 32.490                     | AFL     | 4361  |           | TSO 0    |                           |           |           |             |                  |
| PROC. REF: AMM 32-44-01-900-801 |         |   |           |          |                           |           |           |             |                  |
| 32-44-01-900-801-02             |         | REMOVAL / INSTALLATION OF THE NLG WHEELS - RH NLG WHEEL (R565GC)                        |           |          |                           |           |           |             | Component ATA:32 |
| PN:C20182100                    | MOS/MSC | 09-Oct-19   | O/C       | TSO 25   |                           |           |           |             |                  |
| SN:01279/01242                  | HRS     | 9069  |           | TSO 0    |                           |           |           |             |                  |
| WC#: 32.500                     | AFL     | 4361  |           | TSO 0    |                           |           |           |             |                  |
| PROC. REF: AMM 32-44-01-900-801 |         |   |           |          |                           |           |           |             |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj.         | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |
|---|---------|-----------|----------|------------------|---------------------------|-----------|-----------|------------------|
| <b>ATA 32 - LANDING GEAR</b>  |         |           |          |                  |                           |           |           |                  |
| 32-44-05-900-801-01 REMOVAL / INSTALLATION OF THE NLG WHEEL TIRES - LH NLG TIRE (L570GC)          |         |           |          |                  |                           |           |           | Component ATA:32 |
| PN:M13301IND02  | MOS/MSC | 09-Oct-19 | O/C      | TSN 0            |                           |           |           |                  |
| SN:7128S177   | HRS     | 9069      |          | TSN 0            |                           |           |           |                  |
| WC#: 32.490   | AFL     | 4361      |          | TSN 0            |                           |           |           |                  |
| PROC. REF: AMM 32-44-05-900-801   |         |           |          |                  |                           |           |           |                  |
| 32-44-05-900-801-02 REMOVAL / INSTALLATION OF THE NLG WHEEL TIRES - RH NLG TIRE (R570GC)          |         |           |          |                  |                           |           |           | Component ATA:32 |
| PN:M13301IND02  | MOS/MSC | 09-Oct-19 | O/C      | TSN 0            |                           |           |           |                  |
| SN:5318S171   | HRS     | 9069      |          | TSN 0            |                           |           |           |                  |
| WC#: 32.500   | AFL     | 4361      |          | TSN 0            |                           |           |           |                  |
| PROC. REF: AMM 32-44-05-900-801   |         |           |          |                  |                           |           |           |                  |
| 32-44-09-900-801-01 REMOVAL / INSTALLATION OF THE MLG WHEELS - LH MLG OUTBOARD WHEEL (L540GC)     |         |           |          |                  |                           |           |           | Component ATA:32 |
| PN:C20180410  | MOS/MSC | 20-May-21 | O/C      | TSO 60, TSR 0    |                           |           |           |                  |
| SN:02867/02984  | HRS     | 9227.5    |          | TSO 769.9, TSR 0 |                           |           |           |                  |
| WC#: 32.450   | AFL     | 4427      |          | TSO 307, TSR 0   |                           |           |           |                  |
| PROC. REF: AMM 32-44-09-900-801   |         |           |          |                  |                           |           |           |                  |
| 32-44-09-900-801-02 REMOVAL / INSTALLATION OF THE MLG WHEELS - LH MLG INBOARD WHEEL (L535GC)      |         |           |          |                  |                           |           |           | Component ATA:32 |
| PN:C20180410  | MOS/MSC | 20-May-21 | O/C      | TSO 0            |                           |           |           |                  |
| SN:01711/01711  | HRS     | 9227.5    |          | TSO 0            |                           |           |           |                  |
| WC#: 32.460   | AFL     | 4427      |          | TSO 0            |                           |           |           |                  |
| PROC. REF: AMM 32-44-09-900-801   |         |           |          |                  |                           |           |           |                  |
| 32-44-09-900-801-03 REMOVAL / INSTALLATION OF THE MLG WHEELS - RH MLG INBOARD WHEEL (R535GC)      |         |           |          |                  |                           |           |           | Component ATA:32 |
| PN:C20180410  | MOS/MSC | 24-Jun-21 | O/C      | TSO 0            |                           |           |           |                  |
| SN:02509/02593  | HRS     | 9243.8    |          | TSO 0            |                           |           |           |                  |
| WC#: 32.470   | AFL     | 4434      |          | TSO 0            |                           |           |           |                  |
| PROC. REF: AMM 32-44-09-900-801   |         |           |          |                  |                           |           |           |                  |
| 32-44-09-900-801-04 REMOVAL / INSTALLATION OF THE MLG WHEELS - RH MLG OUTBOARD WHEEL (R540GC)     |         |           |          |                  |                           |           |           | Component ATA:32 |
| PN:C20180410  | MOS/MSC | 28-Jun-19 | O/C      | TSR 0            |                           |           |           |                  |
| SN:03151  | HRS     | 8979.3    |          | TSR 0            |                           |           |           |                  |
| WC#: 32.480   | AFL     | 4322      |          | TSR 0            |                           |           |           |                  |
| PROC. REF: AMM 32-44-09-900-801   |         |           |          |                  |                           |           |           |                  |
| 32-44-13-900-801-01 REMOVAL / INSTALLATION OF THE MLG WHEEL TIRES - LH MLG OUTBOARD TIRE (L550GC) |         |           |          |                  |                           |           |           | Component ATA:32 |
| PN:M06201   | MOS/MSC | 20-May-21 | O/C      | TSN 0            |                           |           |           |                  |
| SN:8045S158   | HRS     | 9227.5    |          | TSN 0            |                           |           |           |                  |
| WC#: 32.450   | AFL     | 4427      |          | TSN 0            |                           |           |           |                  |
| PROC. REF: AMM 32-44-13-900-801   |         |           |          |                  |                           |           |           |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |
|---|---------|-----------|----------|----------|---------------------------|-----------|-----------|------------------|
| <b>ATA 32 - LANDING GEAR</b>  |         |           |          |          |                           |           |           |                  |
| 32-44-13-900-801-02 REMOVAL / INSTALLATION OF THE MLG WHEEL TIRES - LH MLG INBOARD TIRE (L545GC)  |         |           |          |          |                           |           |           | Component ATA:32 |
| PN:M06201 IND 04  | MOS/MSC | 20-May-21 | O/C      | TSN 0    |                           |           |           |                  |
| SN:8043S178   | HRS     | 9227.5    |          | TSN 0    |                           |           |           |                  |
| WC#: 32.460   | AFL     | 4427      |          | TSN 0    |                           |           |           |                  |
| PROC. REF: AMM 32-44-13-900-801   |         |           |          |          |                           |           |           |                  |
| 32-44-13-900-801-03 REMOVAL / INSTALLATION OF THE MLG WHEEL TIRES - RH MLG INBOARD TIRE (R545GC)  |         |           |          |          |                           |           |           | Component ATA:32 |
| PN:M06201IND04  | MOS/MSC | 24-Jun-21 | O/C      | TSN 0    |                           |           |           |                  |
| SN:0293T023   | HRS     | 9243.8    |          | TSN 0    |                           |           |           |                  |
| WC#: 32.470   | AFL     | 4434      |          | TSN 0    |                           |           |           |                  |
| PROC. REF: AMM 32-44-13-900-801   |         |           |          |          |                           |           |           |                  |
| 32-44-13-900-801-04 REMOVAL / INSTALLATION OF THE MLG WHEEL TIRES - RH MLG OUTBOARD TIRE (R550GC) |         |           |          |          |                           |           |           | Component ATA:32 |
| PN:M02502   | MOS/MSC | 28-Jun-19 | O/C      |          |                           |           |           |                  |
| SN:5289S116   | HRS     | 8979.3    |          |          |                           |           |           |                  |
| WC#: 32.480   | AFL     | 4322      |          |          |                           |           |           |                  |
| PROC. REF: AMM 32-44-13-900-801   |         |           |          |          |                           |           |           |                  |
| 32-44-17-350-801-01 RESTORATION OF THE BRAKES (OVERHAUL) - LH MLG OUTBOARD BRAKE (L530GC)         |         |           |          |          |                           |           |           | Service ATA:32   |
| PN:C20181100-7  | MOS/MSC | 07-Jan-10 | A/R      |          |                           |           |           | OVERHAUL         |
| SN:U350   | HRS     | 6732.8    |          |          |                           |           |           |                  |
| WC#: 32.510   | AFL     | 3298      |          |          |                           |           |           |                  |
| PROC. REF: AMM 32-44-17-350-801   |         |           |          |          |                           |           |           |                  |
| 32-44-17-350-801-02 RESTORATION OF THE BRAKES (OVERHAUL) - LH MLG INBOARD BRAKE (L525GC)          |         |           |          |          |                           |           |           | Service ATA:32   |
| PN:C20181100-7  | MOS/MSC | 07-Jan-10 | A/R      |          |                           |           |           | OVERHAUL         |
| SN:U391   | HRS     | 6732.8    |          |          |                           |           |           |                  |
| WC#: 32.510   | AFL     | 3298      |          |          |                           |           |           |                  |
| PROC. REF: AMM 32-44-17-350-801   |         |           |          |          |                           |           |           |                  |
| 32-44-17-350-801-03 RESTORATION OF THE BRAKES (OVERHAUL) - RH MLG INBOARD BRAKE (R525GC)          |         |           |          |          |                           |           |           | Service ATA:32   |
| PN:C20181100-3-7  | MOS/MSC | 04-Aug-10 | A/R      |          |                           |           |           | OVERHAUL         |
| SN:U229   | HRS     | 6894.3    |          |          |                           |           |           |                  |
| WC#: 32.520   | AFL     | 3404      |          |          |                           |           |           |                  |
| PROC. REF: AMM 32-44-17-350-801   |         |           |          |          |                           |           |           |                  |
| 32-44-17-350-801-04 RESTORATION OF THE BRAKES (OVERHAUL) - RH MLG OUTBOARD BRAKE (R530GC)         |         |           |          |          |                           |           |           | Service ATA:32   |
| PN:C20181100-3-7  | MOS/MSC | 04-Aug-10 | A/R      |          |                           |           |           | OVERHAUL         |
| SN:U558   | HRS     | 6894.3    |          |          |                           |           |           |                  |
| WC#: 32.520   | AFL     | 3404      |          |          |                           |           |           |                  |
| PROC. REF: AMM 32-44-17-350-801   |         |           |          |          |                           |           |           |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|---------------------------------|---------|--|----------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 32 - LANDING GEAR</b>    |         |  |          |          |                           |           |           |             |  |
| 32-44-17-900-801-01             |         | REMOVAL / INSTALLATION OF THE BRAKES - LH MLG OUTBOARD BRAKE (L530GC)      |          |          |                           |           | Component | ATA:32      |  |
| PN:C20181100-7                  | MOS/MSC | 07-Jan-10  | A/R      |          |                           |           |           | OVERHAUL    |  |
| SN:U350                         | HRS     | 6732.8   |          |          |                           |           |           |             |  |
| WC#: 32.510                     | AFL     | 3298   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 32-44-17-900-801 |         |  |          |          |                           |           |           |             |  |
| 32-44-17-900-801-02             |         | REMOVAL / INSTALLATION OF THE BRAKES - LH MLG INBOARD BRAKE (L525GC)       |          |          |                           |           | Component | ATA:32      |  |
| PN:C20181100-7                  | MOS/MSC | 07-Jan-10  | A/R      |          |                           |           |           | OVERHAUL    |  |
| SN:U391                         | HRS     | 6732.8   |          |          |                           |           |           |             |  |
| WC#: 32.510                     | AFL     | 3298   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 32-44-17-900-801 |         |  |          |          |                           |           |           |             |  |
| 32-44-17-900-801-03             |         | REMOVAL / INSTALLATION OF THE BRAKES - RH MLG INBOARD BRAKE (R525GC)       |          |          |                           |           | Component | ATA:32      |  |
| PN:C20181100-3-7                | MOS/MSC | 04-Aug-10  | A/R      |          |                           |           |           | OVERHAUL    |  |
| SN:U229                         | HRS     | 6894.3   |          |          | TSN 3186, TSO 0           |           |           |             |  |
| WC#: 32.520                     | AFL     | 3404   |          |          | TSN 1716                  |           |           |             |  |
| PROC. REF: AMM 32-44-17-900-801 |         |  |          |          |                           |           |           |             |  |
| 32-44-17-900-801-04             |         | REMOVAL / INSTALLATION OF THE BRAKES - RH MLG OUTBOARD BRAKE (R530GC)      |          |          |                           |           | Component | ATA:32      |  |
| PN:C20181100-3-7                | MOS/MSC | 04-Aug-10  | A/R      |          | TSO 0                     |           |           | OVERHAUL    |  |
| SN:U558                         | HRS     | 6894.3   |          |          | TSN 3318, TSO 0           |           |           |             |  |
| WC#: 32.520                     | AFL     | 3404   |          |          | TSN 2389, TSO 0           |           |           |             |  |
| PROC. REF: AMM 32-44-17-900-801 |         |  |          |          |                           |           |           |             |  |
| 32-44-18-960-801-01             |         | REPLACEMENT OF THE WHEEL BRAKE SEALS - LH MLG OUTBOARD BRAKE (L530GC) SEAL |          |          |                           |           | Service   | ATA:32      |  |
| PN:C20181100-7                  | MOS/MSC | 07-Jan-10  | C/C      |          |                           |           |           |             |  |
| SN:U350                         | HRS     | 6732.8   |          |          |                           |           |           |             |  |
| WC#: 32.510                     | AFL     | 3298   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 32-44-18-960-801 |         |  |          |          |                           |           |           |             |  |
| 32-44-18-960-801-02             |         | REPLACEMENT OF THE WHEEL BRAKE SEALS - LH MLG INBOARD BRAKE (L525GC) SEAL  |          |          |                           |           | Service   | ATA:32      |  |
| PN:C20181100-7                  | MOS/MSC | 07-Jan-10  | C/C      |          |                           |           |           |             |  |
| SN:U391                         | HRS     | 6732.8   |          |          |                           |           |           |             |  |
| WC#: 32.510                     | AFL     | 3298   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 32-44-18-960-801 |         |  |          |          |                           |           |           |             |  |
| 32-44-18-960-801-03             |         | REPLACEMENT OF THE WHEEL BRAKE SEALS - RH MLG INBOARD BRAKE (R525GC) SEAL  |          |          |                           |           | Service   | ATA:32      |  |
| PN:C20181100-3-7                | MOS/MSC | 04-Aug-10  | C/C      |          |                           |           |           |             |  |
| SN:U229                         | HRS     | 6894.3   |          |          |                           |           |           |             |  |
| WC#: 32.520                     | AFL     | 3404   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 32-44-18-960-801 |         |  |          |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|----------------------------------|---------|---|------------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 32 - LANDING GEAR</b>     |         |   |            |          |                           |           |           |             |  |
| 32-44-18-960-801-04              |         | REPLACEMENT OF THE WHEEL BRAKE SEALS - RH MLG OUTBOARD BRAKE (R530GC) SEAL  |            |          |                           |           | Service   | ATA:32      |  |
| PN:C20181100-3-7                 | MOS/MSC | 04-Aug-10   | C/C        |          |                           |           |           |             |  |
| SN:U558                          | HRS     | 6894.3  |            |          |                           |           |           |             |  |
| WC#: 32.520                      | AFL     | 3404  |            |          |                           |           |           |             |  |
| PROC. REF: AMM 32-44-18-960-801  |         |   |            |          |                           |           |           |             |  |
| 32-50-13-900-801-01              |         | REMOVAL / INSTALLATION OF THE STEERING SERVOVALVE - STEERING SERVOVALVE (5GH)   |            |          |                           |           | Component | ATA:32      |  |
| PN:A25455                        | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |  |
| SN:UNKNOWN                       | HRS     | 0   |            | TSN 0    |                           |           |           |             |  |
| WC#: 32.770                      | AFL     | 0   |            |          |                           |           |           |             |  |
| PROC. REF: AMM 32-50-13-900-801  |         |   |            |          |                           |           |           |             |  |
| 32-50-17-960-801-01 <sup>S</sup> |         | REPLACEMENT OF THE STEERING SYSTEM FILTERING ELEMENT - STEERING SYSTEM FILTER (511GH)                                   |            |          |                           |           | Service   | ATA:32      |  |
|                                  | MOS     | 12-Apr-16   |            |          |                           |           |           |             |  |
|                                  | HRS     | 8447.8  | 3200 (+40) |          |                           |           |           |             |  |
| WC#: 32.740                      | AFL     | 4114  |            |          |                           |           |           |             |  |
| PROC. REF: AMM 32-50-17-960-801  |         |   |            |          |                           |           |           |             |  |
| PKG:22                           |         |   |            |          |                           |           |           |             |  |
| 32-50-25-900-801-01              |         | REMOVAL / INSTALLATION OF THE STEERING CONTROL HANDWHEEL UNIT - STEERING CONTROL HANDWHEEL UNIT (2GH)                   |            |          |                           |           | Component | ATA:32      |  |
| PN:287837-1                      | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |  |
| SN:U663                          | HRS     | 0   |            | TSN 0    |                           |           |           |             |  |
| WC#: 32.710                      | AFL     | 0   |            |          |                           |           |           |             |  |
| PROC. REF: AMM 32-50-25-900-801  |         |   |            |          |                           |           |           |             |  |
| 32-61-45-760-801-01 <sup>S</sup> |         | CHECK OF THE MLG DOOR ACTUATOR PROXIMITY SWITCHES - LH MLG MAIN DOOR ACTUATOR PROXIMITY SWITCH (L6GA1)                  |            |          |                           |           | Service   | ATA:32      |  |
|                                  | MOS     | 29-Apr-16   |            |          |                           |           |           |             |  |
|                                  | HRS     | 8447.8  | 1600 (+40) |          |                           |           |           |             |  |
|                                  | AFL     | 4114  |            |          |                           |           |           |             |  |
| PROC. REF: AMM 32-61-45-760-801  |         |   |            |          |                           |           |           |             |  |
| PKG:21                           |         |   |            |          |                           |           |           |             |  |
| 32-61-45-760-801-02              |         | CHECK OF THE MLG DOOR ACTUATOR PROXIMITY SWITCHES - RH MLG MAIN DOOR ACTUATOR PROXIMITY SWITCH (R6GA1)                  |            |          |                           |           | Service   | ATA:32      |  |
|                                  | MOS/MSC | 19-Jul-10   | O/C        |          |                           |           |           |             |  |
|                                  | HRS     | 6886.2  |            |          |                           |           |           |             |  |
|                                  | AFL     | 3396  |            |          |                           |           |           |             |  |
| PROC. REF: AMM 32-61-45-760-801  |         |   |            |          |                           |           |           |             |  |
| 32-61-45-900-801-01              |         | REMOVAL / INSTALLATION OF THE MLG DOOR ACTUATOR PROXIMITY SWITCHES - LH MLG MAIN DOOR ACTUATOR PROXIMITY SWITCH (L6GA1) |            |          |                           |           | Component | ATA:32      |  |
| PN:248022750                     | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |  |
| SN:UNKNOWN                       | HRS     | 0   |            | TSN 0    |                           |           |           |             |  |
| WC#: 32.350                      | AFL     | 0   |            |          |                           |           |           |             |  |
| PROC. REF: AMM 32-61-45-900-801  |         |   |            |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---------------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 32 - LANDING GEAR</b>    |   |           |          |          |                           |           |           |             |
| 32-61-45-900-801-02             | REMOVAL / INSTALLATION OF THE MLG DOOR ACTUATOR PROXIMITY SWITCHES - RH MLG MAIN DOOR ACTUATOR PROXIMITY SWITCH (R6GA1) |           |          |          |                           |           | Component | ATA:32      |
| PN:248036820                    | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 32.350                     | AFL   | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 32-61-45-900-801 |   |           |          |          |                           |           |           |             |
| 32-61-49-900-801-01             | REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - LH MLG LEG OUTBOARD PROXIMITY SWITCH (L2GF1)   |           |          |          |                           |           | Component | ATA:32      |
| PN:PN                           | MOS/MSC   | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |             |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0    |                           |           |           |             |
|                                 | AFL   | 0         |          | TSN 0    |                           |           |           |             |
| PROC. REF: AMM 32-61-49-900-801 |   |           |          |          |                           |           |           |             |
| 32-61-49-900-801-02             | REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - LH MLG LEG INBOARD PROXIMITY SWITCH (L2GF2)    |           |          |          |                           |           | Component | ATA:32      |
| PN:PN                           | MOS/MSC   | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |             |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0    |                           |           |           |             |
|                                 | AFL   | 0         |          | TSN 0    |                           |           |           |             |
| PROC. REF: AMM 32-61-49-900-801 |   |           |          |          |                           |           |           |             |
| 32-61-49-900-801-03             | REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - RH MLG LEG INBOARD PROXIMITY SWITCH (R2GF2)    |           |          |          |                           |           | Component | ATA:32      |
| PN:PN                           | MOS/MSC   | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |             |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0    |                           |           |           |             |
|                                 | AFL   | 0         |          | TSN 0    |                           |           |           |             |
| PROC. REF: AMM 32-61-49-900-801 |   |           |          |          |                           |           |           |             |
| 32-61-49-900-801-04             | REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - RH MLG LEG OUTBOARD PROXIMITY SWITCH (R2GF1)   |           |          |          |                           |           | Component | ATA:32      |
| PN:PN                           | MOS/MSC   | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |             |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0    |                           |           |           |             |
|                                 | AFL   | 0         |          | TSN 0    |                           |           |           |             |
| PROC. REF: AMM 32-61-49-900-801 |   |           |          |          |                           |           |           |             |
| 32-61-49-900-801-05             | REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - NLG LEG LH PROXIMITY SWITCH (3GF1)             |           |          |          |                           |           | Component | ATA:32      |
| PN:PN                           | MOS/MSC   | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |             |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0    |                           |           |           |             |
|                                 | AFL   | 0         |          | TSN 0    |                           |           |           |             |
| PROC. REF: AMM 32-61-49-900-801 |   |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|------------------|
| <b>ATA 32 - LANDING GEAR</b>   |         |           |          |          |                           |           |           |                  |
| <b>32-61-49-900-801-06 REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - NLG LEG RH PROXIMITY SWITCH (3GF2)</b>   |         |           |          |          |                           |           |           |                  |
| PN:PN  | MOS/MSC | 23-Oct-89 | O/C      | TSN 0    |                           |           |           | Component ATA:32 |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
|  | AFL     | 0         |          | TSN 0    |                           |           |           |                  |
| PROC. REF: AMM 32-61-49-900-801  |         |           |          |          |                           |           |           |                  |
| <b>32-61-49-900-801-07 REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - NLG LH DOOR PROXIMITY SWITCH (L3DG)</b>  |         |           |          |          |                           |           |           |                  |
| PN:84738-702   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           | Component ATA:32 |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 32.390  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM 32-61-49-900-801  |         |           |          |          |                           |           |           |                  |
| <b>32-61-49-900-801-08 REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR PROXIMITY SWITCHES - NLG RH DOOR PROXIMITY SWITCH (R3DG)</b>  |         |           |          |          |                           |           |           |                  |
| PN:84738-702   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           | Component ATA:32 |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 32.390  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM 32-61-49-900-801  |         |           |          |          |                           |           |           |                  |
| <b>32-61-49-900-802-01 REMOVAL / INSTALLATION OF THE PROXIMITY SWITCHES INSTALLED ON NLG TELESCOPIC STRUT AND ON MLG BRACE STRUT ACTUATORS - NLG DRAG BRACE LH PROXIMITY SWITCH (11GA1)</b>        |         |           |          |          |                           |           |           |                  |
| PN:PN  | MOS/MSC | 23-Oct-89 | O/C      | TSN 0    |                           |           |           | Component ATA:32 |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
|  | AFL     | 0         |          | TSN 0    |                           |           |           |                  |
| PROC. REF: AMM 32-61-49-900-802  |         |           |          |          |                           |           |           |                  |
| <b>32-61-49-900-802-02 REMOVAL / INSTALLATION OF THE PROXIMITY SWITCHES INSTALLED ON NLG TELESCOPIC STRUT AND ON MLG BRACE STRUT ACTUATORS - NLG DRAG BRACE RH PROXIMITY SWITCH (11GA2)</b>        |         |           |          |          |                           |           |           |                  |
| PN:PN  | MOS/MSC | 23-Oct-89 | O/C      | TSN 0    |                           |           |           | Component ATA:32 |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
|  | AFL     | 0         |          | TSN 0    |                           |           |           |                  |
| PROC. REF: AMM 32-61-49-900-802  |         |           |          |          |                           |           |           |                  |
| <b>32-61-49-900-802-03 REMOVAL / INSTALLATION OF THE PROXIMITY SWITCHES INSTALLED ON NLG TELESCOPIC STRUT AND ON MLG BRACE STRUT ACTUATORS - LH MLG BRACE ACTUATOR PROXIMITY SWITCH 1 (L12GA1)</b> |         |           |          |          |                           |           |           |                  |
| PN:84738702  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           | Component ATA:32 |
| SN:2372  | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 32.410  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM 32-61-49-900-802  |         |           |          |          |                           |           |           |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 32 - LANDING GEAR</b>    |   |           |          |          |                           |           |           |             |        |
| 32-61-49-900-802-04             | REMOVAL / INSTALLATION OF THE PROXIMITY SWITCHES INSTALLED ON NLG TELESCOPIC STRUT AND ON MLG BRACE STRUT ACTUATORS - LH MLG BRACE ACTUATOR PROXIMITY SWITCH 2 (L12GA2) |           |          |          |                           |           |           | Component   | ATA:32 |
| PN:PN                           | MOS/MSC   | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
|                                 | AFL   | 0         |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM 32-61-49-900-802 |   |           |          |          |                           |           |           |             |        |
| 32-61-49-900-802-05             | REMOVAL / INSTALLATION OF THE PROXIMITY SWITCHES INSTALLED ON NLG TELESCOPIC STRUT AND ON MLG BRACE STRUT ACTUATORS - RH MLG BRACE ACTUATOR PROXIMITY SWITCH 1 (R12GA1) |           |          |          |                           |           |           | Component   | ATA:32 |
| PN:84738702                     | MOS/MSC   | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:2372                         | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 32.410                     | AFL   | 0         |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM 32-61-49-900-802 |   |           |          |          |                           |           |           |             |        |
| 32-61-49-900-802-06             | REMOVAL / INSTALLATION OF THE PROXIMITY SWITCHES INSTALLED ON NLG TELESCOPIC STRUT AND ON MLG BRACE STRUT ACTUATORS - RH MLG BRACE ACTUATOR PROXIMITY SWITCH 2 (R12GA2) |           |          |          |                           |           |           | Component   | ATA:32 |
| PN:PN                           | MOS/MSC   | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
|                                 | AFL   | 0         |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM 32-61-49-900-802 |   |           |          |          |                           |           |           |             |        |
| 32-61-49-900-803-01             | REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR UPLOCK BOX PROXIMITY SWITCHES - NLG UPLOCK BOX PROXIMITY SWITCH 1 (13GA1)   |           |          |          |                           |           |           | Component   | ATA:32 |
| PN:PN                           | MOS/MSC   | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
|                                 | AFL   | 0         |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM 32-61-49-900-803 |   |           |          |          |                           |           |           |             |        |
| 32-61-49-900-803-02             | REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR UPLOCK BOX PROXIMITY SWITCHES - NLG UPLOCK BOX PROXIMITY SWITCH 2 (13GA2)   |           |          |          |                           |           |           | Component   | ATA:32 |
| PN:PN                           | MOS/MSC   | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
|                                 | AFL   | 0         |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM 32-61-49-900-803 |   |           |          |          |                           |           |           |             |        |
| 32-61-49-900-803-03             | REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR UPLOCK BOX PROXIMITY SWITCHES - LH MLG UPLOCK BOX PROXIMITY SWITCH (L7GA1)  |           |          |          |                           |           |           | Component   | ATA:32 |
| PN:PN                           | MOS/MSC   | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
|                                 | AFL   | 0         |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM 32-61-49-900-803 |   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit  | C/W       | Interval | TSX/Adj.     | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---------------------------------|---|-----------|----------|--------------|---------------------------|-----------|-----------|-------------|
| <b>ATA 32 - LANDING GEAR</b>    |   |           |          |              |                           |           |           |             |
| 32-61-49-900-803-04             | REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR UPLOCK BOX PROXIMITY SWITCHES - RH MLG UPLOCK BOX PROXIMITY SWITCH (R7GA1)          |           |          |              |                           |           | Component | ATA:32      |
| PN:PN                           | MOS/MSC   | 23-Oct-89 | O/C      | TSN 0        |                           |           |           |             |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0        |                           |           |           |             |
|                                 | AFL   | 0         |          | TSN 0        |                           |           |           |             |
| PROC. REF: AMM 32-61-49-900-803 |   |           |          |              |                           |           |           |             |
| 32-61-49-900-803-05             | REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR UPLOCK BOX PROXIMITY SWITCHES - LH MAIN DOOR UPLOCK BOX PROXIMITY SWITCH 1 (L14GA1) |           |          |              |                           |           | Component | ATA:32      |
| PN:PN                           | MOS/MSC   | 23-Oct-89 | O/C      | TSN 0        |                           |           |           |             |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0        |                           |           |           |             |
|                                 | AFL   | 0         |          | TSN 0        |                           |           |           |             |
| PROC. REF: AMM 32-61-49-900-803 |   |           |          |              |                           |           |           |             |
| 32-61-49-900-803-06             | REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR UPLOCK BOX PROXIMITY SWITCHES - LH MAIN DOOR UPLOCK BOX PROXIMITY SWITCH 2 (L14GA2) |           |          |              |                           |           | Component | ATA:32      |
| PN:PN                           | MOS/MSC   | 23-Oct-89 | O/C      | TSN 0        |                           |           |           |             |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0        |                           |           |           |             |
|                                 | AFL   | 0         |          | TSN 0        |                           |           |           |             |
| PROC. REF: AMM 32-61-49-900-803 |   |           |          |              |                           |           |           |             |
| 32-61-49-900-803-07             | REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR UPLOCK BOX PROXIMITY SWITCHES - RH MAIN DOOR UPLOCK BOX PROXIMITY SWITCH 1 (R14GA1) |           |          |              |                           |           | Component | ATA:32      |
| PN:PN                           | MOS/MSC   | 23-Oct-89 | O/C      | TSN 0        |                           |           |           |             |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0        |                           |           |           |             |
|                                 | AFL   | 0         |          | TSN 0        |                           |           |           |             |
| PROC. REF: AMM 32-61-49-900-803 |   |           |          |              |                           |           |           |             |
| 32-61-49-900-803-08             | REMOVAL / INSTALLATION OF THE LANDING GEAR AND DOOR UPLOCK BOX PROXIMITY SWITCHES - RH MAIN DOOR UPLOCK BOX PROXIMITY SWITCH 2 (R14GA2) |           |          |              |                           |           | Component | ATA:32      |
| PN:PN                           | MOS/MSC   | 23-Oct-89 | O/C      | TSN 0        |                           |           |           |             |
| SN:UNKNOWN                      | HRS   | 0         |          | TSN 0        |                           |           |           |             |
|                                 | AFL   | 0         |          | TSN 0        |                           |           |           |             |
| PROC. REF: AMM 32-61-49-900-803 |   |           |          |              |                           |           |           |             |
| 321111                          | LH MAIN LANDING GEAR (MLG) STRUT ASSEMBLY   |           |          |              |                           |           | Component | ATA:32      |
| PN:D22803100-5                  | MOS/MSC   | 03-May-02 | O/C      | TSO 0, TSR 0 |                           |           |           |             |
| SN:UNKNOWN                      | HRS   | 4318      |          | TSO 0, TSR 0 |                           |           |           |             |
| WC#: 32.020                     | AFL   | 1996      |          | TSO 0, TSR 0 |                           |           |           |             |
| PROC. REF: AMM GENERIC 2        |   |           |          |              |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 32 - LANDING GEAR</b>    |   |           |          |          |                           |           |           |             |        |
| 321161                          | RH MAIN LANDING GEAR (MLG) STRUT ASSEMBLY       |           |          |          |                           |           |           | Component   | ATA:32 |
| PN:D22804100-6                  | MOS/MSC   | 30-Apr-02 | O/C      |          | TSO 0, TSR 0              |           |           |             |        |
| SN:UNKNOWN                      | HRS   | 4318      |          |          | TSN 4318, TSO 0, TSR 0    |           |           |             |        |
| WC#: 32.030                     | AFL   | 1996      |          |          | TSN 1996, TSO 0, TSR 0    |           |           |             |        |
| PROC. REF: AMM GENERIC 2        |   |           |          |          |                           |           |           |             |        |
| 321241                          | LH MAIN LANDING GEAR STRUT DOOR                 |           |          |          |                           |           |           | Component   | ATA:32 |
| PN:FGFB191                      | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:75                           | HRS   | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 32.060                     | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2        |   |           |          |          |                           |           |           |             |        |
| 321251                          | RH MAIN LANDING GEAR STRUT DOOR                 |           |          |          |                           |           |           | Component   | ATA:32 |
| PN:FGFB192                      | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:75                           | HRS   | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 32.060                     | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2        |   |           |          |          |                           |           |           |             |        |
| 321261                          | LH MAIN LANDING GEAR DOOR                       |           |          |          |                           |           |           | Component   | ATA:32 |
| PN:FGFB293100                   | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:81BZ                         | HRS   | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 32.070                     | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 52-80-05-900-801 |   |           |          |          |                           |           |           |             |        |
| 321271                          | RH MAIN LANDING GEAR DOOR                       |           |          |          |                           |           |           | Component   | ATA:32 |
| PN:FGFB293200                   | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:81BZ                         | HRS   | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 32.070                     | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 52-80-05-900-801 |   |           |          |          |                           |           |           |             |        |
| 322111                          | NOSE LANDING GEAR (NLG) CYLINDER                |           |          |          |                           |           |           | Component   | ATA:32 |
| PN:D22812100-5                  | MOS/MSC   | 29-Apr-02 | O/C      |          | TSO 0, TSR 0              |           |           |             |        |
| SN:UNKNOWN                      | HRS   | 4318      |          |          | TSO 0, TSR 0              |           |           |             |        |
| WC#: 32.110                     | AFL   | 1996      |          |          | TSO 0, TSR 0              |           |           |             |        |
| PROC. REF: AMM GENERIC 2        |   |           |          |          |                           |           |           |             |        |
| 322155                          | NOSE LANDING GEAR TELESCOPIC TUBE YOKE ASSEMBLY |           |          |          |                           |           |           | Component   | ATA:32 |
| PN:GA62269                      | MOS/MSC   | 19-Jun-14 | H/T      |          | TSO 2                     |           |           |             |        |
| SN:438MNR                       | HRS   | 8032      |          |          | TSO 0                     |           |           |             |        |
| WC#: 32.120                     | AFL   | 3965      |          |          | TSO 0                     |           |           |             |        |
| PROC. REF: AMM GENERIC 2        |   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                      | Unit    | C/W   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |               |
|------------------------------|---------|---|----------|----------|---------------------------|-----------|-----------|------------------|---------------|
| <b>ATA 32 - LANDING GEAR</b> |         |   |          |          |                           |           |           |                  |               |
| <b>322211</b>                |         | <b>NOSE LANDING GEAR STRUT MAIN DOOR</b>      |          |          |                           |           |           | <b>Component</b> | <b>ATA:32</b> |
| PN:FGFB291300                | MOS/MSC | 23-Oct-89                                     | O/C      |          |                           |           |           |                  |               |
| SN:75BZ                      | HRS     | 0   |          | TSN 0    |                           |           |           |                  |               |
| WC#: 32.140                  | AFL     | 0   |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2     |         |   |          |          |                           |           |           |                  |               |
| <b>322221</b>                |         | <b>NOSE LANDING GEAR STRUT SECONDARY DOOR</b> |          |          |                           |           |           | <b>Component</b> | <b>ATA:32</b> |
| PN:FGFB291400                | MOS/MSC | 23-Oct-89                                     | O/C      |          |                           |           |           |                  |               |
| SN:65AG                      | HRS     | 0   |          | TSN 0    |                           |           |           |                  |               |
| WC#: 32.140                  | AFL     | 0   |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2     |         |   |          |          |                           |           |           |                  |               |
| <b>322231</b>                |         | <b>LH NOSE LANDING GEAR DOOR</b>              |          |          |                           |           |           | <b>Component</b> | <b>ATA:32</b> |
| PN:F2MA291100                | MOS/MSC | 15-Feb-06                                     | O/C      |          |                           |           |           |                  |               |
| SN:82BZ                      | HRS     |   |          |          |                           |           |           |                  |               |
| WC#: 32.150                  | AFL     |   |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2     |         |   |          |          |                           |           |           |                  |               |
| <b>322241</b>                |         | <b>RH NOSE LANDING GEAR DOOR</b>              |          |          |                           |           |           | <b>Component</b> | <b>ATA:32</b> |
| PN:FGFB291200                | MOS/MSC | 15-Feb-06                                     | O/C      |          |                           |           |           |                  |               |
| SN:81BZ                      | HRS     |   |          |          |                           |           |           |                  |               |
| WC#: 32.150                  | AFL     |   |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2     |         |   |          |          |                           |           |           |                  |               |
| <b>323101</b>                |         | <b>GEAR/DOOR CONTROL</b>                      |          |          |                           |           |           | <b>Component</b> | <b>ATA:32</b> |
| PN:BHC1031-1                 | MOS/MSC | 17-Apr-02                                     | O/C      | TSR 0    |                           |           |           |                  |               |
| SN:30                        | HRS     | 4318  |          | TSR 0    |                           |           |           |                  |               |
| WC#: 32.200                  | AFL     | 1996  |          | TSR 0    |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2     |         |   |          |          |                           |           |           |                  |               |
| <b>323121</b>                |         | <b>GEAR EXTENSION CONTROL ELECTRIC VALVE</b>  |          |          |                           |           |           | <b>Component</b> | <b>ATA:32</b> |
| PN:PN                        | MOS/MSC | 23-Oct-89                                     | O/C      |          |                           |           |           |                  |               |
| SN:UNKNOWN                   | HRS     | 0   |          | TSN 0    |                           |           |           |                  |               |
| WC#: 32.210                  | AFL     | 0   |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2     |         |   |          |          |                           |           |           |                  |               |
| <b>323131</b>                |         | <b>GEAR RETRACTION CONTROL ELECTRIC VALVE</b> |          |          |                           |           |           | <b>Component</b> | <b>ATA:32</b> |
| PN:PN                        | MOS/MSC | 23-Oct-89                                     | O/C      |          |                           |           |           |                  |               |
| SN:UNKNOWN                   | HRS     | 0   |          | TSN 0    |                           |           |           |                  |               |
| WC#: 32.210                  | AFL     | 0   |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2     |         |   |          |          |                           |           |           |                  |               |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 32 - LANDING GEAR</b>  |         |           |          |          |                           |           |           |             |
| <b>323141 DOOR OPENING CONTROL ELECTRIC VALVE Component ATA:32</b>                      |         |           |          |          |                           |           |           |             |
| PN:PN   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 32.220   | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |             |
| <b>323151 DOOR CLOSING CONTROL ELECTRIC VALVE Component ATA:32</b>                      |         |           |          |          |                           |           |           |             |
| PN:PN   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 32.220   | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |             |
| <b>323161 GEAR ELECTRO DISTRIBUTOR Component ATA:32</b>                                 |         |           |          |          |                           |           |           |             |
| PN:PN   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 32.230   | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |             |
| <b>323181 DOOR ELECTRO DISTRIBUTOR Component ATA:32</b>                                 |         |           |          |          |                           |           |           |             |
| PN:PN   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 32.230   | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |             |
| <b>323201 MAIN LANDING GEAR DOOR ACTUATOR RESTRICTOR VALVE Component ATA:32</b>         |         |           |          |          |                           |           |           |             |
| PN:PN   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 32.230   | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |             |
| <b>323231 SHUTTLE VALVE PROTECTION CHECK VALVE Component ATA:32</b>                     |         |           |          |          |                           |           |           |             |
| PN:A24516   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 32.240   | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |             |
| <b>323241 LH MAIN LANDING GEAR ACTUATOR EXTENSION RESTRICTOR VALVE Component ATA:32</b> |         |           |          |          |                           |           |           |             |
| PN:A24508-5220  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:B12452   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 32.250   | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |
|---|---------|-----------|----------|----------|---------------------------|-----------|-----------|------------------|
| <b>ATA 32 - LANDING GEAR</b>  |         |           |          |          |                           |           |           |                  |
| <b>323251 RH MAIN LANDING GEAR ACTUATOR EXTENSION RESTRICTOR VALVE</b>      |         |           |          |          |                           |           |           | Component ATA:32 |
| PN:A24508-5220  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:B12456   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 32.250   | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |                  |
| <b>323261 LH MAIN LANDING GEAR ACTUATOR RETRACTION RESTRICTOR VALVE</b>     |         |           |          |          |                           |           |           | Component ATA:32 |
| PN:A24510-5220  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:UNKNOWN  | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 32.260   | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |                  |
| <b>323271 RH MAIN LANDING GEAR ACTUATOR RETRACTION RESTRICTOR VALVE</b>     |         |           |          |          |                           |           |           | Component ATA:32 |
| PN:A24510-5220  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:UNKNOWN  | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 32.260   | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |                  |
| <b>323281 LH MAIN LANDING GEAR ACTUATOR DOOR OPENING RESTRICTOR VALVE</b>   |         |           |          |          |                           |           |           | Component ATA:32 |
| PN:A24506-5200  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:UNKNOWN  | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 32.270   | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |                  |
| <b>323291 RH MAIN LANDING GEAR ACTUATOR DOOR OPENING RESTRICTOR VALVE</b>   |         |           |          |          |                           |           |           | Component ATA:32 |
| PN:A24506-5200  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:UNKNOWN  | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 32.270   | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |                  |
| <b>323331 NOSE LANDING GEAR UNLOCKING RESTRICTOR VALVE</b>                  |         |           |          |          |                           |           |           | Component ATA:32 |
| PN:A24508-5090  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:B12304   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 32.290   | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |                  |
| <b>323341 NOSE LANDING GEAR TELESCOPIC STRUT UNLOCKING RESTRICTOR VALVE</b> |         |           |          |          |                           |           |           | Component ATA:32 |
| PN:A24508-5180  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:B12387   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 32.290   | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                      | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|------------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 32 - LANDING GEAR</b> |  |           |          |          |                           |           |           |             |        |
| 323551                       | NOSE LANDING GEAR SWIVEL COUPLING                  |           |          |          |                           |           |           | Component   | ATA:32 |
| PN:C24266-1                  | MOS/MSC  | 19-Apr-02 | O/C      |          | TSR 0                     |           |           |             |        |
| SN:U566                      | HRS  | 4318      |          |          | TSR 0                     |           |           |             |        |
| WC#: 32.320                  | AFL  | 1996      |          |          | TSR 0                     |           |           |             |        |
| PROC. REF: AMM GENERIC 2     |  |           |          |          |                           |           |           |             |        |
| 323721                       | LH MAIN LANDING GEAR WHEEL WELL PROXIMITY DETECTOR |           |          |          |                           |           |           | Component   | ATA:32 |
| PN:PN                        | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                   | HRS  | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 32.380                  | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2     |  |           |          |          |                           |           |           |             |        |
| 323731                       | RH MAIN LANDING GEAR WHEEL WELL PROXIMITY DETECTOR |           |          |          |                           |           |           | Component   | ATA:32 |
| PN:PN                        | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                   | HRS  | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 32.380                  | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2     |  |           |          |          |                           |           |           |             |        |
| 324451                       | NORMAL/EMERGENCY BRAKE DISTRIBUTOR                 |           |          |          |                           |           |           | Component   | ATA:32 |
| PN:57530-21                  | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:28R                       | HRS  | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 32.530                  | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2     |  |           |          |          |                           |           |           |             |        |
| 324461                       | NORMAL BRAKE ELECTRIC DISTRIBUTOR                  |           |          |          |                           |           |           | Component   | ATA:32 |
| PN:65660-1                   | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:226A                      | HRS  | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 32.530                  | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2     |  |           |          |          |                           |           |           |             |        |
| 324471                       | NORMAL BRAKE DISTRIBUTOR RETURN CHECK VALVE        |           |          |          |                           |           |           | Component   | ATA:32 |
| PN:A24516                    | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                   | HRS  | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 32.540                  | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2     |  |           |          |          |                           |           |           |             |        |
| 324501                       | LH SERVO-VALVE RETURN CHECK VALVE                  |           |          |          |                           |           |           | Component   | ATA:32 |
| PN:A24516                    | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                   | HRS  | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 32.560                  | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2     |  |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                      | Unit    | C/W                                      | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |               |
|------------------------------|---------|--|----------|----------|---------------------------|-----------|-----------|------------------|---------------|
| <b>ATA 32 - LANDING GEAR</b> |         |  |          |          |                           |           |           |                  |               |
| <b>324511</b>                |         | <b>RH SERVO-VALVE RETURN CHECK VALVE</b> |          |          |                           |           |           | <b>Component</b> | <b>ATA:32</b> |
| PN:C24816000                 | MOS/MSC | 23-Oct-89                                | O/C      |          |                           |           |           |                  |               |
| SN:UNKNOWN                   | HRS     | 0  |          | TSN 0    |                           |           |           |                  |               |
| WC#: 32.560                  | AFL     | 0  |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2     |         |  |          |          |                           |           |           |                  |               |
| <b>324521</b>                |         | <b>LH BRAKE NORMAL RESTRICTOR VALVE</b>  |          |          |                           |           |           | <b>Component</b> | <b>ATA:32</b> |
| PN:C24758140                 | MOS/MSC | 23-Oct-89                                | O/C      |          |                           |           |           |                  |               |
| SN:UNKNOWN                   | HRS     | 0  |          | TSN 0    |                           |           |           |                  |               |
| WC#: 32.570                  | AFL     | 0  |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2     |         |  |          |          |                           |           |           |                  |               |
| <b>324531</b>                |         | <b>RH BRAKE NORMAL RESTRICTOR VALVE</b>  |          |          |                           |           |           | <b>Component</b> | <b>ATA:32</b> |
| PN:C24758140                 | MOS/MSC | 23-Oct-89                                | O/C      |          |                           |           |           |                  |               |
| SN:UNKNOWN                   | HRS     | 0  |          | TSN 0    |                           |           |           |                  |               |
| WC#: 32.570                  | AFL     | 0  |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2     |         |  |          |          |                           |           |           |                  |               |
| <b>324541</b>                |         | <b>LH BRAKE NORMAL PRESSURE SWITCH</b>   |          |          |                           |           |           | <b>Component</b> | <b>ATA:32</b> |
| PN:7G663-1                   | MOS/MSC | 23-Oct-89                                | O/C      |          |                           |           |           |                  |               |
| SN:339                       | HRS     | 0  |          | TSN 0    |                           |           |           |                  |               |
| WC#: 32.580                  | AFL     | 0  |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2     |         |  |          |          |                           |           |           |                  |               |
| <b>324551</b>                |         | <b>RH BRAKE NORMAL PRESSURE SWITCH</b>   |          |          |                           |           |           | <b>Component</b> | <b>ATA:32</b> |
| PN:7G663-1                   | MOS/MSC | 25-Mar-92                                | O/C      | TSN 0    |                           |           |           |                  |               |
| SN:783                       | HRS     | 1535                                     |          | TSN 0    |                           |           |           |                  |               |
| WC#: 32.580                  | AFL     | 655                                      |          | TSN 0    |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2     |         |  |          |          |                           |           |           |                  |               |
| <b>324561</b>                |         | <b>LH BRAKING SYSTEM FILTER</b>          |          |          |                           |           |           | <b>Component</b> | <b>ATA:32</b> |
| PN:ADB295-4                  | MOS/MSC | 23-Oct-89                                | O/C      |          |                           |           |           |                  |               |
| SN:0263                      | HRS     | 0  |          | TSN 0    |                           |           |           |                  |               |
| WC#: 32.590                  | AFL     | 0  |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2     |         |  |          |          |                           |           |           |                  |               |
| <b>324571</b>                |         | <b>RH BRAKING SYSTEM FILTER</b>          |          |          |                           |           |           | <b>Component</b> | <b>ATA:32</b> |
| PN:ADB295-4                  | MOS/MSC | 23-Oct-89                                | O/C      |          |                           |           |           |                  |               |
| SN:0264                      | HRS     | 0  |          | TSN 0    |                           |           |           |                  |               |
| WC#: 32.590                  | AFL     | 0  |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2     |         |  |          |          |                           |           |           |                  |               |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit     | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---|----------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 32 - LANDING GEAR</b>  |          |           |          |          |                           |           |           |             |
| <b>324577 PARKING BRAKE SELECTOR VALVE UPSTREAM FILTER Component ATA:32</b>   |          |           |          |          |                           |           |           |             |
| PN:PN   | MOS/MSC  | 23-Oct-89 | O/C      |          | TSN 0                     |           |           |             |
| SN:UNKNOWN  | HRS      | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 32.595   | AFL      | 0         |          |          | TSN 0                     |           |           |             |
| PROC. REF: AMM GENERIC 2  |          |           |          |          |                           |           |           |             |
| <b>324578 PARKING BRAKE SELECTOR VALVE DOWNSTREAM FILTER Component ATA:32</b> |          |           |          |          |                           |           |           |             |
| PN:PN   | DAYS/MSC |           | O/C      |          |                           |           |           |             |
| SN:UNKNOWN  | HRS      | 0         |          |          |                           |           |           |             |
| WC#: 32.595   | AFL      | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2  |          |           |          |          |                           |           |           |             |
| <b>324581 LH BRAKING SYSTEM SWIVEL COUPLING Component ATA:32</b>              |          |           |          |          |                           |           |           |             |
| PN:A100-24660   | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN  | HRS      | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 32.600   | AFL      | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 32-44-21-900-801   |          |           |          |          |                           |           |           |             |
| <b>324591 RH BRAKING SYSTEM SWIVEL COUPLING Component ATA:32</b>              |          |           |          |          |                           |           |           |             |
| PN:A101-24660   | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN  | HRS      | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 32.600   | AFL      | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 32-44-21-900-801   |          |           |          |          |                           |           |           |             |
| <b>324701 EMERGENCY BRAKE ELECTRIC DISTRIBUTOR Component ATA:32</b>           |          |           |          |          |                           |           |           |             |
| PN:65670-1  | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:1065A  | HRS      | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 32.650   | AFL      | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2  |          |           |          |          |                           |           |           |             |
| <b>324711 EMERGENCY BRAKE DISTRIBUTOR RETURN CHECK VALVE Component ATA:32</b> |          |           |          |          |                           |           |           |             |
| PN:A24515   | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN  | HRS      | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 32.650   | AFL      | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2  |          |           |          |          |                           |           |           |             |
| <b>324721 LH MAIN GEAR EMERGENCY SYSTEM PRESSURE SWITCH Component ATA:32</b>  |          |           |          |          |                           |           |           |             |
| PN:7G862  | MOS/MSC  | 26-Feb-92 | O/C      |          | TSN 0                     |           |           |             |
| SN:192  | HRS      | 1488      |          |          | TSN 0                     |           |           |             |
| WC#: 32.660   | AFL      | 641       |          |          | TSN 0                     |           |           |             |
| PROC. REF: AMM GENERIC 2  |          |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 32 - LANDING GEAR</b>   |         |           |          |          |                           |           |           |             |
| <b>324731 RH MAIN GEAR EMERGENCY SYSTEM PRESSURE SWITCH</b> Component ATA:32 |         |           |          |          |                           |           |           |             |
| PN:7G862   | MOS/MSC | 07-Dec-91 | O/C      |          | TSN 0                     |           |           |             |
| SN:121   | HRS     | 1323      |          |          | TSN 0                     |           |           |             |
| WC#: 32.660  | AFL     | 582       |          |          | TSN 0                     |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>324741 LH EMERGENCY/PARKING BRAKE SHUTTLE VALVE</b> Component ATA:32      |         |           |          |          |                           |           |           |             |
| PN:A24523  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 32.670  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>324751 RH EMERGENCY/PARKING BRAKE SHUTTLE VALVE</b> Component ATA:32      |         |           |          |          |                           |           |           |             |
| PN:A24523  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 32.670  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>324821 PARKING BRAKE ACCUMULATOR PRESSURE GAUGE</b> Component ATA:32      |         |           |          |          |                           |           |           |             |
| PN:18040100  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 32.690  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>324831 PARKING BRAKE ACCUMULATOR CHECK VALVE</b> Component ATA:32         |         |           |          |          |                           |           |           |             |
| PN:A24515  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 32.700  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 32-42-05-900-801  |         |           |          |          |                           |           |           |             |
| <b>324841 PARKING BRAKE ACCUMULATOR OVERPRESSURE VALVE</b> Component ATA:32  |         |           |          |          |                           |           |           |             |
| PN:D25AB1310   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:94  | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 32.700  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>325111 STEERING AMPLIFIER</b> Component ATA:32                            |         |           |          |          |                           |           |           |             |
| PN:C24242010   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:AP414   | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 32.710  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 32 - LANDING GEAR</b>   |         |           |          |          |                           |           |           |             |
| <b>325121 NOSE LANDING GEAR STEERING ACTUATOR Component ATA:32</b>           |         |           |          |          |                           |           |           |             |
| PN:PN  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 32.710  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>325171 STEERING ACCUMULATOR Component ATA:32</b>                          |         |           |          |          |                           |           |           |             |
| PN:PN  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 32.730  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>325191 STEERING SYSTEM FILTERING ELEMENT Component ATA:32</b>             |         |           |          |          |                           |           |           |             |
| PN:ADB295-4  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:0254  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 32.740  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>325201 LH NOSE LANDING GEAR STEERING SWIVEL COUPLING Component ATA:32</b> |         |           |          |          |                           |           |           |             |
| PN:PN  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 32.750  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>325211 RH NOSE LANDING GEAR STEERING SWIVEL COUPLING Component ATA:32</b> |         |           |          |          |                           |           |           |             |
| PN:PN  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 32.750  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>325251 STEERING SLIDING DISTRIBUTOR VALVE Component ATA:32</b>            |         |           |          |          |                           |           |           |             |
| PN:C24166-1  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:U331  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 32.760  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>325271 STEERING SUPPLY ELECTRODISTRIBUTOR Component ATA:32</b>            |         |           |          |          |                           |           |           |             |
| PN:65670-1   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:1064A   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 32.760  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|---------------------------------|---------|--|----------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 33 - LIGHTS</b>          |         |  |          |          |                           |           |           |             |  |
| 33-10-07-900-801-01             |         | REMOVAL/INSTALLATION OF THE COCKPIT DOME LIGHTS - PILOT DOME LIGHT (L7LH)                                  |          |          |                           |           | Component | ATA:33      |  |
| PN:35-43-1                      | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:UNKNOWN                      | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 33.020                     | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 33-10-07-900-801 |         |  |          |          |                           |           |           |             |  |
| 33-10-07-900-801-02             |         | REMOVAL/INSTALLATION OF THE COCKPIT DOME LIGHTS - COPILOT DOME LIGHT (R7LH)                                |          |          |                           |           | Component | ATA:33      |  |
| PN:35-43-1                      | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:UNKNOWN                      | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 33.020                     | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 33-10-07-900-801 |         |  |          |          |                           |           |           |             |  |
| 33-10-17-900-801-01             |         | REMOVAL / INSTALLATION OF THE CIRCUIT BREAKER PANEL SPOTLIGHTS - LH CIRCUIT BREAKER PANEL SPOTLIGHT (L5LC) |          |          |                           |           | Component | ATA:33      |  |
| PN:4X650                        | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:UNKNOWN                      | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 33.030                     | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 33-10-17-900-801 |         |  |          |          |                           |           |           |             |  |
| 33-10-17-900-801-02             |         | REMOVAL / INSTALLATION OF THE CIRCUIT BREAKER PANEL SPOTLIGHTS - RH CIRCUIT BREAKER PANEL SPOTLIGHT (R5LC) |          |          |                           |           | Component | ATA:33      |  |
| PN:4X650                        | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:UNKNOWN                      | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 33.030                     | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 33-10-17-900-801 |         |  |          |          |                           |           |           |             |  |
| 33-20-00-200-801-01             |         | INSPECTION OF "ALC" LIGHTING TUBES   |          |          |                           |           | Service   | ATA:33      |  |
|                                 | MOS/MSC | 11-Feb-21  | O/C      |          |                           |           |           |             |  |
|                                 | HRS     | 9217.4   |          |          |                           |           |           |             |  |
| WC#: 33.085                     | AFL     | 4420   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 33-20-00-200-801 |         |  |          |          |                           |           |           |             |  |
| 33-20-00-200-802-01             |         | CHECK OF THE CONNECTION OF "SELA" LIGHTING TUBES   |          |          |                           |           | Service   | ATA:33      |  |
|                                 | MOS/MSC | 24-Jan-07  | N/A      |          |                           |           |           |             |  |
|                                 | HRS     | 6000.4   |          |          |                           |           |           |             |  |
| WC#: 33.290                     | AFL     | 2903   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 33-20-00-200-802 |         |  |          |          |                           |           |           |             |  |
| 33-40-01-900-801-01             |         | REMOVAL / INSTALLATION OF THE WING NAVIGATION LIGHTS - LH NAVIGATION LIGHT (L3LJ) OR (L3LJ) / (28L)        |          |          |                           |           | Component | ATA:33      |  |
| PN:30-1205-1                    | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:UNKNOWN                      | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 33.120                     | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 33-40-01-900-801 |         |  |          |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W  | Interval   | TSX/Adj.   | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|----------------------------------|---------|--|------------|------------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 33 - LIGHTS</b>           |         |  |            |            |                           |           |           |             |  |
| 33-40-01-900-801-02              |         | REMOVAL / INSTALLATION OF THE WING NAVIGATION LIGHTS - RH NAVIGATION LIGHT (R3LJ) OR (R3LJ) / (29L)                          |            |            |                           |           | Component | ATA:33      |  |
| PN:A7512-24                      | MOS/MSC | 07-Jun-06  | O/C        |            |                           |           |           |             |  |
| SN:UNKNOWN                       | HRS     | 5727.1   |            | TSN 5727.1 |                           |           |           |             |  |
| WC#: 33.120                      | AFL     | 2755   |            |            |                           |           |           |             |  |
| PROC. REF: AMM 33-40-01-900-801  |         |  |            |            |                           |           |           |             |  |
| 33-40-09-900-802-01              |         | REMOVAL / INSTALLATION OF UPPER ANTI-COLLISION LIGHT - UPPER ANTI-COLLISION LIGHT (4LX)                                      |            |            |                           |           | Component | ATA:33      |  |
| PN:30-1136-9                     | MOS/MSC | 23-Oct-89  | O/C        |            |                           |           |           |             |  |
| SN:1883                          | HRS     | 0  |            | TSN 0      |                           |           |           |             |  |
| WC#: 33.190                      | AFL     | 0  |            |            |                           |           |           |             |  |
| PROC. REF: AMM 33-40-09-900-802  |         |  |            |            |                           |           |           |             |  |
| 33-40-37-900-801-01              |         | REMOVAL / INSTALLATION OF THE LANDING LIGHTS - LH LANDING LIGHT (L3LM)   |            |            |                           |           | Component | ATA:33      |  |
| PN:4240531                       | MOS/MSC | 23-Oct-89  | O/C        |            |                           |           |           |             |  |
| SN:47828                         | HRS     | 0  |            | TSN 0      |                           |           |           |             |  |
| WC#: 33.170                      | AFL     | 0  |            |            |                           |           |           |             |  |
| PROC. REF: AMM 33-40-37-900-801  |         |  |            |            |                           |           |           |             |  |
| 33-40-37-900-801-02              |         | REMOVAL / INSTALLATION OF THE LANDING LIGHTS - RH LANDING LIGHT (R3LM)   |            |            |                           |           | Component | ATA:33      |  |
| PN:4240531                       | MOS/MSC | 23-Oct-89  | O/C        |            |                           |           |           |             |  |
| SN:47832                         | HRS     | 0  |            | TSN 0      |                           |           |           |             |  |
| WC#: 33.170                      | AFL     | 0  |            |            |                           |           |           |             |  |
| PROC. REF: AMM 33-40-37-900-801  |         |  |            |            |                           |           |           |             |  |
| 33-40-41-900-801-01              |         | REMOVAL / INSTALLATION OF THE TAXI LIGHT - TAXI LIGHT (4LR)  |            |            |                           |           | Component | ATA:33      |  |
| PN:4060622                       | MOS/MSC | 23-Oct-89  | O/C        |            |                           |           |           |             |  |
| SN:47834                         | HRS     | 0  |            | TSN 0      |                           |           |           |             |  |
| WC#: 33.180                      | AFL     | 0  |            |            |                           |           |           |             |  |
| PROC. REF: AMM 33-40-41-900-801  |         |  |            |            |                           |           |           |             |  |
| 33-40-53-960-801-01              |         | REPLACEMENT OF THE WHITE REAR ANTI-COLLISION LIGHT POWER SUPPLY BOX - REAR WHITE ANTI-COLLISION LIGHT POWER SUPPLY BOX (7LX) |            |            |                           |           | Component | ATA:33      |  |
| PN:PN                            | MOS/MSC | 23-Oct-89  | O/C        |            |                           |           |           |             |  |
| SN:UNKNOWN                       | HRS     | 0  |            | TSN 0      |                           |           |           |             |  |
| WC#: 33.210                      | AFL     | 0  |            |            |                           |           |           |             |  |
| PROC. REF: AMM 33-40-53-960-801  |         |  |            |            |                           |           |           |             |  |
| 33-50-00-710-804-01 <sup>S</sup> |         | OPERATIONAL TEST OF THE EMERGENCY LIGHTING SYSTEM - EMERGENCY LIGHTING SYSTEM  |            |            |                           |           | Service   | ATA:33      |  |
|                                  | MOS     | 14-Jan-21  |            |            |                           |           |           |             |  |
|                                  | HRS     | 9204.6   | 4800 (+40) |            |                           |           |           |             |  |
|                                  | AFL     | 4418   |            |            |                           |           |           |             |  |
| PROC. REF: AMM 33-50-00-710-804  |         |  |            |            |                           |           |           |             |  |

PKG:23

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 33 - LIGHTS                 |  |           |          |          |                           |           |           |             |        |
| 33-50-05-350-801-01             | RESTORATION OF THE DME EF-2C RECHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASH LIGHT (2LT)       |           |          |          |                           |           |           | Service     | ATA:33 |
| PN:PN                           | MOS/MSC  | 20-Dec-11 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS  |           |          |          |                           |           |           |             |        |
|                                 | AFL  |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 33-50-05-350-801 |  |           |          |          |                           |           |           |             |        |
| 33-50-05-350-801-02             | RESTORATION OF THE DME EF-2C RECHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASH LIGHT (3LT)       |           |          |          |                           |           |           | Service     | ATA:33 |
| PN:PN                           | MOS/MSC  | 20-Dec-11 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS  |           |          |          |                           |           |           |             |        |
|                                 | AFL  |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 33-50-05-350-801 |  |           |          |          |                           |           |           |             |        |
| 33-50-05-350-803-01             | RESTORATION OF THE AIR LITE 2R LED RECHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASH LIGHT (2LT) |           |          |          |                           |           |           | Service     | ATA:33 |
|                                 | MOS/MSC  | 23-Oct-89 | N/A      |          |                           |           |           |             |        |
|                                 | HRS  | 0         |          |          |                           |           |           |             |        |
|                                 | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 33-50-05-350-803 |  |           |          |          |                           |           |           |             |        |
| 33-50-05-350-803-02             | RESTORATION OF THE AIR LITE 2R LED RECHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASH LIGHT (3LT) |           |          |          |                           |           |           | Service     | ATA:33 |
|                                 | MOS/MSC  | 23-Oct-89 | N/A      |          |                           |           |           |             |        |
|                                 | HRS  | 0         |          |          |                           |           |           |             |        |
|                                 | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 33-50-05-350-803 |  |           |          |          |                           |           |           |             |        |
| 33-50-05-350-820-01             | RESTORATION OF THE NON-CHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASH LIGHT (2LT)               |           |          |          |                           |           |           | Service     | ATA:33 |
|                                 | MOS/MSC  | 23-Oct-89 | N/A      |          |                           |           |           |             |        |
|                                 | HRS  | 0         |          |          |                           |           |           |             |        |
|                                 | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 33-50-05-350-820 |  |           |          |          |                           |           |           |             |        |
| 33-50-05-350-820-02             | RESTORATION OF THE NON-CHARGEABLE FLASHLIGHTS (OVERHAUL) - FLASH LIGHT (3LT)               |           |          |          |                           |           |           | Service     | ATA:33 |
|                                 | MOS/MSC  | 23-Oct-89 | N/A      |          |                           |           |           |             |        |
|                                 | HRS  | 0         |          |          |                           |           |           |             |        |
|                                 | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 33-50-05-350-820 |  |           |          |          |                           |           |           |             |        |
| 33-50-05-900-801-01             | PILOT FLASHLIGHT   |           |          |          |                           |           |           | Component   | ATA:33 |
| PN:PN                           | MOS/MSC  | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
|                                 | AFL  | 0         |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2        |  |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 33 - LIGHTS                                       |   |           |          |          |                           |           |           |             |        |
| 33-50-05-900-801-02                                   | COPILOT FLASHLIGHT  |           |          |          |                           |           |           | Component   | ATA:33 |
| PN:PN   | MOS/MSC   | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:UNKNOWN  | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
|   | AFL   | 0         |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2                              |   |           |          |          |                           |           |           |             |        |
| 33-50-05-960-801-01                                   | DISCARD OF THE RECHARGEABLE FLASHLIGHT BATTERY - LH FLASHLIGHT BATTERY (9610ME) |           |          |          |                           |           |           | Service     | ATA:33 |
|   | MOS/MSC   | 23-Oct-89 | N/A      |          |                           |           |           |             |        |
|   | HRS   | 0         |          |          |                           |           |           |             |        |
|   | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 33-50-05-960-801                       |   |           |          |          |                           |           |           |             |        |
| 33-50-05-960-801-02                                   | DISCARD OF THE RECHARGEABLE FLASHLIGHT BATTERY - RH FLASHLIGHT BATTERY (9620ME) |           |          |          |                           |           |           | Service     | ATA:33 |
|   | MOS/MSC   | 23-Oct-89 | N/A      |          |                           |           |           |             |        |
|   | HRS   | 0         |          |          |                           |           |           |             |        |
|   | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 33-50-05-960-801                       |   |           |          |          |                           |           |           |             |        |
| 33-50-33-610-801-01                                   | SERVICING OF THE EMERGENCY POWER SUPPLIES - EPS 1 (L3LW)                        |           |          |          |                           |           |           | Service     | ATA:33 |
| PN:D734-02-001  | MOS/MSC   | 14-Jan-21 | O/C      |          |                           |           |           |             |        |
| SN:3623/12-2008                                       | HRS   | 9204.6    |          |          |                           |           |           |             |        |
| WC#: 33.240   | AFL   | 4418      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 33-50-33-610-801, AMM 33-50-33-610-801 |   |           |          |          |                           |           |           |             |        |
| 33-50-33-610-801-02                                   | SERVICING OF THE EMERGENCY POWER SUPPLIES - EPS 2 (R3LW)                        |           |          |          |                           |           |           | Service     | ATA:33 |
| PN:D734-02-001  | MOS/MSC   | 14-Feb-20 | O/C      |          |                           |           |           |             |        |
| SN:4269/02-2013                                       | HRS   | 9150.1    |          |          |                           |           |           |             |        |
| WC#: 33.240   | AFL   | 4391      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 33-50-33-610-801, AMM 33-50-33-610-801 |   |           |          |          |                           |           |           |             |        |
| 33-50-33-610-801-03                                   | SERVICING OF THE EMERGENCY POWER SUPPLIES - EPS 3 (4LW)                         |           |          |          |                           |           |           | Service     | ATA:33 |
| PN:D734-02-001  | MOS/MSC   | 19-Dec-19 | O/C      |          |                           |           |           |             |        |
| SN:3350/05-2008                                       | HRS   | 9105.8    |          |          |                           |           |           |             |        |
| WC#: 33.250   | AFL   | 4378      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 33-50-33-610-801, AMM 33-50-33-610-801 |   |           |          |          |                           |           |           |             |        |
| 33-50-33-610-801-04                                   | SERVICING OF THE EMERGENCY POWER SUPPLIES - EPS 4 (20LW) (OPTIONAL)             |           |          |          |                           |           |           | Service     | ATA:33 |
| PN:PN   | MOS/MSC   | 23-Oct-89 | N/A      |          |                           |           |           |             |        |
| SN:NOT INSTALLED                                      | HRS   | 0         |          |          |                           |           |           |             |        |
| WC#: 33.130   | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 33-50-33-610-801, AMM 33-50-33-610-801 |   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|---------------------------------|---------|--|----------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 33 - LIGHTS</b>          |         |  |          |          |                           |           |           |             |  |
| 33-50-33-900-801-01             |         | REMOVAL / INSTALLATION OF THE EMERGENCY POWER SUPPLIES - EPS 1 (L3LW)              |          |          |                           |           | Component | ATA:33      |  |
| PN:D734-02-001                  | MOS/MSC | 14-Jan-21  | O/C      | TSR 0    |                           |           |           |             |  |
| SN:3623/12-2008                 | HRS     | 9204.6   |          | TSR 0    |                           |           |           |             |  |
| WC#: 33.240                     | AFL     | 4418   |          | TSR 0    |                           |           |           |             |  |
| PROC. REF: AMM 33-50-33-900-801 |         |  |          |          |                           |           |           |             |  |
| 33-50-33-900-801-02             |         | REMOVAL / INSTALLATION OF THE EMERGENCY POWER SUPPLIES - EPS 2 (R3LW)              |          |          |                           |           | Component | ATA:33      |  |
| PN:D734-02-001                  | MOS/MSC | 12-Nov-20  | O/C      | TSR 0    |                           |           |           |             |  |
| SN:4269/02-2013                 | HRS     | 9182.3   |          | TSR 0    |                           |           |           |             |  |
| WC#: 33.240                     | AFL     | 4405   |          | TSR 0    |                           |           |           |             |  |
| PROC. REF: AMM 33-50-33-900-801 |         |  |          |          |                           |           |           |             |  |
| 33-50-33-900-801-03             |         | REMOVAL / INSTALLATION OF THE EMERGENCY POWER SUPPLIES - EPS 3 (4LW)               |          |          |                           |           | Component | ATA:33      |  |
| PN:D734-02-001                  | MOS/MSC | 19-Dec-19  | O/C      |          |                           |           |           |             |  |
| SN:3350/05-2008                 | HRS     | 9105.8   |          |          |                           |           |           |             |  |
| WC#: 33.250                     | AFL     | 4378   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 33-50-33-900-801 |         |  |          |          |                           |           |           |             |  |
| 33-50-33-900-801-04             |         | REMOVAL / INSTALLATION OF THE EMERGENCY POWER SUPPLIES - EPS 4 (20LW) (OPTIONAL)   |          |          |                           |           | Component | ATA:33      |  |
| PN:PN                           | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:NOT INSTALLED                | HRS     | 0  |          |          |                           |           |           |             |  |
| WC#: 33.130                     | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 33-50-33-900-801 |         |  |          |          |                           |           |           |             |  |
| 33-50-37-900-801-01             |         | REMOVAL / INSTALLATION OF THE EPS BATTERY PACKS (PAGE) - EPS 1 (L3LW) BATTERY PACK |          |          |                           |           | Component | ATA:33      |  |
| PN:C734-01-030                  | MOS/MSC | 31-Jan-23  | O/C      | TSN 0    |                           |           |           |             |  |
| SN:CF34768/14/22                | HRS     | 9660.2   |          | TSN 0    |                           |           |           |             |  |
|                                 | AFL     | 4580   |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 33-50-37-900-801 |         |  |          |          |                           |           |           |             |  |
| 33-50-37-900-801-02             |         | REMOVAL / INSTALLATION OF THE EPS BATTERY PACKS (PAGE) - EPS 2 (R3LW) BATTERY PACK |          |          |                           |           | Component | ATA:33      |  |
| PN:NCS734-01-030                | MOS/MSC | 16-Nov-22  | O/C      |          |                           |           |           |             |  |
| SN:CF34184/46/21                | HRS     | 9596.5   |          |          |                           |           |           |             |  |
|                                 | AFL     | 4562   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 33-50-37-900-801 |         |  |          |          |                           |           |           |             |  |
| 33-50-37-900-801-03             |         | REMOVAL / INSTALLATION OF THE EPS BATTERY PACKS (PAGE) - EPS 3 (4LW) BATTERY PACK  |          |          |                           |           | Component | ATA:33      |  |
| PN:C734-01-030                  | MOS/MSC | 08-Sep-23  | O/C      | TSN 0    |                           |           |           |             |  |
| SN:CF35274/29/22                | HRS     | 9823.68  |          | TSN 0    |                           |           |           |             |  |
|                                 | AFL     | 4638   |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 33-50-37-900-801 |         |  |          |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |
|---|---------|-----------|----------|----------|---------------------------|-----------|-----------|------------------|
| <b>ATA 33 - LIGHTS</b>  |         |           |          |          |                           |           |           |                  |
| 33-50-37-900-801-04 REMOVAL / INSTALLATION OF THE EPS BATTERY PACKS (PAGE) - EPS 4 (20LW) (OPTIONAL) BATTERY PACK |         |           |          |          |                           |           |           | Component ATA:33 |
| PN:PN   | MOS/MSC | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |                  |
| SN:UNKNOWN  | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
|   | AFL     | 0         |          | TSN 0    |                           |           |           |                  |
| PROC. REF: AMM 33-50-37-900-801   |         |           |          |          |                           |           |           |                  |
| 33-50-37-960-802-01 DISCARD OF THE EPS BATTERY PACKS - EPS 1 (L3LW) BATTERY PACK                                  |         |           |          |          |                           |           |           | Service ATA:33   |
| PN:C734-01-030  | MOS     | 31-Jan-23 | 25       |          | 28-Feb-25                 |           | 465 d     | LIFE LIMIT       |
| SN:CF34768/14/22  | HRS     | 9660.2    |          |          |                           |           |           |                  |
| WC#: 33.240   | AFL     | 4580      |          |          |                           |           |           |                  |
| PROC. REF: AMM 33-50-37-960-802   |         |           |          |          |                           |           |           |                  |
| 33-50-37-960-802-02 DISCARD OF THE EPS BATTERY PACKS - EPS 2 (R3LW) BATTERY PACK                                  |         |           |          |          |                           |           |           | Service ATA:33   |
| PN:NCS734-01-030  | MOS     | 16-Nov-22 | 25       |          | 16-Dec-24                 |           | 391 d     | LIFE LIMIT       |
| SN:CF34184/46/21  | HRS     | 9596.5    |          |          |                           |           |           |                  |
| WC#: 33.240   | AFL     | 4562      |          |          |                           |           |           |                  |
| PROC. REF: AMM 33-50-37-960-802   |         |           |          |          |                           |           |           |                  |
| 33-50-37-960-802-03 DISCARD OF THE EPS BATTERY PACKS - EPS 3 (4LW) BATTERY PACK                                   |         |           |          |          |                           |           |           | Service ATA:33   |
| PN:C734-01-030  | MOS     | 08-Sep-23 | 25       |          | 08-Oct-25                 |           | 687 d     | LIFE LIMIT       |
| SN:CF35274/29/22  | HRS     | 9823.68   |          |          |                           |           |           |                  |
| WC#: 33.250   | AFL     | 4638      |          |          |                           |           |           |                  |
| PROC. REF: AMM 33-50-37-960-802   |         |           |          |          |                           |           |           |                  |
| 33-50-37-960-802-04 DISCARD OF THE EPS BATTERY PACKS - EPS 4 (20LW) (OPTIONAL) BATTERY PACK                       |         |           |          |          |                           |           |           | Service ATA:33   |
|   | MOS/MSC |           | N/A      |          |                           |           |           |                  |
|   | HRS     |           |          |          |                           |           |           |                  |
| WC#: 33.130   | AFL     |           |          |          |                           |           |           |                  |
| PROC. REF: AMM 33-50-37-960-802   |         |           |          |          |                           |           |           |                  |
| 331101 PILOT LIGHTING BOX   |         |           |          |          |                           |           |           | Component ATA:33 |
| PN:24-01  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:1397   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 33.010   | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |                  |
| 331111 COPILOT LIGHTING BOX   |         |           |          |          |                           |           |           | Component ATA:33 |
| PN:24-01  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:1398   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 33.010   | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 33 - LIGHTS</b>   |         |           |          |          |                           |           |           |             |
| <b>331161 PILOT READING LIGHT Component ATA:33</b>                     |         |           |          |          |                           |           |           |             |
| PN:34150-13-305  | MOS/MSC | 05-Oct-06 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 5839.6    |          |          |                           |           |           |             |
| WC#: 33.040  | AFL     | 2821      |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>331171 COPILOT READING LIGHT Component ATA:33</b>                   |         |           |          |          |                           |           |           |             |
| PN:34150-13-305  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 33.040  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>331181 PILOT FLUORESCENT GLARESHIELD TUBE Component ATA:33</b>      |         |           |          |          |                           |           |           |             |
| PN:10-501BA  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:94  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 33.050  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 33-10-09-960-801  |         |           |          |          |                           |           |           |             |
| <b>331191 COPILOT FLUORESCENT GLARESHIELD TUBE Component ATA:33</b>    |         |           |          |          |                           |           |           |             |
| PN:10-501TA  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:74  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 33.050  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 33-10-09-960-801  |         |           |          |          |                           |           |           |             |
| <b>331201 GLARESHIELD POWER SUPPLY BOX Component ATA:33</b>            |         |           |          |          |                           |           |           |             |
| PN:55-0520-4-3   | MOS/MSC | 30-Jul-07 | O/C      |          |                           |           |           |             |
| SN:78  | HRS     | 6242.7    |          |          |                           |           |           |             |
| WC#: 33.060  | AFL     | 3017      |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>331211 PILOT LIGHTING INSTRUMENT TRANSFORMER Component ATA:33</b>   |         |           |          |          |                           |           |           |             |
| PN:24-54   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:711   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 33.070  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>331221 COPILOT LIGHTING INSTRUMENT TRANSFORMER Component ATA:33</b> |         |           |          |          |                           |           |           |             |
| PN:24-54   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:715   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 33.070  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                  | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|--------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 33 - LIGHTS          |  |           |          |          |                           |           |           |             |        |
| 331231                   | LIGHTING PEDESTAL TRANSFORMER                |           |          |          |                           |           |           | Component   | ATA:33 |
| PN:24-54                 | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:716                   | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 33.080              | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |  |           |          |          |                           |           |           |             |        |
| 331241                   | OVERHEAD PANEL LIGHTING TRANSFORMER          |           |          |          |                           |           |           | Component   | ATA:33 |
| PN:24-014                | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:205                   | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 33.080              | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |  |           |          |          |                           |           |           |             |        |
| 331251                   | CENTER INSTRUMENT PANEL LIGHTING TRANSFORMER |           |          |          |                           |           |           | Component   | ATA:33 |
| PN:24-54                 | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:718                   | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 33.070              | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |  |           |          |          |                           |           |           |             |        |
| 333101                   | LH REAR COMPARTMENT DOME LIGHT               |           |          |          |                           |           |           | Component   | ATA:33 |
| PN:15-0254-3             | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN               | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 33.090              | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |  |           |          |          |                           |           |           |             |        |
| 333111                   | RH REAR COMPARTMENT DOME LIGHT               |           |          |          |                           |           |           | Component   | ATA:33 |
| PN:15-0254-3             | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN               | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 33.090              | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |  |           |          |          |                           |           |           |             |        |
| 333121                   | BAGGAGE COMPARTMENT DOME LIGHT               |           |          |          |                           |           |           | Component   | ATA:33 |
| PN:15-0254-3             | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN               | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 33.100              | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |  |           |          |          |                           |           |           |             |        |
| 333131                   | BAGGAGE COMPARTMENT SPOT LIGHT               |           |          |          |                           |           |           | Component   | ATA:33 |
| PN:32-24                 | MOS/MSC                                      | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN               | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 33.100              | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |  |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                  | Unit    | C/W                                | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining               | Disposition |  |
|--------------------------|---------|------------------------------------|----------|----------|---------------------------|-----------|-------------------------|-------------|--|
| <b>ATA 33 - LIGHTS</b>   |         |                                    |          |          |                           |           |                         |             |  |
| <b>333141</b>            |         | <b>NOSE CONE INSPECTION LIGHT</b>  |          |          |                           |           | <b>Component ATA:33</b> |             |  |
| PN:B8550-1-1385          | MOS/MSC | 23-Oct-89                          | O/C      |          |                           |           |                         |             |  |
| SN:UNKNOWN               | HRS     | 0                                  |          | TSN 0    |                           |           |                         |             |  |
| WC#: 33.110              | AFL     | 0                                  |          |          |                           |           |                         |             |  |
| PROC. REF: AMM GENERIC 2 |         |                                    |          |          |                           |           |                         |             |  |
| <b>334131</b>            |         | <b>LH WING STROBE POWER SUPPLY</b> |          |          |                           |           | <b>Component ATA:33</b> |             |  |
| PN:39-42-1               | MOS/MSC | 08-Jul-91                          | O/C      |          |                           |           |                         |             |  |
| SN:183                   | HRS     | 967                                |          | TSN 48   |                           |           |                         |             |  |
| WC#: 33.140              | AFL     | 437                                |          |          |                           |           |                         |             |  |
| PROC. REF: AMM GENERIC 2 |         |                                    |          |          |                           |           |                         |             |  |
| <b>334141</b>            |         | <b>RH WING STROBE POWER SUPPLY</b> |          |          |                           |           | <b>Component ATA:33</b> |             |  |
| PN:39-42-1               | MOS/MSC | 04-Nov-04                          | O/C      |          | TSR 0                     |           |                         |             |  |
| SN:412                   | HRS     | 5174.4                             |          |          | TSR 0                     |           |                         |             |  |
| WC#: 33.150              | AFL     | 2445                               |          |          | TSR 0                     |           |                         |             |  |
| PROC. REF: AMM GENERIC 2 |         |                                    |          |          |                           |           |                         |             |  |
| <b>334151</b>            |         | <b>LH WING STROBE LIGHT</b>        |          |          |                           |           | <b>Component ATA:33</b> |             |  |
| PN:39-28-21              | MOS/MSC | 23-Oct-89                          | O/C      |          |                           |           |                         |             |  |
| SN:379                   | HRS     | 0                                  |          | TSN 0    |                           |           |                         |             |  |
| WC#: 33.140              | AFL     | 0                                  |          |          |                           |           |                         |             |  |
| PROC. REF: AMM GENERIC 2 |         |                                    |          |          |                           |           |                         |             |  |
| <b>334161</b>            |         | <b>RH WING STROBE LIGHT</b>        |          |          |                           |           | <b>Component ATA:33</b> |             |  |
| PN:39-28-21              | MOS/MSC | 13-Feb-08                          | O/C      |          | TSN 0                     |           |                         |             |  |
| SN:2909                  | HRS     | 6397.7                             |          |          | TSN 0                     |           |                         |             |  |
| WC#: 33.150              | AFL     | 3097                               |          |          | TSN 0                     |           |                         |             |  |
| PROC. REF: AMM GENERIC 2 |         |                                    |          |          |                           |           |                         |             |  |
| <b>334171</b>            |         | <b>LH ICE DETECTION SPOT LIGHT</b> |          |          |                           |           | <b>Component ATA:33</b> |             |  |
| PN:30-1361-9             | MOS/MSC | 23-Oct-89                          | O/C      |          |                           |           |                         |             |  |
| SN:UNKNOWN               | HRS     | 0                                  |          | TSN 0    |                           |           |                         |             |  |
| WC#: 33.160              | AFL     | 0                                  |          |          |                           |           |                         |             |  |
| PROC. REF: AMM GENERIC 2 |         |                                    |          |          |                           |           |                         |             |  |
| <b>334181</b>            |         | <b>RH ICE DETECTION SPOT LIGHT</b> |          |          |                           |           | <b>Component ATA:33</b> |             |  |
| PN:30-1361-10            | MOS/MSC | 23-Oct-89                          | O/C      |          |                           |           |                         |             |  |
| SN:UNKNOWN               | HRS     | 0                                  |          | TSN 0    |                           |           |                         |             |  |
| WC#: 33.160              | AFL     | 0                                  |          |          |                           |           |                         |             |  |
| PROC. REF: AMM GENERIC 2 |         |                                    |          |          |                           |           |                         |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining        | Disposition |               |
|---------------------------------|---------|--|----------|----------|---------------------------|-----------|------------------|-------------|---------------|
| <b>ATA 33 - LIGHTS</b>          |         |  |          |          |                           |           |                  |             |               |
| <b>334231</b>                   |         | <b>TAXI LIGHT PROXIMITY DETECTOR</b>                   |          |          |                           |           | <b>Component</b> |             | <b>ATA:33</b> |
| PN:84739702                     | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |                  |             |               |
| SN:UNKNOWN                      | HRS     | 0  |          | TSN 0    |                           |           |                  |             |               |
| WC#: 33.180                     | AFL     | 0  |          |          |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 2        |         |  |          |          |                           |           |                  |             |               |
| <b>334251</b>                   |         | <b>VERTICAL STABILIZER ANTI-COLLISION POWER SUPPLY</b> |          |          |                           |           | <b>Component</b> |             | <b>ATA:33</b> |
| PN:60-2667-3                    | MOS/MSC | 09-Feb-12  | O/C      | TSN 0    |                           |           |                  |             |               |
| SN:1612                         | HRS     | 7548.9   |          | TSN 0    |                           |           |                  |             |               |
| WC#: 33.190                     | AFL     | 3752   |          | TSN 0    |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 2        |         |  |          |          |                           |           |                  |             |               |
| <b>334271</b>                   |         | <b>FUSELAGE ANTI-COLLISION POWER SUPPLY</b>            |          |          |                           |           | <b>Component</b> |             | <b>ATA:33</b> |
| PN:39-44-31                     | MOS/MSC | 25-Feb-11  | O/C      |          |                           |           |                  |             |               |
| SN:704                          | HRS     | 7124.3   |          |          |                           |           |                  |             |               |
| WC#: 33.200                     | AFL     | 3528   |          |          |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 2        |         |  |          |          |                           |           |                  |             |               |
| <b>334281</b>                   |         | <b>FUSELAGE ANTI-COLLISION LIGHT</b>                   |          |          |                           |           | <b>Component</b> |             | <b>ATA:33</b> |
| PN:39-59-2                      | MOS/MSC | 12-Nov-20  | O/C      | TSN 19   |                           |           |                  |             |               |
| SN:1688                         | HRS     | 9182.3   |          | TSN 0    |                           |           |                  |             |               |
| WC#: 33.200                     | AFL     | 4405   |          | TSN 0    |                           |           |                  |             |               |
| PROC. REF: AMM 33-40-09-960-803 |         |  |          |          |                           |           |                  |             |               |
| <b>334301</b>                   |         | <b>REAR STROBE LIGHT</b>                               |          |          |                           |           | <b>Component</b> |             | <b>ATA:33</b> |
| PN:39-54-21R                    | MOS/MSC | 29-Nov-94  | O/C      |          |                           |           |                  |             |               |
| SN:283                          | HRS     | 2062   |          |          |                           |           |                  |             |               |
| WC#: 33.210                     | AFL     | 990  |          |          |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 2        |         |  |          |          |                           |           |                  |             |               |
| <b>335151</b>                   |         | <b>FORWARD PASSENGER DOOR LIGHT</b>                    |          |          |                           |           | <b>Component</b> |             | <b>ATA:33</b> |
| PN:306-03                       | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |                  |             |               |
| SN:UNKNOWN                      | HRS     | 0  |          | TSN 0    |                           |           |                  |             |               |
| WC#: 33.260                     | AFL     | 0  |          |          |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 2        |         |  |          |          |                           |           |                  |             |               |
| <b>335161</b>                   |         | <b>AFT PASSENGER DOOR LIGHT</b>                        |          |          |                           |           | <b>Component</b> |             | <b>ATA:33</b> |
| PN:306-03                       | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |                  |             |               |
| SN:UNKNOWN                      | HRS     | 0  |          | TSN 0    |                           |           |                  |             |               |
| WC#: 33.260                     | AFL     | 0  |          |          |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 2        |         |  |          |          |                           |           |                  |             |               |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining        | Disposition |               |
|---------------------------------|---------|--|----------|----------|---------------------------|-----------|------------------|-------------|---------------|
| <b>ATA 33 - LIGHTS</b>          |         |  |          |          |                           |           |                  |             |               |
| <b>335171</b>                   |         | <b>EMERGENCY EXIT EXTERIOR LIGHT</b>                                     |          |          |                           |           | <b>Component</b> |             | <b>ATA:33</b> |
| PN:32-515M8                     | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |                  |             |               |
| SN:UNKNOWN                      | HRS     | 0  |          | TSN 0    |                           |           |                  |             |               |
| WC#: 33.270                     | AFL     | 0  |          |          |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 2        |         |  |          |          |                           |           |                  |             |               |
| <b>335181</b>                   |         | <b>RH WING EVACUATION LIGHT</b>  |          |          |                           |           | <b>Component</b> |             | <b>ATA:33</b> |
| PN:30-1358-17                   | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |                  |             |               |
| SN:UNKNOWN                      | HRS     | 0  |          | TSN 0    |                           |           |                  |             |               |
| WC#: 33.270                     | AFL     | 0  |          |          |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 2        |         |  |          |          |                           |           |                  |             |               |
| <b>ATA 34 - NAVIGATION</b>      |         |  |          |          |                           |           |                  |             |               |
| <b>34-01-00-720-801-01</b>      |         | <b>FUNCTIONAL TEST OF THE EFIS SYSTEM</b>                                |          |          |                           |           | <b>Service</b>   |             | <b>ATA:34</b> |
|                                 | MOS/MSC | 30-Jan-18  | N/A      |          |                           |           |                  |             |               |
|                                 | HRS     | 8722.5   |          |          |                           |           |                  |             |               |
| WC#: 34.032                     | AFL     | 4222   |          |          |                           |           |                  |             |               |
| PROC. REF: AMM 34-01-00-720-801 |         |  |          |          |                           |           |                  |             |               |
| <b>34-01-13-900-801-01</b>      |         | <b>REMOVAL / INSTALLATION OF THE EFIS DISPLAY UNITS - EADI 1 (L12FV)</b> |          |          |                           |           | <b>Component</b> |             | <b>ATA:34</b> |
| PN:7037625-13008                | MOS/MSC | 15-Nov-17  | O/C      | TSR 8    |                           |           |                  |             |               |
| SN:15020937                     | HRS     | 8692.9   |          | TSR 0    |                           |           |                  |             |               |
| WC#: 34.170                     | AFL     | 4213   |          | TSR 0    |                           |           |                  |             |               |
| PROC. REF: AMM 34-01-13-900-801 |         |  |          |          |                           |           |                  |             |               |
| <b>34-01-13-900-801-02</b>      |         | <b>REMOVAL / INSTALLATION OF THE EFIS DISPLAY UNITS - EHSI 1 (L22FV)</b> |          |          |                           |           | <b>Component</b> |             | <b>ATA:34</b> |
| PN:7037625-13008                | MOS/MSC | 19-Jun-14  | O/C      |          |                           |           |                  |             |               |
| SN:07090363                     | HRS     | 8032   |          |          |                           |           |                  |             |               |
| WC#: 34.170                     | AFL     | 3965   |          |          |                           |           |                  |             |               |
| PROC. REF: AMM 34-01-13-900-801 |         |  |          |          |                           |           |                  |             |               |
| <b>34-01-13-900-801-03</b>      |         | <b>REMOVAL / INSTALLATION OF THE EFIS DISPLAY UNITS - EADI 2 (R12FV)</b> |          |          |                           |           | <b>Component</b> |             | <b>ATA:34</b> |
| PN:7037625-13008                | MOS/MSC | 15-Nov-17  | O/C      | TSR 8    |                           |           |                  |             |               |
| SN:15020940                     | HRS     | 8692.9   |          | TSR 0    |                           |           |                  |             |               |
| WC#: 34.180                     | AFL     | 4213   |          | TSR 0    |                           |           |                  |             |               |
| PROC. REF: AMM 34-01-13-900-801 |         |  |          |          |                           |           |                  |             |               |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W  | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|----------------------------------|---------|--|------------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 34 - NAVIGATION</b>       |         |  |            |          |                           |           |           |             |  |
| 34-01-13-900-801-04              |         | REMOVAL / INSTALLATION OF THE EFIS DISPLAY UNITS - EHSI 2 (R22FV)                              |            |          |                           |           | Component | ATA:34      |  |
| PN:7037625-13008                 | MOS/MSC | 19-Jun-14  | O/C        |          |                           |           |           |             |  |
| SN:10060813                      | HRS     | 8032   |            |          |                           |           |           |             |  |
| WC#: 34.180                      | AFL     | 3965   |            |          |                           |           |           |             |  |
| PROC. REF: AMM 34-01-13-900-801  |         |  |            |          |                           |           |           |             |  |
| 34-01-13-900-801-05              |         | REMOVAL / INSTALLATION OF THE EFIS DISPLAY UNITS - MFD (62FV)                                  |            |          |                           |           | Component | ATA:34      |  |
| PN:7003110-901                   | MOS/MSC | 23-Mar-90  | O/C        |          |                           |           |           |             |  |
| SN:89104035                      | HRS     | 27   |            | TSN 0    |                           |           |           |             |  |
| WC#: 34.190                      | AFL     | 12   |            |          |                           |           |           |             |  |
| PROC. REF: AMM 34-01-13-900-801  |         |  |            |          |                           |           |           |             |  |
| 34-01-25-710-801-01 <sup>S</sup> |         | OPERATIONAL TEST OF THE EFIS FANS  |            |          |                           |           | Service   | ATA:34      |  |
|                                  | MOS     | 11-Apr-16  |            |          |                           |           |           |             |  |
|                                  | HRS     | 8447.8   | 1600 (+40) |          |                           |           |           |             |  |
| WC#: 34.020                      | AFL     | 4114   |            |          |                           |           |           |             |  |
| PROC. REF: AMM 34-01-25-710-801  |         |  |            |          |                           |           |           |             |  |
| 34-10-00-720-801-01 <sup>S</sup> |         | FUNCTIONAL TEST OF THE AIR DATA SYSTEM   |            |          |                           |           | Service   | ATA:34      |  |
|                                  | MOS     | 16-Nov-22  | 24 (+1m)   |          |                           |           | RVSM      |             |  |
|                                  | HRS     | 9596.5   |            |          |                           |           |           |             |  |
| WC#: 34.045                      | AFL     | 4562   |            |          |                           |           |           |             |  |
| PROC. REF: AMM 34-10-00-720-801  |         |  |            |          |                           |           |           |             |  |
| 34-10-01-900-801-01              |         | REMOVAL / INSTALLATION OF THE OUTSIDE AIR TEMPERATURE PROBE - OUTSIDE TEMPERATURE PROBE (52FL) |            |          |                           |           | Component | ATA:34      |  |
| PN:102AU1CK                      | MOS/MSC | 23-Oct-89  | O/C        |          |                           |           |           |             |  |
| SN:73489                         | HRS     | 0  |            | TSN 0    |                           |           |           |             |  |
| WC#: 34.090                      | AFL     | 0  |            |          |                           |           |           |             |  |
| PROC. REF: AMM 34-10-01-900-801  |         |  |            |          |                           |           |           |             |  |
| 34-10-11-720-801-01 <sup>S</sup> |         | CHECK OF THE ELECTRICAL ZERO SETTING OF ANGLE-OF-ATTACK SENSORS - LH AOA SENSOR (L11CM)        |            |          |                           |           | Service   | ATA:34      |  |
|                                  | MOS     | 19-Jun-14  |            |          |                           |           |           |             |  |
|                                  | HRS     | 8032   | 1600 (+40) |          |                           |           |           |             |  |
| WC#: 27.480                      | AFL     | 3965   |            |          |                           |           |           |             |  |
| PROC. REF: AMM 34-10-11-720-801  |         |  |            |          |                           |           |           |             |  |
| 34-10-11-720-801-02 <sup>S</sup> |         | CHECK OF THE ELECTRICAL ZERO SETTING OF ANGLE-OF-ATTACK SENSORS - RH AOA SENSOR (R11CM)        |            |          |                           |           | Service   | ATA:34      |  |
|                                  | MOS     | 19-Jun-14  |            |          |                           |           |           |             |  |
|                                  | HRS     | 8032   | 1600 (+40) |          |                           |           |           |             |  |
| WC#: 27.480                      | AFL     | 3965   |            |          |                           |           |           |             |  |
| PROC. REF: AMM 34-10-11-720-801  |         |  |            |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                     | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|---|---------|--|----------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 34 - NAVIGATION</b>                  |         |  |          |          |                           |           |           |             |  |
| 34-10-11-900-801-01                         |         | REMOVAL / INSTALLATION OF THE ANGLE-OF-ATTACK SENSOR - LH AOA SENSOR (L11CM)         |          |          |                           |           | Component | ATA:34      |  |
| PN:861CAU2                                  | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:110                                      | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 27.480                                 | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 34-10-11-900-801             |         |  |          |          |                           |           |           |             |  |
| 34-10-11-900-801-02                         |         | REMOVAL / INSTALLATION OF THE ANGLE-OF-ATTACK SENSOR - RH AOA SENSOR (R11CM)         |          |          |                           |           | Component | ATA:34      |  |
| PN:861CAU2                                  | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:168                                      | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 27.480                                 | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 34-10-11-900-801             |         |  |          |          |                           |           |           |             |  |
| 34-11-00-680-802-01 <sup>S</sup>            |         | DRAINING OF THE STAND-BY PITOT / STATIC PRESSURE SYSTEM                              |          |          |                           |           | Service   | ATA:34      |  |
|   | MOS     | 16-Nov-22  | 24 (+1m) |          |                           |           |           |             |  |
|   | HRS     | 9596.5   |          |          |                           |           |           |             |  |
|   | AFL     | 4562   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 34-11-00-680-802             |         |  |          |          |                           |           |           |             |  |
| PKG:16                                      |         |  |          |          |                           |           |           |             |  |
| 34-11-00-790-801-01                         |         | LEAK TEST OF THE TOTAL / STATIC PRESSURE SYSTEM - PILOT STATIC AIR PRESSURE SYSTEM   |          |          |                           |           | Service   | ATA:34      |  |
|   | MOS/MSC | 31-May-23  | O/C      |          |                           |           |           |             |  |
|   | HRS     | 9758.1   |          |          |                           |           |           |             |  |
|   | AFL     | 4611   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 34-11-00-790-801, FAR 91.411 |         |  |          |          |                           |           |           |             |  |
| 34-11-00-790-801-02                         |         | LEAK TEST OF THE TOTAL / STATIC PRESSURE SYSTEM - PILOT TOTAL AIR PRESSURE SYSTEM    |          |          |                           |           | Service   | ATA:34      |  |
|   | MOS/MSC | 09-Jun-14  | O/C      |          |                           |           |           |             |  |
|   | HRS     |  |          |          |                           |           |           |             |  |
|   | AFL     |  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 34-11-00-790-801             |         |  |          |          |                           |           |           |             |  |
| 34-11-00-790-801-03                         |         | LEAK TEST OF THE TOTAL / STATIC PRESSURE SYSTEM - COPILOT STATIC AIR PRESSURE SYSTEM |          |          |                           |           | Service   | ATA:34      |  |
|   | MOS/MSC | 31-May-23  | O/C      |          |                           |           |           |             |  |
|   | HRS     | 9758.1   |          |          |                           |           |           |             |  |
|   | AFL     | 4611   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 34-11-00-790-801, FAR 91.411 |         |  |          |          |                           |           |           |             |  |
| 34-11-00-790-801-04                         |         | LEAK TEST OF THE TOTAL / STATIC PRESSURE SYSTEM - COPILOT TOTAL AIR PRESSURE SYSTEM  |          |          |                           |           | Service   | ATA:34      |  |
|   | MOS/MSC | 09-Jun-14  | O/C      |          |                           |           |           |             |  |
|   | HRS     |  |          |          |                           |           |           |             |  |
|   | AFL     |  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 34-11-00-790-801             |         |  |          |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                     | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 34 - NAVIGATION                         |   |           |          |          |                           |           |           |             |        |
| 34-11-00-790-801-05                         | LEAK TEST OF THE TOTAL / STATIC PRESSURE SYSTEM - STAND-BY STATIC AIR PRESSURE SYSTEMS            |           |          |          |                           |           |           | Service     | ATA:34 |
|   | MOS/MSC   | 05-Nov-20 | O/C      |          |                           |           |           |             |        |
|   | HRS   |           |          |          |                           |           |           |             |        |
|   | AFL   |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 34-11-00-790-801, FAR 91.411 |   |           |          |          |                           |           |           |             |        |
| 34-11-00-790-801-06                         | LEAK TEST OF THE TOTAL / STATIC PRESSURE SYSTEM - STAND-BY TOTAL AIR PRESSURE SYSTEMS             |           |          |          |                           |           |           | Service     | ATA:34 |
|   | MOS/MSC   | 09-Jun-14 | O/C      |          |                           |           |           |             |        |
|   | HRS   |           |          |          |                           |           |           |             |        |
|   | AFL   |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 34-11-00-790-801             |   |           |          |          |                           |           |           |             |        |
| 34-11-01-200-801-01                         | CHECK OF THE TOTAL PRESSURE PROBE DRAIN HOLES FOR CLOGGING - LH TOTAL PRESSURE PROBE (L4FL)       |           |          |          |                           |           |           | Service     | ATA:34 |
|   | MOS/MSC   | 29-Jan-18 | O/C      |          |                           |           |           |             |        |
|   | HRS   | 8722.5    |          |          |                           |           |           |             |        |
|   | AFL   | 4222      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 34-11-01-200-801             |   |           |          |          |                           |           |           |             |        |
| 34-11-01-200-801-02                         | CHECK OF THE TOTAL PRESSURE PROBE DRAIN HOLES FOR CLOGGING - RH TOTAL PRESSURE PROBE (R4FL)       |           |          |          |                           |           |           | Service     | ATA:34 |
|   | MOS/MSC   | 29-Jan-18 | O/C      |          |                           |           |           |             |        |
|   | HRS   | 8722.5    |          |          |                           |           |           |             |        |
|   | AFL   | 4222      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 34-11-01-200-801             |   |           |          |          |                           |           |           |             |        |
| 34-11-01-200-801-03                         | CHECK OF THE TOTAL PRESSURE PROBE DRAIN HOLES FOR CLOGGING - STAND-BY TOTAL PRESSURE PROBE (24FL) |           |          |          |                           |           |           | Service     | ATA:34 |
|   | MOS/MSC   | 29-Jan-18 | O/C      |          |                           |           |           |             |        |
|   | HRS   | 8722.5    |          |          |                           |           |           |             |        |
|   | AFL   | 4222      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 34-11-01-200-801             |   |           |          |          |                           |           |           |             |        |
| 34-11-01-900-801-01                         | REMOVAL / INSTALLATION OF THE TOTAL PRESSURE PROBES - LH TOTAL PRESSURE PROBE (L4FL)              |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:50520                                    | MOS/MSC   | 27-Jun-05 | O/C      |          | TSN 0                     |           |           |             |        |
| SN:3524                                     | HRS   | 5407.8    |          |          | TSN 0                     |           |           |             |        |
| WC#: 34.080                                 | AFL   | 2578      |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: AMM 34-11-01-900-801             |   |           |          |          |                           |           |           |             |        |
| 34-11-01-900-801-02                         | REMOVAL / INSTALLATION OF THE TOTAL PRESSURE PROBES - RH TOTAL PRESSURE PROBE (R4FL)              |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:50520                                    | MOS/MSC   | 27-Jun-05 | O/C      |          | TSN 0                     |           |           |             |        |
| SN:3523                                     | HRS   | 5407.8    |          |          | TSN 0                     |           |           |             |        |
| WC#: 34.080                                 | AFL   | 2578      |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: AMM 34-11-01-900-801             |   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 34 - NAVIGATION</b>  |         |           |          |          |                           |           |           |             |
| <b>34-11-01-900-801-03 REMOVAL / INSTALLATION OF THE TOTAL PRESSURE PROBES - STAND-BY TOTAL PRESSURE PROBE (24FL) Component ATA:34</b>              |         |           |          |          |                           |           |           |             |
| PN:5020   | MOS/MSC | 27-Jun-05 | O/C      | TSN 0    |                           |           |           |             |
| SN:3524   | HRS     | 5407.8    |          | TSN 0    |                           |           |           |             |
| WC#: 34.080   | AFL     | 2578      |          | TSN 0    |                           |           |           |             |
| PROC. REF: AMM 34-11-01-900-801   |         |           |          |          |                           |           |           |             |
| <b>34-11-05-900-801-01 REMOVAL / INSTALLATION OF THE STATIC PRESSURE PROBES - LH STATIC PRESSURE PROBE (L13FL) Component ATA:34</b>                 |         |           |          |          |                           |           |           |             |
| PN:49800-01   | MOS/MSC | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |             |
| SN:UNKNOWN  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 34.060   | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 34-11-05-900-801   |         |           |          |          |                           |           |           |             |
| <b>34-11-05-900-801-02 REMOVAL / INSTALLATION OF THE STATIC PRESSURE PROBES - RH STATIC PRESSURE PROBE (R13FL) Component ATA:34</b>                 |         |           |          |          |                           |           |           |             |
| PN:49800-01   | MOS/MSC | 20-Nov-09 | O/C      |          |                           |           |           |             |
| SN:220  | HRS     | 6703.6    |          |          |                           |           |           |             |
| WC#: 34.060   | AFL     | 3276      |          |          |                           |           |           |             |
| PROC. REF: AMM 34-11-05-900-801   |         |           |          |          |                           |           |           |             |
| <b>34-11-05-900-802-01 REMOVAL / INSTALLATION OF THE STAND-BY STATIC PRESSURE PROBES - STAND-BY STATIC PRESSURE PROBE (L501FL) Component ATA:34</b> |         |           |          |          |                           |           |           |             |
| PN:49800-01   | MOS/MSC | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |             |
| SN:221  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 34.070   | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 34-11-05-900-802   |         |           |          |          |                           |           |           |             |
| <b>34-11-05-900-802-02 REMOVAL / INSTALLATION OF THE STAND-BY STATIC PRESSURE PROBES - STAND-BY STATIC PRESSURE PROBE (R501FL) Component ATA:34</b> |         |           |          |          |                           |           |           |             |
| PN:49800-01   | MOS/MSC | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |             |
| SN:220  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 34.070   | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 34-11-05-900-802   |         |           |          |          |                           |           |           |             |
| <b>34-14-01-700-881-01 TEST NO. 1 AIR DATA (ADC1) COMPUTER (FAR 91.411) Service ATA:34</b>  |         |           |          |          |                           |           |           |             |
| PN:7000700-647  | MOS     | 16-Nov-22 | 24       |          | 16-Nov-24                 |           | 361 d     | MANDATORY   |
| SN:86081720   | HRS     |           |          |          |                           |           |           |             |
| WC#: 34.050   | AFL     |           |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2, FAR 91.411  |         |           |          |          |                           |           |           |             |
| <b>34-14-01-700-881-02 TEST NO. 2 AIR DATA (ADC 2) COMPUTER (FAR 91.411) Service ATA:34</b>   |         |           |          |          |                           |           |           |             |
| PN:7000700-647  | MOS     | 16-Nov-22 | 24       |          | 16-Nov-24                 |           | 361 d     | MANDATORY   |
| SN:89123755   | HRS     |           |          |          |                           |           |           |             |
| WC#: 34.055   | AFL     |           |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2, FAR 91.411  |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                              | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |  |
|--------------------------------------|---------|--|----------|----------|---------------------------|-----------|-------------|-------------|--|
| <b>ATA 34 - NAVIGATION</b>           |         |  |          |          |                           |           |             |             |  |
| 34-14-01-900-801-01                  |         | REMOVAL / INSTALLATION OF THE AIR DATA COMPUTERS (ADC) - ADC 1 (L2FX)                |          |          |                           |           | Component   | ATA:34      |  |
| PN:7000700-647                       | MOS/MSC | 16-Nov-22  | O/C      |          |                           |           |             |             |  |
| SN:86081720                          | HRS     | 9596.5   |          |          |                           |           |             |             |  |
| WC#: 34.050                          | AFL     | 4562   |          |          |                           |           |             |             |  |
| PROC. REF: AMM 34-14-01-900-801      |         |  |          |          |                           |           |             |             |  |
| 34-14-01-900-801-02                  |         | REMOVAL / INSTALLATION OF THE AIR DATA COMPUTERS (ADC) - ADC 2 (R2FX)                |          |          |                           |           | Component   | ATA:34      |  |
| PN:7000700-647                       | MOS/MSC | 05-May-16  | O/C      |          |                           |           |             |             |  |
| SN:89123755                          | HRS     | 8447.8   |          |          |                           |           |             |             |  |
| WC#: 34.055                          | AFL     | 4114   |          |          |                           |           |             |             |  |
| PROC. REF: AMM 34-14-01-900-801      |         |  |          |          |                           |           |             |             |  |
| 34-15-02-700-881-01                  |         | TEST PILOT STAND-BY ALTIMETER (FAR 91.411)   |          |          |                           |           | Service     | ATA:34      |  |
| PN:64141-530-1                       | MOS     | 16-Nov-22  | 24       |          | 16-Nov-24                 |           | 361 d       | MANDATORY   |  |
| SN:3585                              | HRS     |  |          |          |                           |           |             |             |  |
| WC#: 34.110                          | AFL     |  |          |          |                           |           |             |             |  |
| PROC. REF: AMM GENERIC 2, FAR 91.411 |         |  |          |          |                           |           |             |             |  |
| 34-16-00-720-801-01                  |         | FUNCTIONAL TEST OF THE AIR DATA INDICATORS - ADC 1 (L2FX)                            |          |          |                           |           | Service     | ATA:34      |  |
| PN:7000700-647                       | MOS     | 16-Nov-22  | 24 (+3%) |          | 16-Nov-24                 | 07-Dec-24 | 361 d (+21) |             |  |
| SN:86081720                          | HRS     | 9596.5   |          |          |                           |           |             |             |  |
| WC#: 34.050                          | AFL     | 4562   |          |          |                           |           |             |             |  |
| PROC. REF: AMM 34-16-00-720-801      |         |  |          |          |                           |           |             |             |  |
| 34-16-00-720-801-02                  |         | FUNCTIONAL TEST OF THE AIR DATA INDICATORS - ADC 2 (R2FX)                            |          |          |                           |           | Service     | ATA:34      |  |
| PN:7000700-647                       | MOS     | 16-Nov-22  | 24 (+3%) |          | 16-Nov-24                 | 07-Dec-24 | 361 d (+21) |             |  |
| SN:89123755                          | HRS     | 9596.5   |          |          |                           |           |             |             |  |
| WC#: 34.055                          | AFL     | 4562   |          |          |                           |           |             |             |  |
| PROC. REF: AMM 34-16-00-720-801      |         |  |          |          |                           |           |             |             |  |
| 34-16-00-720-801-03                  |         | FUNCTIONAL TEST OF THE AIR DATA INDICATORS - STAND-BY ALTIMETER (1FK)                |          |          |                           |           | Service     | ATA:34      |  |
| PN:64141-530-1                       | MOS     | 16-Nov-22  | 24 (+3%) |          | 16-Nov-24                 | 07-Dec-24 | 361 d (+21) |             |  |
| SN:3585                              | HRS     | 9596.5   |          |          |                           |           |             |             |  |
| WC#: 34.110                          | AFL     | 4562   |          |          |                           |           |             |             |  |
| PROC. REF: AMM 34-16-00-720-801      |         |  |          |          |                           |           |             |             |  |
| 34-16-00-720-801-04                  |         | FUNCTIONAL TEST OF THE AIR DATA INDICATORS - STAND-BY MACH AIRSPEED INDICATOR (26FL) |          |          |                           |           | Service     | ATA:34      |  |
| PN:64032-229-1                       | MOS     | 16-Nov-22  | 24 (+3%) |          | 16-Nov-24                 | 07-Dec-24 | 361 d (+21) |             |  |
| SN:1678                              | HRS     | 9596.5   |          |          |                           |           |             |             |  |
| WC#: 34.140                          | AFL     | 4562   |          |          |                           |           |             |             |  |
| PROC. REF: AMM 34-16-00-720-801      |         |  |          |          |                           |           |             |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---|---------|-----------|------------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 34 - NAVIGATION</b>  |         |           |            |          |                           |           |           |             |
| <b>34-21-00-700-801-01<sup>S</sup> CHECK OF THE ARINC 429 LINES TO THE INERTIAL REFERENCE SYSTEM (IRS) Service ATA:34</b>             |         |           |            |          |                           |           |           |             |
|   | MOS     | 24-Aug-21 | 72 (+2m)   |          |                           |           |           |             |
|   | HRS     | 9275.5    |            |          |                           |           |           |             |
| WC#: 34.150   | AFL     | 4448      | 3750       |          |                           |           |           |             |
| PROC. REF: AMM 34-21-00-700-801   |         |           |            |          |                           |           |           | PKG:31      |
| <b>34-21-00-710-801-01<sup>S</sup> OPERATIONAL TEST OF THE INERTIAL REFERENCE SYSTEM (IRS) - IRU 1 (L2FP) Service ATA:34</b>          |         |           |            |          |                           |           |           |             |
|   | MOS     | 13-Apr-16 |            |          |                           |           |           |             |
|   | HRS     | 8447.8    | 1600 (+40) |          |                           |           |           |             |
| WC#: 34.310   | AFL     | 4114      |            |          |                           |           |           |             |
| PROC. REF: AMM 34-21-00-710-801   |         |           |            |          |                           |           |           | PKG:21      |
| <b>34-21-00-710-801-02<sup>S</sup> OPERATIONAL TEST OF THE INERTIAL REFERENCE SYSTEM (IRS) - IRU 2 (R2FP) Service ATA:34</b>          |         |           |            |          |                           |           |           |             |
|   | MOS     | 13-Apr-16 |            |          |                           |           |           |             |
|   | HRS     | 8447.8    | 1600 (+40) |          |                           |           |           |             |
| WC#: 34.310   | AFL     | 4114      |            |          |                           |           |           |             |
| PROC. REF: AMM 34-21-00-710-801   |         |           |            |          |                           |           |           | PKG:21      |
| <b>34-21-00-710-801-03<sup>S</sup> OPERATIONAL TEST OF THE INERTIAL REFERENCE SYSTEM (IRS) - IRU 3 (22FP) (OPTION) Service ATA:34</b> |         |           |            |          |                           |           |           |             |
|   | MOS     | 12-Apr-16 |            |          |                           |           |           |             |
|   | HRS     | 8447.8    | 1600 (+40) |          |                           |           |           |             |
| WC#: 34.312   | AFL     | 4114      |            |          |                           |           |           |             |
| PROC. REF: AMM 34-21-00-710-801   |         |           |            |          |                           |           |           | PKG:21      |
| <b>34-21-01-900-801-01 REMOVAL / INSTALLATION OF THE INERTIAL REFERENCE UNITS (IRU) - IRU 1 (L2FP) Component ATA:34</b>               |         |           |            |          |                           |           |           |             |
| PN:HG1075AE03   | MOS/MSC | 24-Aug-21 | O/C        |          |                           |           |           |             |
| SN:8043   | HRS     | 9275.5    |            |          |                           |           |           |             |
| WC#: 34.310   | AFL     | 4448      |            |          |                           |           |           |             |
| PROC. REF: AMM 34-21-01-900-801   |         |           |            |          |                           |           |           |             |
| <b>34-21-01-900-801-02 REMOVAL / INSTALLATION OF THE INERTIAL REFERENCE UNITS (IRU) - IRU 2 (R2FP) Component ATA:34</b>               |         |           |            |          |                           |           |           |             |
| PN:HG1075AE03   | MOS/MSC | 23-Aug-08 | O/C        |          |                           |           |           |             |
| SN:516  | HRS     | 6548.2    |            |          |                           |           |           |             |
| WC#: 34.310   | AFL     | 3175      |            |          |                           |           |           |             |
| PROC. REF: AMM 34-21-01-900-801   |         |           |            |          |                           |           |           |             |
| <b>34-21-01-900-801-03 REMOVAL / INSTALLATION OF THE INERTIAL REFERENCE UNITS (IRU) - IRU 3 (22FP) Component ATA:34</b>               |         |           |            |          |                           |           |           |             |
| PN:HG1075AE03   | MOS/MSC | 23-Aug-08 | O/C        |          |                           |           |           |             |
| SN:516  | HRS     | 6548.2    |            |          |                           |           |           |             |
| WC#: 34.312   | AFL     | 3175      |            |          |                           |           |           |             |
| PROC. REF: AMM 34-21-01-900-801   |         |           |            |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C       | Max Limit | Remaining | Disposition |
|---|---------|-----------|------------|----------|---------------------------------|-----------|-----------|-------------|
| <b>ATA 34 - NAVIGATION</b>  |         |           |            |          |                                 |           |           |             |
| <b>34-21-13-100-801-01<sup>S</sup> CLEANING / REPLACEMENT OF THE IRU FAN FILTERS - IRU 1 (L2FP) FAN FILTER Service ATA:34</b>                                 |         |           |            |          |                                 |           |           |             |
|   | MOS     | 14-Dec-16 |            |          |                                 |           |           |             |
|   | HRS     | 8526      | 3200 (+40) |          |                                 |           |           |             |
| WC#: 34.380   | AFL     | 4151      |            |          |                                 |           |           |             |
|   |         |           |            |          | PROC. REF: AMM 34-21-13-100-801 |           |           | PKG:22      |
| <b>34-21-13-100-801-02<sup>S</sup> CLEANING / REPLACEMENT OF THE IRU FAN FILTERS - IRU 2 (R2FP) FAN FILTER Service ATA:34</b>                                 |         |           |            |          |                                 |           |           |             |
|   | MOS     | 14-Dec-16 |            |          |                                 |           |           |             |
|   | HRS     | 8526      | 3200 (+40) |          |                                 |           |           |             |
| WC#: 34.380   | AFL     | 4151      |            |          |                                 |           |           |             |
|   |         |           |            |          | PROC. REF: AMM 34-21-13-100-801 |           |           | PKG:22      |
| <b>34-21-13-100-801-03<sup>S</sup> CLEANING / REPLACEMENT OF THE IRU FAN FILTERS - IRU 3 (22FP) FAN FILTER (OPTION) Service ATA:34</b>                        |         |           |            |          |                                 |           |           |             |
|   | MOS     | 14-Dec-16 |            |          |                                 |           |           |             |
|   | HRS     | 8526      | 3200 (+40) |          |                                 |           |           |             |
| WC#: 34.385   | AFL     | 4151      |            |          |                                 |           |           |             |
|   |         |           |            |          | PROC. REF: AMM 34-21-13-100-801 |           |           | PKG:22      |
| <b>34-23-00-900-801-01 REMOVAL / INSTALLATION OF THE STAND-BY HORIZON - STAND-BY HORIZON (6FG) Component ATA:34</b>   |         |           |            |          |                                 |           |           |             |
| PN:501-1197-25  | MOS/MSC | 26-Aug-08 | O/C        |          |                                 |           |           |             |
| SN:7576   | HRS     | 6549.7    |            |          |                                 |           |           |             |
| WC#: 34.250   | AFL     | 3176      |            |          |                                 |           |           |             |
|   |         |           |            |          | PROC. REF: AMM 34-23-00-900-801 |           |           |             |
| <b>34-25-00-820-801-01 COMPENSATION OF STAND-BY COMPASS - STAND-BY COMPASS (42FL) Service ATA:34</b>  |         |           |            |          |                                 |           |           |             |
|   | MOS/MSC | 14-Apr-23 | O/C        |          |                                 |           |           |             |
|   | HRS     | 9743.1    |            |          |                                 |           |           |             |
|   | AFL     | 4606      |            |          |                                 |           |           |             |
|   |         |           |            |          | PROC. REF: AMM 34-25-00-820-801 |           |           |             |
| <b>34-41-01-900-801-01 REMOVAL / INSTALLATION OF THE WEATHER RADAR RECEIVER / TRANSMITTER / ANTENNA ASSEMBLY - RADAR ANTENNA (3SQ) Component ATA:34</b>       |         |           |            |          |                                 |           |           |             |
| PN:4092743-901  | MOS/MSC | 14-Jan-21 | O/C        |          |                                 |           |           |             |
| SN:35622382   | HRS     | 9204.6    |            |          |                                 |           |           |             |
| WC#: 34.290   | AFL     | 4418      |            |          |                                 |           |           |             |
|   |         |           |            |          | PROC. REF: AMM 34-41-01-900-801 |           |           |             |
| <b>34-42-01-820-801-01 CALIBRATION OF THE RADIO ALTIMETER RECEIVER / TRANSMITTER - RADIO ALTIMETER 1 RECEIVER/TRANSMITTER (2SA) WITH CABLE Service ATA:34</b> |         |           |            |          |                                 |           |           |             |
| PN:7001840-922  | MOS/MSC | 28-Aug-19 | O/C        |          |                                 |           |           |             |
| SN:93014551   | HRS     |           |            |          |                                 |           |           |             |
| WC#: 34.340   | AFL     |           |            |          |                                 |           |           |             |
|   |         |           |            |          | PROC. REF: AMM 34-42-01-820-801 |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 34 - NAVIGATION</b>      |  |           |          |          |                           |           |           |             |        |
| 34-42-01-820-801-02             | CALIBRATION OF THE RADIO ALTIMETER RECEIVER / TRANSMITTER - RADIO ALTIMETER 2 RECEIVER/TRANSMITTER (22SA) WITH CABLE |           |          |          |                           |           |           | Service     | ATA:34 |
| PN:7001840-922                  | MOS/MSC  |           | N/A      |          |                           |           |           |             |        |
| SN:94085010                     | HRS  |           |          |          |                           |           |           |             |        |
| WC#: 34.340                     | AFL  |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 34-42-01-820-801 |  |           |          |          |                           |           |           |             |        |
| 34-42-01-900-801-01             | REMOVAL / INSTALLATION OF THE RADIO ALTIMETER RECEIVER / TRANSMITTER - RADIO ALTIMETER 1 RECEIVER/TRANSMITTER (2SA)  |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:7001840-922                  | MOS/MSC  | 28-Aug-19 | O/C      |          | TSR 0                     |           |           |             |        |
| SN:93014551                     | HRS  | 9016.4    |          |          | TSR 0                     |           |           |             |        |
| WC#: 34.340                     | AFL  | 4344      |          |          | TSR 0                     |           |           |             |        |
| PROC. REF: AMM 34-42-01-900-801 |  |           |          |          |                           |           |           |             |        |
| 34-42-01-900-801-02             | REMOVAL / INSTALLATION OF THE RADIO ALTIMETER RECEIVER / TRANSMITTER - RADIO ALTIMETER 2 RECEIVER/TRANSMITTER (22SA) |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:7001840-922                  | MOS/MSC  | 22-Aug-19 | O/C      |          | TSR 47                    |           |           |             |        |
| SN:94085010                     | HRS  | 9010.7    |          |          | TSR 0                     |           |           |             |        |
| WC#: 34.340                     | AFL  | 4342      |          |          | TSR 0                     |           |           |             |        |
| PROC. REF: AMM 34-42-01-900-801 |  |           |          |          |                           |           |           |             |        |
| 34-42-09-900-801-01             | REMOVAL / INSTALLATION OF THE RADIO ALTIMETER ANTENNAS - RADIO ALTIMETER 1 TRANSMITTER ANTENNA (3SA)                 |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:S67-2002-13                  | MOS/MSC  | 03-Jul-02 | O/C      |          | TSN 0                     |           |           |             |        |
| SN:2105                         | HRS  | 4356.2    |          |          | TSN 0                     |           |           |             |        |
| WC#: 34.350                     | AFL  | 2020      |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: AMM 34-42-09-900-801 |  |           |          |          |                           |           |           |             |        |
| 34-42-09-900-801-02             | REMOVAL / INSTALLATION OF THE RADIO ALTIMETER ANTENNAS - RADIO ALTIMETER 1 RECEIVER ANTENNA (4SA)                    |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:S67-2002-13                  | MOS/MSC  | 03-Jul-02 | O/C      |          | TSN 0                     |           |           |             |        |
| SN:2106                         | HRS  | 4356.2    |          |          | TSN 0                     |           |           |             |        |
| WC#: 34.350                     | AFL  | 2020      |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: AMM 34-42-09-900-801 |  |           |          |          |                           |           |           |             |        |
| 34-42-09-900-801-03             | REMOVAL / INSTALLATION OF THE RADIO ALTIMETER ANTENNAS - RADIO ALTIMETER 2 TRANSMITTER ANTENNA (23SA)                |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:S67-2002-13                  | MOS/MSC  | 23-Mar-90 | O/C      |          |                           |           |           |             |        |
| SN:351                          | HRS  | 27        |          |          | TSN 0                     |           |           |             |        |
| WC#: 34.355                     | AFL  | 12        |          |          |                           |           |           |             |        |
| PROC. REF: AMM 34-42-09-900-801 |  |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|---------------------------------|---------|--|----------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 34 - NAVIGATION</b>      |         |  |          |          |                           |           |           |             |  |
| 34-42-09-900-801-04             |         | REMOVAL / INSTALLATION OF THE RADIO ALTIMETER ANTENNAS - RADIO ALTIMETER 2 RECEIVER ANTENNA (24SA) |          |          |                           |           | Component | ATA:34      |  |
| PN:S67-2002-13                  | MOS/MSC | 23-Aug-08  | O/C      | TSN 0    |                           |           |           |             |  |
| SN:545-3810                     | HRS     | 6548.2   |          | TSN 0    |                           |           |           |             |  |
| WC#: 34.355                     | AFL     | 3175   |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 34-42-09-900-801 |         |  |          |          |                           |           |           |             |  |
| 34-51-00-710-801-01             |         | OPERATIONAL TEST OF THE VOR NAVIGATION SYSTEM  |          |          |                           |           | Service   | ATA:34      |  |
|                                 | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
|                                 | HRS     | 0  |          |          |                           |           |           |             |  |
|                                 | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 34-51-00-710-801 |         |  |          |          |                           |           |           |             |  |
| 34-51-01-820-801-01             |         | CALIBRATION OF THE VOR / ILS / MARKER RECEIVERS - VOR/ILS/MARKER 1 RECEIVER (L3RS)                 |          |          |                           |           | Service   | ATA:34      |  |
| PN:622-6137-001                 | MOS/MSC | 06-Nov-02  | O/C      |          |                           |           |           |             |  |
| SN:7145                         | HRS     |  |          |          |                           |           |           |             |  |
| WC#: 34.430                     | AFL     |  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 34-51-01-820-801 |         |  |          |          |                           |           |           |             |  |
| 34-51-01-820-801-02             |         | CALIBRATION OF THE VOR / ILS / MARKER RECEIVERS - VOR/ILS/MARKER 2 RECEIVER (R3RS)                 |          |          |                           |           | Service   | ATA:34      |  |
| PN:622-6137-201                 | MOS/MSC |  | O/C      |          |                           |           |           |             |  |
| SN:6541                         | HRS     |  |          |          |                           |           |           |             |  |
| WC#: 34.430                     | AFL     |  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 34-51-01-820-801 |         |  |          |          |                           |           |           |             |  |
| 34-51-05-900-801-01             |         | REMOVAL / INSTALLATION OF THE VOR / LOC ANTENNAS - VOR/LOC ANTENNA (5RS) - LH                      |          |          |                           |           | Component | ATA:34      |  |
| PN:DMN4-45-3                    | MOS/MSC | 12-Nov-20  | O/C      | TSN 0    |                           |           |           |             |  |
| SN:15210                        | HRS     | 9182.3   |          | TSN 0    |                           |           |           |             |  |
| WC#: 34.440                     | AFL     | 4405   |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 34-51-05-900-801 |         |  |          |          |                           |           |           |             |  |
| 34-51-05-900-801-02             |         | REMOVAL / INSTALLATION OF THE VOR / LOC ANTENNAS - VOR/LOC ANTENNA (5RS) - RH                      |          |          |                           |           | Component | ATA:34      |  |
| PN:DMN4-45-3                    | MOS/MSC | 12-Nov-20  | O/C      | TSN 0    |                           |           |           |             |  |
| SN:15213                        | HRS     | 9182.3   |          | TSN 0    |                           |           |           |             |  |
| WC#: 34.440                     | AFL     | 4405   |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 34-51-05-900-801 |         |  |          |          |                           |           |           |             |  |
| 34-51-17-900-801-01             |         | REMOVAL / INSTALLATION OF THE MARKER ANTENNA - MARKER ANTENNA (8RS) .                              |          |          |                           |           | Component | ATA:34      |  |
| PN:S35-1000-1                   | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:1764                         | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 34.280                     | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 34-51-17-900-801 |         |  |          |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 34 - NAVIGATION</b>   |         |           |          |          |                           |           |           |             |
| <b>34-51-20-710-801-01 OPERATIONAL TEST OF THE INSTRUMENT LANDING SYSTEM (ILS) Service ATA:34</b>                        |         |           |          |          |                           |           |           |             |
|  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
|  | HRS     | 0         |          |          |                           |           |           |             |
|  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 34-51-20-710-801  |         |           |          |          |                           |           |           |             |
| <b>34-51-40-710-801-01 OPERATIONAL TEST OF THE MARKER SYSTEM - MARKER 1 SYSTEM Service ATA:34</b>                        |         |           |          |          |                           |           |           |             |
|  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
|  | HRS     | 0         |          |          |                           |           |           |             |
|  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 34-51-40-710-801  |         |           |          |          |                           |           |           |             |
| <b>34-51-40-710-801-02 OPERATIONAL TEST OF THE MARKER SYSTEM - MARKER 2 SYSTEM Service ATA:34</b>                        |         |           |          |          |                           |           |           |             |
|  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
|  | HRS     | 0         |          |          |                           |           |           |             |
|  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 34-51-40-710-801  |         |           |          |          |                           |           |           |             |
| <b>34-52-00-710-801-01 OPERATIONAL TEST OF THE DISTANCE MEASURING EQUIPMENT (DME) SYSTEM Service ATA:34</b>              |         |           |          |          |                           |           |           |             |
|  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
|  | HRS     | 0         |          |          |                           |           |           |             |
|  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 34-52-00-710-801  |         |           |          |          |                           |           |           |             |
| <b>34-52-05-900-801-01 REMOVAL / INSTALLATION OF THE DME ANTENNAS - DME 1 ANTENNA (L4RV) Component ATA:34</b>            |         |           |          |          |                           |           |           |             |
| PN:DMNI50-2-2  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:37288   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 34.460  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 34-52-05-900-801  |         |           |          |          |                           |           |           |             |
| <b>34-52-05-900-801-02 REMOVAL / INSTALLATION OF THE DME ANTENNAS - DME 2 ANTENNA (R4RV) Component ATA:34</b>            |         |           |          |          |                           |           |           |             |
| PN:DMNI50-2-2  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:34649   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 34.460  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 34-52-05-900-801  |         |           |          |          |                           |           |           |             |
| <b>34-53-00-710-801-01 OPERATIONAL TEST OF THE AUTOMATIC DIRECTION FINDER (ADF) SYSTEM - ADF 1 SYSTEM Service ATA:34</b> |         |           |          |          |                           |           |           |             |
|  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
|  | HRS     | 0         |          |          |                           |           |           |             |
|  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 34-53-00-710-801  |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |        |
|---|---------|---|----------|----------|---------------------------|-----------|-------------|-------------|--------|
| <b>ATA 34 - NAVIGATION</b>                            |         |   |          |          |                           |           |             |             |        |
| 34-53-00-710-801-02                                   |         | OPERATIONAL TEST OF THE AUTOMATIC DIRECTION FINDER (ADF) SYSTEM - ADF 2 SYSTEM        |          |          |                           |           |             | Service     | ATA:34 |
|   | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |             |             |        |
|   | HRS     | 0   |          |          |                           |           |             |             |        |
|   | AFL     | 0   |          |          |                           |           |             |             |        |
| PROC. REF: AMM 34-53-00-710-801                       |         |   |          |          |                           |           |             |             |        |
| 34-54-00-700-881-01                                   |         | TEST NO. 1 ATC TRANSPONDER (FAR 91.413)   |          |          |                           |           |             | Service     | ATA:34 |
| PN:622-9210-501                                       | MOS     | 16-Nov-22   | 24       |          | 16-Nov-24                 |           | 361 d       | MANDATORY   |        |
| SN:4V32V  | HRS     |   |          |          |                           |           |             |             |        |
| WC#: 34.480   | AFL     |   |          |          |                           |           |             |             |        |
| PROC. REF: AMM GENERIC 2, FAR 91.413                  |         |   |          |          |                           |           |             |             |        |
| 34-54-00-700-881-02                                   |         | TEST NO. 2 ATC TRANSPONDER (FAR 91.413)   |          |          |                           |           |             | Service     | ATA:34 |
| PN:622-9210-501                                       | MOS     | 16-Nov-22   | 24       |          | 16-Nov-24                 |           | 361 d       | MANDATORY   |        |
| SN:4V32X  | HRS     |   |          |          |                           |           |             |             |        |
| WC#: 34.490   | AFL     |   |          |          |                           |           |             |             |        |
| PROC. REF: AMM GENERIC 2, FAR 91.413                  |         |   |          |          |                           |           |             |             |        |
| 34-54-00-720-802-01                                   |         | FUNCTIONAL TEST OF THE AIR TRAFFIC CONTROL (ATC) SYSTEM - ATC 1 SYSTEM PERIODIC TESTS |          |          |                           |           |             | Service     | ATA:34 |
| PN:622-9210-501                                       | MOS     | 16-Nov-22   | 24 (+3%) |          | 16-Nov-24                 | 07-Dec-24 | 361 d (+21) |             |        |
| SN:4V32V  | HRS     | 9596.5  |          |          |                           |           |             |             |        |
| WC#: 34.480   | AFL     | 4562  |          |          |                           |           |             |             |        |
| PROC. REF: AMM 34-54-00-720-802, AMM 34-54-00-720-802 |         |   |          |          |                           |           |             |             |        |
| 34-54-00-720-802-02                                   |         | FUNCTIONAL TEST OF THE AIR TRAFFIC CONTROL (ATC) SYSTEM - ATC 2 SYSTEM PERIODIC TESTS |          |          |                           |           |             | Service     | ATA:34 |
| PN:622-9210-501                                       | MOS     | 16-Nov-22   | 24 (+3%) |          | 16-Nov-24                 | 07-Dec-24 | 361 d (+21) |             |        |
| SN:4V32X  | HRS     | 9596.5  |          |          |                           |           |             |             |        |
| WC#: 34.490   | AFL     | 4562  |          |          |                           |           |             |             |        |
| PROC. REF: AMM 34-54-00-720-802, AMM 34-54-00-720-802 |         |   |          |          |                           |           |             |             |        |
| 34-54-05-900-801-01                                   |         | REMOVAL / INSTALLATION OF THE ATC ANTENNAS - ATC 1 LOWER ANTENNA (L5SH)               |          |          |                           |           |             | Component   | ATA:34 |
| PN:PN   | MOS/MSC | 23-Oct-89   | O/C      | TSN 0    |                           |           |             |             |        |
| SN:UNKNOWN  | HRS     | 0   |          | TSN 0    |                           |           |             |             |        |
|   | AFL     | 0   |          | TSN 0    |                           |           |             |             |        |
| PROC. REF: AMM 34-54-05-900-801                       |         |   |          |          |                           |           |             |             |        |
| 34-54-05-900-801-02                                   |         | REMOVAL / INSTALLATION OF THE ATC ANTENNAS - ATC 1 UPPER ANTENNA (L9SH)               |          |          |                           |           |             | Component   | ATA:34 |
| PN:DMNI50-2-2   | MOS/MSC | 23-Aug-08   | O/C      | TSN 0    |                           |           |             |             |        |
| SN:110186   | HRS     |   |          | TSN 0    |                           |           |             |             |        |
| WC#: 34.500   | AFL     |   |          | TSN 0    |                           |           |             |             |        |
| PROC. REF: AMM 34-54-05-900-801                       |         |   |          |          |                           |           |             |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---------------------------------|---------|--|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 34 - NAVIGATION</b>      |         |  |          |          |                           |           |           |             |
| 34-54-05-900-801-03             |         | REMOVAL / INSTALLATION OF THE ATC ANTENNAS - ATC 2 LOWER ANTENNA (R5SH)        |          |          |                           |           | Component | ATA:34      |
| PN:PN                           | MOS/MSC | 23-Oct-89  | O/C      | TSN 0    |                           |           |           |             |
| SN:UNKNOWN                      | HRS     | 0  |          | TSN 0    |                           |           |           |             |
|                                 | AFL     | 0  |          | TSN 0    |                           |           |           |             |
| PROC. REF: AMM 34-54-05-900-801 |         |  |          |          |                           |           |           |             |
| 34-54-05-900-801-04             |         | REMOVAL / INSTALLATION OF THE ATC ANTENNAS - ATC 2 UPPER ANTENNA (R9SH)        |          |          |                           |           | Component | ATA:34      |
| PN:DMNI50-2-2                   | MOS/MSC | 23-Aug-08  | O/C      | TSN 0    |                           |           |           |             |
| SN:110187                       | HRS     |  |          | TSN 0    |                           |           |           |             |
| WC#: 34.500                     | AFL     |  |          | TSN 0    |                           |           |           |             |
| PROC. REF: AMM 34-54-05-900-801 |         |  |          |          |                           |           |           |             |
| 34-61-00-710-801-01             |         | OPERATIONAL TEST OF THE FLIGHT MANAGEMENT SYSTEM (FMS) - PILOT FMS             |          |          |                           |           | Service   | ATA:34      |
|                                 | MOS/MSC | 14-Dec-16  | O/C      |          |                           |           |           |             |
|                                 | HRS     | 8526   |          |          |                           |           |           |             |
| WC#: 34.240                     | AFL     | 4151   |          |          |                           |           |           |             |
| PROC. REF: AMM 34-61-00-710-801 |         |  |          |          |                           |           |           |             |
| 34-61-00-710-801-02             |         | OPERATIONAL TEST OF THE FLIGHT MANAGEMENT SYSTEM (FMS) - COPILOT FMS           |          |          |                           |           | Service   | ATA:34      |
|                                 | MOS/MSC | 14-Dec-16  | O/C      |          |                           |           |           |             |
|                                 | HRS     | 8526   |          |          |                           |           |           |             |
| WC#: 34.240                     | AFL     | 4151   |          |          |                           |           |           |             |
| PROC. REF: AMM 34-61-00-710-801 |         |  |          |          |                           |           |           |             |
| 34-61-01-900-803-01             |         | REMOVAL / INSTALLATION OF THE DATA MANAGEMENT UNIT (DMU) - DMU COMPUTER (22RJ) |          |          |                           |           | Component | ATA:34      |
| PN:PN                           | MOS/MSC |  | O/C      |          |                           |           |           |             |
| SN:NOT INSTALLED                | HRS     |  |          |          |                           |           |           |             |
|                                 | AFL     |  |          |          |                           |           |           |             |
| PROC. REF: AMM 34-61-01-900-803 |         |  |          |          |                           |           |           |             |
| 34-61-05-960-802-01             |         | REPLACEMENT OF THE DMU INTERNAL BATTERY  |          |          |                           |           | Service   | ATA:34      |
| PN:PN                           | MOS/MSC |  | N/A      |          |                           |           |           |             |
| SN:NOT INSTALLED                | HRS     |  |          |          |                           |           |           |             |
|                                 | AFL     |  |          |          |                           |           |           |             |
| PROC. REF: AMM 34-61-05-960-802 |         |  |          |          |                           |           |           |             |
| 34-61-07-900-801-01             |         | REMOVAL / INSTALLATION OF THE FMS CDU - CDU 1 (L12RJ)                          |          |          |                           |           | Component | ATA:34      |
| PN:PN                           | MOS/MSC |  | O/C      |          |                           |           |           |             |
| SN:NOT INSTALLED                | HRS     |  |          |          |                           |           |           |             |
|                                 | AFL     |  |          |          |                           |           |           |             |
| PROC. REF: AMM 34-61-07-900-801 |         |  |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 34 - NAVIGATION              |   |           |          |          |                           |           |           |             |        |
| 34-61-07-900-801-02              | REMOVAL / INSTALLATION OF THE FMS CDU - CDU 2 (R12RJ)               |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:PN                            | MOS/MSC   |           | O/C      |          |                           |           |           |             |        |
| SN:NOT INSTALLED                 | HRS   |           |          |          |                           |           |           |             |        |
|                                  | AFL   |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 34-61-07-900-801  |   |           |          |          |                           |           |           |             |        |
| 34-61-09-960-801-01              | REPLACEMENT OF THE CONTROL DISPLAY UNIT BATTERY - CDU 1 (L12RJ)     |           |          |          |                           |           |           | Service     | ATA:34 |
| PN:PN                            | MOS/MSC   |           | N/A      |          |                           |           |           |             |        |
| SN:NOT INSTALLED                 | HRS   |           |          |          |                           |           |           |             |        |
|                                  | AFL   |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 34-61-09-960-801  |   |           |          |          |                           |           |           |             |        |
| 34-61-09-960-801-02              | REPLACEMENT OF THE CONTROL DISPLAY UNIT BATTERY - CDU 2 (R12RJ)     |           |          |          |                           |           |           | Service     | ATA:34 |
| PN:PN                            | MOS/MSC   |           | N/A      |          |                           |           |           |             |        |
| SN:NOT INSTALLED                 | HRS   |           |          |          |                           |           |           |             |        |
|                                  | AFL   |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM 34-61-09-960-801  |   |           |          |          |                           |           |           |             |        |
| 34-61-09-960-801-04              | REPLACEMENT OF THE CONTROL DISPLAY UNIT BATTERY - FMS 3 CDU (701RJ) |           |          |          |                           |           |           | Service     | ATA:34 |
|                                  | MOS   | 09-Jun-23 | 48       |          | 09-Jun-27                 |           | 1296 d    |             |        |
|                                  | HRS   | 9761.1    |          |          |                           |           |           |             |        |
|                                  | AFL   | 4613      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 34-61-09-960-801  |   |           |          |          |                           |           |           |             |        |
| 34-90-10-900-801-01 <sup>U</sup> | CONTROL DISPLY UNIT (CDU) (GNS-XLS BATTERY ONLY) BATTERY            |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:PN                            | MOS/MSC   |           | O/C      |          |                           |           |           |             |        |
| SN:NOT INSTALLED                 | HRS   |           |          |          |                           |           |           |             |        |
|                                  | AFL   |           |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |   |           |          |          |                           |           |           |             |        |
| 34-CARS-625-010-00 <sup>U</sup>  | STANDBY COMPASS SWING   |           |          |          |                           |           |           | Service     | ATA:34 |
|                                  | MOS   | 14-Apr-23 | 12       |          | 14-Apr-24                 |           | 145 d     |             |        |
|                                  | HRS   | 9743.1    |          |          |                           |           |           |             |        |
|                                  | AFL   | 4606      |          |          |                           |           |           |             |        |
| 34-CARS-625-013-01 <sup>U</sup>  | ALTIMETER DEVICES NO.1 SYSTEM                                       |           |          |          |                           |           |           | Service     | ATA:34 |
|                                  | MOS   | 16-Nov-22 | 24       |          | 16-Nov-24                 |           | 361 d     |             |        |
|                                  | HRS   | 9596.5    |          |          |                           |           |           |             |        |
|                                  | AFL   | 4562      |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 34 - NAVIGATION</b>  |         |           |          |          |                           |           |           |             |
| <b>34-CARS-625-013-02<sup>U</sup>      ALTIMETER DEVICES NO.2 SYSTEM      Service    ATA:34</b> |         |           |          |          |                           |           |           |             |
|   | MOS     | 16-Nov-22 | 24       |          | 16-Nov-24                 |           | 361 d     |             |
|   | HRS     | 9596.5    |          |          |                           |           |           |             |
|   | AFL     | 4562      |          |          |                           |           |           |             |
| <b>34-CARS-625-013-05<sup>U</sup>      STANDBY ALTIMETER DEVICES      Service    ATA:34</b>     |         |           |          |          |                           |           |           |             |
|   | MOS     | 16-Nov-22 | 24       |          | 16-Nov-24                 |           | 361 d     |             |
|   | HRS     | 9596.5    |          |          |                           |           |           |             |
|   | AFL     | 4562      |          |          |                           |           |           |             |
| <b>34-CARS-625-014-01<sup>U</sup>      ATC TRANSPONDERS NO.1 SYSTEM      Service    ATA:34</b>  |         |           |          |          |                           |           |           |             |
|   | MOS     | 16-Nov-22 | 24       |          | 16-Nov-24                 |           | 361 d     |             |
|   | HRS     | 9596.5    |          |          |                           |           |           |             |
|   | AFL     | 4562      |          |          |                           |           |           |             |
| <b>34-CARS-625-014-02<sup>U</sup>      ATC TRANSPONDERS NO.2 SYSTEM      Service    ATA:34</b>  |         |           |          |          |                           |           |           |             |
|   | MOS     | 16-Nov-22 | 24       |          | 16-Nov-24                 |           | 361 d     |             |
|   | HRS     | 9596.5    |          |          |                           |           |           |             |
|   | AFL     | 4562      |          |          |                           |           |           |             |
| <b>341021      ANGLE OF ATTACK METER COMPUTER      Component    ATA:34</b>                      |         |           |          |          |                           |           |           |             |
| PN:SLZ7729  | MOS/MSC | 23-Mar-90 | O/C      |          |                           |           |           |             |
| SN:FH1049C  | HRS     | 27        |          | TSN 0    |                           |           |           |             |
| WC#: 34.520   | AFL     | 12        |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |             |
| <b>341026      ANGLE OF ATTACK METER PROBE      Component    ATA:34</b>                         |         |           |          |          |                           |           |           |             |
| PN:SLZ7319  | MOS/MSC | 23-Mar-90 | O/C      |          |                           |           |           |             |
| SN:AJ1042B  | HRS     | 27        |          | TSN 0    |                           |           |           |             |
| WC#: 34.530   | AFL     | 12        |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |             |
| <b>341031      ANGLE OF ATTACK METER INDICATOR      Component    ATA:34</b>                     |         |           |          |          |                           |           |           |             |
| PN:SLZ7728  | MOS/MSC | 23-Mar-90 | O/C      |          |                           |           |           |             |
| SN:RG1047   | HRS     | 27        |          | TSN 0    |                           |           |           |             |
| WC#: 34.550   | AFL     | 12        |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |             |

?-Insufficient Information    S-Suppressed Requirement    \*-Estimated Due(New Requirement)    (EFF)-Effective C/W    (M)-Manual Due    U-User Task    Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|------------------|
| <b>ATA 34 - NAVIGATION</b>                     |         |           |          |          |                           |           |           |                  |
| <b>341036 ANGLE OF ATTACK METER CONTROL</b>    |         |           |          |          |                           |           |           | Component ATA:34 |
| PN:911001                                      | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:UNKNOWN                                     | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 34.550                                    | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 2                       |         |           |          |          |                           |           |           |                  |
| <b>341301 PILOT ALTIMETER</b>                  |         |           |          |          |                           |           |           | Component ATA:34 |
| PN:4016341-904                                 | MOS/MSC | 03-Oct-03 | O/C      |          |                           |           |           |                  |
| SN:85103790                                    | HRS     | 4580.3    |          |          |                           |           |           |                  |
| WC#: 34.100                                    | AFL     | 2121      |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 2                       |         |           |          |          |                           |           |           |                  |
| <b>341321 COPILOT ALTIMETER</b>                |         |           |          |          |                           |           |           | Component ATA:34 |
| PN:4016341-904                                 | MOS/MSC | 03-Oct-03 | O/C      |          |                           |           |           |                  |
| SN:88105202                                    | HRS     | 4580.3    |          |          |                           |           |           |                  |
| WC#: 34.100                                    | AFL     | 2121      |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 2                       |         |           |          |          |                           |           |           |                  |
| <b>341341 PILOT STAND-BY ALTIMETER</b>         |         |           |          |          |                           |           |           | Component ATA:34 |
| PN:64141-530-1                                 | MOS/MSC | 16-Nov-22 | O/C      |          |                           |           |           |                  |
| SN:3585  | HRS     | 9596.5    |          |          |                           |           |           |                  |
| WC#: 34.110                                    | AFL     | 4562      |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 2                       |         |           |          |          |                           |           |           |                  |
| <b>341401 PILOT VERTICAL SPEED INDICATOR</b>   |         |           |          |          |                           |           |           | Component ATA:34 |
| PN:4067241-860                                 | MOS/MSC | 01-Nov-04 | O/C      |          | TSO 0                     |           |           |                  |
| SN:93083167                                    | HRS     | 5174.4    |          |          | TSO 0                     |           |           |                  |
| WC#: 34.120                                    | AFL     | 2445      |          |          | TSO 0                     |           |           |                  |
| PROC. REF: AMM GENERIC 2                       |         |           |          |          |                           |           |           |                  |
| <b>341421 COPILOT VERTICAL SPEED INDICATOR</b> |         |           |          |          |                           |           |           | Component ATA:34 |
| PN:4067241-860                                 | MOS/MSC | 10-Apr-00 | O/C      |          | TSR 0                     |           |           |                  |
| SN:98054949                                    | HRS     | 3950      |          |          | TSR 0                     |           |           |                  |
| WC#: 34.120                                    | AFL     | 1775      |          |          | TSR 0                     |           |           |                  |
| PROC. REF: AMM GENERIC 2                       |         |           |          |          |                           |           |           |                  |
| <b>341441 PILOT MACH-AIRSPED INDICATOR</b>     |         |           |          |          |                           |           |           | Component ATA:34 |
| PN:4018366-904                                 | MOS/MSC | 23-Mar-90 | O/C      |          | TSN 0                     |           |           |                  |
| SN:89080669                                    | HRS     | 27        |          |          | TSN 0                     |           |           |                  |
| WC#: 34.130                                    | AFL     | 12        |          |          | TSN 0                     |           |           |                  |
| PROC. REF: AMM GENERIC 2                       |         |           |          |          |                           |           |           |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                    | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining               | Disposition |  |
|----------------------------|---------|--|----------|----------|---------------------------|-----------|-------------------------|-------------|--|
| <b>ATA 34 - NAVIGATION</b> |         |  |          |          |                           |           |                         |             |  |
| <b>341461</b>              |         | <b>COPILOT MACH-AIRSPEED INDICATOR</b>   |          |          |                           |           | <b>Component ATA:34</b> |             |  |
| PN:4018366-904             | MOS/MSC | 23-Mar-90  | O/C      | TSN 0    |                           |           |                         |             |  |
| SN:89080669                | HRS     | 26.92  |          | TSN 0    |                           |           |                         |             |  |
| WC#: 34.130                | AFL     | 12   |          | TSN 0    |                           |           |                         |             |  |
| PROC. REF: AMM GENERIC 2   |         |  |          |          |                           |           |                         |             |  |
| <b>341481</b>              |         | <b>STAND-BY MACH-AIRSPEED INDICATOR</b>  |          |          |                           |           | <b>Component ATA:34</b> |             |  |
| PN:64032-229-1             | MOS/MSC | 14-Dec-16  | O/C      | TSO 0    |                           |           |                         |             |  |
| SN:1678                    | HRS     | 8526   |          | TSO 0    |                           |           |                         |             |  |
| WC#: 34.140                | AFL     | 4151   |          | TSO 0    |                           |           |                         |             |  |
| PROC. REF: AMM GENERIC 2   |         |  |          |          |                           |           |                         |             |  |
| <b>341A06<sup>U</sup></b>  |         | <b>STAND-BY COPLT ALTIMETER</b>  |          |          |                           |           | <b>Component ATA:34</b> |             |  |
| PN:64141-530-1             | MOS/MSC | 26-Nov-97  | O/C      |          |                           |           |                         |             |  |
| SN:1487                    | HRS     |  |          |          |                           |           |                         |             |  |
|                            | AFL     |  |          |          |                           |           |                         |             |  |
| <b>341A15<sup>U</sup></b>  |         | <b>LIGHTNING SNSR PROCESSOR</b>  |          |          |                           |           | <b>Component ATA:34</b> |             |  |
| PN:7011822-903             | MOS/MSC | 23-Mar-90  | O/C      |          |                           |           |                         |             |  |
| SN:89080350                | HRS     | 27   |          | TSN 0    |                           |           |                         |             |  |
|                            | AFL     | 12   |          |          |                           |           |                         |             |  |
| <b>341A16<sup>U</sup></b>  |         | <b>LIGHTNING SNSR ANTENNA</b>  |          |          |                           |           | <b>Component ATA:34</b> |             |  |
| PN:7014062-901             | MOS/MSC | 23-Mar-90  | O/C      |          |                           |           |                         |             |  |
| SN:89100166                | HRS     | 27   |          | TSN 0    |                           |           |                         |             |  |
|                            | AFL     | 12   |          |          |                           |           |                         |             |  |
| <b>341TC1<sup>U</sup></b>  |         | <b>PERFORM PILOT ALTIMETRY SYSTEM 24 MONTH RE-CERTIFICATION AS PER CAR 625 APPENDIX C</b>    |          |          |                           |           | <b>Service ATA:34</b>   |             |  |
|                            | MOS     | 16-Nov-22  | 24       |          | 16-Nov-24                 |           | 361 d                   | RVSM        |  |
|                            | HRS     | 9596.5   |          |          |                           |           |                         |             |  |
|                            | AFL     | 4562   |          |          |                           |           |                         |             |  |
| <b>341TC2<sup>U</sup></b>  |         | <b>PERFORM CO-PILOT ALTIMETRY SYSTEM 24 MONTH RE-CERTIFICATION AS PER CAR 625 APPENDIX C</b> |          |          |                           |           | <b>Service ATA:34</b>   |             |  |
|                            | MOS     | 16-Nov-22  | 24       |          | 16-Nov-24                 |           | 361 d                   | RVSM        |  |
|                            | HRS     | 9596.5   |          |          |                           |           |                         |             |  |
|                            | AFL     | 4562   |          |          |                           |           |                         |             |  |
| <b>341TC3<sup>U</sup></b>  |         | <b>PERFORM STANDBY ALTIMETRY SYSTEM 24 MONTH RE-CERTIFICATION AS PER CAR 625 APPENDIX C</b>  |          |          |                           |           | <b>Service ATA:34</b>   |             |  |
|                            | MOS     | 16-Nov-22  | 24       |          | 16-Nov-24                 |           | 361 d                   | RVSM        |  |
|                            | HRS     | 9596.5   |          |          |                           |           |                         |             |  |
|                            | AFL     | 4562   |          |          |                           |           |                         |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                    | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 34 - NAVIGATION</b> |  |           |          |          |                           |           |           |             |        |
| 341TC4 <sup>U</sup>        | PERFORM #1 TRANSPONDER 24 MONTH RE-CERTIFICATION AS PER CAR 625 APPENDIX C |           |          |          |                           |           |           | Service     | ATA:34 |
|                            | MOS  | 16-Nov-22 | 24       |          | 16-Nov-24                 |           | 361 d     | RVSM        |        |
|                            | HRS  | 9596.5    |          |          |                           |           |           |             |        |
|                            | AFL  | 4562      |          |          |                           |           |           |             |        |
| 341TC5 <sup>U</sup>        | PERFORM #2 TRANSPONDER 24 MONTH RE-CERTIFICATION AS PER CAR 625 APPENDIX C |           |          |          |                           |           |           | Service     | ATA:34 |
|                            | MOS  | 16-Nov-22 | 24       |          | 16-Nov-24                 |           | 361 d     | RVSM        |        |
|                            | HRS  | 9596.5    |          |          |                           |           |           |             |        |
|                            | AFL  | 4562      |          |          |                           |           |           |             |        |
| 342101                     | PILOT DDRMI INDICATOR  |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:63540-250-2             | MOS/MSC  | 18-Jul-06 | O/C      |          | TSR 0                     |           |           |             |        |
| SN:2581                    | HRS  | 5739.4    |          |          | TSR 0                     |           |           |             |        |
| WC#: 34.160                | AFL  | 2768      |          |          | TSR 0                     |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |  |           |          |          |                           |           |           |             |        |
| 342121                     | COPILOT DDRMI INDICATOR  |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:63540-250-2             | MOS/MSC  | 11-Apr-07 | O/C      |          | TSR 0                     |           |           |             |        |
| SN:1457                    | HRS  | 6132.4    |          |          | TSR 0                     |           |           |             |        |
| WC#: 34.160                | AFL  | 2970      |          |          | TSR 0                     |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |  |           |          |          |                           |           |           |             |        |
| 342301                     | PILOT PROCESSOR DISPLAY UNIT   |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:7007356-906             | MOS/MSC  | 24-Sep-98 | O/C      |          |                           |           |           |             |        |
| SN:97050510                | HRS  | 3471      |          |          |                           |           |           |             |        |
| WC#: 34.200                | AFL  | 1545      |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |  |           |          |          |                           |           |           |             |        |
| 342321                     | COPILOT PROCESSOR DISPLAY UNIT   |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:7007356-906             | MOS/MSC  | 24-Sep-98 | O/C      |          |                           |           |           |             |        |
| SN:97050511                | HRS  | 3471      |          |          |                           |           |           |             |        |
| WC#: 34.200                | AFL  | 1545      |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |  |           |          |          |                           |           |           |             |        |
| 342341                     | PILOT CONTROL DISPLAY PANEL  |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:7016986-107             | MOS/MSC  | 23-Aug-08 | O/C      |          | TSN 0                     |           |           |             |        |
| SN:07097015                | HRS  | 6548.2    |          |          | TSN 0                     |           |           |             |        |
| WC#: 34.210                | AFL  | 3175      |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |  |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                    | Unit                           | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------|--------------------------------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 34 - NAVIGATION</b> |                                |           |          |          |                           |           |           |             |        |
| 342361                     | COPILOT CONTROL DISPLAY PANEL  |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:7016986-107             | MOS/MSC                        | 23-Aug-08 | O/C      |          | TSN 0                     |           |           |             |        |
| SN:07097016                | HRS                            | 6548.2    |          |          | TSN 0                     |           |           |             |        |
| WC#: 34.210                | AFL                            | 3175      |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                                |           |          |          |                           |           |           |             |        |
| 342381                     | PILOT SWITCH REVERSION PANEL   |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:7007280-901             | MOS/MSC                        | 16-Sep-91 | O/C      |          | TSN 0                     |           |           |             |        |
| SN:89090309                | HRS                            | 1138      |          |          | TSN 0                     |           |           |             |        |
| WC#: 34.220                | AFL                            | 502       |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                                |           |          |          |                           |           |           |             |        |
| 342391                     | COPILOT SWITCH REVERSION PANEL |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:7007280-901             | MOS/MSC                        | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:88100262                | HRS                            | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 34.220                | AFL                            | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                                |           |          |          |                           |           |           |             |        |
| 342451                     | REMOTE CONTROL DISPLAY PANEL   |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:7016954-939             | MOS/MSC                        | 19-Jun-14 | O/C      |          |                           |           |           |             |        |
| SN:06062470                | HRS                            | 8032      |          |          |                           |           |           |             |        |
| WC#: 34.245                | AFL                            | 3965      |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                                |           |          |          |                           |           |           |             |        |
| 342541                     | STAND-BY COMPASS               |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:KCA0105W                | MOS/MSC                        | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:AA205                   | HRS                            | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 34.270                | AFL                            | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                                |           |          |          |                           |           |           |             |        |
| 342601                     | EFIS 1 BLOWER                  |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:030002                  | MOS/MSC                        | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                 | HRS                            | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 34.275                | AFL                            | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                                |           |          |          |                           |           |           |             |        |
| 342611                     | EFIS 2 BLOWER                  |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:030002                  | MOS/MSC                        | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                 | HRS                            | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 34.275                | AFL                            | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                                |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                    | Unit    | C/W                                     | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------|---------|---|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 34 - NAVIGATION</b> |         |   |          |          |                           |           |           |             |        |
| 342A01 <sup>U</sup>        |         | STAND-BY #2 HORIZON                     |          |          |                           |           |           | Component   | ATA:34 |
| PN:H200AKM                 | MOS/MSC | 04-Oct-00                               | O/C      |          |                           |           |           |             |        |
| SN:5586                    | HRS     | 4124                                    |          |          |                           |           |           |             |        |
|                            | AFL     | 1859                                    |          |          |                           |           |           |             |        |
| 342A09 <sup>U</sup>        |         | SWING CHECK STAND-BY COMPASS            |          |          |                           |           |           | Service     | ATA:34 |
| PN:KCA0105W                | MOS     | 14-Apr-23                               | 12       |          | 14-Apr-24                 |           | 145 d     |             |        |
| SN:AA205                   | HRS     | 9743.1                                  |          |          |                           |           |           |             |        |
|                            | AFL     | 4606                                    |          |          |                           |           |           |             |        |
| 342A15 <sup>U</sup>        |         | CHECK STAND-BY HORIZON BATTERY CHARGE   |          |          |                           |           |           | Service     | ATA:34 |
| PN:501-1228-04             | MOS     | 10-Nov-23                               | 6        |          | 10-May-24                 |           | 171 d     |             |        |
| SN:81503                   | HRS     | 9831.2                                  |          |          |                           |           |           |             |        |
|                            | AFL     | 4640                                    |          |          |                           |           |           |             |        |
| 342A16 <sup>U</sup>        |         | CHECK STAND-BY HORIZON BATTERY CAPACITY |          |          |                           |           |           | Service     | ATA:34 |
| PN:501-1228-04             | MOS     | 10-Nov-23                               | 12       |          | 10-Nov-24                 |           | 355 d     |             |        |
| SN:81503                   | HRS     | 9831.2                                  |          |          |                           |           |           |             |        |
|                            | AFL     | 4640                                    |          |          |                           |           |           |             |        |
| 343101                     |         | GLIDE NO. 1/ NO. 2 ANTENNA              |          |          |                           |           |           | Component   | ATA:34 |
| PN:DMN25-2                 | MOS/MSC | 23-Oct-89                               | O/C      |          |                           |           |           |             |        |
| SN:2372                    | HRS     | 0                                       |          | TSN 0    |                           |           |           |             |        |
| WC#: 34.280                | AFL     | 0                                       |          |          |                           |           |           |             |        |
|                            |         |   |          |          | PROC. REF: AMM GENERIC 2  |           |           |             |        |
| 344051                     |         | MULTIFUNCTION DISPLAY PROCESSOR UNIT    |          |          |                           |           |           | Component   | ATA:34 |
| PN:7007356-805             | MOS/MSC | 24-Sep-98                               | O/C      |          |                           |           |           |             |        |
| SN:9702035                 | HRS     | 3471                                    |          |          |                           |           |           |             |        |
| WC#: 34.285                | AFL     | 1545                                    |          |          |                           |           |           |             |        |
|                            |         |   |          |          | PROC. REF: AMM GENERIC 2  |           |           |             |        |
| 344061                     |         | MULTIFUNCTION DISPLAY CONTROL           |          |          |                           |           |           | Component   | ATA:34 |
| PN:G7280-963               | MOS/MSC | 04-Jun-21                               | O/C      | TSR 14   |                           |           |           |             |        |
| SN:53                      | HRS     | 9239.9                                  |          | TSR 0    |                           |           |           |             |        |
| WC#: 34.285                | AFL     | 4430                                    |          | TSR 0    |                           |           |           |             |        |
|                            |         |   |          |          | PROC. REF: AMM GENERIC 2  |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                    | Unit                          | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------|-------------------------------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 34 - NAVIGATION</b> |                               |           |          |          |                           |           |           |             |        |
| 344141                     | PILOT RADAR CONTROL           |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:7008471-801             | MOS/MSC                       | 26-Mar-91 | O/C      |          |                           |           |           |             |        |
| SN:88090484                | HRS                           | 763       |          |          |                           |           |           |             |        |
| WC#: 34.300                | AFL                           | 359       |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                               |           |          |          |                           |           |           |             |        |
| 344151                     | COPILOT RADAR CONTROL         |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:7008471-801             | MOS/MSC                       | 23-Mar-90 | O/C      |          |                           |           |           |             |        |
| SN:89100780                | HRS                           | 27        |          | TSN 0    |                           |           |           |             |        |
| WC#: 34.300                | AFL                           | 12        |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                               |           |          |          |                           |           |           |             |        |
| 344156                     | MLS ANTENNA                   |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:810001-1                | MOS/MSC                       | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                 | HRS                           | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 34.410                | AFL                           | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                               |           |          |          |                           |           |           |             |        |
| 344241                     | INTERTIAL SYSTEM DISPLAY UNIT |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:CG1230AC10              | MOS/MSC                       | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                 | HRS                           | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 34.315                | AFL                           | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                               |           |          |          |                           |           |           |             |        |
| 344261                     | NO. 1 MODE SELECTOR UNIT      |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:CG1042AB03              | MOS/MSC                       | 20-Jun-12 | O/C      | TSR 0    |                           |           |           |             |        |
| SN:73733092                | HRS                           | 7663.6    |          | TSR 0    |                           |           |           |             |        |
| WC#: 34.320                | AFL                           | 3809      |          | TSR 0    |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                               |           |          |          |                           |           |           |             |        |
| 344281                     | NO. 2 MODE SELECTOR UNIT      |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:CG1042AB03              | MOS/MSC                       | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:617                     | HRS                           | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 34.320                | AFL                           | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                               |           |          |          |                           |           |           |             |        |
| 344301                     | NO. 3 MODE SELECTOR UNIT      |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:CG1042AB03              | MOS/MSC                       | 23-Mar-90 | O/C      |          |                           |           |           |             |        |
| SN:831                     | HRS                           | 27        |          | TSN 0    |                           |           |           |             |        |
| WC#: 34.320                | AFL                           | 12        |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                               |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 34 - NAVIGATION</b>   |         |           |          |          |                           |           |           |             |
| <b>344441 NO. 1 IRU BLOWER</b> <span style="float:right">Component ATA:34</span>   |         |           |          |          |                           |           |           |             |
| PN:10089782-105  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:SB0760  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 34.380  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>344461 NO. 2 IRU BLOWER</b> <span style="float:right">Component ATA:34</span>   |         |           |          |          |                           |           |           |             |
| PN:10089782-105  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:PY1560  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 34.380  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>344481 NO. 3 IRU BLOWER</b> <span style="float:right">Component ATA:34</span>   |         |           |          |          |                           |           |           |             |
| PN:26012423-105  | MOS/MSC | 03-Apr-98 | O/C      | TSN 0    |                           |           |           |             |
| SN:1621  | HRS     | 3446      |          | TSN 0    |                           |           |           |             |
| WC#: 34.385  | AFL     | 1534      |          | TSN 0    |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>345101 NO. 1 ADF CONTROL</b> <span style="float:right">Component ATA:34</span>  |         |           |          |          |                           |           |           |             |
| PN:622-6522-005  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:4310  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 34.390  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>345111 NO. 2 ADF CONTROL</b> <span style="float:right">Component ATA:34</span>  |         |           |          |          |                           |           |           |             |
| PN:622-6522-005  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:4311  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 34.390  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>345121 NO. 1 ADF RECEIVER</b> <span style="float:right">Component ATA:34</span> |         |           |          |          |                           |           |           |             |
| PN:622-2873-001  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:658   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 34.400  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>345131 NO. 2 ADF RECEIVER</b> <span style="float:right">Component ATA:34</span> |         |           |          |          |                           |           |           |             |
| PN:622-2873-001  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:659   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 34.400  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                    | Unit                          | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------|-------------------------------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 34 - NAVIGATION</b> |                               |           |          |          |                           |           |           |             |        |
| 345141                     | NO. 1 ADF LOOP ANTENNA        |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:622-2363-001            | MOS/MSC                       | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:23771                   | HRS                           | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 34.410                | AFL                           | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                               |           |          |          |                           |           |           |             |        |
| 345151                     | NO. 2 ADF LOOP ANTENNA        |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:622-2363-001            | MOS/MSC                       | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:23615                   | HRS                           | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 34.410                | AFL                           | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                               |           |          |          |                           |           |           |             |        |
| 345201                     | NO. 1 VOR/DME CONTROL         |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:622-6521-013            | MOS/MSC                       | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:7141                    | HRS                           | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 34.420                | AFL                           | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                               |           |          |          |                           |           |           |             |        |
| 345211                     | NO. 2 VOR/DME CONTROL         |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:622-6521-013            | MOS/MSC                       | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:7142                    | HRS                           | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 34.420                | AFL                           | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                               |           |          |          |                           |           |           |             |        |
| 345221                     | NO. 1 VOR/ILS/MARKER RECEIVER |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:622-6137-001            | MOS/MSC                       | 06-Nov-02 | O/C      | TSR 0    |                           |           |           |             |        |
| SN:7145                    | HRS                           | 4356.9    |          | TSR 0    |                           |           |           |             |        |
| WC#: 34.430                | AFL                           | 2023      |          | TSR 0    |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                               |           |          |          |                           |           |           |             |        |
| 345231                     | NO. 2 VOR/ILS/MARKER RECEIVER |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:622-6137-201            | MOS/MSC                       | 09-Dec-11 | O/C      |          |                           |           |           |             |        |
| SN:6541                    | HRS                           | 7462.5    |          |          |                           |           |           |             |        |
| WC#: 34.430                | AFL                           | 3707      |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                               |           |          |          |                           |           |           |             |        |
| 345301                     | NO. 1 DME TRANSCEIVER         |           |          |          |                           |           |           | Component   | ATA:34 |
| PN:622-6263-003            | MOS/MSC                       | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:6429                    | HRS                           | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 34.450                | AFL                           | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2   |                               |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                    | Unit    | C/W                                       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining        | Disposition |               |
|----------------------------|---------|---|----------|----------|---------------------------|-----------|------------------|-------------|---------------|
| <b>ATA 34 - NAVIGATION</b> |         |   |          |          |                           |           |                  |             |               |
| <b>345311</b>              |         | <b>NO. 2 DME TRANSCEIVER</b>              |          |          |                           |           | <b>Component</b> |             | <b>ATA:34</b> |
| PN:622-6263-003            | MOS/MSC | 24-Oct-97                                 | O/C      |          |                           |           |                  |             |               |
| SN:13240                   | HRS     | 3291                                      |          |          |                           |           |                  |             |               |
| WC#: 34.450                | AFL     | 1490                                      |          |          |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 2   |         |   |          |          |                           |           |                  |             |               |
| <b>345401</b>              |         | <b>NO. 1 ATC CONTROL</b>                  |          |          |                           |           | <b>Component</b> |             | <b>ATA:34</b> |
| PN:622-6523-001            | MOS/MSC | 24-Sep-98                                 | O/C      | TSN 0    |                           |           |                  |             |               |
| SN:2416                    | HRS     | 3471                                      |          | TSN 0    |                           |           |                  |             |               |
| WC#: 34.470                | AFL     | 1545                                      |          | TSN 0    |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 2   |         |   |          |          |                           |           |                  |             |               |
| <b>345411</b>              |         | <b>NO. 2 ATC CONTROL</b>                  |          |          |                           |           | <b>Component</b> |             | <b>ATA:34</b> |
| PN:822-1807-003            | MOS/MSC | 25-Jan-07                                 | O/C      | TSN 0    |                           |           |                  |             |               |
| SN:1W1BP                   | HRS     | 6000.4                                    |          | TSN 0    |                           |           |                  |             |               |
| WC#: 34.470                | AFL     | 2903                                      |          | TSN 0    |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 2   |         |   |          |          |                           |           |                  |             |               |
| <b>345421</b>              |         | <b>NO. 1 ATC TRANSPONDER</b>              |          |          |                           |           | <b>Component</b> |             | <b>ATA:34</b> |
| PN:622-9210-501            | MOS/MSC | 01-Nov-18                                 | O/C      | TSN 0    |                           |           |                  |             |               |
| SN:4V32V                   | HRS     | 8812.9                                    |          | TSN 0    |                           |           |                  |             |               |
| WC#: 34.480                | AFL     | 4258                                      |          | TSN 0    |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 2   |         |   |          |          |                           |           |                  |             |               |
| <b>345431</b>              |         | <b>NO. 2 ATC TRANSPONDER</b>              |          |          |                           |           | <b>Component</b> |             | <b>ATA:34</b> |
| PN:622-9210-501            | MOS/MSC | 01-Nov-18                                 | O/C      | TSN 0    |                           |           |                  |             |               |
| SN:4V32X                   | HRS     | 8812.9                                    |          | TSN 0    |                           |           |                  |             |               |
| WC#: 34.490                | AFL     | 4258                                      |          | TSN 0    |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 2   |         |   |          |          |                           |           |                  |             |               |
| <b>345501</b>              |         | <b>VLf/OMEGA RECEIVER/ PROCESSOR UNIT</b> |          |          |                           |           | <b>Component</b> |             | <b>ATA:34</b> |
| PN:87272054V06             | MOS/MSC | 23-Oct-89                                 | O/C      |          |                           |           |                  |             |               |
| SN:UNKNOWN                 | HRS     | 0   |          | TSN 0    |                           |           |                  |             |               |
| WC#: 34.510                | AFL     | 0   |          |          |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 2   |         |   |          |          |                           |           |                  |             |               |
| <b>345511</b>              |         | <b>VLf/OMEGA ANTENNA</b>                  |          |          |                           |           | <b>Component</b> |             | <b>ATA:34</b> |
| PN:87232276V00             | MOS/MSC | 23-Oct-89                                 | O/C      |          |                           |           |                  |             |               |
| SN:UNKNOWN                 | HRS     | 0   |          | TSN 0    |                           |           |                  |             |               |
| WC#: 34.510                | AFL     | 0   |          |          |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 2   |         |   |          |          |                           |           |                  |             |               |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                    | Unit    | C/W                                | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |               |
|----------------------------|---------|------------------------------------|----------|----------|---------------------------|-----------|-----------|------------------|---------------|
| <b>ATA 34 - NAVIGATION</b> |         |                                    |          |          |                           |           |           |                  |               |
| <b>345A30<sup>U</sup></b>  |         | <b>TCAS PROCESSOR</b>              |          |          |                           |           |           | <b>Component</b> | <b>ATA:34</b> |
| PN:7517900-55020           | MOS/MSC | 19-Jun-14                          | O/C      | TSO 2    |                           |           |           |                  |               |
| SN:98060657                | HRS     | 8032                               |          | TSO 0    |                           |           |           |                  |               |
|                            | AFL     | 3965                               |          | TSO 0    |                           |           |           |                  |               |
| <b>345A33<sup>U</sup></b>  |         | <b>TCAS CONTROL</b>                |          |          |                           |           |           | <b>Component</b> | <b>ATA:34</b> |
| PN:822-0836-234            | MOS/MSC | 22-Aug-08                          | O/C      |          |                           |           |           |                  |               |
| SN:2CP5R                   | HRS     | 6548.2                             |          |          |                           |           |           |                  |               |
|                            | AFL     | 3175                               |          |          |                           |           |           |                  |               |
| <b>346101<sup>U</sup></b>  |         | <b>PILOT FMS CONTROL DISPLAY</b>   |          |          |                           |           |           | <b>Component</b> | <b>ATA:34</b> |
| PN:28888-07-01             | MOS/MSC | 23-Aug-08                          | O/C      |          |                           |           |           |                  |               |
| SN:C373545                 | HRS     | 6548.2                             |          |          |                           |           |           |                  |               |
| WC#: 34.230                | AFL     | 3175                               |          |          |                           |           |           |                  |               |
| <b>346121<sup>U</sup></b>  |         | <b>COPILOT FMS CONTROL DISPLAY</b> |          |          |                           |           |           | <b>Component</b> | <b>ATA:34</b> |
| PN:2888-07-1               | MOS/MSC | 15-May-09                          | O/C      |          |                           |           |           |                  |               |
| SN:C373237                 | HRS     | 6671.8                             |          |          |                           |           |           |                  |               |
| WC#: 34.230                | AFL     | 3246                               |          |          |                           |           |           |                  |               |
| <b>346141</b>              |         | <b>PILOT FMS COMPUTER</b>          |          |          |                           |           |           | <b>Component</b> | <b>ATA:34</b> |
| PN:7018879-03040           | MOS/MSC | 19-Jun-14                          | O/C      |          |                           |           |           |                  |               |
| SN:98071850                | HRS     | 8032                               |          |          |                           |           |           |                  |               |
| WC#: 34.240                | AFL     | 3965                               |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2   |         |                                    |          |          |                           |           |           |                  |               |
| <b>346161</b>              |         | <b>COPILOT FMS COMPUTER</b>        |          |          |                           |           |           | <b>Component</b> | <b>ATA:34</b> |
| PN:7018879-03040           | MOS/MSC | 19-Jun-14                          | O/C      |          |                           |           |           |                  |               |
| SN:98061936                | HRS     | 8032                               |          |          |                           |           |           |                  |               |
| WC#: 34.240                | AFL     | 3965                               |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2   |         |                                    |          |          |                           |           |           |                  |               |
| <b>346181</b>              |         | <b>FMS DATA LOADER</b>             |          |          |                           |           |           | <b>Component</b> | <b>ATA:34</b> |
| PN:C-7226-01               | MOS/MSC | 23-Aug-08                          | O/C      | TSN 0    |                           |           |           |                  |               |
| SN:1278                    | HRS     | 6548.2                             |          | TSN 0    |                           |           |           |                  |               |
| WC#: 34.230                | AFL     | 3175                               |          | TSN 0    |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2   |         |                                    |          |          |                           |           |           |                  |               |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                    | Unit    | C/W                                   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining        | Disposition |               |
|----------------------------|---------|---------------------------------------|----------|----------|---------------------------|-----------|------------------|-------------|---------------|
| <b>ATA 34 - NAVIGATION</b> |         |                                       |          |          |                           |           |                  |             |               |
| <b>346211</b>              |         | <b>NO. 1 FMS CONFIGURATION MODULE</b> |          |          |                           |           | <b>Component</b> |             | <b>ATA:34</b> |
| PN:7025973-02401           | MOS/MSC | 23-Aug-08                             | O/C      | TSN 0    |                           |           |                  |             |               |
| SN:07054659                | HRS     | 6548.2                                |          | TSN 0    |                           |           |                  |             |               |
| WC#: 34.610                | AFL     | 3175                                  |          | TSN 0    |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 2   |         |                                       |          |          |                           |           |                  |             |               |
| <b>346221</b>              |         | <b>NO. 2 FMS CONFIGURATION MODULE</b> |          |          |                           |           | <b>Component</b> |             | <b>ATA:34</b> |
| PN:7025973-02401           | MOS/MSC | 23-Aug-08                             | O/C      | TSN 0    |                           |           |                  |             |               |
| SN:07054660                | HRS     | 6548.2                                |          | TSN 0    |                           |           |                  |             |               |
| WC#: 34.610                | AFL     | 3175                                  |          | TSN 0    |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 2   |         |                                       |          |          |                           |           |                  |             |               |
| <b>346231</b>              |         | <b>NO. 3 FMS CONFIGURATION MODULE</b> |          |          |                           |           | <b>Component</b> |             | <b>ATA:34</b> |
| PN:7014940-903             | MOS/MSC | 24-Sep-98                             | O/C      | TSN 0    |                           |           |                  |             |               |
| SN:95080748                | HRS     | 3471                                  |          | TSN 0    |                           |           |                  |             |               |
| WC#: 34.610                | AFL     | 1545                                  |          | TSN 0    |                           |           |                  |             |               |
| PROC. REF: AMM GENERIC 2   |         |                                       |          |          |                           |           |                  |             |               |
| <b>346A01<sup>U</sup></b>  |         | <b>CONT FMS #3 DISPLAY UNIT</b>       |          |          |                           |           | <b>Component</b> |             | <b>ATA:34</b> |
| PN:7004403-901             | MOS/MSC | 30-Jul-07                             | O/C      |          |                           |           |                  |             |               |
| SN:88020328                | HRS     | 6242.7                                |          |          |                           |           |                  |             |               |
|                            | AFL     | 3017                                  |          |          |                           |           |                  |             |               |
| <b>346A06<sup>U</sup></b>  |         | <b>FMS #3 COMPUTER</b>                |          |          |                           |           | <b>Component</b> |             | <b>ATA:34</b> |
| PN:7018879-03040           | MOS/MSC | 19-Jun-14                             | O/C      |          |                           |           |                  |             |               |
| SN:04074121                | HRS     | 8032                                  |          |          |                           |           |                  |             |               |
|                            | AFL     | 3965                                  |          |          |                           |           |                  |             |               |
| <b>346A08<sup>U</sup></b>  |         | <b>REPLACE #1 FMS BATTERY</b>         |          |          |                           |           | <b>Service</b>   |             | <b>ATA:34</b> |
|                            | MOS     | 31-May-23                             | 48       |          | 31-May-27                 |           | 1287 d           |             |               |
|                            | HRS     | 9761.07                               |          |          |                           |           |                  |             |               |
|                            | AFL     | 4613                                  |          |          |                           |           |                  |             |               |
| <b>346A09<sup>U</sup></b>  |         | <b>REPLACE #2 FMS BATTERY</b>         |          |          |                           |           | <b>Service</b>   |             | <b>ATA:34</b> |
|                            | MOS     | 31-May-23                             | 48       |          | 31-May-27                 |           | 1287 d           |             |               |
|                            | HRS     | 9761.07                               |          |          |                           |           |                  |             |               |
|                            | AFL     | 4613                                  |          |          |                           |           |                  |             |               |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|--------------|-------------|
| <b>ATA 34 - NAVIGATION</b>   |         |           |          |          |                           |           |              |             |
| <b>346A12<sup>U</sup> REPLACE #3 FMS BATTERY Service ATA:34</b>  |         |           |          |          |                           |           |              |             |
|  | MOS     | 31-May-23 | 48       |          | 31-May-27                 |           | 1287 d       |             |
|  | HRS     | 9761.07   |          |          |                           |           |              |             |
|  | AFL     | 4613      |          |          |                           |           |              |             |
| <b>347A11<sup>U</sup> NO. 1 AIU BA-440 ROUTER/ FILTER Component ATA:34</b>   |         |           |          |          |                           |           |              |             |
| PN:601-0440-002  | MOS/MSC | 31-Oct-18 | O/C      | TSN 0    |                           |           |              |             |
| SN:0845  | HRS     | 8812.9    |          | TSN 0    |                           |           |              |             |
|  | AFL     | 4258      |          | TSN 0    |                           |           |              |             |
| <b>347A12<sup>U</sup> NO. 2 AIU-BA-440 ROUTER FILTER Component ATA:34</b>  |         |           |          |          |                           |           |              |             |
| PN:601-0440-002  | MOS/MSC | 31-Oct-18 | O/C      | TSN 0    |                           |           |              |             |
| SN:0846  | HRS     | 8812.9    |          | TSN 0    |                           |           |              |             |
|  | AFL     | 4258      |          | TSN 0    |                           |           |              |             |
| <b>347A15<sup>US</sup> VISUALLY INSPECT THE TRANSPONDER WIRING FOR CONDITION, SECURITY, CHAFFING &amp; OVERHEATING. Service ATA:34</b> |         |           |          |          |                           |           |              |             |
|  | MOS/MSC |           | A/R      |          |                           |           |              |             |
|  | HRS     |           |          |          |                           |           |              |             |
|  | AFL     |           |          |          |                           |           |              |             |
|  |         |           |          |          |                           |           |              | PKG:21,31   |
| <b>347A16<sup>US</sup> VISUALLY INSPECT ADS-B OUT TRANSPONDER FOR CONDITION, SECURITY, AND BONDING Service ATA:34</b>                  |         |           |          |          |                           |           |              |             |
|  | MOS/MSC |           | A/R      |          |                           |           |              |             |
|  | HRS     |           |          |          |                           |           |              |             |
|  | AFL     |           |          |          |                           |           |              |             |
|  |         |           |          |          |                           |           |              | PKG:21,31   |
| <b>347A31<sup>U</sup> NO. 1 AIU CONFIGURATION PLUG ASSEMBLY Component ATA:34</b>   |         |           |          |          |                           |           |              |             |
| PN:DA5AD5B3  | MOS/MSC | 31-Oct-18 | O/C      | TSN 0    |                           |           |              |             |
| SN:0857  | HRS     | 8812.9    |          | TSN 0    |                           |           |              |             |
|  | AFL     | 4258      |          | TSN 0    |                           |           |              |             |
| <b>347A32<sup>U</sup> NO. 2 AIU CONFIGURATION PLUG ASSEMBLY Component ATA:34</b>   |         |           |          |          |                           |           |              |             |
| PN:DA5AD5B3  | MOS/MSC | 31-Oct-18 | O/C      | TSN 0    |                           |           |              |             |
| SN:0856  | HRS     | 8812.9    |          | TSN 0    |                           |           |              |             |
|  | AFL     | 4258      |          | TSN 0    |                           |           |              |             |
| <b>ATA 35 - OXYGEN</b>   |         |           |          |          |                           |           |              |             |
| <b>35-10-05-350-801-01 RESTORATION OF THE CREW OXYGEN MASKS (OVERHAUL) - LH PILOT OXYGEN MASK (L502WH) Service ATA:35</b>              |         |           |          |          |                           |           |              |             |
| PN:MC10-12-100   | MOS     | 17-Nov-20 | 72 (+3%) |          | 17-Nov-26                 | 21-Jan-27 | 1092 d (+65) | OVERHAUL    |
| SN:104295  | HRS     |           |          |          |                           |           |              |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |        |
|----------------------------------|---|-----------|----------|----------|---------------------------|-----------|-------------|-------------|--------|
| ATA 35 - OXYGEN                  |   |           |          |          |                           |           |             |             |        |
| WC#: 35.060                      | AFL   |           |          |          |                           |           |             |             |        |
| PROC. REF: AMM 35-10-05-350-801  |   |           |          |          |                           |           |             |             |        |
| 35-10-05-350-801-02              | RESTORATION OF THE CREW OXYGEN MASKS (OVERHAUL) - RH PILOT OXYGEN MASK (R502WH)         |           |          |          |                           |           |             | Service     | ATA:35 |
| PN:MC10-12-100                   | MOS   | 06-Apr-20 | 72 (+3%) |          | 06-Apr-26                 | 10-Jun-26 | 867 d (+65) | OVERHAUL    |        |
| SN:55146                         | HRS   |           |          |          |                           |           |             |             |        |
| WC#: 35.060                      | AFL   |           |          |          |                           |           |             |             |        |
| PROC. REF: AMM 35-10-05-350-801  |   |           |          |          |                           |           |             |             |        |
| 35-10-05-350-801-03              | RESTORATION OF THE CREW OXYGEN MASKS (OVERHAUL) - THIRD CREW MEMBER OXYGEN MASK (524WH) |           |          |          |                           |           |             | Service     | ATA:35 |
| PN:MC10-12-100                   | MOS/MSC   | 03-Sep-19 | O/C      |          |                           |           |             |             |        |
| SN:22626                         | HRS   |           |          |          |                           |           |             |             |        |
|                                  | AFL   |           |          |          |                           |           |             |             |        |
| PROC. REF: AMM 35-10-05-350-801  |   |           |          |          |                           |           |             |             |        |
| 35-10-05-710-801-01 <sup>S</sup> | OPERATIONAL TEST OF THE CREW OXYGEN MASKS - LH PILOT OXYGEN MASK (L502WH)               |           |          |          |                           |           |             | Service     | ATA:35 |
|                                  | MOS   | 09-Nov-23 | 12 (+1m) |          |                           |           |             |             |        |
|                                  | HRS   | 9831.2    |          |          |                           |           |             |             |        |
|                                  | AFL   | 4640      |          |          |                           |           |             |             |        |
| PROC. REF: AMM 35-10-05-710-801  |   |           |          |          |                           |           |             |             |        |
| 35-10-05-710-801-02 <sup>S</sup> | OPERATIONAL TEST OF THE CREW OXYGEN MASKS - RH PILOT OXYGEN MASK (R502WH)               |           |          |          |                           |           |             | Service     | ATA:35 |
|                                  | MOS   | 09-Nov-23 | 12 (+1m) |          |                           |           |             |             |        |
|                                  | HRS   | 9831.2    |          |          |                           |           |             |             |        |
|                                  | AFL   | 4640      |          |          |                           |           |             |             |        |
| PROC. REF: AMM 35-10-05-710-801  |   |           |          |          |                           |           |             |             |        |
| 35-10-05-710-801-03 <sup>S</sup> | OPERATIONAL TEST OF THE CREW OXYGEN MASKS - THIRD CREW MEMBER OXYGEN MASK (524WH)       |           |          |          |                           |           |             | Service     | ATA:35 |
|                                  | MOS   | 09-Nov-23 | 12 (+1m) |          |                           |           |             |             |        |
|                                  | HRS   | 9831.2    |          |          |                           |           |             |             |        |
|                                  | AFL   | 4640      |          |          |                           |           |             |             |        |
| PROC. REF: AMM 35-10-05-710-801  |   |           |          |          |                           |           |             |             |        |
| 35-10-05-900-801-01              | REMOVAL / INSTALLATION OF THE CREW OXYGEN MASKS - LH PILOT OXYGEN MASK (L502WH)         |           |          |          |                           |           |             | Component   | ATA:35 |
| PN:MC10-12-100                   | MOS/MSC   | 20-May-21 | H/T      |          | TSN 342, TSO 6            |           |             |             |        |
| SN:104295                        | HRS   | 9227.5    |          |          | TSO 0                     |           |             |             |        |
| WC#: 35.060                      | AFL   | 4427      |          |          | TSO 0                     |           |             |             |        |
| PROC. REF: AMM 35-10-05-900-801  |   |           |          |          |                           |           |             |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval   | TSX/Adj.        | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition |  |
|----------------------------------|---------|---|------------|-----------------|---------------------------|-----------|--------------|-------------|--|
| <b>ATA 35 - OXYGEN</b>           |         |   |            |                 |                           |           |              |             |  |
| 35-10-05-900-801-02              |         | REMOVAL / INSTALLATION OF THE CREW OXYGEN MASKS - RH PILOT OXYGEN MASK (R502WH)               |            |                 |                           |           | Component    | ATA:35      |  |
| PN:MC10-12-100                   | MOS/MSC | 22-May-20   | H/T        | TSN 295, TSO 0  |                           |           |              |             |  |
| SN:55146                         | HRS     | 9180.1  |            | TSO 0           |                           |           |              |             |  |
| WC#: 35.060                      | AFL     | 4403  |            | TSO 0           |                           |           |              |             |  |
| PROC. REF: AMM 35-10-05-900-801  |         |   |            |                 |                           |           |              |             |  |
| 35-10-05-900-801-03              |         | REMOVAL / INSTALLATION OF THE CREW OXYGEN MASKS - THIRD CREW MEMBER OXYGEN MASK (524WH)       |            |                 |                           |           | Component    | ATA:35      |  |
| PN:MC10-12-100                   | MOS/MSC | 27-Sep-19   | O/C        | TSO 0           |                           |           |              |             |  |
| SN:22626                         | HRS     | 9055  |            | TSN 1553, TSO 0 |                           |           |              |             |  |
| WC#: 35.160                      | AFL     | 4357  |            | TSO 0           |                           |           |              |             |  |
| PROC. REF: AMM 35-10-05-900-801  |         |   |            |                 |                           |           |              |             |  |
| 35-20-00-210-801-01 <sup>S</sup> |         | GENERAL VISUAL INSPECTION OF THE PASSENGER OXYGEN MASKS                                       |            |                 |                           |           | Service      | ATA:35      |  |
|                                  | MOS     | 16-Nov-22   | 24 (+1m)   |                 |                           |           |              |             |  |
|                                  | HRS     | 9596.5  |            |                 |                           |           |              |             |  |
| WC#: 35.250                      | AFL     | 4562  |            |                 |                           |           |              |             |  |
| PROC. REF: AMM 35-20-00-210-801  |         |   |            |                 |                           |           |              |             |  |
| 35-20-00-720-801-01 <sup>S</sup> |         | FUNCTIONAL TEST OF THE PASSENGER OXYGEN SYSTEM  |            |                 |                           |           | Service      | ATA:35      |  |
|                                  | MOS     | 29-Apr-16   |            |                 |                           |           |              |             |  |
|                                  | HRS     | 8447.8  | 1600 (+40) |                 |                           |           |              |             |  |
| WC#: 35.090                      | AFL     | 4114  |            |                 |                           |           |              |             |  |
| PROC. REF: AMM 35-20-00-720-801  |         |   |            |                 |                           |           |              |             |  |
| 35-20-01-350-801-01              |         | RESTORATION OF THE PASSENGER OXYGEN CONTROLLER (OVERHAUL) - PASSENGER OXYGEN CONTROLLER (1WH) |            |                 |                           |           | Service      | ATA:35      |  |
| PN:RCA74-03                      | MOS     | 20-Apr-22   | 72 (+3%)   |                 | 20-Apr-28                 | 24-Jun-28 | 1612 d (+65) | OVERHAUL    |  |
| SN:1446                          | HRS     | 9465.8  |            |                 |                           |           |              |             |  |
| WC#: 35.110                      | AFL     | 4519  |            |                 |                           |           |              |             |  |
| PROC. REF: AMM 35-20-01-350-801  |         |   |            |                 |                           |           |              |             |  |
| 35-20-01-900-801-01              |         | REMOVAL / INSTALLATION OF THE PASSENGER OXYGEN CONTROLLER - PASSENGER OXYGEN CONTROLLER (1WH) |            |                 |                           |           | Component    | ATA:35      |  |
| PN:RCA74-03                      | MOS/MSC | 20-Apr-22   | H/T        | TSO 0           |                           |           |              |             |  |
| SN:1446                          | HRS     | 9465.8  |            | TSO 0           |                           |           |              |             |  |
| WC#: 35.110                      | AFL     | 4519  |            | TSO 0           |                           |           |              |             |  |
| PROC. REF: AMM 35-20-01-900-801  |         |   |            |                 |                           |           |              |             |  |
| 35-21-05-210-801-01 <sup>S</sup> |         | INSPECTION OF THE RILSAN TUBE ASSEMBLY  |            |                 |                           |           | Service      | ATA:35      |  |
|                                  | MOS     | 12-Apr-16   |            |                 |                           |           |              |             |  |
|                                  | HRS     | 8447.8  | 1600 (+40) |                 |                           |           |              |             |  |
|                                  | AFL     | 4114  |            |                 |                           |           |              |             |  |
| PROC. REF: AMM 35-21-05-210-801  |         |   |            |                 |                           |           |              |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |        |
|---------------------------------|---------|--|----------|----------|---------------------------|-----------|-------------|-------------|--------|
| ATA 35 - OXYGEN                 |         |  |          |          |                           |           |             |             |        |
| 35-21-20-900-801-01             |         | FIRST AID OXYGEN CYLINDER  |          |          |                           |           |             | Component   | ATA:35 |
| PN:PN                           | MOS/MSC | 23-Oct-89  | O/C      | TSN 0    |                           |           |             |             |        |
| SN:UNKNOWN                      | HRS     | 0  |          | TSN 0    |                           |           |             |             |        |
|                                 | AFL     | 0  |          | TSN 0    |                           |           |             |             |        |
| PROC. REF: AMM 35-40-01-900-801 |         |  |          |          |                           |           |             |             |        |
| 35-30-01-960-801-01             |         | DISCARD OF THE SMOKE HOOD - SMOKE HOOD (508WH)   |          |          |                           |           |             | Service     | ATA:35 |
| PN:802300-14                    | MOS     | 01-Mar-22  | 120      |          | 01-Mar-32                 |           | 3023 d      | LIFE LIMIT  |        |
| SN:E22030701                    | HRS     |  |          |          |                           |           |             |             |        |
| WC#: 35.230                     | AFL     |  |          |          |                           |           |             |             |        |
| PROC. REF: AMM 35-30-01-960-801 |         |  |          |          |                           |           |             |             |        |
| 35-30-05-210-801-01             |         | GENERAL VISUAL INSPECTION OF THE PORTABLE OXYGEN BOTTLE - PORTABLE OXYGEN BOTTLE AND MASKS (537WH) |          |          |                           |           |             | Service     | ATA:35 |
| PN:5600-1C1A-Y0E                | MOS/MSC | 12-Nov-20  | O/C      |          |                           |           |             |             |        |
| SN:124812                       | HRS     | 9182.3   |          |          |                           |           |             |             |        |
| WC#: 35.240                     | AFL     | 4405   |          |          |                           |           |             |             |        |
| PROC. REF: AMM 35-30-05-210-801 |         |  |          |          |                           |           |             |             |        |
| 35-30-05-350-801-01             |         | RESTORATION OF THE PORTABLE OXYGEN BOTTLE (OVERHAUL) - PORTABLE OXYGEN BOTTLE AND MASKS (537WH)    |          |          |                           |           |             | Service     | ATA:35 |
| PN:5600-1C1A-Y0E                | MOS     | 01-Jul-20  | 60 (+3%) |          | 01-Jul-25                 | 25-Aug-25 | 588 d (+55) | OVERHAUL    |        |
| SN:124812                       | HRS     |  |          |          |                           |           |             |             |        |
| WC#: 35.050                     | AFL     |  |          |          |                           |           |             |             |        |
| PROC. REF: AMM 35-30-05-350-801 |         |  |          |          |                           |           |             |             |        |
| 35-30-05-960-801-01             |         | DISCARD OF THE PORTABLE OXYGEN BOTTLE - PORTABLE OXYGEN BOTTLE AND MASKS (537WH)                   |          |          |                           |           |             | Service     | ATA:35 |
| PN:5600-1C1A-Y0E                | MOS/MSC | 27-May-15  | O/C      |          |                           |           |             |             |        |
| SN:124812                       | HRS     | 8263.8   |          |          |                           |           |             |             |        |
|                                 | AFL     | 4055   |          |          |                           |           |             |             |        |
| PROC. REF: AMM 35-30-05-960-801 |         |  |          |          |                           |           |             |             |        |
| 35-30-09-100-801-01             |         | CLEANING OF THE PORTABLE OXYGEN MASKS - PORTABLE OXYGEN BOTTLE AND MASKS (537WH)                   |          |          |                           |           |             | Service     | ATA:35 |
| PN:5600-1C1A-Y0E                | MOS/MSC | 12-Nov-20  | O/C      |          |                           |           |             |             |        |
| SN:124812                       | HRS     | 9182.3   |          |          |                           |           |             |             |        |
| WC#: 35.050                     | AFL     | 4405   |          |          |                           |           |             |             |        |
| PROC. REF: AMM 35-30-09-100-801 |         |  |          |          |                           |           |             |             |        |
| 35-40-01-720-801-01             |         | FUNCTIONAL TEST OF THE OXYGEN CYLINDER AND REGULATOR ASSEMBLY - OXYGEN CYLINDER (500WH)            |          |          |                           |           |             | Service     | ATA:35 |
| PN:176219-115                   | MOS     | 30-May-19  | 60       |          | 30-May-24                 |           | 191 d       |             |        |
| SN:1046506002                   | HRS     |  |          |          |                           |           |             |             |        |
|                                 | AFL     |  |          |          |                           |           |             |             |        |
| PROC. REF: AMM 35-40-01-720-801 |         |  |          |          |                           |           |             |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 35 - OXYGEN</b>  |         |           |          |          |                           |           |           |             |
| <b>35-40-01-790-801-01 HYDROSTATIC TEST OF THE OXYGEN CYLINDER - OXYGEN CYLINDER (500WH) Service ATA:35</b>         |         |           |          |          |                           |           |           |             |
| PN:176219-115   | MOS/MSC | 30-May-19 | O/C      |          |                           |           |           |             |
| SN:1046506002   | HRS     |           |          |          |                           |           |           |             |
| WC#: 35.010   | AFL     |           |          |          |                           |           |           |             |
| PROC. REF: GENERIC NO REF   |         |           |          |          |                           |           |           |             |
| <b>35-40-01-900-801-01 REMOVAL / INSTALLATION OF THE OXYGEN CYLINDER - OXYGEN CYLINDER (500WH) Component ATA:35</b> |         |           |          |          |                           |           |           |             |
| PN:176219-115   | MOS/MSC | 26-Jul-19 | H/T      | TSN 1    |                           |           |           |             |
| SN:1046506002   | HRS     | 8994.2    |          | TSN 0    |                           |           |           |             |
| WC#: 35.010   | AFL     | 4331      |          | TSN 0    |                           |           |           |             |
| PROC. REF: AMM 35-40-01-900-801   |         |           |          |          |                           |           |           |             |
| <b>35-40-01-960-801-01 DISCARD OF THE OXYGEN CYLINDER - OXYGEN CYLINDER (500WH) Service ATA:35</b>                  |         |           |          |          |                           |           |           |             |
| PN:176219-115   | MOS     | 12-Jun-19 | 180      |          | 12-Jun-34                 |           | 3856 d    | LIFE LIMIT  |
| SN:1046506002   | HRS     |           |          |          |                           |           |           |             |
| WC#: 35.010   | AFL     |           |          |          |                           |           |           |             |
| PROC. REF: AMM 35-40-01-960-801   |         |           |          |          |                           |           |           |             |
| <b>35-40-05-720-801-01 FUNCTIONAL TEST OF THE OXYGEN CYLINDER PRESSURE REDUCING VALVE Service ATA:35</b>            |         |           |          |          |                           |           |           |             |
| PN:172200-01  | MOS/MSC | 26-Jul-19 | O/C      |          |                           |           |           |             |
| SN:1038019602   | HRS     | 8994.2    |          |          |                           |           |           |             |
| WC#: 35.010   | AFL     | 4331      |          |          |                           |           |           |             |
| PROC. REF: GENERIC NO REF   |         |           |          |          |                           |           |           |             |
| <b>350121 OXYGEN PRESSURE REDUCER VALVE Component ATA:35</b>  |         |           |          |          |                           |           |           |             |
| PN:172200-01  | MOS/MSC | 26-Jul-19 | O/C      | TSN 1    |                           |           |           |             |
| SN:1038019602   | HRS     | 8994.2    |          | TSN 0    |                           |           |           |             |
| WC#: 35.010   | AFL     | 4331      |          | TSN 0    |                           |           |           |             |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |             |
| <b>350141 HP OXYGEN PRESSURE BOTTLE GAGE Component ATA:35</b>   |         |           |          |          |                           |           |           |             |
| PN:CMT150   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 35.030   | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |             |
| <b>350161 OXYGEN FILLER VALVE Component ATA:35</b>  |         |           |          |          |                           |           |           |             |
| PN:DKR131   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 35.040   | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit                        | C/W       | Interval | TSX/Adj.       | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------|-----------------------------|-----------|----------|----------------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 35 - OXYGEN</b>          |                             |           |          |                |                           |           |           |             |        |
| 350201                          | PORTABLE OXYGEN BOTTLE      |           |          |                |                           |           |           | Component   | ATA:35 |
| PN:5600-1C1A-Y0E                | MOS/MSC                     | 12-Nov-20 | O/C      | TSN 373, TSO 2 |                           |           |           |             |        |
| SN:124812                       | HRS                         | 9182.3    |          | TSO 0          |                           |           |           |             |        |
| WC#: 35.050                     | AFL                         | 4405      |          | TSO 0          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2        |                             |           |          |                |                           |           |           |             |        |
| 351121                          | PILOT OXYGEN MASK HOSE      |           |          |                |                           |           |           | Component   | ATA:35 |
| PN:DTF44A435                    | MOS/MSC                     | 23-Oct-89 | O/C      | TSN 14         |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS                         | 0         |          |                |                           |           |           |             |        |
| WC#: 35.070                     | AFL                         | 0         |          |                |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2        |                             |           |          |                |                           |           |           |             |        |
| 351131                          | PILOT OXYGEN CONNECTOR      |           |          |                |                           |           |           | Component   | ATA:35 |
| PN:DPB179                       | MOS/MSC                     | 23-Oct-89 | O/C      |                |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS                         | 0         |          | TSN 0          |                           |           |           |             |        |
| WC#: 35.080                     | AFL                         | 0         |          |                |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2        |                             |           |          |                |                           |           |           |             |        |
| 351171                          | COPILOT OXYGEN MASK HOSE    |           |          |                |                           |           |           | Component   | ATA:35 |
| PN:DTF55A350                    | MOS/MSC                     | 23-Oct-89 | O/C      | TSN 19         |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS                         | 0         |          |                |                           |           |           |             |        |
| WC#: 35.070                     | AFL                         | 0         |          |                |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2        |                             |           |          |                |                           |           |           |             |        |
| 351181                          | COPILOT OXYGEN CONNECTOR    |           |          |                |                           |           |           | Component   | ATA:35 |
| PN:DPB179                       | MOS/MSC                     | 23-Oct-89 | O/C      |                |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS                         | 0         |          | TSN 0          |                           |           |           |             |        |
| WC#: 35.080                     | AFL                         | 0         |          |                |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2        |                             |           |          |                |                           |           |           |             |        |
| 352111                          | NO. 1 PASSENGER OXYGEN MASK |           |          |                |                           |           |           | Component   | ATA:35 |
| PN:289-601-228                  | MOS/MSC                     | 20-Jun-12 | O/C      | TSN 4          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS                         | 7663.6    |          | TSN 0          |                           |           |           |             |        |
| WC#: 35.120                     | AFL                         | 3809      |          | TSN 0          |                           |           |           |             |        |
| PROC. REF: AMM 35-20-09-900-801 |                             |           |          |                |                           |           |           |             |        |
| 352121                          | NO. 2 PASSENGER OXYGEN MASK |           |          |                |                           |           |           | Component   | ATA:35 |
| PN:289-601-228                  | MOS/MSC                     | 12-Nov-20 | O/C      | TSN 4          |                           |           |           |             |        |
| SN:N/A                          | HRS                         | 9182.3    |          | TSN 0          |                           |           |           |             |        |
| WC#: 35.120                     | AFL                         | 4405      |          | TSN 0          |                           |           |           |             |        |
| PROC. REF: AMM 35-20-09-900-801 |                             |           |          |                |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit                        | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------|-----------------------------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 35 - OXYGEN</b>          |                             |           |          |          |                           |           |           |             |        |
| 352131                          | NO. 3 PASSENGER OXYGEN MASK |           |          |          |                           |           |           | Component   | ATA:35 |
| PN:289-601-228                  | MOS/MSC                     | 12-Nov-20 | O/C      | TSN 4    |                           |           |           |             |        |
| SN:N/A                          | HRS                         | 9182.3    |          | TSN 0    |                           |           |           |             |        |
| WC#: 35.120                     | AFL                         | 4405      |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM 35-20-09-900-801 |                             |           |          |          |                           |           |           |             |        |
| 352141                          | NO. 4 PASSENGER OXYGEN MASK |           |          |          |                           |           |           | Component   | ATA:35 |
| PN:289-601-228                  | MOS/MSC                     | 15-Feb-06 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS                         | 5578.9    |          |          |                           |           |           |             |        |
| WC#: 35.130                     | AFL                         | 2675      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 35-20-09-900-801 |                             |           |          |          |                           |           |           |             |        |
| 352151                          | NO. 5 PASSENGER OXYGEN MASK |           |          |          |                           |           |           | Component   | ATA:35 |
| PN:289-601-228                  | MOS/MSC                     | 15-Feb-06 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS                         | 5578.9    |          | TSN 0    |                           |           |           |             |        |
| WC#: 35.130                     | AFL                         | 2675      |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM 35-20-09-900-801 |                             |           |          |          |                           |           |           |             |        |
| 352161                          | NO. 6 PASSENGER OXYGEN MASK |           |          |          |                           |           |           | Component   | ATA:35 |
| PN:289-601-228                  | MOS/MSC                     | 15-Feb-06 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS                         | 5578.9    |          | TSN 0    |                           |           |           |             |        |
| WC#: 35.130                     | AFL                         | 2675      |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM 35-20-09-900-801 |                             |           |          |          |                           |           |           |             |        |
| 352171                          | NO. 7 PASSENGER OXYGEN MASK |           |          |          |                           |           |           | Component   | ATA:35 |
| PN:289-601-228                  | MOS/MSC                     | 12-Nov-20 | O/C      | TSN 4    |                           |           |           |             |        |
| SN:N/A                          | HRS                         | 9182.3    |          | TSN 0    |                           |           |           |             |        |
| WC#: 35.140                     | AFL                         | 4405      |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM 35-20-09-900-801 |                             |           |          |          |                           |           |           |             |        |
| 352181                          | NO. 8 PASSENGER OXYGEN MASK |           |          |          |                           |           |           | Component   | ATA:35 |
| PN:289-601-228                  | MOS/MSC                     | 12-Nov-20 | O/C      | TSN 4    |                           |           |           |             |        |
| SN:N/A                          | HRS                         | 9182.3    |          | TSN 0    |                           |           |           |             |        |
| WC#: 35.140                     | AFL                         | 4405      |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM 35-20-09-900-801 |                             |           |          |          |                           |           |           |             |        |
| 352191                          | NO. 9 PASSENGER OXYGEN MASK |           |          |          |                           |           |           | Component   | ATA:35 |
| PN:289-601-228                  | MOS/MSC                     | 20-Jun-12 | O/C      | TSN 4    |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS                         | 7663.6    |          | TSN 0    |                           |           |           |             |        |
| WC#: 35.140                     | AFL                         | 3809      |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM 35-20-09-900-801 |                             |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit                         | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------|------------------------------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 35 - OXYGEN</b>          |                              |           |          |          |                           |           |           |             |        |
| 352201                          | NO. 10 PASSENGER OXYGEN MASK |           |          |          |                           |           |           | Component   | ATA:35 |
| PN:289-601-228                  | MOS/MSC                      | 15-Feb-06 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS                          | 5578.9    |          | TSN 0    |                           |           |           |             |        |
| WC#: 35.150                     | AFL                          | 2675      |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM 35-20-09-900-801 |                              |           |          |          |                           |           |           |             |        |
| 352211                          | NO. 11 PASSENGER OXYGEN MASK |           |          |          |                           |           |           | Component   | ATA:35 |
| PN:289-601-228                  | MOS/MSC                      | 15-Feb-06 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS                          | 5578.9    |          | TSN 0    |                           |           |           |             |        |
| WC#: 35.150                     | AFL                          | 2675      |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM 35-20-09-900-801 |                              |           |          |          |                           |           |           |             |        |
| 352221                          | NO. 12 PASSENGER OXYGEN MASK |           |          |          |                           |           |           | Component   | ATA:35 |
| PN:289-601-228                  | MOS/MSC                      | 15-Feb-06 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS                          | 5578.9    |          | TSN 0    |                           |           |           |             |        |
| WC#: 35.150                     | AFL                          | 2675      |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM 35-20-09-900-801 |                              |           |          |          |                           |           |           |             |        |
| 352261                          | NO. 1 FIRST AID MASK         |           |          |          |                           |           |           | Component   | ATA:35 |
| PN:28312-10                     | MOS/MSC                      | 05-Oct-06 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:09-2006                      | HRS                          | 5839.6    |          | TSN 0    |                           |           |           |             |        |
| WC#: 35.170                     | AFL                          | 2821      |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2        |                              |           |          |          |                           |           |           |             |        |
| 352271                          | NO. 2 FIRST AID MASK         |           |          |          |                           |           |           | Component   | ATA:35 |
| PN:28312-10                     | MOS/MSC                      | 05-Oct-06 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:09-2006                      | HRS                          | 5839.6    |          | TSN 0    |                           |           |           |             |        |
| WC#: 35.170                     | AFL                          | 2821      |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2        |                              |           |          |          |                           |           |           |             |        |
| 352281                          | NO. 1 LAVATORY OXYGEN MASK   |           |          |          |                           |           |           | Component   | ATA:35 |
| PN:289-601-228                  | MOS/MSC                      | 19-Jul-05 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS                          | 5408.1    |          | TSN 0    |                           |           |           |             |        |
| WC#: 35.180                     | AFL                          | 2579      |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2        |                              |           |          |          |                           |           |           |             |        |
| 352291                          | NO. 2 LAVATORY OXYGEN MASK   |           |          |          |                           |           |           | Component   | ATA:35 |
| PN:289-601-228                  | MOS/MSC                      | 19-Jul-05 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:UNKNOWN                      | HRS                          | 5408.1    |          | TSN 0    |                           |           |           |             |        |
| WC#: 35.180                     | AFL                          | 2579      |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2        |                              |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W  | Interval    | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining     | Disposition |        |
|---|---------|--|-------------|----------|---------------------------|-----------|---------------|-------------|--------|
| <b>ATA 35 - OXYGEN</b>                            |         |  |             |          |                           |           |               |             |        |
| 352A17 <sup>U</sup>                               |         | NO. 3 FIRST AID MASK   |             |          |                           |           |               | Component   | ATA:35 |
| PN:28312-10                                       | MOS/MSC | 05-Oct-06  | O/C         | TSN 0    |                           |           |               |             |        |
| SN:09-2006  | HRS     | 5839.6   |             | TSN 0    |                           |           |               |             |        |
|   | AFL     | 2821   |             | TSN 0    |                           |           |               |             |        |
| <b>353101 PROTECTIVE BREATHING EQUIPMENT HOOD</b> |         |  |             |          |                           |           |               |             |        |
| 353101  |         | PROTECTIVE BREATHING EQUIPMENT HOOD  |             |          |                           |           |               | Component   | ATA:35 |
| PN:802300-14                                      | MOS/MSC | 09-Aug-22  | H/T         | TSN 5    |                           |           |               |             |        |
| SN:E22030701                                      | HRS     | 9524.5   |             | TSN 0    |                           |           |               |             |        |
| WC#: 35.230                                       | AFL     | 4542   |             | TSN 0    |                           |           |               |             |        |
| PROC. REF: AMM GENERIC 2                          |         |  |             |          |                           |           |               |             |        |
| <b>ATA 36 - PNEUMATIC</b>                         |         |  |             |          |                           |           |               |             |        |
| 21-71-01-900-801-01                               |         | REMOVAL / INSTALLATION OF THE OZONE CONVERTERS - LH OZONE CONVERTER (L517HN)                   |             |          |                           |           |               | Component   | ATA:36 |
| PN:20425-1  | MOS/MSC | 06-Nov-23  | O/C         | TSO 1    |                           |           |               |             |        |
| SN:6485   | HRS     | 9831.2   |             | TSO 0    |                           |           |               |             |        |
| WC#: 36.030                                       | AFL     | 4640   |             | TSO 0    |                           |           |               |             |        |
| PROC. REF: AMM 21-71-01-900-801                   |         |  |             |          |                           |           |               |             |        |
| 21-71-01-900-801-02                               |         | REMOVAL / INSTALLATION OF THE OZONE CONVERTERS - RH OZONE CONVERTER (R517HN)                   |             |          |                           |           |               | Component   | ATA:36 |
| PN:20425-1  | MOS/MSC | 06-Nov-23  | O/C         | TSO 1    |                           |           |               |             |        |
| SN:6484   | HRS     | 9831.2   |             | TSO 0    |                           |           |               |             |        |
| WC#: 36.030                                       | AFL     | 4640   |             | TSO 0    |                           |           |               |             |        |
| PROC. REF: AMM 21-71-01-900-801                   |         |  |             |          |                           |           |               |             |        |
| 36-10-29-280-801-01                               |         | SPECIAL DETAILED INSPECTION OF THE ENGINE 2 HP BLEED AIR PIPE                                  |             |          |                           |           |               | Service     | ATA:36 |
|   | MOS/MSC | 19-Jun-14  | O/C         |          |                           |           |               |             |        |
|   | HRS     | 8032   |             |          |                           |           |               |             |        |
| WC#: 36.010                                       | AFL     | 3965   |             |          |                           |           |               |             |        |
| PROC. REF: AMM 36-10-29-280-801                   |         |  |             |          |                           |           |               |             |        |
| 36-10-33-350-801-01                               |         | RESTORATION OF THE BLEED AIR ARTICULATED PIPES (OVERHAUL) - ENGINE 1 ARTICULATED PIPE (L510HU) |             |          |                           |           |               | Service     | ATA:36 |
| PN:B45CB1120                                      | MOS/MSC | 31-May-23  | E/C         |          |                           |           |               | OVERHAUL    |        |
| SN:01356  | HRS     | 9758.1   | 5000 (+150) |          | 14758.1                   | 14908.1   | 4926.9 (+150) |             |        |
| WC#: 36.040                                       | AFL     | 4611   |             |          |                           |           |               |             |        |
| PROC. REF: AMM 36-10-33-350-801                   |         |  |             |          |                           |           |               |             |        |
| 36-10-33-350-801-02                               |         | RESTORATION OF THE BLEED AIR ARTICULATED PIPES (OVERHAUL) - ENGINE 3 ARTICULATED PIPE (R510HU) |             |          |                           |           |               | Service     | ATA:36 |
| PN:B45CB1120                                      | MOS/MSC | 31-May-23  | E/C         |          |                           |           |               | OVERHAUL    |        |
| SN:01607  | HRS     | 9758.1   | 5000 (+150) |          | 14758.1                   | 14908.1   | 4926.9 (+150) |             |        |
| WC#: 36.040                                       | AFL     | 4611   |             |          |                           |           |               |             |        |
| PROC. REF: AMM 36-10-33-350-801                   |         |  |             |          |                           |           |               |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 36 - PNEUMATIC</b>  |         |           |          |          |                           |           |           |             |
| <b>36-10-33-900-801-01 REMOVAL / INSTALLATION OF THE BLEED AIR ARTICULATED PIPES - ENGINE 1 ARTICULATED PIPE (L510HU) Component ATA:36</b> |         |           |          |          |                           |           |           |             |
| PN:B45CB1120   | MOS/MSC | 31-May-23 | H/T      |          | TSO 1                     |           |           |             |
| SN:01356   | HRS     | 9758.1    |          |          | TSO 0                     |           |           |             |
| WC#: 36.040  | AFL     | 4611      |          |          | TSO 0                     |           |           |             |
| PROC. REF: AMM 36-10-33-900-801  |         |           |          |          |                           |           |           |             |
| <b>36-10-33-900-801-02 REMOVAL / INSTALLATION OF THE BLEED AIR ARTICULATED PIPES - ENGINE 3 ARTICULATED PIPE (R510HU) Component ATA:36</b> |         |           |          |          |                           |           |           |             |
| PN:B45CB1120   | MOS/MSC | 31-May-23 | H/T      |          | TSO 1                     |           |           |             |
| SN:01607   | HRS     | 9758.1    |          |          | TSO 0                     |           |           |             |
| WC#: 36.040  | AFL     | 4611      |          |          | TSO 0                     |           |           |             |
| PROC. REF: AMM 36-10-33-900-801  |         |           |          |          |                           |           |           |             |
| <b>36-21-17-900-801-01 REMOVAL / INSTALLATION OF THE OVERHEATING DETECTION BOX Component ATA:36</b>  |         |           |          |          |                           |           |           |             |
| PN:EL137-00  | MOS/MSC | 31-Oct-06 | O/C      |          | TSR 0                     |           |           |             |
| SN:136   | HRS     | 5870.9    |          |          | TSR 0                     |           |           |             |
| WC#: 36.120  | AFL     | 2834      |          |          | TSR 0                     |           |           |             |
| PROC. REF: AMM 36-21-17-900-801  |         |           |          |          |                           |           |           |             |
| <b>361101 NO. 1 ENGINE LOW PRESSURE BLEED CHECK VALVE Component ATA:36</b>   |         |           |          |          |                           |           |           |             |
| PN:CYLB51161-1   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 36.020  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>361111 NO. 2 ENGINE LOW PRESSURE BLEED CHECK VALVE Component ATA:36</b>   |         |           |          |          |                           |           |           |             |
| PN:CYLB51161-1   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 36.020  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>361121 NO. 3 ENGINE LOW PRESSURE BLEED CHECK VALVE Component ATA:36</b>   |         |           |          |          |                           |           |           |             |
| PN:CYLB51161-1   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 36.020  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>361191 NO. 1 ENGINE LOW PRESSURE INTERCOMMUNICATION CHECK VALVE Component ATA:36</b>  |         |           |          |          |                           |           |           |             |
| PN:CYLB51161-1   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 36.050  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                   | Unit    | C/W   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |               |
|---------------------------|---------|---|----------|----------|---------------------------|-----------|-----------|------------------|---------------|
| <b>ATA 36 - PNEUMATIC</b> |         |   |          |          |                           |           |           |                  |               |
| <b>361201</b>             |         | <b>NO. 3 ENGINE LOW PRESSURE INTERCOMMUNICATION CHECK VALVE</b> |          |          |                           |           |           | <b>Component</b> | <b>ATA:36</b> |
| PN:CYLB51161-1            | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |                  |               |
| SN:UNKNOWN                | HRS     | 0   |          | TSN 0    |                           |           |           |                  |               |
| WC#: 36.050               | AFL     | 0   |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2  |         |   |          |          |                           |           |           |                  |               |
| <b>361211</b>             |         | <b>NO. 2 ENGINE HIGH PRESSURE CHECK VALVE</b>                   |          |          |                           |           |           | <b>Component</b> | <b>ATA:36</b> |
| PN:CYLB50713-1            | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |                  |               |
| SN:UNKNOWN                | HRS     | 0   |          | TSN 0    |                           |           |           |                  |               |
| WC#: 36.060               | AFL     | 0   |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2  |         |   |          |          |                           |           |           |                  |               |
| <b>361221</b>             |         | <b>APU BLEED AIR CHECK VALVE</b>                                |          |          |                           |           |           | <b>Component</b> | <b>ATA:36</b> |
| PN:CYLB50713-1            | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |                  |               |
| SN:UNKNOWN                | HRS     | 0   |          | TSN 0    |                           |           |           |                  |               |
| WC#: 36.070               | AFL     | 0   |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2  |         |   |          |          |                           |           |           |                  |               |
| <b>361241</b>             |         | <b>NO. 2 ENGINE PRESSURE REGULATING (PRV2) VALVE</b>            |          |          |                           |           |           | <b>Component</b> | <b>ATA:36</b> |
| PN:3215632-1              | MOS/MSC | 02-Mar-07   | O/C      |          |                           |           |           |                  |               |
| SN:298C                   | HRS     | 6073.2  |          |          |                           |           |           |                  |               |
| WC#: 36.080               | AFL     | 2939  |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2  |         |   |          |          |                           |           |           |                  |               |
| <b>361251</b>             |         | <b>NO. 3 ENGINE PRESSURE REGULATING (PRV3) VALVE</b>            |          |          |                           |           |           | <b>Component</b> | <b>ATA:36</b> |
| PN:3214730-3              | MOS/MSC | 23-Jul-91   | O/C      |          |                           |           |           |                  |               |
| SN:259C                   | HRS     | 1009  |          | TSN 605  |                           |           |           |                  |               |
| WC#: 36.080               | AFL     | 454   |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2  |         |   |          |          |                           |           |           |                  |               |
| <b>361261</b>             |         | <b>NO. 2 ENGINE PRV2 3 WAYS ELECTRIC VALVE</b>                  |          |          |                           |           |           | <b>Component</b> | <b>ATA:36</b> |
| PN:L92A07-501             | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |                  |               |
| SN:20171                  | HRS     | 0   |          | TSN 0    |                           |           |           |                  |               |
| WC#: 36.090               | AFL     | 0   |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2  |         |   |          |          |                           |           |           |                  |               |
| <b>361271</b>             |         | <b>NO. 3 PRV2 3 WAYS ELECTRIC VALVE</b>                         |          |          |                           |           |           | <b>Component</b> | <b>ATA:36</b> |
| PN:L92A07-501             | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |                  |               |
| SN:20174                  | HRS     | 0   |          | TSN 0    |                           |           |           |                  |               |
| WC#: 36.090               | AFL     | 0   |          |          |                           |           |           |                  |               |
| PROC. REF: AMM GENERIC 2  |         |   |          |          |                           |           |           |                  |               |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |
|---|---------|-----------|----------|----------|---------------------------|-----------|-----------|------------------|
| <b>ATA 36 - PNEUMATIC</b>                         |         |           |          |          |                           |           |           |                  |
| <b>361281 NO. 1 HIGH PRESSURE AIR BLEED VALVE</b> |         |           |          |          |                           |           |           | Component ATA:36 |
| PN:B48CB1042                                      | MOS/MSC | 26-Apr-05 | O/C      |          | TSO 0                     |           |           |                  |
| SN:T616   | HRS     | 5379.8    |          |          | TSO 0                     |           |           |                  |
| WC#: 36.100                                       | AFL     | 2556      |          |          | TSO 0                     |           |           |                  |
| PROC. REF: AMM GENERIC 2                          |         |           |          |          |                           |           |           |                  |
| <b>361291 BLEED AIR ISOLATION ELECTRIC VALVE</b>  |         |           |          |          |                           |           |           | Component ATA:36 |
| PN:BYLB51908                                      | MOS/MSC | 27-Jul-12 | O/C      |          | TSR 16                    |           |           |                  |
| SN:12   | HRS     | 7688.5    |          |          | TSR 0                     |           |           |                  |
| WC#: 36.110                                       | AFL     | 3822      |          |          | TSR 0                     |           |           |                  |
| PROC. REF: AMM GENERIC 2                          |         |           |          |          |                           |           |           |                  |
| <b>362101 AIR BLEED INDICATING CONTROL</b>        |         |           |          |          |                           |           |           | Component ATA:36 |
| PN:EL125-02                                       | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:184  | HRS     | 0         |          |          | TSN 0                     |           |           |                  |
| WC#: 36.120                                       | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 2                          |         |           |          |          |                           |           |           |                  |
| <b>362151 NO. 1 ENGINE THERMOCOUPLE SENSOR</b>    |         |           |          |          |                           |           |           | Component ATA:36 |
| PN:RP161-00                                       | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:255  | HRS     | 0         |          |          | TSN 0                     |           |           |                  |
| WC#: 36.130                                       | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 2                          |         |           |          |          |                           |           |           |                  |
| <b>362161 NO. 2 ENGINE THERMOCOUPLE SENSOR</b>    |         |           |          |          |                           |           |           | Component ATA:36 |
| PN:RP161-00                                       | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:175  | HRS     | 0         |          |          | TSN 0                     |           |           |                  |
| WC#: 36.130                                       | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 2                          |         |           |          |          |                           |           |           |                  |
| <b>362171 NO. 3 ENGINE THERMOCOUPLE SENSOR</b>    |         |           |          |          |                           |           |           | Component ATA:36 |
| PN:RP161-00                                       | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:205  | HRS     | 0         |          |          | TSN 0                     |           |           |                  |
| WC#: 36.130                                       | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 2                          |         |           |          |          |                           |           |           |                  |
| <b>362181 NO. 1 ENGINE THERMOCOUPLE SENSOR</b>    |         |           |          |          |                           |           |           | Component ATA:36 |
| PN:RP129-02                                       | MOS/MSC | 01-Sep-05 | O/C      |          | TSN 0                     |           |           |                  |
| SN:5236   | HRS     | 5451.8    |          |          | TSN 0                     |           |           |                  |
| WC#: 36.140                                       | AFL     | 2600      |          |          | TSN 0                     |           |           |                  |
| PROC. REF: AMM GENERIC 2                          |         |           |          |          |                           |           |           |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |        |
|---|--|-----------|----------|----------|---------------------------|-----------|-------------|-------------|--------|
| <b>ATA 36 - PNEUMATIC</b>                             |  |           |          |          |                           |           |             |             |        |
| 362191  | NO. 2 THERMOCOUPLE SENSOR  |           |          |          |                           |           |             | Component   | ATA:36 |
| PN:RP129-00   | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |             |             |        |
| SN:489  | HRS  | 0         |          | TSN 0    |                           |           |             |             |        |
| WC#: 36.140   | AFL  | 0         |          |          |                           |           |             |             |        |
| PROC. REF: AMM GENERIC 2                              |  |           |          |          |                           |           |             |             |        |
| 362201  | NO. 3 ENGINE THERMOCOUPLE SENSOR                                   |           |          |          |                           |           |             | Component   | ATA:36 |
| PN:RP129-02   | MOS/MSC  | 21-Aug-91 | O/C      | TSN 0    |                           |           |             |             |        |
| SN:2183   | HRS  | 1065      |          | TSN 0    |                           |           |             |             |        |
| WC#: 36.140   | AFL  | 473       |          | TSN 0    |                           |           |             |             |        |
| PROC. REF: AMM GENERIC 2                              |  |           |          |          |                           |           |             |             |        |
| <b>ATA 38 - WATER/WASTE</b>                           |  |           |          |          |                           |           |             |             |        |
| 38-00-00-610-801-01 <sup>S</sup>                      | SERVICING OF THE WATER SYSTEM                                      |           |          |          |                           |           |             | Service     | ATA:38 |
|   | MOS  | 16-Nov-22 | 24 (+1m) |          |                           |           |             |             |        |
|   | HRS  | 9596.5    |          |          |                           |           |             |             |        |
| WC#: 38.080   | AFL  | 4562      |          |          |                           |           |             |             |        |
| PROC. REF: AMM 38-00-00-610-801, AMM 38-00-00-610-801 |  |           |          |          |                           |           |             |             |        |
| 38-10-00-210-801-01 <sup>S</sup>                      | DETAILED INSPECTION OF WATER SYSTEM COMPONENTS                     |           |          |          |                           |           |             | Service     | ATA:38 |
|   | MOS  | 12-Nov-20 | 72 (+2m) |          |                           |           |             |             |        |
|   | HRS  | 9182.3    |          |          |                           |           |             |             |        |
|   | AFL  | 4405      | 3750     |          |                           |           |             |             |        |
| PROC. REF: AMM 38-10-00-210-801                       |  |           |          |          |                           |           |             |             |        |
| 38-10-00-670-801-01                                   | STERILIZATION OF THE POTABLE WATER SYSTEM - STANDARD STERILIZATION |           |          |          |                           |           |             | Service     | ATA:38 |
|   | MOS  | 31-Oct-23 | 6 (+1m)  |          | 30-Apr-24                 | 31-May-24 | 161 d (+31) |             |        |
|   | HRS  | 9831.2    |          |          |                           |           |             |             |        |
| WC#: 38.010   | AFL  | 4640      |          |          |                           |           |             |             |        |
| PROC. REF: AMM 38-10-00-670-801                       |  |           |          |          |                           |           |             |             |        |
| 38-13-01-960-801-01                                   | REPLACEMENT OF THE MAIN FILTER CARTRIDGE                           |           |          |          |                           |           |             | Service     | ATA:38 |
|   | MOS/MSC  | 30-Jan-18 | O/C      |          |                           |           |             |             |        |
|   | HRS  | 8722.5    |          |          |                           |           |             |             |        |
| WC#: 38.020   | AFL  | 4222      |          |          |                           |           |             |             |        |
| PROC. REF: AMM 38-13-01-960-801                       |  |           |          |          |                           |           |             |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition |
|--|---------|-----------|------------|----------|---------------------------|-----------|--------------|-------------|
| <b>ATA 38 - WATER/WASTE</b>  |         |           |            |          |                           |           |              |             |
| <b>38-13-09-710-801-01 OPERATIONAL TEST OF THE WATER HEATING MONITORING SYSTEM Service ATA:38</b>                        |         |           |            |          |                           |           |              |             |
|  | MOS/MSC | 23-Oct-89 | O/C        |          |                           |           |              |             |
|  | HRS     | 0         |            |          |                           |           |              |             |
| WC#: 38.070  | AFL     | 0         |            |          |                           |           |              |             |
| PROC. REF: AMM 38-13-09-710-801  |         |           |            |          |                           |           |              |             |
| <b>38-13-09-900-802-01 REMOVAL / INSTALLATION OF THE FORWARD WATER HEATER - FWD WATER HEATER (63HR) Component ATA:38</b> |         |           |            |          |                           |           |              |             |
| PN:PN  | MOS/MSC | 23-Oct-89 | O/C        | TSN 0    |                           |           |              |             |
| SN:UNKNOWN   | HRS     | 0         |            | TSN 0    |                           |           |              |             |
|  | AFL     | 0         |            | TSN 0    |                           |           |              |             |
| PROC. REF: AMM 38-13-09-900-802  |         |           |            |          |                           |           |              |             |
| <b>38-15-01-710-801-01 OPERATIONAL TEST OF THE UV STERILIZER - AFT VANITY UV STERILIZER (7442MT) Service ATA:38</b>      |         |           |            |          |                           |           |              |             |
|  | MOS/MSC | 23-Oct-89 | O/C        |          |                           |           |              |             |
|  | HRS     | 0         |            |          |                           |           |              |             |
|  | AFL     | 0         |            |          |                           |           |              |             |
| PROC. REF: AMM 38-15-01-710-801  |         |           |            |          |                           |           |              |             |
| <b>38-15-09-960-801-01 REPLACEMENT OF THE UV LAMP - UV LAMP (9870MT) Service ATA:38</b>                                  |         |           |            |          |                           |           |              |             |
|  | MOS     | 14-Dec-16 |            |          |                           |           |              |             |
|  | HRS     | 8526      | 3000 (+3%) |          | 11526                     | 11616     | 1694.8 (+90) |             |
|  | AFL     | 4151      |            |          |                           |           |              |             |
| PROC. REF: AMM 38-15-09-960-801  |         |           |            |          |                           |           |              |             |
| <b>38-15-17-100-801-01 CLEANING OF THE UV STERILIZER QUARTZ SLEEVE - QUARTZ SLEEVE (9890MT) Service ATA:38</b>           |         |           |            |          |                           |           |              |             |
|  | MOS/MSC | 23-Oct-89 | N/A        |          |                           |           |              |             |
|  | HRS     | 0         |            |          |                           |           |              |             |
|  | AFL     | 0         |            |          |                           |           |              |             |
| PROC. REF: AMM 38-15-17-100-801  |         |           |            |          |                           |           |              |             |
| <b>38-30-00-100-801-01 CLEANING OF THE WATER TRAP FILTER IN WASH HANDBASIN DRAINAGE SYSTEM Service ATA:38</b>            |         |           |            |          |                           |           |              |             |
|  | MOS/MSC | 06-Apr-11 | O/C        |          |                           |           |              |             |
|  | HRS     | 7166.2    |            |          |                           |           |              |             |
| WC#: 38.060  | AFL     | 3547      |            |          |                           |           |              |             |
| PROC. REF: AMM 38-30-00-100-801  |         |           |            |          |                           |           |              |             |
| <b>38-31-17-200-801-01 INSPECTION OF THE DRAIN BOX - DRAIN BOX (905MD) Service ATA:38</b>                                |         |           |            |          |                           |           |              |             |
|  | MOS/MSC | 23-Oct-89 | O/C        |          |                           |           |              |             |
|  | HRS     | 0         |            |          |                           |           |              |             |
| WC#: 38.090  | AFL     | 0         |            |          |                           |           |              |             |
| PROC. REF: AMM 38-31-17-200-801  |         |           |            |          |                           |           |              |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C       | Max Limit | Remaining | Disposition |
|--|---------|-----------|----------|----------|---------------------------------|-----------|-----------|-------------|
| <b>ATA 38 - WATER/WASTE</b>  |         |           |          |          |                                 |           |           |             |
| <b>38-34-17-210-801-01<sup>S</sup> GENERAL VISUAL INSPECTION OF THE FORWARD TOILET DRAIN CONTROL - FORWARD TOILET DRAIN CONTROL (525MD) Service ATA:38</b> |         |           |          |          |                                 |           |           |             |
|  | MOS     | 11-Nov-23 | 36 (+1m) |          |                                 |           |           |             |
|  | HRS     | 9831.2    |          |          |                                 |           |           |             |
|  | AFL     | 4640      |          |          |                                 |           |           |             |
|  |         |           |          |          | PROC. REF: AMM 38-34-17-210-801 |           |           | PKG:17      |
| <b>38-34-21-210-801-01<sup>S</sup> GENERAL VISUAL INSPECTION OF THE AFT TOILET DRAIN CONTROL - AFT TOILET DRAIN CONTROL (516MD) Service ATA:38</b>         |         |           |          |          |                                 |           |           |             |
|  | MOS     | 11-Nov-23 | 36 (+1m) |          |                                 |           |           |             |
|  | HRS     | 9831.2    |          |          |                                 |           |           |             |
|  | AFL     | 4640      |          |          |                                 |           |           |             |
|  |         |           |          |          | PROC. REF: AMM 38-34-21-210-801 |           |           | PKG:17      |
| <b>381151 POTABLE WATER PRESSURE REGULATOR Component ATA:38</b>  |         |           |          |          |                                 |           |           |             |
| PN:B07-235A1KA   | MOS/MSC | 31-Jan-03 | O/C      |          | TSN 0                           |           |           |             |
| SN:UNKNOWN   | HRS     | 4407.3    |          |          | TSN 0                           |           |           |             |
| WC#: 38.030  | AFL     | 2043      |          |          | TSN 0                           |           |           |             |
|  |         |           |          |          | PROC. REF: AMM GENERIC 2        |           |           |             |
| <b>381171 POTABLE WATER TWO WAYS VALVE Component ATA:38</b>  |         |           |          |          |                                 |           |           |             |
| PN:879B14-13   | MOS/MSC | 23-Aug-08 | O/C      |          |                                 |           |           |             |
| SN:C34168  | HRS     | 6548.2    |          |          |                                 |           |           |             |
| WC#: 38.040  | AFL     | 3175      |          |          |                                 |           |           |             |
|  |         |           |          |          | PROC. REF: AMM GENERIC 2        |           |           |             |
| <b>381201 POTABLE WATER FILLING PLUG Component ATA:38</b>  |         |           |          |          |                                 |           |           |             |
| PN:FGFB838001210A1   | MOS/MSC | 23-Oct-89 | O/C      |          |                                 |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          |          | TSN 0                           |           |           |             |
| WC#: 38.040  | AFL     | 0         |          |          |                                 |           |           |             |
|  |         |           |          |          | PROC. REF: AMM GENERIC 2        |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |
|---|---------|-----------|----------|----------|---------------------------|-----------|-----------|----------------|
| ATA 45 - CENTRAL MAINT SYSTEM   |         |           |          |          |                           |           |           |                |
| 45-90-00-860-801-01 <sup>U</sup>  |         |           |          |          |                           |           |           |                |
|   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           | Service ATA:45 |
|   | HRS     | 0         |          |          |                           |           |           |                |
|   | AFL     | 0         |          |          |                           |           |           |                |
| 45-90-00-860-801-01B <sup>U</sup> PERFORM PERIODIC DATABASE LOADING (BLUE DISK) |         |           |          |          |                           |           |           |                |
|   | MOS/MSC | 14-Nov-23 | A/R      |          |                           |           |           | Service ATA:45 |
|   | HRS     | 9831.2    |          |          |                           |           |           |                |
|   | AFL     | 4640      |          |          |                           |           |           |                |
| 45-90-00-860-801-01G <sup>U</sup> PERFORM DATABASE LOADING (GREEN DISK)         |         |           |          |          |                           |           |           |                |
|   | MOS/MSC | 26-Jul-23 | A/R      |          |                           |           |           | Service ATA:45 |
|   | HRS     | 9790.3    |          |          |                           |           |           |                |
|   | AFL     | 4625      |          |          |                           |           |           |                |
| 45-90-00-860-801-01R <sup>U</sup> PERFORM PERIODIC DATABASE LOADING (RED DISK)  |         |           |          |          |                           |           |           |                |
|   | MOS/MSC | 14-Nov-23 | A/R      |          | 29-Nov-23 (M)             |           | 8 d       | Service ATA:45 |
|   | HRS     | 9831.2    |          |          |                           |           |           |                |
|   | AFL     | 4640      |          |          |                           |           |           |                |
| 45-90-00-860-803-01 <sup>U</sup> PERFORM PERIODIC DATABASE LOADING              |         |           |          |          |                           |           |           |                |
|   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           | Service ATA:45 |
|   | HRS     | 0         |          |          |                           |           |           |                |
|   | AFL     | 0         |          |          |                           |           |           |                |
| 45-90-00-860-804-01 <sup>U</sup> PERFORM SOFTWARE LOADING                       |         |           |          |          |                           |           |           |                |
|   | MOS/MSC | 23-Oct-89 | A/R      |          |                           |           |           | Service ATA:45 |
|   | HRS     | 0         |          |          |                           |           |           |                |
|   | AFL     | 0         |          |          |                           |           |           |                |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                  | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|--|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 46 - INFORMATION SYSTEMS</b>      |  |           |          |          |                           |           |           |             |        |
| 46-20-02-720-801-01                      | FUNCTIONAL TEST OF THE EDU BATTERIES - LH EDU (L7101NS)      |           |          |          |                           |           |           | Service     | ATA:46 |
|  | MOS/MSC  | 23-Oct-89 | N/A      |          |                           |           |           |             |        |
|  | HRS  | 0         |          |          |                           |           |           |             |        |
|  | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 46-20-02-720-801          |  |           |          |          |                           |           |           |             |        |
| 46-20-02-720-801-02                      | FUNCTIONAL TEST OF THE EDU BATTERIES - RH EDU (R7101NS)      |           |          |          |                           |           |           | Service     | ATA:46 |
|  | MOS/MSC  | 23-Oct-89 | N/A      |          |                           |           |           |             |        |
|  | HRS  | 0         |          |          |                           |           |           |             |        |
|  | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 46-20-02-720-801          |  |           |          |          |                           |           |           |             |        |
| 46-90-03-900-801-01                      | PILOT ELECTRONIC FLIGHT BAG (EFB) UNIT                       |           |          |          |                           |           |           | Component   | ATA:46 |
| PN:PN                                    | MOS/MSC  | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:UNKNOWN                               | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
|  | AFL  | 0         |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2                 |  |           |          |          |                           |           |           |             |        |
| 46-90-03-900-801-02                      | COPILOT ELECTRONIC FLIGHT BAG (EFB) UNIT                     |           |          |          |                           |           |           | Component   | ATA:46 |
| PN:PN                                    | MOS/MSC  | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:UNKNOWN                               | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
|  | AFL  | 0         |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2                 |  |           |          |          |                           |           |           |             |        |
| <b>ATA 49 - AIRBORNE AUXILIARY POWER</b> |  |           |          |          |                           |           |           |             |        |
| 49-10-01-900-803-01                      | APU - REMOVAL / INSTALLATION OF THE APU ECU - APU ECU (12HT) |           |          |          |                           |           |           | Component   | ATA:49 |
| PN:3882730-8                             | MOS/MSC  | 21-May-04 | O/C      | TSO 0    |                           |           |           |             |        |
| SN:20080                                 | HRS  | 3160.5    |          | TSO 0    |                           |           |           |             |        |
| WC#: 49.030                              | APUS   |           |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2                 |  |           |          |          |                           |           |           |             |        |
| 491010                                   | APU - TURBINE ROTOR  |           |          |          |                           |           |           | Component   | ATA:49 |
| PN:3615880-1                             | MOS  | 21-May-04 |          | TSN 0    |                           |           |           | LIFE LIMIT  |        |
| SN:040134503255                          | HRS  | 3160.5    | 10000    | TSN 0    | 13160.5                   |           | 7518.6    |             |        |
|  | APUS   |           |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF                |  |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                  | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|--|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 49 - AIRBORNE AUXILIARY POWER</b> |   |           |          |          |                           |           |           |             |        |
| 491020                                   | APU - COMPRESSOR ROTOR                                    |           |          |          |                           |           |           | Component   | ATA:49 |
| PN:3822101-1                             | MOS   | 22-Oct-13 |          | TSN 0    |                           |           |           | LIFE LIMIT  |        |
| SN:13-162053-53716                       | HRS   | 4790.4    | 100000   | TSN 0    | 104790.4                  |           | 99148.5   |             |        |
|  | APUS  |           |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF                |   |           |          |          |                           |           |           |             |        |
| 491025                                   | APU - VISUAL CHECK COMPRESSOR ROTOR                       |           |          |          |                           |           |           | Service     | ATA:49 |
| PN:3822101-1                             | MOS   | 22-Oct-13 |          |          |                           |           |           |             |        |
| SN:13-162053-53716                       | HRS   | 4790.4    | 4500     |          | 9290.4                    |           | 3648.5    |             |        |
|  | APUS  |           |          |          |                           |           |           |             |        |
| PROC. REF: MM 49-20-00                   |   |           |          |          |                           |           |           |             |        |
| 493020                                   | APU - REMOVE AND REPLACE FUEL CONTROL FUEL FILTER ELEMENT |           |          |          |                           |           |           | Service     | ATA:49 |
| PN:3882730-8                             | MOS   | 22-Oct-13 |          |          |                           |           |           |             |        |
| SN:20080                                 | HRS   | 4790.4    | 1000     |          | 5790.4                    |           | 148.5     |             |        |
|  | APUS  |           |          |          |                           |           |           |             |        |
| PROC. REF: MM 49-30-52                   |   |           |          |          |                           |           |           |             |        |
| 493030                                   | APU - ORIFICE FITTING                                     |           |          |          |                           |           |           | Component   | ATA:49 |
| PN:3606721-1                             | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                               | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
|  | APUS  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: MM 49-30-56                   |   |           |          |          |                           |           |           |             |        |
| 493040                                   | APU - FUEL SHUTOFF VALVE                                  |           |          |          |                           |           |           | Component   | ATA:49 |
| PN:692545-17                             | MOS/MSC   | 23-Oct-89 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:UNKNOWN                               | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
|  | APUS  | 0         |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: MM 49-30-54                   |   |           |          |          |                           |           |           |             |        |
| 493050                                   | APU - CHECK FUEL NOZZLE FLOW RATE                         |           |          |          |                           |           |           | Service     | ATA:49 |
|  | MOS   | 22-Oct-13 |          |          |                           |           |           |             |        |
|  | HRS   | 4790.4    | 4500     |          | 9290.4                    |           | 3648.5    |             |        |
|  | APUS  |           |          |          |                           |           |           |             |        |
| PROC. REF: MM 49-20-00                   |   |           |          |          |                           |           |           |             |        |
| 493060                                   | APU - CONTROLLER  |           |          |          |                           |           |           | Component   | ATA:49 |
| PN:2118306-3                             | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:18-216                                | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
|  | APUS  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: MM 49-60-46                   |   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                  | Unit                             | C/W       | Interval | TSX/Adj.   | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|--|----------------------------------|-----------|----------|------------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 49 - AIRBORNE AUXILIARY POWER</b> |                                  |           |          |            |                           |           |           |             |        |
| 493070                                   | APU - LOAD CONTROL VALVE         |           |          |            |                           |           |           | Component   | ATA:49 |
| PN:109812-3                              | MOS/MSC                          | 23-Oct-89 | O/C      |            |                           |           |           |             |        |
| SN:619                                   | HRS                              | 0         |          | TSN 0      |                           |           |           |             |        |
|  | APUS                             | 0         |          |            |                           |           |           |             |        |
| PROC. REF: MM 49-50-33                   |                                  |           |          |            |                           |           |           |             |        |
| 494010                                   | APU - IGNITION UNIT              |           |          |            |                           |           |           | Component   | ATA:49 |
| PN:3888000-2                             | MOS/MSC                          | 23-Oct-89 | O/C      |            |                           |           |           |             |        |
| SN:88388116                              | HRS                              | 0         |          | TSN 0      |                           |           |           |             |        |
|  | APUS                             | 0         |          |            |                           |           |           |             |        |
| PROC. REF: MM 49-40-32                   |                                  |           |          |            |                           |           |           |             |        |
| 494020                                   | APU - IGNITOR PLUG               |           |          |            |                           |           |           | Component   | ATA:49 |
| PN:3888002-2                             | MOS/MSC                          | 15-Jun-22 | O/C      | TSN 3      |                           |           |           |             |        |
| SN:N/A                                   | HRS                              | 5503.2    |          | TSN 0      |                           |           |           |             |        |
|  | APUS                             |           |          | TSN 0      |                           |           |           |             |        |
| PROC. REF: MM 49-40-33                   |                                  |           |          |            |                           |           |           |             |        |
| 494030                                   | APU - INSPECT/CLEAN IGNITOR PLUG |           |          |            |                           |           |           | Service     | ATA:49 |
| PN:3888002-2                             | MOS                              | 15-Jun-22 |          |            |                           |           |           |             |        |
| SN:N/A                                   | HRS                              | 5503.2    | 750      |            | 6253.2                    |           | 611.3     |             |        |
|  | APUS                             |           |          |            |                           |           |           |             |        |
| PROC. REF: MM 49-40-33                   |                                  |           |          |            |                           |           |           |             |        |
| 496101                                   | APU T5 INDICATOR                 |           |          |            |                           |           |           | Component   | ATA:49 |
| PN:2396-507-00-10                        | MOS/MSC                          | 27-May-04 | O/C      |            |                           |           |           |             |        |
| SN:228                                   | HRS                              |           |          |            |                           |           |           |             |        |
| WC#: 49.155                              | AFL                              |           |          |            |                           |           |           |             |        |
|  | APH                              | 3160.5    | 0        | TSN 3160.5 |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2                 |                                  |           |          |            |                           |           |           |             |        |
| 496201                                   | APU TACHOMETER                   |           |          |            |                           |           |           | Component   | ATA:49 |
| PN:2396-506-00-10                        | MOS/MSC                          | 22-Dec-10 | O/C      | TSR 0      |                           |           |           |             |        |
| SN:227                                   | HRS                              | 6995.7    |          | TSR 0      |                           |           |           |             |        |
| WC#: 49.155                              | AFL                              | 3473      |          | TSR 0      |                           |           |           |             |        |
|  | APH                              | 0         | 0        |            |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2                 |                                  |           |          |            |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                  | Unit   | C/W       | Interval | TSX/Adj.               | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|--|--|-----------|----------|------------------------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 49 - AIRBORNE AUXILIARY POWER</b> |  |           |          |                        |                           |           |           |             |        |
| 497010                                   | APU - MOTION PICK UP TRANSDUCER              |           |          |                        |                           |           |           | Component   | ATA:49 |
| PN:3876104-1                             | MOS/MSC                                      | 23-Oct-89 | O/C      |                        |                           |           |           |             |        |
| SN:UNKNOWN                               | HRS  | 0         |          | TSN 0                  |                           |           |           |             |        |
|  | APUS   | 0         |          |                        |                           |           |           |             |        |
|  |  |           |          | PROC. REF: MM 49-60-43 |                           |           |           |             |        |
| 497020                                   | APU - IMMERSION THERMOCOUPLE                 |           |          |                        |                           |           |           | Component   | ATA:49 |
| PN:3876003-3                             | MOS/MSC                                      | 23-Oct-89 | O/C      |                        |                           |           |           |             |        |
| SN:UNKNOWN                               | HRS  | 0         |          | TSN 0                  |                           |           |           |             |        |
|  | APUS   | 0         |          |                        |                           |           |           |             |        |
|  |  |           |          | PROC. REF: MM 49-60-45 |                           |           |           |             |        |
| 497030                                   | APU - HOURMETER                              |           |          |                        |                           |           |           | Component   | ATA:49 |
| PN:3888126-1                             | MOS/MSC                                      | 23-Oct-89 | O/C      |                        |                           |           |           |             |        |
| SN:UNKNOWN                               | HRS  | 0         |          | TSN 0                  |                           |           |           |             |        |
|  | APUS   | 0         |          |                        |                           |           |           |             |        |
|  |  |           |          | PROC. REF: MM 49-70-41 |                           |           |           |             |        |
| 499010                                   | APU - ROTARY OIL PUMP                        |           |          |                        |                           |           |           | Component   | ATA:49 |
| PN:3880225-2                             | MOS/MSC                                      | 23-Oct-89 | O/C      |                        |                           |           |           |             |        |
| SN:UNKNOWN                               | HRS  | 0         |          | TSN 0                  |                           |           |           |             |        |
|  | APUS   | 0         |          |                        |                           |           |           |             |        |
|  |  |           |          | PROC. REF: MM 49-90-51 |                           |           |           |             |        |
| 499020                                   | APU - REMOVE AND INSPECT MAGNETIC DRAIN PLUG |           |          |                        |                           |           |           | Service     | ATA:49 |
|  | MOS  | 13-Jul-23 | 17       |                        | 13-Dec-24                 |           | 388 d     |             |        |
|  | HRS  | 5620.9    | 750      |                        | 6370.9                    |           | 729       |             |        |
|  | APUS   |           |          |                        |                           |           |           |             |        |
|  |  |           |          | PROC. REF: MM 49-90-46 |                           |           |           |             |        |
| 499030                                   | APU - DRAIN AND REFILL OIL                   |           |          |                        |                           |           |           | Service     | ATA:49 |
|  | MOS/MSC                                      | 14-Jul-23 | O/C      |                        |                           |           |           |             |        |
|  | HRS  | 5620.9    |          |                        |                           |           |           |             |        |
|  | APUS   |           |          |                        |                           |           |           |             |        |
|  |  |           |          | PROC. REF: MM 49-20-00 |                           |           |           |             |        |
| 499040                                   | APU - REMOVE AND REPLACE OIL FILTER ELEMENT  |           |          |                        |                           |           |           | Service     | ATA:49 |
|  | MOS  | 23-Jun-23 |          |                        |                           |           |           |             |        |
|  | HRS  | 5614.2    | 500      |                        | 6114.2                    |           | 472.3     |             |        |
|  | APUS   |           |          |                        |                           |           |           |             |        |
|  |  |           |          | PROC. REF: MM 49-90-47 |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                  | Unit                              | C/W       | Interval | TSX/Adj.   | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|--|-----------------------------------|-----------|----------|------------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 49 - AIRBORNE AUXILIARY POWER</b> |                                   |           |          |            |                           |           |           |             |        |
| 499050                                   | APU - PRESSURE REGULATING VALVE   |           |          |            |                           |           |           | Component   | ATA:49 |
| PN:3880021-13                            | MOS/MSC                           | 23-Oct-89 | O/C      |            |                           |           |           |             |        |
| SN:UNKNOWN                               | HRS                               | 0         |          | TSN 0      |                           |           |           |             |        |
|  | APUS                              | 0         |          |            |                           |           |           |             |        |
| PROC. REF: MM 49-90-52                   |                                   |           |          |            |                           |           |           |             |        |
| 499060                                   | APU - HIGH OIL TEMPERATURE SWITCH |           |          |            |                           |           |           | Component   | ATA:49 |
| PN:3888030-1                             | MOS/MSC                           | 23-Oct-89 | O/C      |            |                           |           |           |             |        |
| SN:UNKNOWN                               | HRS                               | 0         |          | TSN 0      |                           |           |           |             |        |
|  | APUS                              | 0         |          |            |                           |           |           |             |        |
| PROC. REF: MM 49-60-46                   |                                   |           |          |            |                           |           |           |             |        |
| 499070                                   | APU - LOW OIL PRESSURE SWITCH     |           |          |            |                           |           |           | Component   | ATA:49 |
| PN:3876001-6                             | MOS/MSC                           | 23-Oct-89 | O/C      |            |                           |           |           |             |        |
| SN:UNKNOWN                               | HRS                               | 0         |          | TSN 0      |                           |           |           |             |        |
|  | APUS                              | 0         |          |            |                           |           |           |             |        |
| PROC. REF: MM 49-60-43                   |                                   |           |          |            |                           |           |           |             |        |
| 499110                                   | APU - SOAP CHECK OIL              |           |          |            |                           |           |           | Service     | ATA:49 |
|  | MOS                               | 23-Jun-23 |          |            |                           |           |           |             |        |
|  | HRS                               | 5614.2    | 500      |            | 6114.2                    |           | 472.3     |             |        |
|  | APUS                              |           |          |            |                           |           |           |             |        |
| PROC. REF: SIL SIL APU-49                |                                   |           |          |            |                           |           |           |             |        |
| 49APU1                                   | APU                               |           |          |            |                           |           |           | Component   | ATA:49 |
| PN:3800188-1                             | MOS/MSC                           | 27-May-04 | E/C      |            |                           |           |           |             |        |
| SN:P-183                                 | HRS                               | 4847.4    |          | TSN 3160.5 |                           |           |           |             |        |
|  | AFL                               | 2276      |          |            |                           |           |           |             |        |
|  | APH                               | 3160.5    |          |            |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2                 |                                   |           |          |            |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C       | Max Limit | Remaining | Disposition |        |
|--|--|-----------|----------|----------|---------------------------------|-----------|-----------|-------------|--------|
| <b>ATA 51 - STD PRACTICES AND STRUCT-GENRL</b> |  |           |          |          |                                 |           |           |             |        |
| 51-00-00-200-801-01 <sup>S</sup>               | INSPECTION OF CORROSION INHIBITOR COMPOUND DURING 12 M OR 800 FH INSPECTION  |           |          |          |                                 |           |           | Service     | ATA:51 |
|  | MOS  | 09-Nov-23 | 12       |          |                                 |           |           |             |        |
|  | HRS  | 9831.2    | 800      |          |                                 |           |           |             |        |
|  | AFL  | 4640      |          |          |                                 |           |           |             |        |
|  |  |           |          |          | PROC. REF: AMM 51-00-00-200-801 |           |           | PKG:5       |        |
| 51-00-00-200-802-01 <sup>S</sup>               | INSPECTION OF CORROSION INHIBITOR COMPOUND DURING 24 M OR 1600 FH INSPECTION   |           |          |          |                                 |           |           | Service     | ATA:51 |
|  | MOS  | 16-Nov-22 | 24       |          |                                 |           |           |             |        |
|  | HRS  | 9596.5    | 1600     |          |                                 |           |           |             |        |
|  | AFL  | 4562      |          |          |                                 |           |           |             |        |
|  |  |           |          |          | PROC. REF: AMM 51-00-00-200-802 |           |           | PKG:6       |        |
| 51-00-00-200-803-01 <sup>S</sup>               | INSPECTION OF CORROSION INHIBITOR COMPOUND DURING 1C INSPECTION  |           |          |          |                                 |           |           | Service     | ATA:51 |
|  | MOS  | 12-Nov-20 | 72       |          |                                 |           |           |             |        |
|  | HRS  | 9182.3    |          |          |                                 |           |           |             |        |
|  | AFL  | 4405      | 3750     |          |                                 |           |           |             |        |
|  |  |           |          |          | PROC. REF: AMM 51-00-00-200-803 |           |           | PKG:31      |        |
| 51-00-00-200-804-01 <sup>S</sup>               | INSPECTION OF CORROSION INHIBITOR COMPOUND DURING 2C INSPECTION  |           |          |          |                                 |           |           | Service     | ATA:51 |
|  | MOS  | 23-Oct-89 | 144      |          |                                 |           |           |             |        |
|  | HRS  | 0         |          |          |                                 |           |           |             |        |
|  | AFL  | 0         | 7500     |          |                                 |           |           |             |        |
|  |  |           |          |          | PROC. REF: AMM 51-00-00-200-804 |           |           | PKG:31,32   |        |
| 51-30-00-220-802-01                            | DETAILED INSPECTION OF THE INTERNAL COMPOSITE MATERIAL COMPONENTS  |           |          |          |                                 |           |           | Service     | ATA:51 |
|  | MOS/MSC  | 19-Jun-14 | O/C      |          |                                 |           |           |             |        |
|  | HRS  | 8032      |          |          |                                 |           |           |             |        |
| WC#: 51.040                                    | AFL  | 3965      |          |          |                                 |           |           |             |        |
|  |  |           |          |          | PROC. REF: GENERIC NO REF       |           |           |             |        |
| <b>ATA 52 - DOORS</b>                          |  |           |          |          |                                 |           |           |             |        |
| 52-00-00-200-802-01 <sup>S</sup>               | INSPECTION / CHECK OF THE MAIN ENTRANCE, BAGGAGE COMPARTMENT AND REAR COMPARTMENT DOOR FRAME SEALS - MAIN ENTRANCE DOOR FRAME SEAL |           |          |          |                                 |           |           | Service     | ATA:52 |
|  | MOS  | 12-Nov-20 | 72 (+2m) |          |                                 |           |           |             |        |
|  | HRS  | 9182.3    |          |          |                                 |           |           |             |        |
| WC#: 53.100                                    | AFL  | 4405      | 3750     |          |                                 |           |           |             |        |
|  |  |           |          |          | PROC. REF: AMM 52-00-00-200-802 |           |           | PKG:31      |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 52 - DOORS                   |  |           |          |          |                           |           |           |             |        |
| 52-00-00-200-802-02 <sup>S</sup> | INSPECTION / CHECK OF THE MAIN ENTRANCE, BAGGAGE COMPARTMENT AND REAR COMPARTMENT DOOR FRAME SEALS - BAGGAGE COMPARTMENT DOOR FRAME SEAL |           |          |          |                           |           |           | Service     | ATA:52 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |             |        |
|                                  | AFL  | 4405      | 3750     |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 52-00-00-200-802  |           |          |          |                           |           |           | PKG:31      |        |
| 52-00-00-200-802-03 <sup>S</sup> | INSPECTION / CHECK OF THE MAIN ENTRANCE, BAGGAGE COMPARTMENT AND REAR COMPARTMENT DOOR FRAME SEALS - REAR COMPARTMENT DOOR FRAME SEAL    |           |          |          |                           |           |           | Service     | ATA:52 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |             |        |
|                                  | AFL  | 4405      | 3750     |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 52-00-00-200-802  |           |          |          |                           |           |           | PKG:31      |        |
| 52-00-00-640-801-01 <sup>S</sup> | LUBRICATION OF SERVICE DOORS   |           |          |          |                           |           |           | Service     | ATA:52 |
|                                  | MOS  | 09-Nov-23 | 12 (+1m) |          |                           |           |           |             |        |
|                                  | HRS  | 9831.2    |          |          |                           |           |           |             |        |
| WC#: 52.010                      | AFL  | 4640      |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 52-00-00-640-801  |           |          |          |                           |           |           | PKG:15      |        |
| 52-10-00-220-801-01 <sup>S</sup> | DETAILED INSPECTION OF THE PASSENGER DOOR COUNTERBALANCING SYSTEM  |           |          |          |                           |           |           | Service     | ATA:52 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |             |        |
| WC#: 52.040                      | AFL  | 4405      | 3750     |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 52-10-00-220-801  |           |          |          |                           |           |           | PKG:13      |        |
| 52-10-00-610-801-01 <sup>S</sup> | SERVICING OF THE PASSENGER DOOR  |           |          |          |                           |           |           | Service     | ATA:52 |
|                                  | MOS  | 11-Nov-23 | 36 (+1m) |          |                           |           |           |             |        |
|                                  | HRS  | 9831.2    |          |          |                           |           |           |             |        |
| WC#: 52.030                      | AFL  | 4640      |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 52-10-00-610-801  |           |          |          |                           |           |           | PKG:17      |        |
| 52-10-00-610-802-01 <sup>S</sup> | SERVICING OF THE PASSENGER DOOR SAFETY CATCH   |           |          |          |                           |           |           | Service     | ATA:52 |
|                                  | MOS  | 11-Nov-23 | 36 (+1m) |          |                           |           |           |             |        |
|                                  | HRS  | 9831.2    |          |          |                           |           |           |             |        |
|                                  | AFL  | 4640      |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 52-10-00-610-802  |           |          |          |                           |           |           | PKG:17      |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|-----------|----------|---------------------------|-----------|-----------|-------------|
| ATA 52 - DOORS   |         |           |           |          |                           |           |           |             |
| 52-10-00-640-801-01 <sup>S</sup> LUBRICATION OF THE ROLLERS OF THE PASSENGER DOOR LOWER MECHANISM Service ATA:52   |         |           |           |          |                           |           |           |             |
|  | MOS     | 19-Jun-14 | 144 (+2m) |          |                           |           |           |             |
|  | HRS     | 8032      |           |          |                           |           |           |             |
| WC#: 52.120  | AFL     | 3965      | 7500      |          |                           |           |           |             |
| PROC. REF: AMM 52-10-00-640-801  |         |           |           |          |                           |           |           | PKG:32      |
| 52-10-00-720-801-01 <sup>S</sup> FUNCTIONAL TEST OF THE PASSENGER DOOR Service ATA:52  |         |           |           |          |                           |           |           |             |
|  | MOS     | 12-Nov-20 | 72 (+2m)  |          |                           |           |           |             |
|  | HRS     | 9182.3    |           |          |                           |           |           |             |
| WC#: 52.020  | AFL     | 4405      | 3750      |          |                           |           |           |             |
| PROC. REF: AMM 52-10-00-720-801  |         |           |           |          |                           |           |           | PKG:31      |
| 52-10-01-900-801-01 REMOVAL / INSTALLATION OF THE PASSENGER DOOR Component ATA:52  |         |           |           |          |                           |           |           |             |
| PN:FGFB295   | MOS/MSC | 23-Oct-89 | O/C       |          |                           |           |           |             |
| SN:77HP  | HRS     | 0         |           | TSN 0    |                           |           |           |             |
| WC#: 52.030  | AFL     | 0         |           |          |                           |           |           |             |
| PROC. REF: AMM 52-10-01-900-801  |         |           |           |          |                           |           |           |             |
| 52-10-03-900-801-01 REMOVAL / INSTALLATION OF THE PASSENGER DOOR PNEUMATIC ACTUATOR - PASSENGER DOOR PNEUMATIC ACTUATOR (902MC) Component ATA:52                           |         |           |           |          |                           |           |           |             |
| PN:222900M02   | MOS/MSC | 23-Oct-89 | O/C       |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |           |          |                           |           |           |             |
| WC#: 52.045  | AFL     | 0         |           |          |                           |           |           |             |
| PROC. REF: AMM 52-10-03-900-801  |         |           |           |          |                           |           |           |             |
| 52-10-03-960-801-01 DISCARD OF THE PASSENGER DOOR PNEUMATIC ACTUATOR - PASSENGER DOOR PNEUMATIC ACTUATOR (902MC) Service ATA:52  |         |           |           |          |                           |           |           |             |
| PN:222900M02   | MOS/MSC | 23-Oct-89 | N/A       |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |           |          |                           |           |           |             |
| WC#: 52.045  | AFL     | 0         |           |          |                           |           |           |             |
| PROC. REF: AMM 52-10-03-960-801  |         |           |           |          |                           |           |           |             |
| 52-10-11-900-801-01 REMOVAL / INSTALLATION OF THE PASSENGER DOOR COUNTERBALANCING LEAF-SPRING ACTUATOR - PASSENGER DOOR COUNTERBALANCING ACTUATOR (500MA) Component ATA:52 |         |           |           |          |                           |           |           |             |
| PN:AE40142Z006   | MOS/MSC | 13-May-96 | O/C       | TSN 0    |                           |           |           |             |
| SN:2220906   | HRS     | 2505      |           | TSN 0    |                           |           |           |             |
| WC#: 52.040  | AFL     | 1209      |           | TSN 0    |                           |           |           |             |
| PROC. REF: AMM 52-10-11-900-801  |         |           |           |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|----------------------------------|---|-----------|------------|----------|---------------------------|-----------|-----------|----------------|--------|
| <b>ATA 52 - DOORS</b>            |   |           |            |          |                           |           |           |                |        |
| 52-10-11-960-801-01              | DISCARD OF THE PASSENGER DOOR COUNTERBALANCING LEAF-SPRING ACTUATOR - PASSENGER DOOR COUNTERBALANCING ACTUATOR (500MA)  |           |            |          |                           |           |           | Service        | ATA:52 |
| PN:AE40142Z006                   | MOS/MSC   | 13-May-96 | O/C        | TAC 0    |                           |           |           |                |        |
| SN:2220906                       | HRS   | 2505      |            | TAC 0    |                           |           |           |                |        |
| WC#: 52.040                      | AFL   | 1209      |            | TAC 0    |                           |           |           |                |        |
| PROC. REF: AMM 52-10-11-960-801  |   |           |            |          |                           |           |           |                |        |
| 52-20-00-610-801-01 <sup>S</sup> | SERVICING OF THE EMERGENCY EXIT DOOR - TEST OF THE EMERGENCY EXIT DOOR UNLOCKING FROM INSIDE THE CABIN                  |           |            |          |                           |           |           | Service        | ATA:52 |
|                                  | MOS   | 16-Nov-22 | 24         |          |                           |           |           |                |        |
|                                  | HRS   | 9596.5    |            |          |                           |           |           |                |        |
| WC#: 52.050                      | AFL   | 4562      |            |          |                           |           |           |                |        |
| PROC. REF: AMM 52-20-00-610-801  |   |           |            |          |                           |           |           |                |        |
| 52-20-00-610-801-01A             | SERVICING OF THE EMERGENCY EXIT DOOR - TEST OF THE EMERGENCY EXIT DOOR UNLOCKING FROM INSIDE THE CABIN (MANDATORY 5-40) |           |            |          |                           |           |           | Service        | ATA:52 |
|                                  | MOS   | 16-Nov-22 | 24         |          | 16-Nov-24                 |           | 361 d     | MANDATORY 5-40 |        |
|                                  | HRS   | 9596.5    |            |          |                           |           |           |                |        |
| WC#: 52.050                      | AFL   | 4562      |            |          |                           |           |           |                |        |
| PROC. REF: AMM 52-20-00-610-801  |   |           |            |          |                           |           |           |                |        |
| 52-20-00-610-801-02 <sup>S</sup> | SERVICING OF THE EMERGENCY EXIT DOOR  |           |            |          |                           |           |           | Service        | ATA:52 |
|                                  | MOS   | 16-Nov-22 | 24 (+1d)   |          |                           |           |           |                |        |
|                                  | HRS   | 9596.5    |            |          |                           |           |           |                |        |
|                                  | AFL   | 4562      |            |          |                           |           |           |                |        |
| PROC. REF: AMM 52-20-00-610-801  |   |           |            |          |                           |           |           |                |        |
| 52-20-00-710-801-01 <sup>S</sup> | OPERATIONAL TEST OF THE EMERGENCY EXIT DOOR UNLOCKING FROM OUTSIDE  |           |            |          |                           |           |           | Service        | ATA:52 |
|                                  | MOS   | 12-Apr-16 |            |          |                           |           |           |                |        |
|                                  | HRS   | 8447.8    | 1600 (+40) |          |                           |           |           |                |        |
| WC#: 52.050                      | AFL   | 4114      |            |          |                           |           |           |                |        |
| PROC. REF: AMM 52-20-00-710-801  |   |           |            |          |                           |           |           |                |        |
| 52-20-01-900-801-01              | REMOVAL / INSTALLATION OF THE EMERGENCY EXIT DOOR   |           |            |          |                           |           |           | Component      | ATA:52 |
| PN:FGFB296001                    | MOS/MSC   | 23-Oct-89 | O/C        |          |                           |           |           |                |        |
| SN:81HP                          | HRS   | 0         |            | TSN 0    |                           |           |           |                |        |
| WC#: 52.050                      | AFL   | 0         |            |          |                           |           |           |                |        |
| PROC. REF: AMM 52-20-01-900-801  |   |           |            |          |                           |           |           |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |
|---|---------|-----------|----------|----------|---------------------------|-----------|-----------|----------------|
| ATA 52 - DOORS  |         |           |          |          |                           |           |           |                |
| 52-30-00-270-801-01 <sup>S</sup> ULTRASONIC TEST OF THE BAGGAGE COMPARTMENT DOOR OUTER SKIN Service ATA:52  |         |           |          |          |                           |           |           |                |
|   | MOS     | 12-Nov-20 | 72 (+2m) |          |                           |           |           |                |
|   | HRS     | 9182.3    |          |          |                           |           |           |                |
| WC#: 52.060   | AFL     | 4405      | 3750     |          |                           |           |           |                |
| PROC. REF: AMM 52-30-00-270-801   |         |           |          |          |                           |           |           | PKG:31         |
| 52-30-00-610-801-01 <sup>S</sup> SERVICING OF THE BAGGAGE COMPARTMENT DOOR Service ATA:52   |         |           |          |          |                           |           |           |                |
|   | MOS     | 11-Nov-23 | 36       |          |                           |           |           |                |
|   | HRS     | 9831.2    |          |          |                           |           |           |                |
| WC#: 52.060   | AFL     | 4640      |          |          |                           |           |           |                |
| PROC. REF: AMM 52-30-00-610-801   |         |           |          |          |                           |           |           | PKG:17         |
| 52-30-00-710-801-01 <sup>S</sup> CHECK OF BAGGAGE COMPARTMENT DOOR MECHANISM - TEST OF DOOR MECHANISM Service ATA:52  |         |           |          |          |                           |           |           |                |
|   | MOS     | 12-Nov-20 | 72 (+2m) |          |                           |           |           |                |
|   | HRS     | 9182.3    |          |          |                           |           |           |                |
| WC#: 52.060   | AFL     | 4405      | 3750     |          |                           |           |           |                |
| PROC. REF: AMM 52-30-00-710-801   |         |           |          |          |                           |           |           | PKG:31         |
| 52-30-00-710-801-02 <sup>S</sup> CHECK OF BAGGAGE COMPARTMENT DOOR MECHANISM - TEST OF DOOR SLIDING BOLTS Service ATA:52  |         |           |          |          |                           |           |           |                |
|   | MOS     | 12-Nov-20 | 72 (+2m) |          |                           |           |           |                |
|   | HRS     | 9182.3    |          |          |                           |           |           |                |
| WC#: 52.060   | AFL     | 4405      | 3750     |          |                           |           |           |                |
| PROC. REF: AMM 52-30-00-710-801   |         |           |          |          |                           |           |           | PKG:31         |
| 52-30-00-710-801-02A CHECK OF BAGGAGE COMPARTMENT DOOR MECHANISM - TEST OF DOOR SLIDING BOLTS (MANDATORY 5-40) Service ATA:52   |         |           |          |          |                           |           |           |                |
|   | MOS     | 12-Nov-20 |          |          |                           |           |           | MANDATORY 5-40 |
|   | HRS     | 9182.3    | 8000     |          | 17182.3                   |           | 7351.1    |                |
| WC#: 52.060   | AFL     | 4405      |          |          |                           |           |           |                |
| PROC. REF: AMM 52-30-00-710-801   |         |           |          |          |                           |           |           |                |
| 52-30-01-900-801-01 REMOVAL / INSTALLATION OF THE BAGGAGE COMPARTMENT DOOR Component ATA:52   |         |           |          |          |                           |           |           |                |
| PN:FGFB299  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                |
| SN:69BZ   | HRS     | 0         |          | TSN 0    |                           |           |           |                |
| WC#: 52.060   | AFL     | 0         |          |          |                           |           |           |                |
| PROC. REF: AMM 52-30-01-900-801   |         |           |          |          |                           |           |           |                |
| 52-30-19-900-801-01 REMOVAL / INSTALLATION OF THE BAGGAGE COMPARTMENT DOOR REDUCING GEAR MOTOR ASSEMBLY - BAGGAGE COMPARTMENT DOOR REDUCING GEAR MOTOR (3MC) Component ATA:52 |         |           |          |          |                           |           |           |                |
| PN:4220-5   | MOS/MSC | 19-Jun-14 | O/C      | TSN 0    |                           |           |           |                |
| SN:714  | HRS     | 8032      |          | TSN 0    |                           |           |           |                |
| WC#: 52.060   | AFL     | 3965      |          | TSN 0    |                           |           |           |                |
| PROC. REF: AMM 52-30-19-900-801   |         |           |          |          |                           |           |           |                |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C       | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|----------|----------|---------------------------------|-----------|-----------|-------------|--------|
| ATA 52 - DOORS                   |  |           |          |          |                                 |           |           |             |        |
| 52-40-00-210-801-01 <sup>S</sup> | GENERAL VISUAL INSPECTION OF THE ACCESS PANELS AND DOORS   |           |          |          |                                 |           |           | Service     | ATA:52 |
|                                  | MOS  | 16-Nov-22 | 24 (+1m) |          |                                 |           |           |             |        |
|                                  | HRS  | 9596.5    |          |          |                                 |           |           |             |        |
| WC#: 52.090                      | AFL  | 4562      |          |          |                                 |           |           |             |        |
|                                  |  |           |          |          | PROC. REF: AMM 52-40-00-210-801 |           |           | PKG:16      |        |
| 52-41-07-610-801-01 <sup>S</sup> | SERVICING OF THE NLG WELL CEILING DOOR   |           |          |          |                                 |           |           | Service     | ATA:52 |
|                                  | MOS  | 16-Nov-22 | 24 (+1m) |          |                                 |           |           |             |        |
|                                  | HRS  | 9596.5    |          |          |                                 |           |           |             |        |
| WC#: 52.110                      | AFL  | 4562      |          |          |                                 |           |           |             |        |
|                                  |  |           |          |          | PROC. REF: AMM 52-41-07-610-801 |           |           | PKG:16      |        |
| 52-50-00-710-801-01 <sup>S</sup> | INSPECTION / TEST OF THE BLOWOUT DOORS / PANELS  |           |          |          |                                 |           |           | Service     | ATA:52 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                                 |           |           |             |        |
|                                  | HRS  | 9182.3    |          |          |                                 |           |           |             |        |
|                                  | AFL  | 4405      | 3750     |          |                                 |           |           |             |        |
|                                  |  |           |          |          | PROC. REF: AMM 52-50-00-710-801 |           |           | PKG:31      |        |
| 52-53-00-610-801-01 <sup>S</sup> | SERVICING OF THE CABIN / BAGGAGE COMPARTMENT DOOR  |           |          |          |                                 |           |           | Service     | ATA:52 |
|                                  | MOS  | 11-Nov-23 | 36 (+1m) |          |                                 |           |           |             |        |
|                                  | HRS  | 9831.2    |          |          |                                 |           |           |             |        |
| WC#: 52.100                      | AFL  | 4640      |          |          |                                 |           |           |             |        |
|                                  |  |           |          |          | PROC. REF: AMM 52-53-00-610-801 |           |           | PKG:17      |        |
| 52-54-00-210-801-01 <sup>S</sup> | GENERAL VISUAL INSPECTION OF CABIN DOORS, DIVIDERS AND BULKHEADS   |           |          |          |                                 |           |           | Service     | ATA:52 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                                 |           |           |             |        |
|                                  | HRS  | 9182.3    |          |          |                                 |           |           |             |        |
|                                  | AFL  | 4405      | 3750     |          |                                 |           |           |             |        |
|                                  |  |           |          |          | PROC. REF: AMM 52-54-00-210-801 |           |           | PKG:31      |        |
| 52-54-05-210-801-02 <sup>S</sup> | GENERAL VISUAL INSPECTION OF THE GALLEY POCKET SLIDING DOOR - INSPECTION OF MOUNTING LOCATIONS, LAMINATE AND MECHANISM |           |          |          |                                 |           |           | Service     | ATA:52 |
|                                  | MOS  | 19-Jun-14 | 72 (+2m) |          |                                 |           |           |             |        |
|                                  | HRS  | 8032      |          |          |                                 |           |           |             |        |
|                                  | AFL  | 3965      | 3750     |          |                                 |           |           |             |        |
|                                  |  |           |          |          | PROC. REF: AMM 52-54-05-210-801 |           |           | PKG:31      |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 52 - DOORS</b>            |  |           |          |          |                           |           |           |             |        |
| 52-54-05-210-802-01              | GENERAL VISUAL INSPECTION OF THE GALLEY POCKET SLIDING DOOR CABLES AND CABLE SILENCER - INSPECTION OF THE GALLEY POCKET SLIDING DOOR CABLES AND CABLE SILENCER |           |          |          |                           |           |           | Service     | ATA:52 |
|                                  | MOS/MSC  | 31-Jan-18 | N/A      |          |                           |           |           |             |        |
|                                  | HRS  | 8722.5    |          |          |                           |           |           |             |        |
|                                  | AFL  | 4222      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 52-54-05-210-802  |  |           |          |          |                           |           |           |             |        |
| 52-55-00-610-801-01 <sup>S</sup> | SERVICING OF THE S-DUCT DOOR   |           |          |          |                           |           |           | Service     | ATA:52 |
|                                  | MOS  | 16-Nov-22 | 24 (+1m) |          |                           |           |           |             |        |
|                                  | HRS  | 9596.5    |          |          |                           |           |           |             |        |
| WC#: 52.080                      | AFL  | 4562      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 52-55-00-610-801  |  |           |          |          |                           |           |           |             |        |
| PKG:16                           |  |           |          |          |                           |           |           |             |        |
| 52-60-09-610-801-01 <sup>S</sup> | SERVICING OF THE REAR COMPARTMENT DOOR   |           |          |          |                           |           |           | Service     | ATA:52 |
|                                  | MOS  | 11-Nov-23 | 36 (+1m) |          |                           |           |           |             |        |
|                                  | HRS  | 9831.2    |          |          |                           |           |           |             |        |
| WC#: 52.070                      | AFL  | 4640      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 52-60-09-610-801  |  |           |          |          |                           |           |           |             |        |
| PKG:17                           |  |           |          |          |                           |           |           |             |        |
| 524101                           | REAR COMPARTMENT DOOR  |           |          |          |                           |           |           | Component   | ATA:52 |
| PN:FGFB297                       | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:73HP                          | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 52.070                      | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2         |  |           |          |          |                           |           |           |             |        |
| 525301                           | S-DUCT DOOR  |           |          |          |                           |           |           | Component   | ATA:52 |
| PN:FGFB241025500                 | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:76BZ                          | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 52.080                      | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2         |  |           |          |          |                           |           |           |             |        |
| <b>ATA 53 - FUSELAGE</b>         |  |           |          |          |                           |           |           |             |        |
| 53-00-00-200-803-01              | INSPECTION OF THE FUSELAGE SKIN - FRAME 4 TO FRAME 30 - GENERAL VISUAL INSPECTION  |           |          |          |                           |           |           | Service     | ATA:53 |
|                                  | MOS  | 11-May-02 |          |          |                           |           |           |             |        |
|                                  | HRS  | 4318      |          |          |                           |           |           |             |        |
| WC#: 53.140                      | AFL  | 1996      | T:11250  | 11250    |                           | 6610      |           |             |        |
| PROC. REF: AMM 53-00-00-200-803  |  |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|----------------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|----------------|--------|
| <b>ATA 53 - FUSELAGE</b>         |   |           |          |          |                           |           |           |                |        |
| 53-00-00-200-803-01A             | GENERAL VISUAL INSPECTION OF THE FUSELAGE SKIN - FRAME 4 TO FRAME 30 (MANDATORY 5-40)         |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS   | 11-May-02 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS   | 4318      |          |          |                           |           |           |                |        |
| WC#: 53.140                      | AFL   | 1996      | T:11250  |          | 11250                     |           | 6610      |                |        |
| PROC. REF: AMM 53-00-00-200-803  |   |           |          |          |                           |           |           |                |        |
| 53-00-00-200-803-02              | INSPECTION OF THE FUSELAGE SKIN - FRAME 4 TO FRAME 30 - DETAILED INSPECTION IN SPECIFIC AREAS |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                                  | HRS   | 0         |          |          |                           |           |           |                |        |
|                                  | AFL   | 0         | T:11250  |          | 11250                     |           | 6610      |                |        |
| PROC. REF: AMM 53-00-00-200-803  |   |           |          |          |                           |           |           |                |        |
| 53-00-00-200-803-02A             | DETAILED INSPECTION OF THE FUSELAGE SKIN - FRAME 4 TO FRAME 30 (MANDATORY 5-40)               |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS   | 0         |          |          |                           |           |           |                |        |
|                                  | AFL   | 0         | T:11250  |          | 11250                     |           | 6610      |                |        |
| PROC. REF: AMM 53-00-00-200-803  |   |           |          |          |                           |           |           |                |        |
| 53-00-00-200-810-01              | INSPECTIONS SPECIFIC TO A/C 1   |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS/MSC   | 23-Oct-89 | N/A      |          |                           |           |           |                |        |
|                                  | HRS   | 0         |          |          |                           |           |           |                |        |
| WC#: 53.305                      | AFL   | 0         |          |          |                           |           |           |                |        |
| PROC. REF: AMM 53-00-00-200-810  |   |           |          |          |                           |           |           |                |        |
| 53-00-00-200-811-01              | SPECIFIC INSPECTION OF THE REPAIRED AREAS (S/N 155)   |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS/MSC   | 23-Oct-89 | N/A      |          |                           |           |           |                |        |
|                                  | HRS   | 0         |          |          |                           |           |           |                |        |
| WC#: 53.300                      | AFL   | 0         |          |          |                           |           |           |                |        |
| PROC. REF: AMM 53-00-00-200-811  |   |           |          |          |                           |           |           |                |        |
| 53-00-00-200-812-01              | SPECIFIC INSPECTION OF THE REPAIRED AREAS (S/N 67)  |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS/MSC   | 23-Oct-89 | N/A      |          |                           |           |           |                |        |
|                                  | HRS   | 0         |          |          |                           |           |           |                |        |
| WC#: 53.0502                     | AFL   | 0         |          |          |                           |           |           |                |        |
| PROC. REF: AMM 53-00-00-200-812  |   |           |          |          |                           |           |           |                |        |
| 53-00-00-210-801-01 <sup>S</sup> | GENERAL VISUAL INSPECTION OF THE FUSELAGE EXTERIOR - GENERAL VISUAL INSPECTION                |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS   | 16-Nov-22 | 24 (+1m) |          |                           |           |           |                |        |
|                                  | HRS   | 9596.5    |          |          |                           |           |           |                |        |
| WC#: 53.010                      | AFL   | 4562      |          |          |                           |           |           |                |        |
| PROC. REF: AMM 53-00-00-210-801  |   |           |          |          |                           |           |           |                |        |

PKG:16

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 53 - FUSELAGE                |  |           |          |          |                           |           |           |             |        |
| 53-00-00-210-801-01C             | GENERAL VISUAL INSPECTION OF THE FUSELAGE EXTERIOR (CPCP)          |           |          |          |                           |           |           | Service     | ATA:53 |
|                                  | MOS  | 16-Nov-22 | 25       |          | 16-Dec-24                 |           | 391 d     | CPCP        |        |
|                                  | HRS  | 9596.5    |          |          |                           |           |           |             |        |
|                                  | AFL  | 4562      |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 53-00-00-210-801                                    |           |          |          |                           |           |           |             |        |
| 53-00-00-220-801-01 <sup>S</sup> | DETAILED INSPECTION OF THE FUSELAGE EXTERIOR - DETAILED INSPECTION |           |          |          |                           |           |           | Service     | ATA:53 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |             |        |
|                                  | AFL  | 4405      | 3750     |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 53-00-00-220-801                                    |           |          |          |                           |           |           |             |        |
|                                  | PKG:31   |           |          |          |                           |           |           |             |        |
| 53-00-00-220-801-01C             | DETAILED INSPECTION OF THE FUSELAGE EXTERIOR (CPCP)                |           |          |          |                           |           |           | Service     | ATA:53 |
|                                  | MOS  | 12-Nov-20 | 74       |          | 12-Jan-27                 |           | 1148 d    | CPCP        |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |             |        |
|                                  | AFL  | 4405      |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 53-00-00-220-801                                    |           |          |          |                           |           |           |             |        |
| 53-00-00-220-810-01              | SPECIFIC DETAILED INSPECTION OF THE REPAIRED AREAS (S/N 67)        |           |          |          |                           |           |           | Service     | ATA:53 |
|                                  | MOS/MSC  | 23-Oct-89 | N/A      |          |                           |           |           |             |        |
|                                  | HRS  | 0         |          |          |                           |           |           |             |        |
| WC#: 53.0501                     | AFL  | 0         |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 53-00-00-220-810                                    |           |          |          |                           |           |           |             |        |
| 53-00-00-220-811-01              | SPECIFIC DETAILED INSPECTION OF THE REPAIRED AREAS (S/N 155)       |           |          |          |                           |           |           | Service     | ATA:53 |
|                                  | MOS/MSC  | 23-Oct-89 | N/A      |          |                           |           |           |             |        |
|                                  | HRS  | 0         |          |          |                           |           |           |             |        |
| WC#: 53.300                      | AFL  | 0         |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 53-00-00-220-811                                    |           |          |          |                           |           |           |             |        |
| 53-00-00-220-812-01              | DETAILED INSPECTION OF THE RIVETS AT FRAMES 05 AND 07 (S/N 2)      |           |          |          |                           |           |           | Service     | ATA:53 |
|                                  | MOS/MSC  | 23-Oct-89 | N/A      |          |                           |           |           |             |        |
|                                  | HRS  | 0         |          |          |                           |           |           |             |        |
| WC#: 53.315                      | AFL  | 0         |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 53-00-00-220-812                                    |           |          |          |                           |           |           |             |        |
| 53-00-00-370-801-01              | APPLICATION OF CORROSION INHIBITOR COMPOUND IN FUSELAGE AREAS      |           |          |          |                           |           |           | Service     | ATA:53 |
|                                  | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
|                                  | HRS  | 0         |          |          |                           |           |           |             |        |
|                                  | AFL  | 0         |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 53-00-00-370-801                                    |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition    |        |
|----------------------------------|--|-----------|----------|----------|---------------------------|-----------|-------------|----------------|--------|
| ATA 53 - FUSELAGE                |  |           |          |          |                           |           |             |                |        |
| 53-10-00-200-808-01 <sup>S</sup> | INSPECTION OF THE NLG BAY  |           |          |          |                           |           |             | Service        | ATA:53 |
|                                  | MOS  | 09-Nov-23 | 12 (+1m) |          |                           |           |             |                |        |
|                                  | HRS  | 9831.2    |          |          |                           |           |             |                |        |
| WC#: 53.095                      | AFL  | 4640      |          |          |                           |           |             |                |        |
|                                  | PROC. REF: AMM 53-10-00-200-808  |           |          |          |                           |           |             | PKG:15         |        |
| 53-10-00-200-808-01C             | INSPECTION OF THE NOSE LANDING GEAR (NLG) BAY (CPCP)   |           |          |          |                           |           |             | Service        | ATA:53 |
|                                  | MOS  | 09-Nov-23 | 13       |          | 09-Dec-24                 |           | 384 d       | CPCP           |        |
|                                  | HRS  | 9831.2    |          |          |                           |           |             |                |        |
|                                  | AFL  | 4640      |          |          |                           |           |             |                |        |
|                                  | PROC. REF: AMM 53-10-00-200-808  |           |          |          |                           |           |             |                |        |
| 53-10-00-200-810-01              | INSPECTION OF THE FUSELAGE SKIN - FRAME 0 TO FRAME 4 - GENERAL VISUAL INSPECTION             |           |          |          |                           |           |             | Service        | ATA:53 |
|                                  | MOS  | 11-May-02 |          |          |                           |           |             |                |        |
|                                  | HRS  | 4318      |          |          |                           |           |             |                |        |
| WC#: 53.120                      | AFL  | 1996      | T:7500   |          | 7500                      |           | 2860        |                |        |
|                                  | PROC. REF: AMM 53-10-00-200-810  |           |          |          |                           |           |             |                |        |
| 53-10-00-200-810-01A             | GENERAL VISUAL INSPECTION OF THE FUSELAGE SKIN - FRAME 0 TO FRAME 4 (MANDATORY 5-40)         |           |          |          |                           |           |             | Service        | ATA:53 |
|                                  | MOS  | 11-May-02 |          |          |                           |           |             | MANDATORY 5-40 |        |
|                                  | HRS  | 4318      |          |          |                           |           |             |                |        |
| WC#: 53.120                      | AFL  | 1996      | T:7500   |          | 7500                      |           | 2860        |                |        |
|                                  | PROC. REF: AMM 53-10-00-200-810  |           |          |          |                           |           |             |                |        |
| 53-10-00-200-810-02              | INSPECTION OF THE FUSELAGE SKIN - FRAME 0 TO FRAME 4 - DETAILED INSPECTION IN SPECIFIC AREAS |           |          |          |                           |           |             | Service        | ATA:53 |
|                                  | MOS  | 23-Oct-89 |          |          |                           |           |             |                |        |
|                                  | HRS  | 0         |          |          |                           |           |             |                |        |
|                                  | AFL  | 0         | T:11250  |          | 11250                     |           | 6610        |                |        |
|                                  | PROC. REF: AMM 53-10-00-200-810  |           |          |          |                           |           |             |                |        |
| 53-10-00-200-810-02A             | DETAILED INSPECTION OF THE FUSELAGE SKIN - FRAME 0 TO FRAME 4 (MANDATORY 5-40)               |           |          |          |                           |           |             | Service        | ATA:53 |
|                                  | MOS  | 23-Oct-89 |          |          |                           |           |             | MANDATORY 5-40 |        |
|                                  | HRS  | 0         |          |          |                           |           |             |                |        |
|                                  | AFL  | 0         | T:11250  |          | 11250                     |           | 6610        |                |        |
|                                  | PROC. REF: AMM 53-10-00-200-810  |           |          |          |                           |           |             |                |        |
| 53-10-00-210-802-01              | GENERAL VISUAL INSPECTION OF THE FLIGHT COMPARTMENT  |           |          |          |                           |           |             | Service        | ATA:53 |
|                                  | MOS  | 16-Nov-22 | 24 (+1m) | Adj -4d  | 12-Nov-24                 | 12-Dec-24 | 357 d (+30) |                |        |
|                                  | HRS  | 9596.5    | 4000     |          | 13596.5                   |           | 3765.3      |                |        |
| WC#: 53.0301                     | AFL  | 4562      |          |          |                           |           |             |                |        |
|                                  | PROC. REF: AMM 53-10-00-210-802  |           |          |          |                           |           |             |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C       | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|-----------|----------|---------------------------------|-----------|-----------|-------------|--------|
| ATA 53 - FUSELAGE                |  |           |           |          |                                 |           |           |             |        |
| 53-10-00-220-801-01 <sup>S</sup> | DETAILED INSPECTION OF THE STATIC PRESSURE PROBES AND OF THE FUSELAGE SKIN IN THE PROBE AREAS  |           |           |          |                                 |           |           | Service     | ATA:53 |
|                                  | MOS  | 16-Nov-22 | 24 (+1m)  |          |                                 |           |           | RVSM        |        |
|                                  | HRS  | 9596.5    |           |          |                                 |           |           |             |        |
| WC#: 53.260                      | AFL  | 4562      |           |          |                                 |           |           |             |        |
|                                  |  |           |           |          | PROC. REF: AMM 53-10-00-220-801 |           |           | PKG:16      |        |
| 53-10-00-220-802-01 <sup>S</sup> | DETAILED INSPECTION OF THE FLIGHT COMPARTMENT  |           |           |          |                                 |           |           | Service     | ATA:53 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m)  |          |                                 |           |           |             |        |
|                                  | HRS  | 9182.3    |           |          |                                 |           |           |             |        |
| WC#: 53.0302                     | AFL  | 4405      | 3750      |          |                                 |           |           |             |        |
|                                  |  |           |           |          | PROC. REF: AMM 53-10-00-220-802 |           |           | PKG:31      |        |
| 53-10-00-220-802-01C             | DETAILED INSPECTION OF THE FLIGHT COMPARTMENT (CPCP)   |           |           |          |                                 |           |           | Service     | ATA:53 |
|                                  | MOS  | 12-Nov-20 | 74        |          | 12-Jan-27                       |           | 1148 d    | CPCP        |        |
|                                  | HRS  | 9182.3    |           |          |                                 |           |           |             |        |
|                                  | AFL  | 4405      |           |          |                                 |           |           |             |        |
|                                  |  |           |           |          | PROC. REF: AMM 53-10-00-220-802 |           |           |             |        |
| 53-10-01-250-801-01              | EDDY CURRENT INSPECTION OF THE FRAME 0 STIFFENER TIP   |           |           |          |                                 |           |           | Service     | ATA:53 |
|                                  | MOS  | 12-Nov-20 |           |          |                                 |           |           |             |        |
|                                  | HRS  | 9182.3    |           |          |                                 |           |           |             |        |
| WC#: 53.170                      | AFL  | 4405      | 3750      |          | 8155                            |           | 3515      |             |        |
|                                  |  |           |           |          | PROC. REF: AMM 53-10-01-250-801 |           |           |             |        |
| 53-10-03-220-801-03 <sup>S</sup> | DETAILED INSPECTION OF THE PASSENGER DOOR FRAME UNDER THE UPPER AND LOWER EDGING STRIPS - DETAILED INSPECTION OF THE PASSENGER DOOR FRAME UNDER THE UPPER AND LOWER EDGING STRIPS.       |           |           |          |                                 |           |           | Service     | ATA:53 |
|                                  | MOS  | 19-Jun-14 | 144 (+2m) |          |                                 |           |           |             |        |
|                                  | HRS  | 8032      |           |          |                                 |           |           |             |        |
|                                  | AFL  | 3965      | 7500      |          |                                 |           |           |             |        |
|                                  |  |           |           |          | PROC. REF: AMM 53-10-03-220-801 |           |           | PKG:32      |        |
| 53-10-03-220-801-03C             | DETAILED INSPECTION OF THE PASSENGER DOOR FRAME UNDER THE UPPER AND LOWER EDGING STRIPS - DETAILED INSPECTION OF THE PASSENGER DOOR FRAME UNDER THE UPPER AND LOWER EDGING STRIPS (CPCP) |           |           |          |                                 |           |           | Service     | ATA:53 |
|                                  | MOS  | 19-Jun-14 | 148       |          | 19-Oct-26                       |           | 1063 d    | CPCP        |        |
|                                  | HRS  | 8032      |           |          |                                 |           |           |             |        |
|                                  | AFL  | 3965      |           |          |                                 |           |           |             |        |
|                                  |  |           |           |          | PROC. REF: AMM 53-10-03-220-801 |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|----------------------------------|---|-----------|-----------|----------|---------------------------|-----------|-----------|----------------|--------|
| <b>ATA 53 - FUSELAGE</b>         |   |           |           |          |                           |           |           |                |        |
| 53-10-03-250-801-01              | SPECIAL DETAILED INSPECTION OF THE PASSENGER DOOR FRAME EDGING                            |           |           |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS   | 12-Nov-20 |           |          |                           |           |           |                |        |
|                                  | HRS   | 9182.3    |           |          |                           |           |           |                |        |
| WC#: 53.130                      | AFL   | 4405      | 3750      |          | 8155                      |           | 3515      |                |        |
| PROC. REF: AMM 53-10-03-250-801  |   |           |           |          |                           |           |           |                |        |
| 53-10-03-250-801-01A             | SPECIAL DETAILED INSPECTION OF THE PASSENGER DOOR FRAME EDGING (MANDATORY 5-40)           |           |           |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS   | 12-Nov-20 |           |          |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS   | 9182.3    |           |          |                           |           |           |                |        |
| WC#: 53.130                      | AFL   | 4405      | 3750      |          | 8155                      |           | 3515      |                |        |
| PROC. REF: AMM 53-10-03-250-801  |   |           |           |          |                           |           |           |                |        |
| 53-10-33-220-802-01              | INSPECTION OF THE COCKPIT WINDSHIELD / WINDOW FRAMES / RETAINERS AND ATTACHMENTS          |           |           |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS/MSC   | 23-Oct-89 | O/C       |          |                           |           |           |                |        |
|                                  | HRS   | 0         |           |          |                           |           |           |                |        |
| WC#: 53.230                      | AFL   | 0         |           |          |                           |           |           |                |        |
| PROC. REF: AMM 53-10-33-220-802  |   |           |           |          |                           |           |           |                |        |
| 53-10-33-220-802-01C             | INSPECTION OF THE COCKPIT WINDSHIELD / WINDOW FRAMES / RETAINERS AND ATTACHMENTS (CPCP)   |           |           |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS/MSC   | 23-Oct-89 | O/C       |          |                           |           |           | CPCP           |        |
|                                  | HRS   | 0         |           |          |                           |           |           |                |        |
|                                  | AFL   | 0         |           |          |                           |           |           |                |        |
| PROC. REF: AMM 53-10-33-220-802  |   |           |           |          |                           |           |           |                |        |
| 53-10-39-220-801-01 <sup>S</sup> | DETAILED INSPECTION OF THE LOWER SECTION OF THE COCKPIT WINDSHIELD / WINDOW FRAMES        |           |           |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m)  |          |                           |           |           |                |        |
|                                  | HRS   | 9182.3    |           |          |                           |           |           |                |        |
| WC#: 53.220                      | AFL   | 4405      | 3750      |          |                           |           |           |                |        |
| PROC. REF: AMM 53-10-39-220-801  |   |           |           |          |                           |           |           |                |        |
| 53-10-39-220-801-01C             | DETAILED INSPECTION OF THE LOWER SECTION OF THE COCKPIT WINDSHIELD / WINDOW FRAMES (CPCP) |           |           |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS   | 12-Nov-20 | 74        |          | 12-Jan-27                 |           | 1148 d    | CPCP           |        |
|                                  | HRS   | 9182.3    |           |          |                           |           |           |                |        |
|                                  | AFL   | 4405      |           |          |                           |           |           |                |        |
| PROC. REF: AMM 53-10-39-220-801  |   |           |           |          |                           |           |           |                |        |
| 53-10-39-220-802-01 <sup>S</sup> | DETAILED INSPECTION OF THE COCKPIT WINDSHIELD / WINDOW FRAMES                             |           |           |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS   | 19-Jun-14 | 144 (+2m) |          |                           |           |           |                |        |
|                                  | HRS   | 8032      |           |          |                           |           |           |                |        |
| WC#: 53.240                      | AFL   | 3965      | 7500      |          |                           |           |           |                |        |
| PROC. REF: AMM 53-10-39-220-802  |   |           |           |          |                           |           |           |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|----------------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|----------------|--------|
| ATA 53 - FUSELAGE                |  |           |          |          |                           |           |           |                |        |
| 53-10-39-220-802-01C             | DETAILED INSPECTION OF THE COCKPIT WINDSHIELD / WINDOW FRAMES (CPCP)   |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS  | 19-Jun-14 | 148      |          | 19-Oct-26                 |           | 1063 d    | CPCP           |        |
|                                  | HRS  | 8032      |          |          |                           |           |           |                |        |
|                                  | AFL  | 3965      |          |          |                           |           |           |                |        |
|                                  | PROC. REF: AMM 53-10-39-220-802  |           |          |          |                           |           |           |                |        |
| 53-10-41-220-801-01 <sup>S</sup> | DETAILED INSPECTION OF THE ATTACHMENT FITTING OF THE NLG ACTUATOR  |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                           |           |           |                |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |                |        |
| WC#: 53.200                      | AFL  | 4405      | 3750     |          |                           |           |           |                |        |
|                                  | PROC. REF: AMM 53-10-41-220-801  |           |          |          |                           |           |           |                |        |
| 53-10-41-220-801-01A             | DETAILED INSPECTION OF THE ATTACHMENT FITTING OF THE NLG ACTUATOR (MANDATORY 5-40)                               |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS  | 12-Nov-20 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |                |        |
| WC#: 53.200                      | AFL  | 4405      | 3750     |          | 8155                      |           | 3515      |                |        |
|                                  | PROC. REF: AMM 53-10-41-220-801  |           |          |          |                           |           |           |                |        |
| 53-10-43-220-801-01              | DETAILED INSPECTION OF THE STIFFENERS AT THE BOTTOM OF THE NLG WELL LH WALL                                      |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS  | 12-Nov-20 |          |          |                           |           |           |                |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |                |        |
| WC#: 53.097                      | AFL  | 4405      | 3750     |          | 8155                      |           | 3515      |                |        |
|                                  | PROC. REF: AMM 53-10-43-220-801  |           |          |          |                           |           |           |                |        |
| 53-10-43-220-801-01A             | DETAILED INSPECTION OF THE STIFFENERS AT THE BOTTOM OF THE NOSE LANDING GEAR (NLG) WELL LH WALL (MANDATORY 5-40) |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS  | 12-Nov-20 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |                |        |
| WC#: 53.097                      | AFL  | 4405      | 3750     |          | 8155                      |           | 3515      |                |        |
|                                  | PROC. REF: AMM 53-10-43-220-801  |           |          |          |                           |           |           |                |        |
| 53-11-00-210-801-01              | GENERAL VISUAL INSPECTION OF THE NOSE CONE AREA  |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS/MSC  | 24-Jan-18 | O/C      |          |                           |           |           |                |        |
|                                  | HRS  | 8722.5    |          |          |                           |           |           |                |        |
| WC#: 53.0201                     | AFL  | 4222      |          |          |                           |           |           |                |        |
|                                  | PROC. REF: AMM 53-11-00-210-801  |           |          |          |                           |           |           |                |        |
| 53-11-00-210-801-02 <sup>S</sup> | GENERAL VISUAL INSPECTION OF THE NOSE CONE AREA  |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS  | 16-Nov-22 | 24       |          |                           |           |           |                |        |
|                                  | HRS  | 9596.5    |          |          |                           |           |           |                |        |
|                                  | AFL  | 4562      |          |          |                           |           |           |                |        |
|                                  | PROC. REF: AMM 53-11-00-210-801  |           |          |          |                           |           |           |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval  | TSX/Adj.                        | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|---|-----------|-----------|---------------------------------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 53 - FUSELAGE</b>         |   |           |           |                                 |                           |           |           |             |        |
| 53-11-00-760-801-01 <sup>S</sup> | CHECK OF THE NOSE CONE ELECTRICAL BONDING                               |           |           |                                 |                           |           |           | Service     | ATA:53 |
|                                  | MOS   | 16-Nov-22 | 24 (+1m)  |                                 |                           |           |           |             |        |
|                                  | HRS   | 9596.5    |           |                                 |                           |           |           |             |        |
| WC#: 53.250                      | AFL   | 4562      |           |                                 |                           |           |           |             |        |
|                                  |   |           |           | PROC. REF: AMM 53-11-00-760-801 |                           |           |           | PKG:16      |        |
| 53-11-21-960-801-01              | REPLACEMENT OF THE NOSE CONE SEAL                                       |           |           |                                 |                           |           |           | Service     | ATA:53 |
|                                  | MOS   | 19-Jun-14 |           |                                 |                           |           |           |             |        |
|                                  | HRS   | 8032      |           |                                 |                           |           |           |             |        |
| WC#: 53.270                      | AFL   | 3965      | 7500      |                                 | 11465                     |           | 6825      |             |        |
|                                  |   |           |           | PROC. REF: AMM 53-11-21-960-801 |                           |           |           | PKG:31      |        |
| 53-30-00-210-802-01 <sup>S</sup> | GENERAL VISUAL INSPECTION OF THE PASSENGER CABIN                        |           |           |                                 |                           |           |           | Service     | ATA:53 |
|                                  | MOS   | 16-Nov-22 | 24 (+1m)  |                                 |                           |           |           |             |        |
|                                  | HRS   | 9596.5    |           |                                 |                           |           |           |             |        |
| WC#: 53.0401                     | AFL   | 4562      |           |                                 |                           |           |           |             |        |
|                                  |   |           |           | PROC. REF: AMM 53-30-00-210-802 |                           |           |           | PKG:16      |        |
| 53-30-00-220-801-01 <sup>S</sup> | DETAILED INSPECTION OF THE PASSENGER CABIN UNDER THE FLOOR              |           |           |                                 |                           |           |           | Service     | ATA:53 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m)  |                                 |                           |           |           |             |        |
|                                  | HRS   | 9182.3    |           |                                 |                           |           |           |             |        |
| WC#: 53.0402                     | AFL   | 4405      | 3750      |                                 |                           |           |           |             |        |
|                                  |   |           |           | PROC. REF: AMM 53-30-00-220-801 |                           |           |           | PKG:31      |        |
| 53-30-00-220-801-01C             | DETAILED INSPECTION OF THE PASSENGER CABIN - UNDER THE FLOOR (CPCP)     |           |           |                                 |                           |           |           | Service     | ATA:53 |
|                                  | MOS   | 12-Nov-20 | 74        |                                 | 12-Jan-27                 |           | 1148 d    | CPCP        |        |
|                                  | HRS   | 9182.3    |           |                                 |                           |           |           |             |        |
|                                  | AFL   | 4405      |           |                                 |                           |           |           |             |        |
|                                  |   |           |           | PROC. REF: AMM 53-30-00-220-801 |                           |           |           |             |        |
| 53-30-00-220-807-01 <sup>S</sup> | DETAILED INSPECTION OF THE PASSENGER CABIN ABOVE THE FLOOR              |           |           |                                 |                           |           |           | Service     | ATA:53 |
|                                  | MOS   | 19-Jun-14 | 144 (+2m) |                                 |                           |           |           |             |        |
|                                  | HRS   | 8032      |           |                                 |                           |           |           |             |        |
| WC#: 53.0402                     | AFL   | 3965      | 7500      |                                 |                           |           |           |             |        |
|                                  |   |           |           | PROC. REF: AMM 53-30-00-220-807 |                           |           |           | PKG:32      |        |
| 53-30-00-250-801-01              | EDDY-CURRENT INSPECTION OF THE EMERGENCY EXIT DOOR FRAME ROUNDED ANGLES |           |           |                                 |                           |           |           | Service     | ATA:53 |
|                                  | MOS   | 12-Nov-20 |           |                                 |                           |           |           |             |        |
|                                  | HRS   | 9182.3    |           |                                 |                           |           |           |             |        |
| WC#: 53.160                      | AFL   | 4405      | 3750      |                                 | 8155                      |           | 3515      |             |        |
|                                  |   |           |           | PROC. REF: AMM 53-30-00-250-801 |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|----------------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|----------------|--------|
| ATA 53 - FUSELAGE                |  |           |          |          |                           |           |           |                |        |
| 53-30-00-250-801-01A             | EDDY-CURRENT INSPECTION OF THE EMERGENCY EXIT DOOR FRAME ROUNDED ANGLES (MANDATORY 5-40) |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS  | 12-Nov-20 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |                |        |
| WC#: 53.160                      | AFL  | 4405      | 3750     |          | 8155                      |           | 3515      |                |        |
| PROC. REF: AMM 53-30-00-250-801  |  |           |          |          |                           |           |           |                |        |
| 53-30-00-250-802-01              | EDDY CURRENT INSPECTION OF THE SKIN PANELS AROUND CABIN WINDOW CUT-OUTS                  |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS  | 12-Nov-20 |          |          |                           |           |           |                |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |                |        |
| WC#: 53.150                      | AFL  | 4405      | 3750     |          | 8155                      |           | 3515      |                |        |
| PROC. REF: AMM 53-30-00-250-802  |  |           |          |          |                           |           |           |                |        |
| 53-30-00-250-802-01A             | EDDY CURRENT INSPECTION OF THE SKIN PANELS AROUND CABIN WINDOW CUT-OUTS (MANDATORY 5-40) |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS  | 12-Nov-20 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |                |        |
| WC#: 53.150                      | AFL  | 4405      | 3750     |          | 8155                      |           | 3515      |                |        |
| PROC. REF: AMM 53-30-00-250-802  |  |           |          |          |                           |           |           |                |        |
| 53-30-03-960-801-01              | REPLACEMENT OF THE ALUMINUM LIGHTNING DIVERTER STRIPS ON REAR TANK                       |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS/MSC  | 23-Oct-89 | A/R      |          |                           |           |           |                |        |
|                                  | HRS  | 0         |          |          |                           |           |           |                |        |
| WC#: 53.290                      | AFL  | 0         |          |          |                           |           |           |                |        |
| PROC. REF: AMM 53-30-03-960-801  |  |           |          |          |                           |           |           |                |        |
| 53-40-00-200-804-01 <sup>S</sup> | INSPECTION OF THE MLG BAYS - LH MLG BAY  |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS  | 09-Nov-23 | 12 (+1m) |          |                           |           |           |                |        |
|                                  | HRS  | 9831.2    |          |          |                           |           |           |                |        |
| WC#: 53.090                      | AFL  | 4640      |          |          |                           |           |           |                |        |
| PROC. REF: AMM 53-40-00-200-804  |  |           |          |          |                           |           |           |                |        |
| 53-40-00-200-804-01C             | INSPECTION OF THE LH MLG BAY (CPCP)  |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS  | 09-Nov-23 | 13       |          | 09-Dec-24                 |           | 384 d     | CPCP           |        |
|                                  | HRS  | 9831.2    |          |          |                           |           |           |                |        |
|                                  | AFL  | 4640      |          |          |                           |           |           |                |        |
| PROC. REF: AMM 53-40-00-200-804  |  |           |          |          |                           |           |           |                |        |
| 53-40-00-200-804-02 <sup>S</sup> | INSPECTION OF THE MLG BAYS - RH MLG BAY  |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS  | 09-Nov-23 | 12 (+1m) |          |                           |           |           |                |        |
|                                  | HRS  | 9831.2    |          |          |                           |           |           |                |        |
| WC#: 53.090                      | AFL  | 4640      |          |          |                           |           |           |                |        |
| PROC. REF: AMM 53-40-00-200-804  |  |           |          |          |                           |           |           |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |        |
|----------------------------------|--|-----------|----------|----------|---------------------------|-----------|-------------|-------------|--------|
| <b>ATA 53 - FUSELAGE</b>         |  |           |          |          |                           |           |             |             |        |
| 53-40-00-200-804-02C             | INSPECTION OF THE RH MLG BAY (CPCP)  |           |          |          |                           |           |             | Service     | ATA:53 |
|                                  | MOS  | 09-Nov-23 | 13       |          | 09-Dec-24                 |           | 384 d       | CPCP        |        |
|                                  | HRS  | 9831.2    |          |          |                           |           |             |             |        |
|                                  | AFL  | 4640      |          |          |                           |           |             |             |        |
| PROC. REF: AMM 53-40-00-200-804  |  |           |          |          |                           |           |             |             |        |
| 53-40-00-200-810-01              | INSPECTION OF THE CENTER WING LOWER PANEL FROM FR15 TO FR19                  |           |          |          |                           |           |             | Service     | ATA:53 |
|                                  | MOS/MSC  | 23-Oct-89 | N/A      |          |                           |           |             |             |        |
|                                  | HRS  | 0         |          |          |                           |           |             |             |        |
|                                  | AFL  | 0         |          |          |                           |           |             |             |        |
| PROC. REF: AMM 53-40-00-200-810  |  |           |          |          |                           |           |             |             |        |
| 53-40-00-200-810-01A             | INSPECTION OF THE CENTER WING LOWER PANEL FROM FR15 TO FR19 (MANDATORY 5-40) |           |          |          |                           |           |             | Service     | ATA:53 |
|                                  | MOS/MSC  | 23-Oct-89 | N/A      |          |                           |           |             |             |        |
|                                  | HRS  | 0         |          |          |                           |           |             |             |        |
|                                  | AFL  | 0         |          |          |                           |           |             |             |        |
| PROC. REF: AMM 53-40-00-200-810  |  |           |          |          |                           |           |             |             |        |
| 53-40-00-210-802-01              | GENERAL VISUAL INSPECTION OF THE FUSELAGE LOWER SECTION AREAS                |           |          |          |                           |           |             | Service     | ATA:53 |
|                                  | MOS  | 16-Nov-22 | 24 (+1m) |          | 16-Nov-24                 | 16-Dec-24 | 361 d (+30) |             |        |
|                                  | HRS  | 9596.5    | 4000     |          | 13596.5                   |           | 3765.3      |             |        |
| WC#: 53.0601                     | AFL  | 4562      |          |          |                           |           |             |             |        |
| PROC. REF: AMM 53-40-00-210-802  |  |           |          |          |                           |           |             |             |        |
| 53-40-00-220-801-01 <sup>S</sup> | DETAILED INSPECTION OF THE FUSELAGE LOWER SECTION AREAS                      |           |          |          |                           |           |             | Service     | ATA:53 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                           |           |             |             |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |             |             |        |
| WC#: 53.0602                     | AFL  | 4405      | 3750     |          |                           |           |             |             |        |
| PROC. REF: AMM 53-40-00-220-801  |  |           |          |          |                           |           |             |             |        |
| 53-40-00-220-801-01C             | DETAILED INSPECTION OF THE FUSELAGE LOWER SECTION AREAS (CPCP)               |           |          |          |                           |           |             | Service     | ATA:53 |
|                                  | MOS  | 12-Nov-20 | 74       |          | 12-Jan-27                 |           | 1148 d      | CPCP        |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |             |             |        |
|                                  | AFL  | 4405      |          |          |                           |           |             |             |        |
| PROC. REF: AMM 53-40-00-220-801  |  |           |          |          |                           |           |             |             |        |
| 53-40-00-220-802-01 <sup>S</sup> | DETAILED INSPECTION OF THE FUSELAGE STRUCTURAL FUEL TANKS                    |           |          |          |                           |           |             | Service     | ATA:53 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                           |           |             |             |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |             |             |        |
| WC#: 53.050                      | AFL  | 4405      | 3750     |          |                           |           |             |             |        |
| PROC. REF: AMM 53-40-00-220-802  |  |           |          |          |                           |           |             |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 53 - FUSELAGE                                     |   |           |          |          |                           |           |           |             |        |
| 53-40-00-220-802-01C                                  | DETAILED INSPECTION OF THE FUSELAGE STRUCTURAL FUEL TANKS (CPCP)  |           |          |          |                           |           |           | Service     | ATA:53 |
|   | MOS   | 12-Nov-20 | 74       |          | 12-Jan-27                 |           | 1148 d    | CPCP        |        |
|   | HRS   | 9182.3    |          |          |                           |           |           |             |        |
|   | AFL   | 4405      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 53-40-00-220-802                       |   |           |          |          |                           |           |           |             |        |
| 53-40-00-270-801-01 <sup>S</sup>                      | ULTRASONIC INSPECTION FOR CORROSION AROUND THE FASTENERS OF THE FRONT CENTER PANEL AHEAD OF FRAME 10        |           |          |          |                           |           |           | Service     | ATA:53 |
|   | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|   | HRS   | 9182.3    |          |          |                           |           |           |             |        |
| WC#: 53.280   | AFL   | 4405      | 3750     |          |                           |           |           |             |        |
| PROC. REF: AMM 53-40-00-270-801                       |   |           |          |          |                           |           |           |             |        |
| 53-40-00-270-801-01C                                  | ULTRASONIC-INSPECTION FOR CORROSION AROUND THE FASTENERS OF THE FRONT CENTER PANEL AHEAD OF FRAME 10 (CPCP) |           |          |          |                           |           |           | Service     | ATA:53 |
|   | MOS   | 12-Nov-20 | 74       |          | 12-Jan-27                 |           | 1148 d    | CPCP        |        |
|   | HRS   | 9182.3    |          |          |                           |           |           |             |        |
|   | AFL   | 4405      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 53-40-00-270-801                       |   |           |          |          |                           |           |           |             |        |
| 53-40-06-220-801-01                                   | DETAILED INSPECTION OF THE CORROSION ON CENTERWING REAR SPAR  |           |          |          |                           |           |           | Service     | ATA:53 |
|   | MOS/MSC   | 23-Oct-89 | N/A      |          |                           |           |           |             |        |
|   | HRS   | 0         |          |          |                           |           |           |             |        |
| WC#: 53.310   | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 53-40-06-220-801                       |   |           |          |          |                           |           |           |             |        |
| 53-40-07-280-802-01                                   | SPECIFIC DETAILED INSPECTION (SDI) OF THE REPAIRED AREA ON CENTERWING LOWER PANEL                           |           |          |          |                           |           |           | Service     | ATA:53 |
|   | MOS/MSC   | 23-Oct-89 | N/A      |          |                           |           |           |             |        |
|   | HRS   | 0         |          |          |                           |           |           |             |        |
|   | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 53-40-07-280-802                       |   |           |          |          |                           |           |           |             |        |
| 53-40-07-280-803-01A                                  | SPECIAL DETAILED INSPECTION OF THE REPAIRED AREAS ON CENTERWING LOWER PANEL                                 |           |          |          |                           |           |           | Service     | ATA:53 |
|   | MOS/MSC   | 23-Oct-89 | N/A      |          |                           |           |           |             |        |
|   | HRS   | 0         |          |          |                           |           |           |             |        |
|   | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 53-40-07-280-802                       |   |           |          |          |                           |           |           |             |        |
| 53-41-00-220-801-01 <sup>S</sup>                      | DETAILED INSPECTION OF THE UPPER WING ROOT BOLT RECESSES - LH WING  |           |          |          |                           |           |           | Service     | ATA:53 |
|   | MOS   | 16-Nov-22 | 24 (+1m) |          |                           |           |           |             |        |
|   | HRS   | 9596.5    |          |          |                           |           |           |             |        |
|   | AFL   | 4562      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 53-41-00-220-801, AMM 53-41-00-220-801 |   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|---|---|-----------|----------|----------|---------------------------|-----------|-----------|----------------|--------|
| ATA 53 - FUSELAGE                                     |   |           |          |          |                           |           |           |                |        |
| 53-41-00-220-801-01C                                  | DETAILED INSPECTION OF THE UPPER LH WING ROOT BOLT RECESSES (CPCP)                  |           |          |          |                           |           |           | Service        | ATA:53 |
|   | MOS   | 16-Nov-22 | 25       |          | 16-Dec-24                 |           | 391 d     | CPCP           |        |
|   | HRS   | 9596.5    |          |          |                           |           |           |                |        |
|   | AFL   | 4562      |          |          |                           |           |           |                |        |
| PROC. REF: AMM 53-41-00-220-801, AMM 53-41-00-220-801 |   |           |          |          |                           |           |           |                |        |
| 53-41-00-220-801-02 <sup>S</sup>                      | DETAILED INSPECTION OF THE UPPER WING ROOT BOLT RECESSES - RH WING                  |           |          |          |                           |           |           | Service        | ATA:53 |
|   | MOS   | 16-Nov-22 | 24 (+1m) |          |                           |           |           |                |        |
|   | HRS   | 9596.5    |          |          |                           |           |           |                |        |
|   | AFL   | 4562      |          |          |                           |           |           |                |        |
| PROC. REF: AMM 53-41-00-220-801, AMM 53-41-00-220-801 |   |           |          |          |                           |           |           |                |        |
| 53-41-00-220-801-02C                                  | DETAILED INSPECTION OF THE UPPER RH WING ROOT BOLT RECESSES (CPCP)                  |           |          |          |                           |           |           | Service        | ATA:53 |
|   | MOS   | 16-Nov-22 | 25       |          | 16-Dec-24                 |           | 391 d     | CPCP           |        |
|   | HRS   | 9596.5    |          |          |                           |           |           |                |        |
|   | AFL   | 4562      |          |          |                           |           |           |                |        |
| PROC. REF: AMM 53-41-00-220-801, AMM 53-41-00-220-801 |   |           |          |          |                           |           |           |                |        |
| 53-41-00-220-802-01 <sup>S</sup>                      | DETAILED INSPECTION OF THE LOWER WING ROOT BOLT RECESSES - LH WING                  |           |          |          |                           |           |           | Service        | ATA:53 |
|   | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |           |                |        |
|   | HRS   | 9182.3    |          |          |                           |           |           |                |        |
| WC#: 53.110   | AFL   | 4405      | 3750     |          |                           |           |           |                |        |
| PROC. REF: AMM 53-41-00-220-802                       |   |           |          |          |                           |           |           |                |        |
| 53-41-00-220-802-01A                                  | DETAILED INSPECTION OF THE LOWER WING ROOT BOLT RECESSES - LH WING (MANDATORY 5-40) |           |          |          |                           |           |           | Service        | ATA:53 |
|   | MOS   | 12-Nov-20 |          |          |                           |           |           | MANDATORY 5-40 |        |
|   | HRS   | 9182.3    |          |          |                           |           |           |                |        |
| WC#: 53.110   | AFL   | 4405      | 7500     |          | 11905                     |           | 7265      |                |        |
| PROC. REF: AMM 53-41-00-220-802                       |   |           |          |          |                           |           |           |                |        |
| 53-41-00-220-802-02 <sup>S</sup>                      | DETAILED INSPECTION OF THE LOWER WING ROOT BOLT RECESSES - RH WING                  |           |          |          |                           |           |           | Service        | ATA:53 |
|   | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |           |                |        |
|   | HRS   | 9182.3    |          |          |                           |           |           |                |        |
|   | AFL   | 4405      | 3750     |          |                           |           |           |                |        |
| PROC. REF: AMM 53-41-00-220-802                       |   |           |          |          |                           |           |           |                |        |
| 53-41-00-220-802-02A                                  | DETAILED INSPECTION OF THE LOWER WING ROOT BOLT RECESSES - RH WING (MANDATORY 5-40) |           |          |          |                           |           |           | Service        | ATA:53 |
|   | MOS   | 12-Nov-20 |          |          |                           |           |           | MANDATORY 5-40 |        |
|   | HRS   | 9182.3    |          |          |                           |           |           |                |        |
|   | AFL   | 4405      | 7500     |          | 11905                     |           | 7265      |                |        |
| PROC. REF: AMM 53-41-00-220-802                       |   |           |          |          |                           |           |           |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 53 - FUSELAGE                |   |           |          |          |                           |           |           |             |        |
| 53-41-00-620-802-01              | RENEWAL OF THE TEMPORARY PROTECTION OF THE LH WING ROOT UPPER BOLT RECESSES |           |          |          |                           |           |           | Service     | ATA:53 |
|                                  | MOS/MSC   | 19-Jun-14 | O/C      |          |                           |           |           |             |        |
|                                  | HRS   | 8032      |          |          |                           |           |           |             |        |
| WC#: 57.240                      | AFL   | 3965      |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |   |           |          |          |                           |           |           |             |        |
| 53-41-00-620-802-02              | RENEWAL OF THE TEMPORARY PROTECTION OF THE RH WING ROOT UPPER BOLT RECESSES |           |          |          |                           |           |           | Service     | ATA:53 |
|                                  | MOS/MSC   | 19-Jun-14 | O/C      |          |                           |           |           |             |        |
|                                  | HRS   | 8032      |          |          |                           |           |           |             |        |
| WC#: 57.250                      | AFL   | 3965      |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF        |   |           |          |          |                           |           |           |             |        |
| 53-41-01-640-801-01 <sup>S</sup> | LUBRICATION OF THE WING TO FUSELAGE CONNECTING ROD - LH LINK ROD            |           |          |          |                           |           |           | Service     | ATA:53 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |             |        |
| WC#: 57.030                      | AFL   | 4405      | 3750     |          |                           |           |           |             |        |
| PROC. REF: AMM 53-41-01-640-801  |   |           |          |          |                           |           |           |             |        |
| 53-41-01-640-801-02 <sup>S</sup> | LUBRICATION OF THE WING TO FUSELAGE CONNECTING ROD - RH LINK ROD            |           |          |          |                           |           |           | Service     | ATA:53 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |             |        |
| WC#: 57.030                      | AFL   | 4405      | 3750     |          |                           |           |           |             |        |
| PROC. REF: AMM 53-41-01-640-801  |   |           |          |          |                           |           |           |             |        |
| 53-50-00-210-804-02 <sup>S</sup> | GENERAL VISUAL INSPECTION OF THE REAR COMPARTMENT                           |           |          |          |                           |           |           | Service     | ATA:53 |
|                                  | MOS   | 09-Nov-23 | 12 (+1m) |          |                           |           |           |             |        |
|                                  | HRS   | 9831.2    |          |          |                           |           |           |             |        |
| WC#: 53.080                      | AFL   | 4640      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 53-50-00-210-804  |   |           |          |          |                           |           |           |             |        |
| 53-50-00-210-804-02C             | GENERAL VISUAL INSPECTION OF THE REAR COMPARTMENT (CPCP)                    |           |          |          |                           |           |           | Service     | ATA:53 |
|                                  | MOS   | 09-Nov-23 | 13       |          | 09-Dec-24                 |           | 384 d     | CPCP        |        |
|                                  | HRS   | 9831.2    |          |          |                           |           |           |             |        |
|                                  | AFL   | 4640      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 53-50-00-210-804  |   |           |          |          |                           |           |           |             |        |
| 53-50-00-210-806-01 <sup>S</sup> | GENERAL VISUAL INSPECTION OF THE BAGGAGE COMPARTMENT                        |           |          |          |                           |           |           | Service     | ATA:53 |
|                                  | MOS   | 16-Nov-22 | 24 (+1m) |          |                           |           |           |             |        |
|                                  | HRS   | 9596.5    |          |          |                           |           |           |             |        |
| WC#: 53.0701                     | AFL   | 4562      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 53-50-00-210-806  |   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|----------------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|----------------|--------|
| ATA 53 - FUSELAGE                |   |           |          |          |                           |           |           |                |        |
| 53-50-00-210-806-01C             | GENERAL VISUAL INSPECTION OF THE BAGGAGE COMPARTMENT (CPCP) |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS   | 16-Nov-22 | 25       |          | 16-Dec-24                 |           | 391 d     | CPCP           |        |
|                                  | HRS   | 9596.5    |          |          |                           |           |           |                |        |
|                                  | AFL   | 4562      |          |          |                           |           |           |                |        |
|                                  | PROC. REF: AMM 53-50-00-210-806                             |           |          |          |                           |           |           |                |        |
| 53-50-00-210-807-01              | GENERAL VISUAL INSPECTION APU OF THE APU AREA               |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS/MSC   | 30-Jan-18 | O/C      |          |                           |           |           |                |        |
|                                  | HRS   | 8722.5    |          |          |                           |           |           |                |        |
| WC#: 49.005                      | AFL   | 4222      |          |          |                           |           |           |                |        |
|                                  | PROC. REF: AMM 53-50-00-210-807                             |           |          |          |                           |           |           |                |        |
| 53-50-00-210-807-02 <sup>S</sup> | GENERAL VISUAL INSPECTION OF THE APU AREA                   |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS   | 09-Nov-23 | 12       |          |                           |           |           |                |        |
|                                  | HRS   | 9831.2    |          |          |                           |           |           |                |        |
|                                  | AFL   | 4640      |          |          |                           |           |           |                |        |
|                                  | PROC. REF: AMM 53-50-00-210-807                             |           |          |          |                           |           |           | PKG:15         |        |
| 53-50-00-220-803-01 <sup>S</sup> | DETAILED INSPECTION OF THE BAGGAGE COMPARTMENT              |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |           |                |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |                |        |
| WC#: 53.0702                     | AFL   | 4405      | 3750     |          |                           |           |           |                |        |
|                                  | PROC. REF: AMM 53-50-00-220-803                             |           |          |          |                           |           |           | PKG:31         |        |
| 53-50-00-220-803-01A             | DETAILED INSPECTION OF THE BAGGAGE COMPARTMENT              |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS   | 12-Nov-20 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |                |        |
|                                  | AFL   | 4405      | 3750     |          | 8155                      |           | 3515      |                |        |
|                                  | PROC. REF: AMM 53-50-00-220-803                             |           |          |          |                           |           |           |                |        |
| 53-50-00-220-803-01C             | DETAILED INSPECTION OF THE BAGGAGE COMPARTMENT (CPCP)       |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS   | 12-Nov-20 | 74       |          | 12-Jan-27                 |           | 1148 d    | CPCP           |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |           |                |        |
|                                  | AFL   | 4405      |          |          |                           |           |           |                |        |
|                                  | PROC. REF: AMM 53-50-00-220-803                             |           |          |          |                           |           |           |                |        |
| 53-50-00-220-805-01              | DETAILED INSPECTION OF THE REAR COMPARTMENT                 |           |          |          |                           |           |           | Service        | ATA:53 |
|                                  | MOS/MSC   | 24-Jan-18 | O/C      |          |                           |           |           |                |        |
|                                  | HRS   | 8722.5    |          |          |                           |           |           |                |        |
| WC#: 53.082                      | AFL   | 4222      |          |          |                           |           |           |                |        |
|                                  | PROC. REF: AMM 53-50-00-220-805                             |           |          |          |                           |           |           |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C       | Max Limit | Remaining | Disposition    |        |
|----------------------------------|---|-----------|----------|----------|---------------------------------|-----------|-----------|----------------|--------|
| ATA 53 - FUSELAGE                |   |           |          |          |                                 |           |           |                |        |
| 53-50-00-220-805-02 <sup>S</sup> | DETAILED INSPECTION OF THE REAR COMPARTMENT   |           |          |          |                                 |           |           | Service        | ATA:53 |
|                                  | MOS   | 16-Nov-22 | 24       |          |                                 |           |           |                |        |
|                                  | HRS   | 9596.5    |          |          |                                 |           |           |                |        |
|                                  | AFL   | 4562      |          |          |                                 |           |           |                |        |
|                                  |   |           |          |          | PROC. REF: AMM 53-50-00-220-805 |           |           | PKG:16         |        |
| 53-50-00-220-805-02C             | DETAILED INSPECTION OF THE REAR COMPARTMENT (CPCP)  |           |          |          |                                 |           |           | Service        | ATA:53 |
|                                  | MOS   | 16-Nov-22 | 25       |          | 16-Dec-24                       |           | 391 d     |                |        |
|                                  | HRS   | 9596.5    |          |          |                                 |           |           |                |        |
|                                  | AFL   | 4562      |          |          |                                 |           |           |                |        |
|                                  |   |           |          |          | PROC. REF: AMM 53-50-00-220-805 |           |           |                |        |
| 53-50-00-220-807-01              | DETAILED INSPECTION OF THE FRAME 30 UPPER PART  |           |          |          |                                 |           |           | Service        | ATA:53 |
|                                  | MOS   | 23-Oct-89 |          |          |                                 |           |           |                |        |
|                                  | HRS   | 0         |          |          |                                 |           |           |                |        |
|                                  | AFL   | 0         | T:5000   |          | 5000                            |           | 360       |                |        |
|                                  |   |           |          |          | PROC. REF: AMM 53-50-00-220-807 |           |           |                |        |
| 53-50-00-220-807-01A             | DETAILED INSPECTION OF THE FRAME 30 UPPER PART  |           |          |          |                                 |           |           | Service        | ATA:53 |
|                                  | MOS   | 23-Oct-89 |          |          |                                 |           |           | MANDATORY 5-40 |        |
|                                  | HRS   | 0         |          |          |                                 |           |           |                |        |
|                                  | AFL   | 0         | T:5000   |          | 5000                            |           | 360       |                |        |
|                                  |   |           |          |          | PROC. REF: AMM 53-50-00-220-807 |           |           |                |        |
| 53-50-30-250-802-01              | EDDY-CURRENT INSPECTION OF THE REAR EDGE OF BEAMS AT FRAME 30                                   |           |          |          |                                 |           |           | Service        | ATA:53 |
|                                  | MOS   | 12-Nov-20 |          |          |                                 |           |           |                |        |
|                                  | HRS   | 9182.3    |          |          |                                 |           |           |                |        |
| WC#: 53.180                      | AFL   | 4405      | 3750     |          | 8155                            |           | 3515      |                |        |
|                                  |   |           |          |          | PROC. REF: AMM 53-50-30-250-802 |           |           |                |        |
| 53-60-00-760-801-01 <sup>S</sup> | CHECK OF THE FUSELAGE VENTRAL FAIRING ELECTRICAL BONDING - FUSELAGE CENTER LOWER FAIRING (150A) |           |          |          |                                 |           |           | Service        | ATA:53 |
|                                  | MOS   | 11-Nov-23 | 36 (+1m) |          |                                 |           |           |                |        |
|                                  | HRS   | 9831.2    |          |          |                                 |           |           |                |        |
| WC#: 53.255                      | AFL   | 4640      |          |          |                                 |           |           |                |        |
|                                  |   |           |          |          | PROC. REF: AMM 53-60-00-760-801 |           |           | PKG:17         |        |
| 53-80-00-200-801-01 <sup>S</sup> | CHECK OF THE CONDENSATION AND STREAM WATER DRAINS   |           |          |          |                                 |           |           | Service        | ATA:53 |
|                                  | MOS   | 16-Nov-22 | 24 (+1m) |          |                                 |           |           |                |        |
|                                  | HRS   | 9596.5    |          |          |                                 |           |           |                |        |
| WC#: 51.020                      | AFL   | 4562      |          |          |                                 |           |           |                |        |
|                                  |   |           |          |          | PROC. REF: AMM 53-80-00-200-801 |           |           | PKG:16         |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|---|-----------|------------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 53 - FUSELAGE</b>         |   |           |            |          |                           |           |           |             |        |
| 53-80-01-710-801-01              | OPERATIONAL TEST OF THE WATER DETECTION SYSTEM - "AFT WATER LEAK" PCB (53MD)          |           |            |          |                           |           |           | Service     | ATA:53 |
|                                  | MOS/MSC   | 23-Oct-89 | N/A        |          |                           |           |           |             |        |
|                                  | HRS   | 0         |            |          |                           |           |           |             |        |
|                                  | AFL   | 0         |            |          |                           |           |           |             |        |
| PROC. REF: AMM 53-80-01-710-801  |   |           |            |          |                           |           |           |             |        |
| 53-80-01-710-801-02              | OPERATIONAL TEST OF THE WATER DETECTION SYSTEM - "AFT WATER LEAK" SENSOR (55MD)       |           |            |          |                           |           |           | Service     | ATA:53 |
|                                  | MOS/MSC   | 23-Oct-89 | N/A        |          |                           |           |           |             |        |
|                                  | HRS   | 0         |            |          |                           |           |           |             |        |
|                                  | AFL   | 0         |            |          |                           |           |           |             |        |
| PROC. REF: AMM 53-80-01-710-801  |   |           |            |          |                           |           |           |             |        |
| 53-80-01-900-801-01              | REMOVAL / INSTALLATION OF THE WATER DETECTION SENSOR - "AFT WATER LEAK" SENSOR (55MD) |           |            |          |                           |           |           | Component   | ATA:53 |
| PN:PN                            | MOS/MSC   | 23-Oct-89 | O/C        | TSN 0    |                           |           |           |             |        |
| SN:UNKNOWN                       | HRS   | 0         |            | TSN 0    |                           |           |           |             |        |
|                                  | AFL   | 0         |            | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM 53-80-01-900-801  |   |           |            |          |                           |           |           |             |        |
| 53-80-09-710-801-01 <sup>S</sup> | OPERATIONAL TEST OF THE "CIRCLE SEAL" AUTOMATIC DRAINS                                |           |            |          |                           |           |           | Service     | ATA:53 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m)   |          |                           |           |           |             |        |
|                                  | HRS   | 9182.3    |            |          |                           |           |           |             |        |
| WC#: 51.050                      | AFL   | 4405      | 3750       |          |                           |           |           |             |        |
| PROC. REF: AMM 53-80-09-710-801  |   |           |            |          |                           |           |           |             |        |
| <b>ATA 54 - NACELLES/PYLONS</b>  |   |           |            |          |                           |           |           |             |        |
| 54-00-00-210-810-01 <sup>S</sup> | GENERAL VISUAL INSPECTION OF THE ENGINE 1 AND 3 NACELLES AND PYLONS - ENGINE 1 (L4EZ) |           |            |          |                           |           |           | Service     | ATA:54 |
|                                  | MOS   | 15-Feb-23 |            |          |                           |           |           |             |        |
|                                  | HRS   | 9683.1    | 300 (+100) |          |                           |           |           |             |        |
| WC#: 54.0101                     | AFL   | 4588      |            |          |                           |           |           |             |        |
| PROC. REF: AMM 54-00-00-210-810  |   |           |            |          |                           |           |           |             |        |
| 54-00-00-210-810-02 <sup>S</sup> | GENERAL VISUAL INSPECTION OF THE ENGINE 1 AND 3 NACELLES AND PYLONS - ENGINE 3 (R4EZ) |           |            |          |                           |           |           | Service     | ATA:54 |
|                                  | MOS   | 15-Feb-23 |            |          |                           |           |           |             |        |
|                                  | HRS   | 9683.1    | 300 (+100) |          |                           |           |           |             |        |
| WC#: 54.0101                     | AFL   | 4588      |            |          |                           |           |           |             |        |
| PROC. REF: AMM 54-00-00-210-810  |   |           |            |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition |        |
|----------------------------------|---|-----------|------------|----------|---------------------------|-----------|--------------|-------------|--------|
| ATA 54 - NACELLES/PYLONS         |   |           |            |          |                           |           |              |             |        |
| 54-00-00-210-811-01              | GENERAL VISUAL INSPECTION OF THE ENGINE 2 NACELLE                               |           |            |          |                           |           |              | Service     | ATA:54 |
|                                  | MOS   | 15-Feb-23 |            |          |                           |           |              |             |        |
|                                  | HRS   | 9683.1    | 300 (+100) | Adj -.3  | 9982.8                    | 10082.8   | 151.6 (+100) |             |        |
| WC#: 54.0201                     | AFL   | 4588      |            |          |                           |           |              |             |        |
|                                  | PROC. REF: AMM 54-00-00-210-811   |           |            |          |                           |           |              |             | PKG:52 |
| 54-00-00-220-801-01 <sup>S</sup> | DETAILED INSPECTION OF THE ENGINE 1 AND 3 NACELLES AND PYLONS - ENGINE 1 (L4EZ) |           |            |          |                           |           |              | Service     | ATA:54 |
|                                  | MOS   | 12-Nov-20 | 144 (+2m)  |          |                           |           |              |             |        |
|                                  | HRS   | 9182.3    |            |          |                           |           |              |             |        |
| WC#: 54.0102                     | AFL   | 4405      | 7500       |          |                           |           |              |             |        |
|                                  | PROC. REF: AMM 54-00-00-220-801   |           |            |          |                           |           |              |             | PKG:32 |
| 54-00-00-220-801-01C             | DETAILED INSPECTION OF THE NO. 1 ENGINE NACELLE AND PYLON (CPCP)                |           |            |          |                           |           |              | Service     | ATA:54 |
|                                  | MOS   | 12-Nov-20 | 148        |          | 12-Mar-33                 |           | 3399 d       | CPCP        |        |
|                                  | HRS   | 9182.3    |            |          |                           |           |              |             |        |
|                                  | AFL   | 4405      |            |          |                           |           |              |             |        |
|                                  | PROC. REF: AMM 54-00-00-220-801   |           |            |          |                           |           |              |             |        |
| 54-00-00-220-801-02 <sup>S</sup> | DETAILED INSPECTION OF THE ENGINE 1 AND 3 NACELLES AND PYLONS - ENGINE 3 (R4EZ) |           |            |          |                           |           |              | Service     | ATA:54 |
|                                  | MOS   | 12-Nov-20 | 144 (+2m)  |          |                           |           |              |             |        |
|                                  | HRS   | 9182.3    |            |          |                           |           |              |             |        |
| WC#: 54.0102                     | AFL   | 4405      | 7500       |          |                           |           |              |             |        |
|                                  | PROC. REF: AMM 54-00-00-220-801   |           |            |          |                           |           |              |             | PKG:32 |
| 54-00-00-220-801-02C             | DETAILED INSPECTION OF THE NO. 3 ENGINE NACELLE AND PYLON (CPCP)                |           |            |          |                           |           |              | Service     | ATA:54 |
|                                  | MOS   | 12-Nov-20 | 148        |          | 12-Mar-33                 |           | 3399 d       | CPCP        |        |
|                                  | HRS   | 9182.3    |            |          |                           |           |              |             |        |
|                                  | AFL   | 4405      |            |          |                           |           |              |             |        |
|                                  | PROC. REF: AMM 54-00-00-220-801   |           |            |          |                           |           |              |             |        |
| 54-11-00-610-801-01 <sup>S</sup> | SERVICING OF THE ENGINE COWLINGS - ENGINE 1 COWLINGS                            |           |            |          |                           |           |              | Service     | ATA:54 |
|                                  | MOS   | 16-Nov-22 | 24 (+1m)   |          |                           |           |              |             |        |
|                                  | HRS   | 9596.5    |            |          |                           |           |              |             |        |
| WC#: 54.060                      | AFL   | 4562      |            |          |                           |           |              |             |        |
|                                  | PROC. REF: AMM 54-11-00-610-801   |           |            |          |                           |           |              |             | PKG:16 |
| 54-11-00-610-801-02 <sup>S</sup> | SERVICING OF THE ENGINE COWLINGS - ENGINE 2 COWLINGS                            |           |            |          |                           |           |              | Service     | ATA:54 |
|                                  | MOS   | 16-Nov-22 | 24 (+1m)   |          |                           |           |              |             |        |
|                                  | HRS   | 9596.5    |            |          |                           |           |              |             |        |
| WC#: 54.060                      | AFL   | 4562      |            |          |                           |           |              |             |        |
|                                  | PROC. REF: AMM 54-11-00-610-801   |           |            |          |                           |           |              |             | PKG:16 |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C       | Max Limit | Remaining | Disposition |        |
|----------------------------------|---|-----------|-----------|----------|---------------------------------|-----------|-----------|-------------|--------|
| <b>ATA 54 - NACELLES/PYLONS</b>  |   |           |           |          |                                 |           |           |             |        |
| 54-11-00-610-801-03 <sup>S</sup> | SERVICING OF THE ENGINE COWLINGS - ENGINE 3 COWLINGS  |           |           |          |                                 |           |           | Service     | ATA:54 |
|                                  | MOS   | 16-Nov-22 | 24 (+1m)  |          |                                 |           |           |             |        |
|                                  | HRS   | 9596.5    |           |          |                                 |           |           |             |        |
| WC#: 54.060                      | AFL   | 4562      |           |          |                                 |           |           |             |        |
|                                  |   |           |           |          | PROC. REF: AMM 54-11-00-610-801 |           |           | PKG:16      |        |
| 54-11-00-760-801-01 <sup>S</sup> | CHECK OF THE ENGINE COWLING ELECTRICAL BONDING  |           |           |          |                                 |           |           | Service     | ATA:54 |
|                                  | MOS   | 16-Nov-22 | 24 (+1m)  |          |                                 |           |           |             |        |
|                                  | HRS   | 9596.5    |           |          |                                 |           |           |             |        |
| WC#: 54.125                      | AFL   | 4562      |           |          |                                 |           |           |             |        |
|                                  |   |           |           |          | PROC. REF: AMM 54-11-00-760-801 |           |           | PKG:16      |        |
| 54-13-05-210-801-01 <sup>S</sup> | GENERAL VISUAL INSPECTION OF THE ENGINE 2 AFTERBODY   |           |           |          |                                 |           |           | Service     | ATA:54 |
|                                  | MOS   | 09-Nov-23 | 12 (+1m)  |          |                                 |           |           |             |        |
|                                  | HRS   | 9831.2    | 800 (+40) |          |                                 |           |           |             |        |
| WC#: 78.015                      | AFL   | 4640      |           |          |                                 |           |           |             |        |
|                                  |   |           |           |          | PROC. REF: AMM 54-13-05-210-801 |           |           | PKG:5       |        |
| 54-13-05-220-801-01              | DETAILED INSPECTION OF THE NO. 2 ENGINE AFTERBODY   |           |           |          |                                 |           |           | Service     | ATA:54 |
|                                  | MOS/MSC   | 19-Jun-14 | O/C       |          |                                 |           |           |             |        |
|                                  | HRS   | 8032      |           |          |                                 |           |           |             |        |
|                                  | AFL   | 3965      |           |          |                                 |           |           |             |        |
|                                  |   |           |           |          | PROC. REF: AMM 54-13-05-220-801 |           |           | PKG:31      |        |
| 54-13-05-220-801-02 <sup>S</sup> | DETAILED INSPECTION OF THE ENGINE 2 AFTERBODY   |           |           |          |                                 |           |           | Service     | ATA:54 |
|                                  | MOS   | 12-Nov-20 | 72        |          |                                 |           |           |             |        |
|                                  | HRS   | 9182.3    |           |          |                                 |           |           |             |        |
|                                  | AFL   | 4405      | 3750      |          |                                 |           |           |             |        |
|                                  |   |           |           |          | PROC. REF: AMM 54-13-05-220-801 |           |           | PKG:31      |        |
| 54-14-01-280-801-01              | SPECIAL DETAILED INSPECTION OF THE ENGINE 1 AND 3 NACELLE FAN INNER DUCTS - ENGINE 1 (L4EZ) |           |           |          |                                 |           |           | Service     | ATA:54 |
|                                  | MOS/MSC   | 23-Oct-89 | O/C       |          |                                 |           |           |             |        |
|                                  | HRS   | 0         |           |          |                                 |           |           |             |        |
| WC#: 54.120                      | AFL   | 0         |           |          |                                 |           |           |             |        |
|                                  |   |           |           |          | PROC. REF: AMM 54-14-01-280-801 |           |           |             |        |
| 54-14-01-280-801-02              | SPECIAL DETAILED INSPECTION OF THE ENGINE 1 AND 3 NACELLE FAN INNER DUCTS - ENGINE 3 (R4EZ) |           |           |          |                                 |           |           | Service     | ATA:54 |
|                                  | MOS/MSC   | 23-Oct-89 | O/C       |          |                                 |           |           |             |        |
|                                  | HRS   | 0         |           |          |                                 |           |           |             |        |
| WC#: 54.120                      | AFL   | 0         |           |          |                                 |           |           |             |        |
|                                  |   |           |           |          | PROC. REF: AMM 54-14-01-280-801 |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval | TSX/Adj.   | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |        |
|----------------------------------|---------|---|----------|------------|---------------------------|-----------|-------------|-------------|--------|
| <b>ATA 54 - NACELLES/PYLONS</b>  |         |   |          |            |                           |           |             |             |        |
| 541A01 <sup>U</sup>              |         | AIR ENG #1 INTAKE   |          |            |                           |           |             | Component   | ATA:54 |
| PN:FGFB581100A4                  | MOS/MSC | 03-Oct-03   | O/C      |            |                           |           |             |             |        |
| SN:BZ177                         | HRS     | 4580.3  |          | TSN 4580.3 |                           |           |             |             |        |
|                                  | AFL     | 2121  |          | TSN 2121   |                           |           |             |             |        |
| 541A03 <sup>U</sup>              |         | AIR ENG #3 INTAKE   |          |            |                           |           |             | Component   | ATA:54 |
| PN:FGFB581100A4                  | MOS/MSC | 03-Oct-03   | O/C      |            |                           |           |             |             |        |
| SN:BZ174                         | HRS     | 4580.3  |          | TSN 4580.3 |                           |           |             |             |        |
|                                  | AFL     | 2121  |          | TSN 2121   |                           |           |             |             |        |
| 544A05 <sup>U</sup>              |         | AIR-INTAKE ENG #2 DUCT  |          |            |                           |           |             | Component   | ATA:54 |
| PN:FGFB250703A2                  | MOS/MSC | 23-Mar-90   | O/C      |            |                           |           |             |             |        |
| SN:59                            | HRS     | 27  |          | TSN 27     |                           |           |             |             |        |
|                                  | AFL     | 12  |          | TSN 12     |                           |           |             |             |        |
| <b>ATA 55 - STABILIZERS</b>      |         |   |          |            |                           |           |             |             |        |
| 55-00-00-210-801-01              |         | GENERAL VISUAL INSPECTION OF THE HORIZONTAL AND VERTICAL STABILIZERS AND OF ENGINE 2 AIR INTAKE AND S-DUCT            |          |            |                           |           |             | Service     | ATA:55 |
|                                  | MOS     | 16-Nov-22   | 24 (+1m) | Adj -4d    | 12-Nov-24                 | 12-Dec-24 | 357 d (+30) |             |        |
|                                  | HRS     | 9596.5  | 4000     |            | 13596.5                   |           | 3765.3      |             |        |
| WC#: 55.0101                     | AFL     | 4562  |          |            |                           |           |             |             |        |
| PROC. REF: AMM 55-00-00-210-801  |         |   |          |            |                           |           |             |             |        |
| 55-00-00-210-801-01C             |         | GENERAL VISUAL INSPECTION OF THE HORIZONTAL AND VERTICAL STABILIZERS AND OF NO. 2 ENGINE AIR INTAKE AND S-DUCT (CPCP) |          |            |                           |           |             | Service     | ATA:55 |
|                                  | MOS     | 16-Nov-22   | 25       |            | 16-Dec-24                 |           | 391 d       | CPCP        |        |
|                                  | HRS     | 9596.5  |          |            |                           |           |             |             |        |
|                                  | AFL     | 4562  |          |            |                           |           |             |             |        |
| PROC. REF: AMM 55-00-00-210-801  |         |   |          |            |                           |           |             |             |        |
| 55-00-00-220-801-01 <sup>S</sup> |         | DETAILED INSPECTION OF THE HORIZONTAL AND VERTICAL STABILIZERS AND OF ENGINE 2 AIR INTAKE AND S-DUCT                  |          |            |                           |           |             | Service     | ATA:55 |
|                                  | MOS     | 12-Nov-20   | 72 (+2m) |            |                           |           |             |             |        |
|                                  | HRS     | 9182.3  |          |            |                           |           |             |             |        |
| WC#: 55.0102                     | AFL     | 4405  | 3750     |            |                           |           |             |             |        |
| PROC. REF: AMM 55-00-00-220-801  |         |   |          |            |                           |           |             |             |        |
| 55-00-00-220-801-01C             |         | DETAILED INSPECTION OF THE HORIZONTAL AND VERTICAL STABILIZERS AND OF NO. 2 ENGINE AIR INTAKE AND S-DUCT (CPCP)       |          |            |                           |           |             | Service     | ATA:55 |
|                                  | MOS     | 12-Nov-20   | 74       |            | 12-Jan-27                 |           | 1148 d      | CPCP        |        |
|                                  | HRS     | 9182.3  |          |            |                           |           |             |             |        |
|                                  | AFL     | 4405  |          |            |                           |           |             |             |        |
| PROC. REF: AMM 55-00-00-220-801  |         |   |          |            |                           |           |             |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|-----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 55 - STABILIZERS</b>      |  |           |           |          |                           |           |           |             |        |
| 55-00-00-370-801-01              | APPLICATION OF CORROSION INHIBITOR COMPOUND IN STABILIZER AREAS  |           |           |          |                           |           |           | Service     | ATA:55 |
|                                  | MOS/MSC  | 23-Oct-89 | O/C       |          |                           |           |           |             |        |
|                                  | HRS  | 0         |           |          |                           |           |           |             |        |
|                                  | AFL  | 0         |           |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 55-00-00-370-801  |           |           |          |                           |           |           |             |        |
| 55-00-00-760-801-01 <sup>S</sup> | CHECK OF THE STABILIZER MOVABLE SURFACE ELECTRICAL BONDING - RUDDER  |           |           |          |                           |           |           | Service     | ATA:55 |
|                                  | MOS  | 16-Nov-22 | 24 (+1m)  |          |                           |           |           |             |        |
|                                  | HRS  | 9596.5    |           |          |                           |           |           |             |        |
| WC#: 55.110                      | AFL  | 4562      |           |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 55-00-00-760-801  |           |           |          |                           |           |           |             |        |
|                                  | PKG:16   |           |           |          |                           |           |           |             |        |
| 55-00-00-760-801-02 <sup>S</sup> | CHECK OF THE STABILIZER MOVABLE SURFACE ELECTRICAL BONDING - LH ELEVATOR   |           |           |          |                           |           |           | Service     | ATA:55 |
|                                  | MOS  | 16-Nov-22 | 24 (+1m)  |          |                           |           |           |             |        |
|                                  | HRS  | 9596.5    |           |          |                           |           |           |             |        |
|                                  | AFL  | 4562      |           |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 55-00-00-760-801  |           |           |          |                           |           |           |             |        |
|                                  | PKG:16   |           |           |          |                           |           |           |             |        |
| 55-00-00-760-801-03 <sup>S</sup> | CHECK OF THE STABILIZER MOVABLE SURFACE ELECTRICAL BONDING - RH ELEVATOR   |           |           |          |                           |           |           | Service     | ATA:55 |
|                                  | MOS  | 16-Nov-22 | 24 (+1m)  |          |                           |           |           |             |        |
|                                  | HRS  | 9596.5    |           |          |                           |           |           |             |        |
|                                  | AFL  | 4562      |           |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 55-00-00-760-801  |           |           |          |                           |           |           |             |        |
|                                  | PKG:16   |           |           |          |                           |           |           |             |        |
| 55-10-00-220-801-01 <sup>S</sup> | DETAILED INSPECTION OF THE HORIZONTAL STABILIZER INTERNAL BOX STRUCTURE - DETAILED INSPECTION OF THE HS INTERNAL BOX STRUCTURE |           |           |          |                           |           |           | Service     | ATA:55 |
|                                  | MOS  | 12-Nov-20 | 144 (+2m) |          |                           |           |           |             |        |
|                                  | HRS  | 9182.3    |           |          |                           |           |           |             |        |
|                                  | AFL  | 4405      | 7500      |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 55-10-00-220-801  |           |           |          |                           |           |           |             |        |
|                                  | PKG:32   |           |           |          |                           |           |           |             |        |
| 55-10-00-220-801-01C             | DETAILED INSPECTION OF THE HORIZONTAL STABILIZER INTERNAL BOX STRUCTURE  |           |           |          |                           |           |           | Service     | ATA:55 |
|                                  | MOS  | 12-Nov-20 | 148       |          | 12-Mar-33                 |           | 3399 d    | CPCP        |        |
|                                  | HRS  | 9182.3    |           |          |                           |           |           |             |        |
|                                  | AFL  | 4405      |           |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 55-10-00-220-801  |           |           |          |                           |           |           |             |        |
| 55-10-00-220-802-01 <sup>S</sup> | DETAILED INSPECTION OF THE HORIZONTAL STABILIZER FRONT AND REAR SPARS  |           |           |          |                           |           |           | Service     | ATA:55 |
|                                  | MOS  | 12-Nov-20 | 144 (+2m) |          |                           |           |           |             |        |
|                                  | HRS  | 9182.3    |           |          |                           |           |           |             |        |
|                                  | AFL  | 4405      | 7500      |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 55-10-00-220-802  |           |           |          |                           |           |           |             |        |
|                                  | PKG:32   |           |           |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|----------------------------------|---------|--|----------|----------|---------------------------|-----------|-----------|----------------|--------|
| <b>ATA 55 - STABILIZERS</b>      |         |  |          |          |                           |           |           |                |        |
| 55-10-00-220-802-01C             |         | DETAILED INSPECTION OF THE HORIZONTAL STABILIZER FRONT AND REAR SPARS  |          |          |                           |           |           | Service        | ATA:55 |
|                                  | MOS     | 12-Nov-20  | 148      |          | 12-Mar-33                 |           | 3399 d    | CPCP           |        |
|                                  | HRS     | 9182.3   |          |          |                           |           |           |                |        |
|                                  | AFL     | 4405   |          |          |                           |           |           |                |        |
| PROC. REF: AMM 55-10-00-220-802  |         |  |          |          |                           |           |           |                |        |
| 55-10-00-270-801-01 <sup>S</sup> |         | ULTRASONIC INSPECTION OF THE HORIZONTAL STABILIZER HINGE FITTINGS  |          |          |                           |           |           | Service        | ATA:55 |
|                                  | MOS     | 12-Nov-20  | 72 (+2m) |          |                           |           |           |                |        |
|                                  | HRS     | 9182.3   |          |          |                           |           |           |                |        |
| WC#: 55.030                      | AFL     | 4405   | 3750     |          |                           |           |           |                |        |
| PROC. REF: AMM 55-10-00-270-801  |         |  |          |          |                           |           |           |                |        |
| PKG:31                           |         |  |          |          |                           |           |           |                |        |
| 55-10-00-270-801-01A             |         | ULTRASONIC INSPECTION OF THE HORIZONTAL STABILIZER HINGE FITTINGS (MANDATORY 5-40)   |          |          |                           |           |           | Service        | ATA:55 |
|                                  | MOS     | 12-Nov-20  |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS     | 9182.3   |          |          |                           |           |           |                |        |
| WC#: 55.030                      | AFL     | 4405   | 3750     |          | 8155                      |           | 3515      |                |        |
| PROC. REF: AMM 55-10-00-270-801  |         |  |          |          |                           |           |           |                |        |
| 55-10-00-640-802-01 <sup>S</sup> |         | GREASING OF THE HORIZONTAL STABILIZER FRONT TORQUE LINK AND ACTUATOR UPPER HINGE - HORIZONTAL STABILIZER ELECTRIC ACTUATOR (3CF) |          |          |                           |           |           | Service        | ATA:55 |
|                                  | MOS     | 16-Nov-22  | 24 (+1m) |          |                           |           |           |                |        |
|                                  | HRS     | 9596.5   |          |          |                           |           |           |                |        |
| WC#: 27.237                      | AFL     | 4562   |          |          |                           |           |           |                |        |
| PROC. REF: AMM 55-10-00-640-802  |         |  |          |          |                           |           |           |                |        |
| PKG:16                           |         |  |          |          |                           |           |           |                |        |
| 55-10-01-900-801-01              |         | REMOVAL / INSTALLATION OF THE HORIZONTAL STABILIZER  |          |          |                           |           |           | Component      | ATA:55 |
| PN:FGFB330                       | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |                |        |
| SN:UNKNOWN                       | HRS     | 0  |          | TSN 0    |                           |           |           |                |        |
| WC#: 55.065                      | AFL     | 0  |          |          |                           |           |           |                |        |
| PROC. REF: AMM 55-10-01-900-801  |         |  |          |          |                           |           |           |                |        |
| 55-10-03-640-801-01 <sup>S</sup> |         | LUBRICATION OF THE SPRING-LOADED FAIRING MECHANISM   |          |          |                           |           |           | Service        | ATA:55 |
|                                  | MOS     | 16-Nov-22  | 24 (+1m) |          |                           |           |           |                |        |
|                                  | HRS     | 9596.5   |          |          |                           |           |           |                |        |
|                                  | AFL     | 4562   |          |          |                           |           |           |                |        |
| PROC. REF: AMM 55-10-03-640-801  |         |  |          |          |                           |           |           |                |        |
| PKG:16                           |         |  |          |          |                           |           |           |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition    |
|--|------|-----------|-----------|----------|---------------------------|-----------|-------------|----------------|
| ATA 55 - STABILIZERS   |      |           |           |          |                           |           |             |                |
| 55-10-31-220-801-01 <sup>S</sup> DIMENSIONAL CHECK OF HORIZONTAL STABILIZER REAR HINGE BUSHINGS Service ATA:55   |      |           |           |          |                           |           |             |                |
|  | MOS  | 12-Nov-20 | 72 (+2m)  |          |                           |           |             |                |
|  | HRS  | 9182.3    |           |          |                           |           |             |                |
| WC#: 55.090  | AFL  | 4405      | 3750      |          |                           |           |             |                |
| PROC. REF: AMM 55-10-31-220-801  |      |           |           |          |                           |           |             | PKG:31         |
| 55-10-31-220-801-01A DIMENSIONAL CHECK OF HORIZONTAL STABILIZER REAR HINGE BUSHINGS (MANDATORY 5-40) Service ATA:55                                    |      |           |           |          |                           |           |             |                |
|  | MOS  | 12-Nov-20 |           |          |                           |           |             | MANDATORY 5-40 |
|  | HRS  | 9182.3    |           |          |                           |           |             |                |
| WC#: 55.090  | AFL  | 4405      | 3750      |          | 8155                      |           | 3515        |                |
| PROC. REF: AMM 55-10-31-220-801  |      |           |           |          |                           |           |             |                |
| 55-10-33-640-801-01 LUBRICATION OF THE HORIZONTAL STABILIZER REAR HINGE PINS Service ATA:55  |      |           |           |          |                           |           |             |                |
|  | MOS  | 07-Jul-23 | 36 (+1m)  |          | 07-Jul-26                 | 07-Aug-26 | 959 d (+31) |                |
|  | HRS  | 9780.4    | 600 (+40) |          | 10380.4                   | 10420.4   | 549.2 (+40) |                |
| WC#: 27.235  | AFL  | 4619      |           |          |                           |           |             |                |
| PROC. REF: AMM 55-10-33-640-801  |      |           |           |          |                           |           |             |                |
| 55-10-39-220-801-01 DETAILED INSPECTION OF THE HORIZONTAL STABILIZER ACTUATOR ATTACHMENT FITTINGS AND PINS - LOWER FIN SIDE Service ATA:55             |      |           |           |          |                           |           |             |                |
|  | MOS  | 23-Oct-89 |           |          |                           |           |             |                |
|  | HRS  | 0         |           |          |                           |           |             |                |
| WC#: 55.040  | AFL  | 0         | 11250     |          | 11250                     |           | 6610        |                |
| PROC. REF: AMM 55-10-39-220-801  |      |           |           |          |                           |           |             |                |
| 55-10-39-220-801-01A DETAILED INSPECTION OF THE HORIZONTAL STABILIZER ACTUATOR ATTACHMENT FITTINGS AND PINS (MANDATORY 5-40) Service ATA:55            |      |           |           |          |                           |           |             |                |
|  | MOS  | 23-Oct-89 |           |          |                           |           |             | MANDATORY 5-40 |
|  | HRS  | 0         |           |          |                           |           |             |                |
| WC#: 55.040  | AFL  | 0         | T:11250   |          | 11250                     |           | 6610        |                |
| PROC. REF: AMM 55-10-39-220-801  |      |           |           |          |                           |           |             |                |
| 55-10-39-220-801-02 DETAILED INSPECTION OF THE HORIZONTAL STABILIZER ACTUATOR ATTACHMENT FITTINGS AND PINS - HORIZONTAL STABILIZER SIDE Service ATA:55 |      |           |           |          |                           |           |             |                |
|  | MOS  | 23-Oct-89 |           |          |                           |           |             |                |
|  | HRS  | 0         |           |          |                           |           |             |                |
|  | AFL  | 0         | T:11250   |          | 11250 (M)                 |           | 6610        |                |
| PROC. REF: AMM 55-10-39-220-801  |      |           |           |          |                           |           |             |                |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |
|--|---------|-----------|-----------|----------|---------------------------|-----------|-----------|------------------|
| <b>ATA 55 - STABILIZERS</b>  |         |           |           |          |                           |           |           |                  |
| 55-20-01-900-801-01 REMOVAL / INSTALLATION OF THE ELEVATORS - LH ELEVATOR                            |         |           |           |          |                           |           |           | Component ATA:55 |
| PN:FGFB341   | MOS/MSC | 23-Oct-89 | O/C       |          |                           |           |           |                  |
| SN:96274HD   | HRS     | 0         |           | TSN 0    |                           |           |           |                  |
| WC#: 55.070  | AFL     | 0         |           |          |                           |           |           |                  |
| PROC. REF: AMM 55-20-01-900-801  |         |           |           |          |                           |           |           |                  |
| 55-20-01-900-801-02 REMOVAL / INSTALLATION OF THE ELEVATORS - RH ELEVATOR                            |         |           |           |          |                           |           |           | Component ATA:55 |
| PN:FGFB342   | MOS/MSC | 23-Oct-89 | O/C       |          |                           |           |           |                  |
| SN:107286HD  | HRS     | 0         |           | TSN 0    |                           |           |           |                  |
| WC#: 55.070  | AFL     | 0         |           |          |                           |           |           |                  |
| PROC. REF: AMM 55-20-01-900-801  |         |           |           |          |                           |           |           |                  |
| 55-20-03-640-801-01 <sup>S</sup> LUBRICATION OF THE ELEVATOR BEARINGS - LH ELEVATOR                  |         |           |           |          |                           |           |           | Service ATA:55   |
|  | MOS     | 19-Jun-14 | 144 (+2m) |          |                           |           |           |                  |
|  | HRS     | 8032      |           |          |                           |           |           |                  |
| WC#: 55.070  | AFL     | 3965      | 7500      |          |                           |           |           |                  |
| PROC. REF: AMM 55-20-03-640-801  |         |           |           |          |                           |           |           |                  |
| 55-20-03-640-801-02 <sup>S</sup> LUBRICATION OF THE ELEVATOR BEARINGS - RH ELEVATOR                  |         |           |           |          |                           |           |           | Service ATA:55   |
|  | MOS     | 19-Jun-14 | 144 (+2m) |          |                           |           |           |                  |
|  | HRS     | 8032      |           |          |                           |           |           |                  |
| WC#: 55.070  | AFL     | 3965      | 7500      |          |                           |           |           |                  |
| PROC. REF: AMM 55-20-03-640-801  |         |           |           |          |                           |           |           |                  |
| 55-20-03-640-802-01 <sup>S</sup> LUBRICATION OF THE ELEVATOR CONTROL SURFACE HINGES                  |         |           |           |          |                           |           |           | Service ATA:55   |
|  | MOS     | 09-Nov-23 | 12 (+1m)  |          |                           |           |           |                  |
|  | HRS     | 9831.2    |           |          |                           |           |           |                  |
| WC#: 27.170  | AFL     | 4640      |           |          |                           |           |           |                  |
| PROC. REF: AMM 55-20-03-640-802  |         |           |           |          |                           |           |           |                  |
| 55-20-05-640-801-01 <sup>S</sup> LUBRICATION OF THE ELEVATOR CONTROL BEARINGS AND U-JOINTS           |         |           |           |          |                           |           |           | Service ATA:55   |
|  | MOS     | 09-Nov-23 | 12 (+1m)  |          |                           |           |           |                  |
|  | HRS     | 9831.2    | 800 (+40) |          |                           |           |           |                  |
| WC#: 27.240  | AFL     | 4640      |           |          |                           |           |           |                  |
| PROC. REF: AMM 55-20-05-640-801  |         |           |           |          |                           |           |           |                  |
| 55-30-00-270-801-01 <sup>S</sup> ULTRASONIC INSPECTION OF THE VERTICAL STABILIZER / STUB ATTACHMENTS |         |           |           |          |                           |           |           | Service ATA:55   |
|  | MOS     | 12-Nov-20 | 72 (+2m)  |          |                           |           |           |                  |
|  | HRS     | 9182.3    |           |          |                           |           |           |                  |
| WC#: 55.050  | AFL     | 4405      | 3750      |          |                           |           |           |                  |
| PROC. REF: AMM 55-30-00-270-801  |         |           |           |          |                           |           |           |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|----------------------------------|--|-----------|-----------|----------|---------------------------|-----------|-----------|----------------|--------|
| <b>ATA 55 - STABILIZERS</b>      |  |           |           |          |                           |           |           |                |        |
| 55-30-00-270-801-01A             | ULTRASONIC INSPECTION OF THE VERTICAL STABILIZER / STUB ATTACHMENTS (MANDATORY 5-40) |           |           |          |                           |           |           | Service        | ATA:55 |
|                                  | MOS  | 12-Nov-20 |           |          |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS  | 9182.3    |           |          |                           |           |           |                |        |
| WC#: 55.050                      | AFL  | 4405      | 3750      |          | 8155                      |           | 3515      |                |        |
| PROC. REF: AMM 55-30-00-270-801  |  |           |           |          |                           |           |           |                |        |
| 55-30-01-900-801-01              | REMOVAL / INSTALLATION OF THE VERTICAL STABILIZER                                    |           |           |          |                           |           |           | Component      | ATA:55 |
| PN:FGFB310                       | MOS/MSC  | 23-Oct-89 | O/C       |          |                           |           |           |                |        |
| SN:UNKNOWN                       | HRS  | 0         |           | TSN 0    |                           |           |           |                |        |
| WC#: 55.075                      | AFL  | 0         |           |          |                           |           |           |                |        |
| PROC. REF: AMM 55-30-01-900-801  |  |           |           |          |                           |           |           |                |        |
| 55-40-01-900-801-01              | REMOVAL / INSTALLATION OF THE RUDDER   |           |           |          |                           |           |           | Component      | ATA:55 |
| PN:FGFB321                       | MOS/MSC  | 23-Oct-89 | O/C       |          |                           |           |           |                |        |
| SN:77279                         | HRS  | 0         |           | TSN 0    |                           |           |           |                |        |
| WC#: 55.080                      | AFL  | 0         |           |          |                           |           |           |                |        |
| PROC. REF: AMM 55-40-01-900-801  |  |           |           |          |                           |           |           |                |        |
| 55-40-05-640-801-01 <sup>S</sup> | LUBRICATION OF THE RUDDER BEARINGS   |           |           |          |                           |           |           | Service        | ATA:55 |
|                                  | MOS  | 19-Jun-14 | 144 (+2m) |          |                           |           |           |                |        |
|                                  | HRS  | 8032      |           |          |                           |           |           |                |        |
| WC#: 55.080                      | AFL  | 3965      | 7500      |          |                           |           |           |                |        |
| PROC. REF: AMM 55-40-05-640-801  |  |           |           |          |                           |           |           |                |        |
| 55-40-05-640-802-01 <sup>S</sup> | LUBRICATION OF THE RUDDER CONTROL SURFACE HINGES                                     |           |           |          |                           |           |           | Service        | ATA:55 |
|                                  | MOS  | 09-Nov-23 | 12 (+1m)  |          |                           |           |           |                |        |
|                                  | HRS  | 9831.2    |           |          |                           |           |           |                |        |
| WC#: 27.100                      | AFL  | 4640      |           |          |                           |           |           |                |        |
| PROC. REF: AMM 55-40-05-640-802  |  |           |           |          |                           |           |           |                |        |
| 551101                           | LH SPRING LOADED RIB   |           |           |          |                           |           |           | Component      | ATA:55 |
| PN:PN                            | MOS/MSC  | 23-Oct-89 | O/C       |          |                           |           |           |                |        |
| SN:UNKNOWN                       | HRS  | 0         |           | TSN 0    |                           |           |           |                |        |
| WC#: 55.060                      | AFL  | 0         |           |          |                           |           |           |                |        |
| PROC. REF: AMM GENERIC 2         |  |           |           |          |                           |           |           |                |        |
| 551121                           | RH SPRING LOADED RIB   |           |           |          |                           |           |           | Component      | ATA:55 |
| PN:PN                            | MOS/MSC  | 23-Oct-89 | O/C       |          |                           |           |           |                |        |
| SN:UNKNOWN                       | HRS  | 0         |           | TSN 0    |                           |           |           |                |        |
| WC#: 55.060                      | AFL  | 0         |           |          |                           |           |           |                |        |
| PROC. REF: AMM GENERIC 2         |  |           |           |          |                           |           |           |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|----------------------------------|---------|---|----------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 56 - WINDOWS</b>          |         |   |          |          |                           |           |           |             |  |
| 56-10-01-900-801-01              |         | REMOVAL / INSTALLATION OF THE WINDSHIELDS - PILOT WINDSHIELD (L4HH)         |          |          |                           |           | Component | ATA:56      |  |
| PN:F900-7-8-2                    | MOS/MSC | 10-May-02   | O/C      |          |                           |           |           |             |  |
| SN:568                           | HRS     | 4318  |          |          |                           |           |           |             |  |
| WC#: 56.010                      | AFL     | 1996  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 56-10-01-900-801  |         |   |          |          |                           |           |           |             |  |
| 56-10-01-900-801-02              |         | REMOVAL / INSTALLATION OF THE WINDSHIELDS - COPILOT WINDSHIELD (R4HH)       |          |          |                           |           | Component | ATA:56      |  |
| PN:F900-5-8-2                    | MOS/MSC | 10-May-02   | O/C      |          |                           |           |           |             |  |
| SN:298                           | HRS     | 4318  |          |          |                           |           |           |             |  |
| WC#: 56.010                      | AFL     | 1996  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 56-10-01-900-801  |         |   |          |          |                           |           |           |             |  |
| 56-10-01-900-801-03              |         | REMOVAL / INSTALLATION OF THE WINDSHIELDS - FRONT WINDSHIELD (5HH)          |          |          |                           |           | Component | ATA:56      |  |
| PN:SPSF900-1-7-3                 | MOS/MSC | 24-Apr-02   | O/C      | TSR 0    |                           |           |           |             |  |
| SN:316                           | HRS     | 4318  |          | TSR 0    |                           |           |           |             |  |
| WC#: 56.010                      | AFL     | 1996  |          | TSR 0    |                           |           |           |             |  |
| PROC. REF: AMM 56-10-01-900-801  |         |   |          |          |                           |           |           |             |  |
| 56-10-07-900-801-01              |         | REMOVAL / INSTALLATION OF THE RH LATERAL WINDOW - RH LATERAL WINDOW (R35HH) |          |          |                           |           | Component | ATA:56      |  |
| PN:SPSF900-5-8-2                 | MOS/MSC | 30-Apr-02   | O/C      | TSR 0    |                           |           |           |             |  |
| SN:298                           | HRS     | 4318  |          | TSR 0    |                           |           |           |             |  |
| WC#: 56.035                      | AFL     | 1996  |          | TSR 0    |                           |           |           |             |  |
| PROC. REF: AMM 56-10-07-900-801  |         |   |          |          |                           |           |           |             |  |
| 56-10-09-640-801-01 <sup>S</sup> |         | LUBRICATION OF THE OPENING WINDOW MECHANISM - LH SLIDING WINDOW (L35HH)     |          |          |                           |           | Service   | ATA:56      |  |
|                                  | MOS     | 16-Nov-22   | 24 (+1m) |          |                           |           |           |             |  |
|                                  | HRS     | 9596.5  |          |          |                           |           |           |             |  |
| WC#: 56.020                      | AFL     | 4562  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 56-10-09-640-801  |         |   |          |          |                           |           |           |             |  |
| 56-10-09-900-801-01              |         | REMOVAL / INSTALLATION OF THE OPENING WINDOW - LH SLIDING WINDOW (L35HH)    |          |          |                           |           | Component | ATA:56      |  |
| PN:SPSF900-4-3-1                 | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |  |
| SN:134                           | HRS     | 0   |          | TSN 0    |                           |           |           |             |  |
| WC#: 56.020                      | AFL     | 0   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 56-10-09-900-801  |         |   |          |          |                           |           |           |             |  |
| 56-10-11-900-801-01              |         | REMOVAL / INSTALLATION OF THE REAR WINDOWS - LH REAR WINDOW (L44HH)         |          |          |                           |           | Component | ATA:56      |  |
| PN:SPSF900-6-8-2                 | MOS/MSC | 31-Jan-05   | O/C      |          |                           |           |           |             |  |
| SN:301                           | HRS     | 5271.2  |          |          |                           |           |           |             |  |
| WC#: 56.030                      | AFL     | 2499  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 56-10-11-900-801  |         |   |          |          |                           |           |           |             |  |

PKG:16

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|---------------------------------|---------|---|----------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 56 - WINDOWS</b>         |         |   |          |          |                           |           |           |             |  |
| 56-10-11-900-801-02             |         | REMOVAL / INSTALLATION OF THE REAR WINDOWS - RH REAR WINDOW (R44HH) |          |          |                           |           | Component | ATA:56      |  |
| PN:SPSF900-7-8-2                | MOS/MSC | 30-Apr-02   | O/C      |          | TSR 24                    |           |           |             |  |
| SN:568                          | HRS     | 4318  |          |          | TSR 0                     |           |           |             |  |
| WC#: 56.030                     | AFL     | 1996  |          |          | TSR 0                     |           |           |             |  |
| PROC. REF: AMM 56-10-11-900-801 |         |   |          |          |                           |           |           |             |  |
| 56-20-05-900-801-01             |         | NO. 1 LEFT CABIN WINDOW   |          |          |                           |           | Component | ATA:56      |  |
| PN:SPSF900-8-6-0                | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |  |
| SN:3306                         | HRS     | 0   |          |          | TSN 0                     |           |           |             |  |
| WC#: 56.040                     | AFL     | 0   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 56-20-05-900-801 |         |   |          |          |                           |           |           |             |  |
| 56-20-05-900-801-01             |         | NO. 1 RIGHT CABIN WINDOW  |          |          |                           |           | Component | ATA:56      |  |
| PN:SPSF900-8-6-0                | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |  |
| SN:3378                         | HRS     | 0   |          |          | TSN 0                     |           |           |             |  |
| WC#: 56.080                     | AFL     | 0   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 56-20-05-900-801 |         |   |          |          |                           |           |           |             |  |
| 56-20-05-900-801-01             |         | NO. 10 LEFT CABIN WINDOW  |          |          |                           |           | Component | ATA:56      |  |
| PN:SPSF900-8-6-0                | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |  |
| SN:3330                         | HRS     | 0   |          |          | TSN 0                     |           |           |             |  |
| WC#: 56.070                     | AFL     | 0   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 56-20-05-900-801 |         |   |          |          |                           |           |           |             |  |
| 56-20-05-900-801-01             |         | NO. 10 RIGHT CABIN WINDOW   |          |          |                           |           | Component | ATA:56      |  |
| PN:SPSF900-8-6-0                | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |  |
| SN:3387                         | HRS     | 0   |          |          | TSN 0                     |           |           |             |  |
| WC#: 56.110                     | AFL     | 0   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 56-20-05-900-801 |         |   |          |          |                           |           |           |             |  |
| 56-20-05-900-801-01             |         | NO. 11 LEFT CABIN WINDOW  |          |          |                           |           | Component | ATA:56      |  |
| PN:SPSF900-8-6-0                | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |  |
| SN:3376                         | HRS     | 0   |          |          | TSN 0                     |           |           |             |  |
| WC#: 56.070                     | AFL     | 0   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 56-20-05-900-801 |         |   |          |          |                           |           |           |             |  |
| 56-20-05-900-801-01             |         | NO. 11 RIGHT CABIN WINDOW   |          |          |                           |           | Component | ATA:56      |  |
| PN:SPSF900-8-6-0                | MOS/MSC | 23-Oct-89   | O/C      |          |                           |           |           |             |  |
| SN:3394                         | HRS     | 0   |          |          | TSN 0                     |           |           |             |  |
| WC#: 56.110                     | AFL     | 0   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 56-20-05-900-801 |         |   |          |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W                              | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |               |
|---------------------------------|---------|----------------------------------|----------|----------|---------------------------|-----------|-----------|------------------|---------------|
| <b>ATA 56 - WINDOWS</b>         |         |                                  |          |          |                           |           |           |                  |               |
| <b>56-20-05-900-801-01</b>      |         | <b>NO. 12 LEFT CABIN WINDOW</b>  |          |          |                           |           |           | <b>Component</b> | <b>ATA:56</b> |
| PN:SPSF900-8-6-0                | MOS/MSC | 23-Oct-89                        | O/C      |          |                           |           |           |                  |               |
| SN:3377                         | HRS     | 0                                |          | TSN 0    |                           |           |           |                  |               |
| WC#: 56.070                     | AFL     | 0                                |          |          |                           |           |           |                  |               |
| PROC. REF: AMM 56-20-05-900-801 |         |                                  |          |          |                           |           |           |                  |               |
| <b>56-20-05-900-801-01</b>      |         | <b>NO. 12 RIGHT CABIN WINDOW</b> |          |          |                           |           |           | <b>Component</b> | <b>ATA:56</b> |
| PN:SPSF900-8-6-0                | MOS/MSC | 23-Oct-89                        | O/C      |          |                           |           |           |                  |               |
| SN:3395                         | HRS     | 0                                |          | TSN 0    |                           |           |           |                  |               |
| WC#: 56.110                     | AFL     | 0                                |          |          |                           |           |           |                  |               |
| PROC. REF: AMM 56-20-05-900-801 |         |                                  |          |          |                           |           |           |                  |               |
| <b>56-20-05-900-801-01</b>      |         | <b>NO. 2 LEFT CABIN WINDOW</b>   |          |          |                           |           |           | <b>Component</b> | <b>ATA:56</b> |
| PN:SPSF900-8-6-0                | MOS/MSC | 23-Oct-89                        | O/C      |          |                           |           |           |                  |               |
| SN:3307                         | HRS     | 0                                |          | TSN 0    |                           |           |           |                  |               |
| WC#: 56.040                     | AFL     | 0                                |          |          |                           |           |           |                  |               |
| PROC. REF: AMM 56-20-05-900-801 |         |                                  |          |          |                           |           |           |                  |               |
| <b>56-20-05-900-801-01</b>      |         | <b>NO. 2 RIGHT CABIN WINDOW</b>  |          |          |                           |           |           | <b>Component</b> | <b>ATA:56</b> |
| PN:SPSF900-8-6-0                | MOS/MSC | 23-Oct-89                        | O/C      |          |                           |           |           |                  |               |
| SN:3379                         | HRS     | 0                                |          | TSN 0    |                           |           |           |                  |               |
| WC#: 56.080                     | AFL     | 0                                |          |          |                           |           |           |                  |               |
| PROC. REF: AMM 56-20-05-900-801 |         |                                  |          |          |                           |           |           |                  |               |
| <b>56-20-05-900-801-01</b>      |         | <b>NO. 3 LEFT CABIN WINDOW</b>   |          |          |                           |           |           | <b>Component</b> | <b>ATA:56</b> |
| PN:SPSF900-8-6-0                | MOS/MSC | 23-Oct-89                        | O/C      |          |                           |           |           |                  |               |
| SN:3311                         | HRS     | 0                                |          | TSN 0    |                           |           |           |                  |               |
| WC#: 56.040                     | AFL     | 0                                |          |          |                           |           |           |                  |               |
| PROC. REF: AMM 56-20-05-900-801 |         |                                  |          |          |                           |           |           |                  |               |
| <b>56-20-05-900-801-01</b>      |         | <b>NO. 3 RIGHT CABIN WINDOW</b>  |          |          |                           |           |           | <b>Component</b> | <b>ATA:56</b> |
| PN:SPSF900-8-6-0                | MOS/MSC | 23-Oct-89                        | O/C      |          |                           |           |           |                  |               |
| SN:3380                         | HRS     | 0                                |          | TSN 0    |                           |           |           |                  |               |
| WC#: 56.080                     | AFL     | 0                                |          |          |                           |           |           |                  |               |
| PROC. REF: AMM 56-20-05-900-801 |         |                                  |          |          |                           |           |           |                  |               |
| <b>56-20-05-900-801-01</b>      |         | <b>NO. 4 LEFT CABIN WINDOW</b>   |          |          |                           |           |           | <b>Component</b> | <b>ATA:56</b> |
| PN:SPSF900-8-6-0                | MOS/MSC | 23-Oct-89                        | O/C      |          |                           |           |           |                  |               |
| SN:3312                         | HRS     | 0                                |          | TSN 0    |                           |           |           |                  |               |
| WC#: 56.050                     | AFL     | 0                                |          |          |                           |           |           |                  |               |
| PROC. REF: AMM 56-20-05-900-801 |         |                                  |          |          |                           |           |           |                  |               |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit    | C/W                      | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------------|---------|--------------------------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 56 - WINDOWS</b>         |         |                          |          |          |                           |           |           |             |        |
| 56-20-05-900-801-01             |         | NO. 4 RIGHT CABIN WINDOW |          |          |                           |           |           | Component   | ATA:56 |
| PN:SPSF900-8-6-0                | MOS/MSC | 23-Oct-89                | O/C      |          |                           |           |           |             |        |
| SN:3381                         | HRS     | 0                        |          | TSN 0    |                           |           |           |             |        |
| WC#: 56.090                     | AFL     | 0                        |          |          |                           |           |           |             |        |
| PROC. REF: AMM 56-20-05-900-801 |         |                          |          |          |                           |           |           |             |        |
| 56-20-05-900-801-01             |         | NO. 5 LEFT CABIN WINDOW  |          |          |                           |           |           | Component   | ATA:56 |
| PN:SPSF900-8-6-0                | MOS/MSC | 23-Oct-89                | O/C      |          |                           |           |           |             |        |
| SN:3313                         | HRS     | 0                        |          | TSN 0    |                           |           |           |             |        |
| WC#: 56.050                     | AFL     | 0                        |          |          |                           |           |           |             |        |
| PROC. REF: AMM 56-20-05-900-801 |         |                          |          |          |                           |           |           |             |        |
| 56-20-05-900-801-01             |         | NO. 5 RIGHT CABIN WINDOW |          |          |                           |           |           | Component   | ATA:56 |
| PN:SPSF900-8-6-0                | MOS/MSC | 23-Oct-89                | O/C      |          |                           |           |           |             |        |
| SN:3382                         | HRS     | 0                        |          | TSN 0    |                           |           |           |             |        |
| WC#: 56.090                     | AFL     | 0                        |          |          |                           |           |           |             |        |
| PROC. REF: AMM 56-20-05-900-801 |         |                          |          |          |                           |           |           |             |        |
| 56-20-05-900-801-01             |         | NO. 6 LEFT CABIN WINDOW  |          |          |                           |           |           | Component   | ATA:56 |
| PN:SPSF900-8-6-0                | MOS/MSC | 23-Oct-89                | O/C      |          |                           |           |           |             |        |
| SN:3315                         | HRS     | 0                        |          | TSN 0    |                           |           |           |             |        |
| WC#: 56.050                     | AFL     | 0                        |          |          |                           |           |           |             |        |
| PROC. REF: AMM 56-20-05-900-801 |         |                          |          |          |                           |           |           |             |        |
| 56-20-05-900-801-01             |         | NO. 6 RIGHT CABIN WINDOW |          |          |                           |           |           | Component   | ATA:56 |
| PN:SPSF900-8-6-0                | MOS/MSC | 23-Oct-89                | O/C      |          |                           |           |           |             |        |
| SN:3383                         | HRS     | 0                        |          | TSN 0    |                           |           |           |             |        |
| WC#: 56.090                     | AFL     | 0                        |          |          |                           |           |           |             |        |
| PROC. REF: AMM 56-20-05-900-801 |         |                          |          |          |                           |           |           |             |        |
| 56-20-05-900-801-01             |         | NO. 7 LEFT CABIN WINDOW  |          |          |                           |           |           | Component   | ATA:56 |
| PN:SPSF900-8-6-0                | MOS/MSC | 23-Oct-89                | O/C      |          |                           |           |           |             |        |
| SN:3324                         | HRS     | 0                        |          | TSN 0    |                           |           |           |             |        |
| WC#: 56.060                     | AFL     | 0                        |          |          |                           |           |           |             |        |
| PROC. REF: AMM 56-20-05-900-801 |         |                          |          |          |                           |           |           |             |        |
| 56-20-05-900-801-01             |         | NO. 7 RIGHT CABIN WINDOW |          |          |                           |           |           | Component   | ATA:56 |
| PN:SPSF900-8-6-0                | MOS/MSC | 23-Oct-89                | O/C      |          |                           |           |           |             |        |
| SN:3384                         | HRS     | 0                        |          | TSN 0    |                           |           |           |             |        |
| WC#: 56.100                     | AFL     | 0                        |          |          |                           |           |           |             |        |
| PROC. REF: AMM 56-20-05-900-801 |         |                          |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |        |
|---------------------------------|---|-----------|----------|----------|---------------------------|-----------|-------------|-------------|--------|
| <b>ATA 56 - WINDOWS</b>         |   |           |          |          |                           |           |             |             |        |
| 56-20-05-900-801-01             | NO. 8 LEFT CABIN WINDOW                                 |           |          |          |                           |           |             | Component   | ATA:56 |
| PN:SPSF900-8-6-0                | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |             |             |        |
| SN:3328                         | HRS   | 0         |          | TSN 0    |                           |           |             |             |        |
| WC#: 56.060                     | AFL   | 0         |          |          |                           |           |             |             |        |
| PROC. REF: AMM 56-20-05-900-801 |   |           |          |          |                           |           |             |             |        |
| 56-20-05-900-801-01             | NO. 8 RIGHT CABIN WINDOW                                |           |          |          |                           |           |             | Component   | ATA:56 |
| PN:SPSF900-8-6-0                | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |             |             |        |
| SN:3385                         | HRS   | 0         |          | TSN 0    |                           |           |             |             |        |
| WC#: 56.100                     | AFL   | 0         |          |          |                           |           |             |             |        |
| PROC. REF: AMM 56-20-05-900-801 |   |           |          |          |                           |           |             |             |        |
| 56-20-05-900-801-01             | NO. 9 LEFT CABIN WINDOW                                 |           |          |          |                           |           |             | Component   | ATA:56 |
| PN:SPSF900-8-6-0                | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |             |             |        |
| SN:3329                         | HRS   | 0         |          | TSN 0    |                           |           |             |             |        |
| WC#: 56.060                     | AFL   | 0         |          |          |                           |           |             |             |        |
| PROC. REF: AMM 56-20-05-900-801 |   |           |          |          |                           |           |             |             |        |
| 56-20-05-900-801-01             | NO. 9 RIGHT CABIN WINDOW                                |           |          |          |                           |           |             | Component   | ATA:56 |
| PN:SPSF900-8-6-0                | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |             |             |        |
| SN:3386                         | HRS   | 0         |          | TSN 0    |                           |           |             |             |        |
| WC#: 56.100                     | AFL   | 0         |          |          |                           |           |             |             |        |
| PROC. REF: AMM 56-20-05-900-801 |   |           |          |          |                           |           |             |             |        |
| <b>ATA 57 - WINGS</b>           |   |           |          |          |                           |           |             |             |        |
| 57-00-00-210-801-01             | GENERAL VISUAL INSPECTION OF THE WINGS - LH WING        |           |          |          |                           |           |             | Service     | ATA:57 |
|                                 | MOS   | 16-Nov-22 | 24 (+1m) | Adj -4d  | 12-Nov-24                 | 12-Dec-24 | 357 d (+30) |             |        |
|                                 | HRS   | 9596.5    | 4000     |          | 13596.5                   |           | 3765.3      |             |        |
| WC#: 57.0101                    | AFL   | 4562      |          |          |                           |           |             |             |        |
| PROC. REF: AMM 57-00-00-210-801 |   |           |          |          |                           |           |             |             |        |
| 57-00-00-210-801-01C            | GENERAL VISUAL INSPECTION OF THE WINGS - LH WING (CPCP) |           |          |          |                           |           |             | Service     | ATA:57 |
|                                 | MOS   | 16-Nov-22 | 25       |          | 16-Dec-24                 |           | 391 d       | CPCP        |        |
|                                 | HRS   | 9596.5    |          |          |                           |           |             |             |        |
|                                 | AFL   | 4562      |          |          |                           |           |             |             |        |
| PROC. REF: AMM 57-00-00-210-801 |   |           |          |          |                           |           |             |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |        |
|----------------------------------|---|-----------|----------|----------|---------------------------|-----------|-------------|-------------|--------|
| ATA 57 - WINGS                   |   |           |          |          |                           |           |             |             |        |
| 57-00-00-210-801-02              | GENERAL VISUAL INSPECTION OF THE WINGS - RH WING                                    |           |          |          |                           |           |             | Service     | ATA:57 |
|                                  | MOS   | 16-Nov-22 | 24 (+1m) | Adj -4d  | 12-Nov-24                 | 12-Dec-24 | 357 d (+30) |             |        |
|                                  | HRS   | 9596.5    | 4000     |          | 13596.5                   |           | 3765.3      |             |        |
| WC#: 57.0101                     | AFL   | 4562      |          |          |                           |           |             |             |        |
| PROC. REF: AMM 57-00-00-210-801  |   |           |          |          |                           |           |             |             |        |
| 57-00-00-210-801-02C             | GENERAL VISUAL INSPECTION OF THE WINGS - RH WING (CPCP)                             |           |          |          |                           |           |             | Service     | ATA:57 |
|                                  | MOS   | 16-Nov-22 | 25       |          | 16-Dec-24                 |           | 391 d       | CPCP        |        |
|                                  | HRS   | 9596.5    |          |          |                           |           |             |             |        |
|                                  | AFL   | 4562      |          |          |                           |           |             |             |        |
| PROC. REF: AMM 57-00-00-210-801  |   |           |          |          |                           |           |             |             |        |
| 57-00-00-210-801-03 <sup>S</sup> | GENERAL VISUAL INSPECTION OF THE WINGS - LH WING ANTI-ICING SYSTEM                  |           |          |          |                           |           |             | Service     | ATA:57 |
|                                  | MOS   | 09-Nov-23 | 24 (+1m) |          |                           |           |             |             |        |
|                                  | HRS   |           |          |          |                           |           |             |             |        |
|                                  | AFL   | 4640      |          |          |                           |           |             |             |        |
| PROC. REF: AMM 57-00-00-210-801  |   |           |          |          |                           |           |             |             |        |
| 57-00-00-210-801-03A             | GENERAL VISUAL INSPECTION OF THE WINGS - LH WING ANTI-ICING SYSTEM (MANDATORY 5-40) |           |          |          |                           |           |             | Service     | ATA:57 |
|                                  | MOS   | 09-Nov-23 | 26       |          | 09-Jan-26                 |           | 780 d       |             |        |
|                                  | HRS   |           |          |          |                           |           |             |             |        |
|                                  | AFL   | 4640      |          |          |                           |           |             |             |        |
| PROC. REF: AMM 57-00-00-210-801  |   |           |          |          |                           |           |             |             |        |
| 57-00-00-210-801-04 <sup>S</sup> | GENERAL VISUAL INSPECTION OF THE WINGS - RH WING ANTI-ICING SYSTEM                  |           |          |          |                           |           |             | Service     | ATA:57 |
|                                  | MOS   | 09-Nov-23 | 24 (+1m) |          |                           |           |             |             |        |
|                                  | HRS   |           |          |          |                           |           |             |             |        |
|                                  | AFL   | 4640      |          |          |                           |           |             |             |        |
| PROC. REF: AMM 57-00-00-210-801  |   |           |          |          |                           |           |             |             |        |
| 57-00-00-210-801-04A             | GENERAL VISUAL INSPECTION OF THE WINGS - RH WING ANTI-ICING SYSTEM (MANDATORY 5-40) |           |          |          |                           |           |             | Service     | ATA:57 |
|                                  | MOS   | 09-Nov-23 | 26       |          | 09-Jan-26                 |           | 780 d       |             |        |
|                                  | HRS   |           |          |          |                           |           |             |             |        |
|                                  | AFL   | 4640      |          |          |                           |           |             |             |        |
| PROC. REF: AMM 57-00-00-210-801  |   |           |          |          |                           |           |             |             |        |
| 57-00-00-220-802-01 <sup>S</sup> | DETAILED INSPECTION OF THE WINGS - LH WING  |           |          |          |                           |           |             | Service     | ATA:57 |
|                                  | MOS   | 12-Nov-20 | 72 (+2m) |          |                           |           |             |             |        |
|                                  | HRS   | 9182.3    |          |          |                           |           |             |             |        |
| WC#: 57.0102                     | AFL   | 4405      | 3750     |          |                           |           |             |             |        |
| PROC. REF: AMM 57-00-00-220-802  |   |           |          |          |                           |           |             |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 57 - WINGS                   |  |           |          |          |                           |           |           |             |        |
| 57-00-00-220-802-01C             | DETAILED INSPECTION OF THE WINGS - LH WING (CPCP)                  |           |          |          |                           |           |           | Service     | ATA:57 |
|                                  | MOS  | 12-Nov-20 | 74       |          | 12-Jan-27                 |           | 1148 d    | CPCP        |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |             |        |
|                                  | AFL  | 4405      |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 57-00-00-220-802                                    |           |          |          |                           |           |           |             |        |
| 57-00-00-220-802-02 <sup>S</sup> | DETAILED INSPECTION OF THE WINGS - RH WING                         |           |          |          |                           |           |           | Service     | ATA:57 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |             |        |
| WC#: 57.0102                     | AFL  | 4405      | 3750     |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 57-00-00-220-802                                    |           |          |          |                           |           |           | PKG:31      |        |
| 57-00-00-220-802-02C             | DETAILED INSPECTION OF THE WINGS - RH WING (CPCP)                  |           |          |          |                           |           |           | Service     | ATA:57 |
|                                  | MOS  | 12-Nov-20 | 74       |          | 12-Jan-27                 |           | 1148 d    | CPCP        |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |             |        |
|                                  | AFL  | 4405      |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 57-00-00-220-802                                    |           |          |          |                           |           |           |             |        |
| 57-00-00-370-801-01              | APPLICATION OF CORROSION INHIBITOR COMPOUND IN WING AREAS          |           |          |          |                           |           |           | Service     | ATA:57 |
|                                  | MOS/MS   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
|                                  | HRS  | 0         |          |          |                           |           |           |             |        |
|                                  | AFL  | 0         |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 57-00-00-370-801                                    |           |          |          |                           |           |           |             |        |
| 57-00-00-760-801-01 <sup>S</sup> | ELECTRICAL BONDING CHECK OF THE WING MOVABLE SURFACES - LH AILERON |           |          |          |                           |           |           | Service     | ATA:57 |
|                                  | MOS  | 16-Nov-22 | 24 (+1m) |          |                           |           |           |             |        |
|                                  | HRS  | 9596.5    |          |          |                           |           |           |             |        |
| WC#: 57.265                      | AFL  | 4562      |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 57-00-00-760-801                                    |           |          |          |                           |           |           | PKG:16      |        |
| 57-00-00-760-801-02 <sup>S</sup> | ELECTRICAL BONDING CHECK OF THE WING MOVABLE SURFACES - RH AILERON |           |          |          |                           |           |           | Service     | ATA:57 |
|                                  | MOS  | 16-Nov-22 | 24 (+1m) |          |                           |           |           |             |        |
|                                  | HRS  | 9596.5    |          |          |                           |           |           |             |        |
| WC#: 57.265                      | AFL  | 4562      |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 57-00-00-760-801                                    |           |          |          |                           |           |           | PKG:16      |        |
| 57-00-00-760-801-03 <sup>S</sup> | ELECTRICAL BONDING CHECK OF THE WING MOVABLE SURFACES - LH FLAPS   |           |          |          |                           |           |           | Service     | ATA:57 |
|                                  | MOS  | 16-Nov-22 | 24 (+1m) |          |                           |           |           |             |        |
|                                  | HRS  | 9596.5    |          |          |                           |           |           |             |        |
| WC#: 57.270                      | AFL  | 4562      |          |          |                           |           |           |             |        |
|                                  | PROC. REF: AMM 57-00-00-760-801                                    |           |          |          |                           |           |           | PKG:16      |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 57 - WINGS</b>  |         |           |          |          |                           |           |           |             |
| <b>57-00-00-760-801-04<sup>S</sup> ELECTRICAL BONDING CHECK OF THE WING MOVABLE SURFACES - RH FLAPS Service ATA:57</b>     |         |           |          |          |                           |           |           |             |
|  | MOS     | 16-Nov-22 | 24 (+1m) |          |                           |           |           |             |
|  | HRS     | 9596.5    |          |          |                           |           |           |             |
| WC#: 57.270  | AFL     | 4562      |          |          |                           |           |           |             |
| PROC. REF: AMM 57-00-00-760-801  |         |           |          |          |                           |           |           | PKG:16      |
| <b>57-00-00-760-801-05<sup>S</sup> ELECTRICAL BONDING CHECK OF THE WING MOVABLE SURFACES - LH SLATS Service ATA:57</b>     |         |           |          |          |                           |           |           |             |
|  | MOS     | 16-Nov-22 | 24 (+1m) |          |                           |           |           |             |
|  | HRS     | 9596.5    |          |          |                           |           |           |             |
| WC#: 57.280  | AFL     | 4562      |          |          |                           |           |           |             |
| PROC. REF: AMM 57-00-00-760-801  |         |           |          |          |                           |           |           | PKG:16      |
| <b>57-00-00-760-801-06<sup>S</sup> ELECTRICAL BONDING CHECK OF THE WING MOVABLE SURFACES - RH SLATS Service ATA:57</b>     |         |           |          |          |                           |           |           |             |
|  | MOS     | 16-Nov-22 | 24 (+1m) |          |                           |           |           |             |
|  | HRS     | 9596.5    |          |          |                           |           |           |             |
| WC#: 57.280  | AFL     | 4562      |          |          |                           |           |           |             |
| PROC. REF: AMM 57-00-00-760-801  |         |           |          |          |                           |           |           | PKG:16      |
| <b>57-00-00-760-801-07<sup>S</sup> ELECTRICAL BONDING CHECK OF THE WING MOVABLE SURFACES - LH AIRBRAKES Service ATA:57</b> |         |           |          |          |                           |           |           |             |
|  | MOS     | 16-Nov-22 | 24 (+1m) |          |                           |           |           |             |
|  | HRS     | 9596.5    |          |          |                           |           |           |             |
| WC#: 57.275  | AFL     | 4562      |          |          |                           |           |           |             |
| PROC. REF: AMM 57-00-00-760-801  |         |           |          |          |                           |           |           | PKG:16      |
| <b>57-00-00-760-801-08<sup>S</sup> ELECTRICAL BONDING CHECK OF THE WING MOVABLE SURFACES - RH AIRBRAKES Service ATA:57</b> |         |           |          |          |                           |           |           |             |
|  | MOS     | 16-Nov-22 | 24 (+1m) |          |                           |           |           |             |
|  | HRS     | 9596.5    |          |          |                           |           |           |             |
| WC#: 57.275  | AFL     | 4562      |          |          |                           |           |           |             |
| PROC. REF: AMM 57-00-00-760-801  |         |           |          |          |                           |           |           | PKG:16      |
| <b>57-00-01-900-800-01 LH WING Component ATA:57</b>  |         |           |          |          |                           |           |           |             |
| PN:FGFB101   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:75277   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 57.145  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>57-00-01-900-800-02 RH WING Component ATA:57</b>  |         |           |          |          |                           |           |           |             |
| PN:FGFB102   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:75277   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 57.145  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|----------------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|----------------|--------|
| ATA 57 - WINGS                   |  |           |          |          |                           |           |           |                |        |
| 57-10-00-290-801-01 <sup>S</sup> | BORESCOPE INSPECTION OF THE WING TANKS   |           |          |          |                           |           |           | Service        | ATA:57 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                           |           |           |                |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |                |        |
| WC#: 57.130                      | AFL  | 4405      | 3750     |          |                           |           |           |                |        |
| PROC. REF: AMM 57-10-00-290-801  |  |           |          |          |                           |           |           | PKG:31         |        |
| 57-10-00-290-801-01C             | BORESCOPE INSPECTION OF THE WING TANKS (CPCP)  |           |          |          |                           |           |           | Service        | ATA:57 |
|                                  | MOS  | 12-Nov-20 | 74       |          | 12-Jan-27                 |           | 1148 d    | CPCP           |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |                |        |
|                                  | AFL  | 4405      |          |          |                           |           |           |                |        |
| PROC. REF: AMM 57-10-00-290-801  |  |           |          |          |                           |           |           |                |        |
| 57-10-01-210-801-01              | GENERAL VISUAL INSPECTION OF THE WING LOWER PANELS - LH WING                                   |           |          |          |                           |           |           | Service        | ATA:57 |
|                                  | MOS  | 23-Oct-89 |          |          |                           |           |           |                |        |
|                                  | HRS  | 0         |          |          |                           |           |           |                |        |
|                                  | AFL  | 0         | T:11250  |          | 11250                     |           | 6610      |                |        |
| PROC. REF: AMM 57-10-01-210-801  |  |           |          |          |                           |           |           |                |        |
| 57-10-01-210-801-01A             | GENERAL VISUAL INSPECTION OF THE WING LOWER PANELS - LH WING (MANDATORY 5-40)                  |           |          |          |                           |           |           | Service        | ATA:57 |
|                                  | MOS  | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS  | 0         |          |          |                           |           |           |                |        |
|                                  | AFL  | 0         | T:11250  |          | 11250                     |           | 6610      |                |        |
| PROC. REF: AMM 57-10-01-210-801  |  |           |          |          |                           |           |           |                |        |
| 57-10-01-210-801-02              | GENERAL VISUAL INSPECTION OF THE WING LOWER PANELS - RH WING                                   |           |          |          |                           |           |           | Service        | ATA:57 |
|                                  | MOS  | 23-Oct-89 |          |          |                           |           |           |                |        |
|                                  | HRS  | 0         |          |          |                           |           |           |                |        |
|                                  | AFL  | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
| PROC. REF: AMM 57-10-01-210-801  |  |           |          |          |                           |           |           |                |        |
| 57-10-01-210-801-02A             | GENERAL VISUAL INSPECTION OF THE WING LOWER PANELS - RH WING (MANDATORY 5-40)                  |           |          |          |                           |           |           | Service        | ATA:57 |
|                                  | MOS  | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                  | HRS  | 0         |          |          |                           |           |           |                |        |
|                                  | AFL  | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
| PROC. REF: AMM 57-10-01-210-801  |  |           |          |          |                           |           |           |                |        |
| 57-10-14-220-801-01              | DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO RIB 9 - LH WING |           |          |          |                           |           |           | Service        | ATA:57 |
|                                  | MOS  | 23-Oct-89 |          |          |                           |           |           |                |        |
|                                  | HRS  | 0         |          |          |                           |           |           |                |        |
|                                  | AFL  | 0         | T:11250  |          | 11250                     |           | 6610      |                |        |
| PROC. REF: AMM 57-10-14-220-801  |  |           |          |          |                           |           |           |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN              | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|----------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|----------------|--------|
| ATA 57 - WINGS       |   |           |          |          |                           |           |           |                |        |
| 57-10-14-220-801-01A | DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO RIB 9 - LH WING (MANDATORY 5-40) |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250                     |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-14-220-801   |           |          |          |                           |           |           |                |        |
| 57-10-14-220-801-02  | DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO RIB 9 - RH WING                  |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-14-220-801   |           |          |          |                           |           |           |                |        |
| 57-10-14-220-801-02A | DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO RIB 9 - RH WING (MANDATORY 5-40) |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-14-220-801   |           |          |          |                           |           |           |                |        |
| 57-10-14-220-802-01  | DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - LH WING  |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250                     |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-14-220-802   |           |          |          |                           |           |           |                |        |
| 57-10-14-220-802-01A | DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - LH WING (MANDATORY 5-40)                       |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250                     |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-14-220-802   |           |          |          |                           |           |           |                |        |
| 57-10-14-220-802-02  | DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - RH WING  |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-14-220-802   |           |          |          |                           |           |           |                |        |
| 57-10-14-220-802-02A | DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - RH WING (MANDATORY 5-40)                       |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-14-220-802   |           |          |          |                           |           |           |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN              | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|----------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|----------------|--------|
| ATA 57 - WINGS       |   |           |          |          |                           |           |           |                |        |
| 57-10-14-250-801-01  | SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO 9 - LH WING                  |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-14-250-801   |           |          |          |                           |           |           |                |        |
| 57-10-14-250-801-01A | SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO 9 - LH WING (MANDATORY 5-40) |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-14-250-801   |           |          |          |                           |           |           |                |        |
| 57-10-14-250-801-02  | SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO 9 - RH WING                  |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-14-250-801   |           |          |          |                           |           |           |                |        |
| 57-10-14-250-801-02A | SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM ROOT TO RIB 17 EXCEPT RIB 6 TO 9 - RH WING (MANDATORY 5-40) |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-14-250-801   |           |          |          |                           |           |           |                |        |
| 57-10-14-250-802-01  | SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - LH WING                                    |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-14-250-802   |           |          |          |                           |           |           |                |        |
| 57-10-14-250-802-01A | SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - LH WING (MANDATORY 5-40)                   |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-14-250-802   |           |          |          |                           |           |           |                |        |
| 57-10-14-250-802-02  | SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - RH WING                                    |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-14-250-802   |           |          |          |                           |           |           |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|---------------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|----------------|--------|
| ATA 57 - WINGS                  |   |           |          |          |                           |           |           |                |        |
| 57-10-14-250-802-02A            | SPECIAL DETAILED INSPECTION OF THE WING FRONT SPAR FROM RIB 6 TO RIB 9 - RH WING (MANDATORY 5-40) |           |          |          |                           |           |           | Service        | ATA:57 |
|                                 | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                 | HRS   | 0         |          |          |                           |           |           |                |        |
|                                 | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
| PROC. REF: AMM 57-10-14-250-802 |   |           |          |          |                           |           |           |                |        |
| 57-10-15-220-801-01             | DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - LH WING                          |           |          |          |                           |           |           | Service        | ATA:57 |
|                                 | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                                 | HRS   | 0         |          |          |                           |           |           |                |        |
|                                 | AFL   | 0         | T:11250  |          | 11250                     |           | 6610      |                |        |
| PROC. REF: AMM 57-10-15-220-801 |   |           |          |          |                           |           |           |                |        |
| 57-10-15-220-801-01A            | DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - LH WING (MANDATORY 5-40)         |           |          |          |                           |           |           | Service        | ATA:57 |
|                                 | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                 | HRS   | 0         |          |          |                           |           |           |                |        |
|                                 | AFL   | 0         | T:11250  |          | 11250                     |           | 6610      |                |        |
| PROC. REF: AMM 57-10-15-220-801 |   |           |          |          |                           |           |           |                |        |
| 57-10-15-220-801-02             | DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - RH WING                          |           |          |          |                           |           |           | Service        | ATA:57 |
|                                 | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                                 | HRS   | 0         |          |          |                           |           |           |                |        |
|                                 | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
| PROC. REF: AMM 57-10-15-220-801 |   |           |          |          |                           |           |           |                |        |
| 57-10-15-220-801-02A            | DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - RH WING (MANDATORY 5-40)         |           |          |          |                           |           |           | Service        | ATA:57 |
|                                 | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                 | HRS   | 0         |          |          |                           |           |           |                |        |
|                                 | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
| PROC. REF: AMM 57-10-15-220-801 |   |           |          |          |                           |           |           |                |        |
| 57-10-15-220-802-01             | DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - LH WING                        |           |          |          |                           |           |           | Service        | ATA:57 |
|                                 | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                                 | HRS   | 0         |          |          |                           |           |           |                |        |
|                                 | AFL   | 0         | T:11250  |          | 11250                     |           | 6610      |                |        |
| PROC. REF: AMM 57-10-15-220-802 |   |           |          |          |                           |           |           |                |        |
| 57-10-15-220-802-01A            | DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - LH WING (MANDATORY 5-40)       |           |          |          |                           |           |           | Service        | ATA:57 |
|                                 | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                 | HRS   | 0         |          |          |                           |           |           |                |        |
|                                 | AFL   | 0         | T:11250  |          | 11250                     |           | 6610      |                |        |
| PROC. REF: AMM 57-10-15-220-802 |   |           |          |          |                           |           |           |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|---------------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|----------------|--------|
| ATA 57 - WINGS                  |   |           |          |          |                           |           |           |                |        |
| 57-10-15-220-802-02             | DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - RH WING                  |           |          |          |                           |           |           | Service        | ATA:57 |
|                                 | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                                 | HRS   | 0         |          |          |                           |           |           |                |        |
|                                 | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
| PROC. REF: AMM 57-10-15-220-802 |   |           |          |          |                           |           |           |                |        |
| 57-10-15-220-802-02A            | DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - RH WING (MANDATORY 5-40) |           |          |          |                           |           |           | Service        | ATA:57 |
|                                 | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                 | HRS   | 0         |          |          |                           |           |           |                |        |
|                                 | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
| PROC. REF: AMM 57-10-15-220-802 |   |           |          |          |                           |           |           |                |        |
| 57-10-15-250-801-01             | SPECIAL DETAILED INSPECTION OF THE RIB 8 REAR WING SPAR SPLICE PLATE - LH WING              |           |          |          |                           |           |           | Service        | ATA:57 |
|                                 | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                                 | HRS   | 0         |          |          |                           |           |           |                |        |
| WC#: 57.120                     | AFL   | 0         | T:11250  |          | 11250                     |           | 6610      |                |        |
| PROC. REF: AMM 57-10-15-250-801 |   |           |          |          |                           |           |           |                |        |
| 57-10-15-250-801-01A            | SPECIAL DETAILED INSPECTION OF RIB 8 REAR WING SPAR SPLICE PLATE - LH WING (MANDATORY 5-40) |           |          |          |                           |           |           | Service        | ATA:57 |
|                                 | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                 | HRS   | 0         |          |          |                           |           |           |                |        |
| WC#: 57.120                     | AFL   | 0         | T:11250  |          | 11250                     |           | 6610      |                |        |
| PROC. REF: AMM 57-10-15-250-801 |   |           |          |          |                           |           |           |                |        |
| 57-10-15-250-801-02             | SPECIAL DETAILED INSPECTION OF THE RIB 8 REAR WING SPAR SPLICE PLATE - RH WING              |           |          |          |                           |           |           | Service        | ATA:57 |
|                                 | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                                 | HRS   | 0         |          |          |                           |           |           |                |        |
|                                 | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
| PROC. REF: AMM 57-10-15-250-801 |   |           |          |          |                           |           |           |                |        |
| 57-10-15-250-801-02A            | SPECIAL DETAILED INSPECTION OF RIB 8 REAR WING SPAR SPLICE PLATE - RH WING (MANDATORY 5-40) |           |          |          |                           |           |           | Service        | ATA:57 |
|                                 | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                 | HRS   | 0         |          |          |                           |           |           |                |        |
|                                 | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
| PROC. REF: AMM 57-10-15-250-801 |   |           |          |          |                           |           |           |                |        |
| 57-10-15-250-802-01             | SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - LH WING            |           |          |          |                           |           |           | Service        | ATA:57 |
|                                 | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                                 | HRS   | 0         |          |          |                           |           |           |                |        |
|                                 | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
| PROC. REF: AMM 57-10-15-250-802 |   |           |          |          |                           |           |           |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN              | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|----------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|----------------|--------|
| ATA 57 - WINGS       |   |           |          |          |                           |           |           |                |        |
| 57-10-15-250-802-01A | SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - LH WING (MANDATORY 5-40)   |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-15-250-802   |           |          |          |                           |           |           |                |        |
| 57-10-15-250-802-02  | SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - RH WING                    |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-15-250-802   |           |          |          |                           |           |           |                |        |
| 57-10-15-250-802-02A | SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 1 FROM ROOT TO RIB 3 - RH WING (MANDATORY 5-40)   |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-15-250-802   |           |          |          |                           |           |           |                |        |
| 57-10-15-250-803-01  | SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - LH WING                  |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-15-250-803   |           |          |          |                           |           |           |                |        |
| 57-10-15-250-803-01A | SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - LH WING (MANDATORY 5-40) |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-15-250-803   |           |          |          |                           |           |           |                |        |
| 57-10-15-250-803-02  | SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - RH WING                  |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-15-250-803   |           |          |          |                           |           |           |                |        |
| 57-10-15-250-803-02A | SPECIAL DETAILED INSPECTION OF THE WING REAR SPAR 2 FROM RIB 3 TO RIB 17 - RH WING (MANDATORY 5-40) |           |          |          |                           |           |           | Service        | ATA:57 |
|                      | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                      | HRS   | 0         |          |          |                           |           |           |                |        |
|                      | AFL   | 0         | T:11250  |          | 11250 (M)                 |           | 6610      |                |        |
|                      | PROC. REF: AMM 57-10-15-250-803   |           |          |          |                           |           |           |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W   | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|----------------------------------|---------|---|----------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 57 - WINGS</b>            |         |   |          |          |                           |           |           |             |  |
| 57-45-01-900-801-01              |         | REMOVAL / INSTALLATION OF THE INBOARD SLATS - LH INBOARD SLAT               |          |          |                           |           | Component | ATA:57      |  |
| PN:FGFB133A6MP                   | MOS/MSC | 31-May-23   | O/C      | TSR 88   |                           |           |           |             |  |
| SN:162-429RA                     | HRS     | 9758.1  |          | TSR 0    |                           |           |           |             |  |
| WC#: 57.160                      | AFL     | 4611  |          | TSR 0    |                           |           |           |             |  |
| PROC. REF: AMM 57-45-01-900-801  |         |   |          |          |                           |           |           |             |  |
| 57-45-01-900-801-02              |         | REMOVAL / INSTALLATION OF THE INBOARD SLATS - RH INBOARD SLAT               |          |          |                           |           | Component | ATA:57      |  |
| PN:FGFB135MP                     | MOS/MSC | 31-May-23   | O/C      | TSR 88   |                           |           |           |             |  |
| SN:75/286RA                      | HRS     | 9758.1  |          | TSR 0    |                           |           |           |             |  |
| WC#: 57.170                      | AFL     | 4611  |          | TSR 0    |                           |           |           |             |  |
| PROC. REF: AMM 57-45-01-900-801  |         |   |          |          |                           |           |           |             |  |
| 57-45-13-900-801-01              |         | REMOVAL / INSTALLATION OF THE OUTBOARD SLATS - LH OUTBOARD SLAT             |          |          |                           |           | Component | ATA:57      |  |
| PN:FGFB135MP                     | MOS/MSC | 31-May-23   | O/C      | TSR 75   |                           |           |           |             |  |
| SN:AAA2003                       | HRS     | 9758.1  |          | TSR 0    |                           |           |           |             |  |
| WC#: 57.160                      | AFL     | 4611  |          | TSR 0    |                           |           |           |             |  |
| PROC. REF: AMM 57-45-13-900-801  |         |   |          |          |                           |           |           |             |  |
| 57-45-13-900-801-02              |         | REMOVAL / INSTALLATION OF THE OUTBOARD SLATS - RH OUTBOARD SLAT             |          |          |                           |           | Component | ATA:57      |  |
| PN:FGFB145S2                     | MOS/MSC | 31-May-23   | O/C      | TSN 0    |                           |           |           |             |  |
| SN:887RA1413                     | HRS     | 9758.1  |          | TSN 0    |                           |           |           |             |  |
| WC#: 57.170                      | AFL     | 4611  |          | TSN 0    |                           |           |           |             |  |
| PROC. REF: AMM 57-45-13-900-801  |         |   |          |          |                           |           |           |             |  |
| 57-45-25-250-801-01              |         | EDDY CURRENT INSPECTION OF SLAT TRACKS - INSPECTION OF SLAT TRACKS 5 AND 10 |          |          |                           |           | Service   | ATA:57      |  |
|                                  | MOS     | 19-Jun-14   |          |          |                           |           |           |             |  |
|                                  | HRS     | 8032  |          |          |                           |           |           |             |  |
| WC#: 57.300                      | AFL     | 3965  | 7500     |          | 11465                     |           | 6825      |             |  |
| PROC. REF: AMM 57-45-25-250-801  |         |   |          |          |                           |           |           |             |  |
| 57-45-25-250-801-02              |         | EDDY CURRENT INSPECTION OF SLAT TRACKS - INSPECTION OF SLAT TRACKS 1 AND 4  |          |          |                           |           | Service   | ATA:57      |  |
|                                  | MOS     | 23-Oct-89   |          |          |                           |           |           |             |  |
|                                  | HRS     | 0   |          |          |                           |           |           |             |  |
|                                  | AFL     | 0   | 11250    |          | 11250                     |           | 6610      |             |  |
| PROC. REF: AMM 57-45-25-250-801  |         |   |          |          |                           |           |           |             |  |
| 57-55-00-700-801-01 <sup>S</sup> |         | CHECK OF THE FLAP LATERAL CLEARANCE - LH WING                               |          |          |                           |           | Service   | ATA:57      |  |
|                                  | MOS     | 12-Nov-20   | 72 (+2m) |          |                           |           |           |             |  |
|                                  | HRS     | 9182.3  |          |          |                           |           |           |             |  |
| WC#: 57.285                      | AFL     | 4405  | 3750     |          |                           |           |           |             |  |
| PROC. REF: AMM 57-55-00-700-801  |         |   |          |          |                           |           |           |             |  |

PKG:31

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 57 - WINGS                   |  |           |          |          |                           |           |           |             |        |
| 57-55-00-700-801-02 <sup>S</sup> | CHECK OF THE FLAP LATERAL CLEARANCE - RH WING  |           |          |          |                           |           |           | Service     | ATA:57 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |             |        |
| WC#: 57.290                      | AFL  | 4405      | 3750     |          |                           |           |           |             |        |
| PROC. REF: AMM 57-55-00-700-801  |  |           |          |          |                           |           |           | PKG:31      |        |
| 57-55-01-900-801-01              | REMOVAL / INSTALLATION OF THE INBOARD FLAPS - LH INBOARD FLAP  |           |          |          |                           |           |           | Component   | ATA:57 |
| PN:FGFB161                       | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:75279                         | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 57.180                      | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 57-55-01-900-801  |  |           |          |          |                           |           |           |             |        |
| 57-55-01-900-801-02              | REMOVAL / INSTALLATION OF THE INBOARD FLAPS - RH INBOARD FLAP  |           |          |          |                           |           |           | Component   | ATA:57 |
| PN:FGFB162                       | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:75281                         | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 57.180                      | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 57-55-01-900-801  |  |           |          |          |                           |           |           |             |        |
| 57-55-05-900-801-01              | REMOVAL / INSTALLATION OF THE OUTBOARD FLAPS - LH OUTBOARD FLAP  |           |          |          |                           |           |           | Component   | ATA:57 |
| PN:FGFB163                       | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:75280                         | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 57.190                      | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 57-55-05-900-801  |  |           |          |          |                           |           |           |             |        |
| 57-55-05-900-801-02              | REMOVAL / INSTALLATION OF THE OUTBOARD FLAPS - RH OUTBOARD FLAP  |           |          |          |                           |           |           | Component   | ATA:57 |
| PN:FGFB164                       | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:75281                         | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 57.190                      | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM 57-55-05-900-801  |  |           |          |          |                           |           |           |             |        |
| 57-55-07-220-801-01 <sup>S</sup> | DETAILED INSPECTION OF THE PROTECTION ON INBOARD / OUTBOARD FLAP JUNCTION FAIRING FRICTION AREAS - LH WING |           |          |          |                           |           |           | Service     | ATA:57 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |             |        |
| WC#: 57.150                      | AFL  | 4405      | 3750     |          |                           |           |           |             |        |
| PROC. REF: AMM 57-55-07-220-801  |  |           |          |          |                           |           |           | PKG:31      |        |
| 57-55-07-220-801-02 <sup>S</sup> | DETAILED INSPECTION OF THE PROTECTION ON INBOARD / OUTBOARD FLAP JUNCTION FAIRING FRICTION AREAS - RH WING |           |          |          |                           |           |           | Service     | ATA:57 |
|                                  | MOS  | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |        |
|                                  | HRS  | 9182.3    |          |          |                           |           |           |             |        |
| WC#: 57.150                      | AFL  | 4405      | 3750     |          |                           |           |           |             |        |
| PROC. REF: AMM 57-55-07-220-801  |  |           |          |          |                           |           |           | PKG:31      |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval  | TSX/Adj.   | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---|---------|-----------|-----------|------------|---------------------------|-----------|-----------|-------------|
| ATA 57 - WINGS  |         |           |           |            |                           |           |           |             |
| 57-55-11-210-801-01 <sup>S</sup> GENERAL VISUAL INSPECTION OF THE FOREFLAP BRACKETS Service ATA:57          |         |           |           |            |                           |           |           |             |
|   | MOS     | 12-Nov-20 | 72 (+2m)  |            |                           |           |           |             |
|   | HRS     | 9182.3    |           |            |                           |           |           |             |
| WC#: 57.210   | AFL     | 4405      | 3750      |            |                           |           |           |             |
| PROC. REF: AMM 57-55-11-210-801   |         |           |           |            |                           |           |           | PKG:31      |
| 57-55-13-640-801-01 <sup>S</sup> GREASING / LUBRICATION OF FLAP ROLLERS AND TRACKS - LH WING Service ATA:57 |         |           |           |            |                           |           |           |             |
|   | MOS     | 09-Nov-23 | 12 (+1m)  |            |                           |           |           |             |
|   | HRS     | 9831.2    | 800 (+40) |            |                           |           |           |             |
|   | AFL     | 4640      |           |            |                           |           |           |             |
| PROC. REF: AMM 57-55-13-640-801   |         |           |           |            |                           |           |           | PKG:5       |
| 57-55-13-640-801-02 <sup>S</sup> GREASING / LUBRICATION OF FLAP ROLLERS AND TRACKS - RH WING Service ATA:57 |         |           |           |            |                           |           |           |             |
|   | MOS     | 09-Nov-23 | 12 (+1m)  |            |                           |           |           |             |
|   | HRS     | 9831.2    | 800 (+40) |            |                           |           |           |             |
|   | AFL     | 4640      |           |            |                           |           |           |             |
| PROC. REF: AMM 57-55-13-640-801   |         |           |           |            |                           |           |           | PKG:5       |
| 57-55-21-250-801-01 EDDY-CURRENT INSPECTION OF THE FLAP TRACKS 2 AND 5 Service ATA:57                       |         |           |           |            |                           |           |           |             |
|   | MOS     | 12-Nov-20 |           |            |                           |           |           |             |
|   | HRS     | 9182.3    |           |            |                           |           |           |             |
| WC#: 57.200   | AFL     | 4405      | 3750      |            | 8155                      |           | 3515      |             |
| PROC. REF: AMM 57-55-21-250-801   |         |           |           |            |                           |           |           |             |
| 57-55-21-250-801-01A EDDY-CURRENT INSPECTION OF THE FLAP TRACKS 2 AND 5 (MANDATORY 5-40) Service ATA:57     |         |           |           |            |                           |           |           |             |
|   | MOS     | 12-Nov-20 |           |            |                           |           |           | FD          |
|   | HRS     | 9182.3    |           |            |                           |           |           |             |
|   | AFL     | 4405      | 4770      |            | 9175                      |           | 4535      |             |
| PROC. REF: AMM 57-55-21-250-801   |         |           |           |            |                           |           |           |             |
| 57-60-01-900-801-01 REMOVAL / INSTALLATION OF THE AILERONS - LH AILERON Component ATA:57                    |         |           |           |            |                           |           |           |             |
| PN:F50B151B9  | MOS/MSC | 12-Nov-20 | O/C       | TSN 118    |                           |           |           |             |
| SN:263PZL   | HRS     | 9182.3    |           | TSN 2128.5 |                           |           |           |             |
| WC#: 57.140   | AFL     | 4405      |           | TSN 907    |                           |           |           |             |
| PROC. REF: AMM 57-60-01-900-801   |         |           |           |            |                           |           |           |             |
| 57-60-01-900-801-02 REMOVAL / INSTALLATION OF THE AILERONS - RH AILERON Component ATA:57                    |         |           |           |            |                           |           |           |             |
| PN:F50B154  | MOS/MSC | 12-Nov-20 | O/C       |            |                           |           |           |             |
| SN:90263  | HRS     | 9182.3    |           | TSN 9182.3 |                           |           |           |             |
| WC#: 57.140   | AFL     | 4405      |           |            |                           |           |           |             |
| PROC. REF: AMM 57-60-01-900-801   |         |           |           |            |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| ATA 57 - WINGS   |         |           |          |          |                           |           |           |             |
| 57-60-05-640-801-01 <sup>S</sup> PRESSURE LUBRICATION OF THE AILERON BEARINGS - LH AILERON BEARINGS Service ATA:57 |         |           |          |          |                           |           |           |             |
|  | MOS     | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |
|  | HRS     | 9182.3    |          |          |                           |           |           |             |
| WC#: 57.140  | AFL     | 4405      | 3750     |          |                           |           |           |             |
| PROC. REF: AMM 57-60-05-640-801  |         |           |          |          |                           |           |           | PKG:31      |
| 57-60-05-640-801-02 <sup>S</sup> PRESSURE LUBRICATION OF THE AILERON BEARINGS - RH AILERON BEARINGS Service ATA:57 |         |           |          |          |                           |           |           |             |
|  | MOS     | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |
|  | HRS     | 9182.3    |          |          |                           |           |           |             |
| WC#: 57.140  | AFL     | 4405      | 3750     |          |                           |           |           |             |
| PROC. REF: AMM 57-60-05-640-801  |         |           |          |          |                           |           |           | PKG:31      |
| 57-60-05-640-802-01 <sup>S</sup> LUBRICATION OF THE AILERON CONTROL SURFACE HINGES - LH AILERON Service ATA:57     |         |           |          |          |                           |           |           |             |
|  | MOS     | 09-Nov-23 | 12 (+1m) |          |                           |           |           |             |
|  | HRS     | 9831.2    |          |          |                           |           |           |             |
|  | AFL     | 4640      |          |          |                           |           |           |             |
| PROC. REF: AMM 57-60-05-640-802  |         |           |          |          |                           |           |           | PKG:15      |
| 57-60-05-640-802-02 <sup>S</sup> LUBRICATION OF THE AILERON CONTROL SURFACE HINGES - RH AILERON Service ATA:57     |         |           |          |          |                           |           |           |             |
|  | MOS     | 09-Nov-23 | 12 (+1m) |          |                           |           |           |             |
|  | HRS     | 9831.2    |          |          |                           |           |           |             |
|  | AFL     | 4640      |          |          |                           |           |           |             |
| PROC. REF: AMM 57-60-05-640-802  |         |           |          |          |                           |           |           | PKG:15      |
| 57-70-01-900-801-01 REMOVAL / INSTALLATION OF THE AIRBRAKES - LH OUTBOARD AIRBRAKE Component ATA:57                |         |           |          |          |                           |           |           |             |
| PN:FGFB165   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:95286   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 57.220  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 57-70-01-900-801  |         |           |          |          |                           |           |           |             |
| 57-70-01-900-801-02 REMOVAL / INSTALLATION OF THE AIRBRAKES - LH MIDDLE AIRBRAKE Component ATA:57                  |         |           |          |          |                           |           |           |             |
| PN:FGFB169   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:95561   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 57.220  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 57-70-01-900-801  |         |           |          |          |                           |           |           |             |
| 57-70-01-900-801-03 REMOVAL / INSTALLATION OF THE AIRBRAKES - LH INBOARD AIRBRAKE Component ATA:57                 |         |           |          |          |                           |           |           |             |
| PN:FGFB167   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:95278   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 57.220  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 57-70-01-900-801  |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                          | Unit    | C/W  | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |  |
|----------------------------------|---------|--|----------|----------|---------------------------|-----------|-----------|-------------|--|
| <b>ATA 57 - WINGS</b>            |         |  |          |          |                           |           |           |             |  |
| 57-70-01-900-801-04              |         | REMOVAL / INSTALLATION OF THE AIRBRAKES - RH INBOARD AIRBRAKE  |          |          |                           |           | Component | ATA:57      |  |
| PN:FGFB168                       | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:94281                         | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 57.230                      | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 57-70-01-900-801  |         |  |          |          |                           |           |           |             |  |
| 57-70-01-900-801-05              |         | REMOVAL / INSTALLATION OF THE AIRBRAKES - RH MIDDLE AIRBRAKE   |          |          |                           |           | Component | ATA:57      |  |
| PN:FGFB169                       | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:95562                         | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 57.230                      | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 57-70-01-900-801  |         |  |          |          |                           |           |           |             |  |
| 57-70-01-900-801-06              |         | REMOVAL / INSTALLATION OF THE AIRBRAKES - RH OUTBOARD AIRBRAKE |          |          |                           |           | Component | ATA:57      |  |
| PN:FGFB166                       | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:93277                         | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 57.230                      | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM 57-70-01-900-801  |         |  |          |          |                           |           |           |             |  |
| 57-70-03-640-801-01 <sup>S</sup> |         | LUBRICATION OF THE AIRBRAKE HINGES                             |          |          |                           |           | Service   | ATA:57      |  |
|                                  | MOS     | 09-Nov-23  | 12 (+1m) |          |                           |           |           |             |  |
|                                  | HRS     | 9831.2   |          |          |                           |           |           |             |  |
|                                  | AFL     | 4640   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 57-70-03-640-801  |         |  |          |          |                           |           |           |             |  |
| PKG:15                           |         |  |          |          |                           |           |           |             |  |
| 570201                           |         | LH WING/FUSELAGE CONNECTING ROD                                |          |          |                           |           | Component | ATA:57      |  |
| PN:PN                            | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:UNKNOWN                       | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 57.030                      | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM GENERIC 2         |         |  |          |          |                           |           |           |             |  |
| 570221                           |         | RH WING/FUSELAGE CONNECTING ROD                                |          |          |                           |           | Component | ATA:57      |  |
| PN:PN                            | MOS/MSC | 23-Oct-89  | O/C      |          |                           |           |           |             |  |
| SN:UNKNOWN                       | HRS     | 0  |          | TSN 0    |                           |           |           |             |  |
| WC#: 57.030                      | AFL     | 0  |          |          |                           |           |           |             |  |
| PROC. REF: AMM GENERIC 2         |         |  |          |          |                           |           |           |             |  |
| <b>ATA 71 - POWER PLANT</b>      |         |  |          |          |                           |           |           |             |  |
| 71-00-00-910-802-01              |         | ENGINE INSPECTION RUN-UP - ENGINE 1 (L4EZ)                     |          |          |                           |           | Service   | ATA:71      |  |
|                                  | MOS/MSC | 10-Mar-14  | O/C      |          |                           |           |           |             |  |
|                                  | HRS     | 8005.9   |          |          |                           |           |           |             |  |
| WC#: 71.050                      | AFL     | 3957   |          |          |                           |           |           |             |  |
| PROC. REF: AMM 71-00-00-910-802  |         |  |          |          |                           |           |           |             |  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition    |        |
|---------------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|----------------|--------|
| ATA 71 - POWER PLANT            |   |           |          |          |                           |           |           |                |        |
| 71-00-00-910-802-02             | ENGINE INSPECTION RUN-UP - ENGINE 2 (M4EZ)  |           |          |          |                           |           |           | Service        | ATA:71 |
|                                 | MOS/MSC   | 14-Apr-92 | O/C      |          |                           |           |           |                |        |
|                                 | HRS   | 1570      |          |          |                           |           |           |                |        |
| WC#: 71.050                     | AFL   | 670       |          |          |                           |           |           |                |        |
| PROC. REF: AMM 71-00-00-910-802 |   |           |          |          |                           |           |           |                |        |
| 71-00-00-910-802-03             | ENGINE INSPECTION RUN-UP - ENGINE 3 (R4EZ)  |           |          |          |                           |           |           | Service        | ATA:71 |
|                                 | MOS/MSC   | 20-Jun-12 | O/C      |          |                           |           |           |                |        |
|                                 | HRS   | 7663.6    |          |          |                           |           |           |                |        |
| WC#: 71.050                     | AFL   |           |          |          |                           |           |           |                |        |
| PROC. REF: AMM 71-00-00-910-802 |   |           |          |          |                           |           |           |                |        |
| 71-20-02-250-801-01             | SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF THE ENGINE 1 AND 3 FRONT MOUNTS - ENGINE 1 FRONT MOUNT  |           |          |          |                           |           |           | Service        | ATA:71 |
|                                 | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                                 | HRS   | 0         |          |          |                           |           |           |                |        |
| WC#: 54.030                     | AFL   | 0         | T:10000  |          | 10000                     |           | 5360      |                |        |
| PROC. REF: AMM 71-20-02-250-801 |   |           |          |          |                           |           |           |                |        |
| 71-20-02-250-801-01A            | SPECIAL DETAILED INSPECTION (EDDY CURENT) OF THE NO. 1 ENGINE FRONT MOUNT (MANDATORY 5-40)            |           |          |          |                           |           |           | Service        | ATA:71 |
|                                 | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                 | HRS   | 0         |          |          |                           |           |           |                |        |
|                                 | AFL   | 0         | T:10000  |          | 10000                     |           | 5360      |                |        |
| PROC. REF: AMM 71-20-02-250-801 |   |           |          |          |                           |           |           |                |        |
| 71-20-02-250-801-02             | SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF THE ENGINE 1 AND 3 FRONT MOUNTS - ENGINE 3 FRONT MOUNT  |           |          |          |                           |           |           | Service        | ATA:71 |
|                                 | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                                 | HRS   | 0         |          |          |                           |           |           |                |        |
| WC#: 54.030                     | AFL   | 0         | T:10000  |          | 10000                     |           | 5360      |                |        |
| PROC. REF: AMM 71-20-02-250-801 |   |           |          |          |                           |           |           |                |        |
| 71-20-02-250-801-02A            | SPECIAL DETAILED INSPECTION (EDDY CURENT) OF THE NO. 3 ENGINE FRONT MOUNT (MANDATORY 5-40)            |           |          |          |                           |           |           | Service        | ATA:71 |
|                                 | MOS   | 23-Oct-89 |          |          |                           |           |           | MANDATORY 5-40 |        |
|                                 | HRS   | 0         |          |          |                           |           |           |                |        |
|                                 | AFL   | 0         | T:10000  |          | 10000                     |           | 5360      |                |        |
| PROC. REF: AMM 71-20-02-250-801 |   |           |          |          |                           |           |           |                |        |
| 71-20-02-250-802-01             | SPECIAL DETAILED INSPECTION OF THE ENGINE 1 AND 3 FRONT MOUNT SHACKLES - ENGINE 1 FRONT MOUNT SHACKLE |           |          |          |                           |           |           | Service        | ATA:71 |
|                                 | MOS   | 23-Oct-89 |          |          |                           |           |           |                |        |
|                                 | HRS   | 0         |          |          |                           |           |           |                |        |
| WC#: 54.050                     | AFL   | 0         | T:10000  |          | 10000                     |           | 5360      |                |        |
| PROC. REF: AMM 71-20-02-250-802 |   |           |          |          |                           |           |           |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit   | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition    |        |
|---------------------------------|--|-----------|------------|----------|---------------------------|-----------|--------------|----------------|--------|
| <b>ATA 71 - POWER PLANT</b>     |  |           |            |          |                           |           |              |                |        |
| 71-20-02-250-802-02             | SPECIAL DETAILED INSPECTION OF THE ENGINE 1 AND 3 FRONT MOUNT SHACKLES - ENGINE 3 FRONT MOUNT SHACKLE  |           |            |          |                           |           |              | Service        | ATA:71 |
|                                 | MOS  | 23-Oct-89 |            |          |                           |           |              |                |        |
|                                 | HRS  | 0         |            |          |                           |           |              |                |        |
| WC#: 54.050                     | AFL  | 0         | T:10000    |          | 10000                     |           | 5360         |                |        |
| PROC. REF: AMM 71-20-02-250-802 |  |           |            |          |                           |           |              |                |        |
| 71-20-07-250-801-01             | SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF THE ENGINE 1 AND 3 REAR MOUNTS - ENGINE 1 REAR MOUNT   |           |            |          |                           |           |              | Service        | ATA:71 |
|                                 | MOS  | 23-Oct-89 |            |          |                           |           |              |                |        |
|                                 | HRS  | 0         |            |          |                           |           |              |                |        |
| WC#: 54.040                     | AFL  | 0         | T:10000    |          | 10000                     |           | 5360         |                |        |
| PROC. REF: AMM 71-20-07-250-801 |  |           |            |          |                           |           |              |                |        |
| 71-20-07-250-801-01A            | SPECIAL DETAILED INSPECTION NO. 1 ENGINE REAR MOUNT (MANDATORY 5-40)   |           |            |          |                           |           |              | Service        | ATA:71 |
|                                 | MOS  | 23-Oct-89 |            |          |                           |           |              | MANDATORY 5-40 |        |
|                                 | HRS  | 0         |            |          |                           |           |              |                |        |
|                                 | AFL  | 0         | T:10000    |          | 10000                     |           | 5360         |                |        |
| PROC. REF: AMM 71-20-07-250-801 |  |           |            |          |                           |           |              |                |        |
| 71-20-07-250-801-02             | SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF THE ENGINE 1 AND 3 REAR MOUNTS - ENGINE 3 REAR MOUNT   |           |            |          |                           |           |              | Service        | ATA:71 |
|                                 | MOS  | 23-Oct-89 |            |          |                           |           |              |                |        |
|                                 | HRS  | 0         |            |          |                           |           |              |                |        |
| WC#: 54.040                     | AFL  | 0         | T:10000    |          | 10000                     |           | 5360         |                |        |
| PROC. REF: AMM 71-20-07-250-801 |  |           |            |          |                           |           |              |                |        |
| 71-20-07-250-801-02A            | SPECIAL DETAILED INSPECTION NO. 3 ENGINE REAR MOUNT (MANDATORY 5-40)   |           |            |          |                           |           |              | Service        | ATA:71 |
|                                 | MOS  | 23-Oct-89 |            |          |                           |           |              | MANDATORY 5-40 |        |
|                                 | HRS  | 0         |            |          |                           |           |              |                |        |
|                                 | AFL  | 0         | T:10000    |          | 10000                     |           | 5360         |                |        |
| PROC. REF: AMM 71-20-07-250-801 |  |           |            |          |                           |           |              |                |        |
| 71-20-17-230-801-01             | SPECIAL DETAILED INSPECTION OF THE ENGINE 2 FRONT VIBRATION ISOLATORS / REPLACEMENT OF RUBBER CORES - ENGINE 2 LH FRONT VIBRATION ISOLATOR (M900EZ1) |           |            |          |                           |           |              | Service        | ATA:71 |
| PN:LM833SA13                    | MOS  | 15-Feb-06 |            |          |                           |           |              |                |        |
| SN:UNKNOWN                      | HRS  | 5578.9    | 5000 (+3%) |          | 10578.9                   | 10728.9   | 747.7 (+150) |                |        |
| WC#: 71.070                     | AFL  | 2675      |            |          |                           |           |              |                |        |
| PROC. REF: AMM 71-20-17-230-801 |  |           |            |          |                           |           |              |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit   | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition |        |
|---------------------------------|--|-----------|------------|----------|---------------------------|-----------|--------------|-------------|--------|
| <b>ATA 71 - POWER PLANT</b>     |  |           |            |          |                           |           |              |             |        |
| 71-20-17-230-801-02             | SPECIAL DETAILED INSPECTION OF THE ENGINE 2 FRONT VIBRATION ISOLATORS / REPLACEMENT OF RUBBER CORES - ENGINE 2 RH FRONT VIBRATION ISOLATOR (M900EZ2) |           |            |          |                           |           |              | Service     | ATA:71 |
| PN:LM833SA13                    | MOS  | 15-Feb-06 |            |          |                           |           |              |             |        |
| SN:UNKNOWN                      | HRS  | 5578.9    | 5000 (+3%) |          | 10578.9                   | 10728.9   | 747.7 (+150) |             |        |
| WC#: 71.070                     | AFL  | 2675      |            |          |                           |           |              |             |        |
| PROC. REF: AMM 71-20-17-230-801 |  |           |            |          |                           |           |              |             |        |
| 712001                          | NO. 1 ENGINE FRONT UPPER SHOCK MOUNT   |           |            |          |                           |           |              | Component   | ATA:71 |
| PN:3071070-4                    | MOS/MSC  | 23-Oct-89 | O/C        |          |                           |           |              |             |        |
| SN:UNKNOWN                      | HRS  | 0         |            | TSN 0    |                           |           |              |             |        |
| WC#: 71.075                     | AFL  | 0         |            |          |                           |           |              |             |        |
| PROC. REF: AMM GENERIC 2        |  |           |            |          |                           |           |              |             |        |
| 712002                          | NO. 1 ENGINE FRONT LOWER SHOCK MOUNT   |           |            |          |                           |           |              | Component   | ATA:71 |
| PN:3071070-4                    | MOS/MSC  | 23-Oct-89 | O/C        |          |                           |           |              |             |        |
| SN:UNKNOWN                      | HRS  | 0         |            | TSN 0    |                           |           |              |             |        |
| WC#: 71.075                     | AFL  | 0         |            |          |                           |           |              |             |        |
| PROC. REF: AMM GENERIC 2        |  |           |            |          |                           |           |              |             |        |
| 712003                          | NO. 2 ENGINE LH FRONT SHOCK MOUNT  |           |            |          |                           |           |              | Component   | ATA:71 |
| PN:LM833SA13                    | MOS/MSC  | 15-Feb-06 | O/C        | TSN 0    |                           |           |              |             |        |
| SN:UNKNOWN                      | HRS  | 5578.9    |            | TSN 0    |                           |           |              |             |        |
| WC#: 71.070                     | AFL  | 2675      |            | TSN 0    |                           |           |              |             |        |
| PROC. REF: AMM GENERIC 2        |  |           |            |          |                           |           |              |             |        |
| 712004                          | NO. 2 ENGINE RH FRONT SHOCK MOUNT  |           |            |          |                           |           |              | Component   | ATA:71 |
| PN:LM833SA13                    | MOS/MSC  | 15-Feb-06 | O/C        | TSN 0    |                           |           |              |             |        |
| SN:UNKNOWN                      | HRS  | 5578.9    |            | TSN 0    |                           |           |              |             |        |
| WC#: 71.070                     | AFL  | 2675      |            | TSN 0    |                           |           |              |             |        |
| PROC. REF: AMM GENERIC 2        |  |           |            |          |                           |           |              |             |        |
| 712005                          | NO. 3 ENGINE FRONT UPPER SHOCK MOUNT   |           |            |          |                           |           |              | Component   | ATA:71 |
| PN:3071070-4                    | MOS/MSC  | 12-Apr-12 | O/C        | TSN 0    |                           |           |              |             |        |
| SN:P101105C                     | HRS  | 5155.3    |            | TSN 0    |                           |           |              |             |        |
| WC#: 71.080                     | AFL  | 2430      |            | TSN 0    |                           |           |              |             |        |
| PROC. REF: AMM GENERIC 2        |  |           |            |          |                           |           |              |             |        |
| 712006                          | NO. 3 ENGINE FRONT LOWER SHOCK MOUNT   |           |            |          |                           |           |              | Component   | ATA:71 |
| PN:3071070-4                    | MOS/MSC  | 12-Apr-12 | O/C        | TSN 0    |                           |           |              |             |        |
| SN:P101105C                     | HRS  | 5155.3    |            | TSN 0    |                           |           |              |             |        |
| WC#: 71.080                     | AFL  | 2430      |            | TSN 0    |                           |           |              |             |        |
| PROC. REF: AMM GENERIC 2        |  |           |            |          |                           |           |              |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                   | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 71 - POWER PLANT      |  |           |          |          |                           |           |           |             |        |
| 712251                    | NO. 2 ENGINE HOIST                                     |           |          |          |                           |           |           | Component   | ATA:71 |
| PN:4219-1                 | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:184                    | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 71.040               | AFL  | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2  |  |           |          |          |                           |           |           |             |        |
| 714010 <sup>S</sup>       | NO. 1 ENGINE - CHECK ELECTRICAL WIRING AND CONNECTIONS |           |          |          |                           |           |           | Service     | ATA:71 |
|                           | MOS  | 31-Jan-22 |          |          |                           |           |           |             |        |
|                           | HRS  | 9158.7    | 800      |          |                           |           |           |             |        |
| WC#: 71.030               | ENC  | 4381      |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF |  |           |          |          |                           |           |           |             |        |
| 714010 <sup>S</sup>       | NO. 2 ENGINE - CHECK ELECTRICAL WIRING AND CONNECTIONS |           |          |          |                           |           |           | Service     | ATA:71 |
|                           | MOS  | 31-Jan-22 |          |          |                           |           |           |             |        |
|                           | HRS  | 9356.7    | 800      |          |                           |           |           |             |        |
| WC#: 71.030               | ENC  | 4479      |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF |  |           |          |          |                           |           |           |             |        |
| 714010 <sup>S</sup>       | NO. 3 ENGINE - CHECK ELECTRICAL WIRING AND CONNECTIONS |           |          |          |                           |           |           | Service     | ATA:71 |
|                           | MOS  | 14-Jan-22 |          |          |                           |           |           |             |        |
|                           | HRS  | 9164.7    | 800      |          |                           |           |           |             |        |
| WC#: 71.030               | ENC  | 4366      |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF |  |           |          |          |                           |           |           |             |        |
| 715010 <sup>S</sup>       | NO. 1 ENGINE - CHECK PLUMBING LINES AND CONNECTIONS    |           |          |          |                           |           |           | Service     | ATA:71 |
|                           | MOS  | 31-Jan-22 |          |          |                           |           |           |             |        |
|                           | HRS  | 9158.7    | 800      |          |                           |           |           |             |        |
| WC#: 71.040               | ENC  | 4381      |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF |  |           |          |          |                           |           |           |             |        |
| 715010 <sup>S</sup>       | NO. 2 ENGINE - CHECK PLUMBING LINES AND CONNECTIONS    |           |          |          |                           |           |           | Service     | ATA:71 |
|                           | MOS  | 31-Jan-22 |          |          |                           |           |           |             |        |
|                           | HRS  | 9356.7    | 800      |          |                           |           |           |             |        |
| WC#: 71.040               | ENC  | 4479      |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF |  |           |          |          |                           |           |           |             |        |
| 715010 <sup>S</sup>       | NO. 3 ENGINE - CHECK PLUMBING LINES AND CONNECTIONS    |           |          |          |                           |           |           | Service     | ATA:71 |
|                           | MOS  | 14-Jan-22 |          |          |                           |           |           |             |        |
|                           | HRS  | 9164.7    | 800      |          |                           |           |           |             |        |
| WC#: 71.040               | ENC  | 4366      |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF |  |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit   | C/W       | Interval    | TSX/Adj.   | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition |        |
|---------------------------------|--|-----------|-------------|------------|---------------------------|-----------|--------------|-------------|--------|
| <b>ATA 71 - POWER PLANT</b>     |  |           |             |            |                           |           |              |             |        |
| 71EN1                           | NO. 1 ENGINE                                   |           |             |            |                           |           |              | Component   | ATA:71 |
| PN:3075330-3                    | MOS/MSC  | 10-Mar-14 | E/C         |            |                           |           |              |             |        |
| SN:P-97290C                     | HRS  | 8005.9    |             | TSN 7781.8 |                           |           |              |             |        |
|                                 | AFL  | 3957      |             |            |                           |           |              |             |        |
| PROC. REF: AMM 71-00-01-900-801 |  |           |             |            |                           |           |              |             |        |
| 71EN2                           | NO. 2 ENGINE                                   |           |             |            |                           |           |              | Component   | ATA:71 |
| PN:3075330-3                    | MOS/MSC  | 19-Jun-14 | E/C         |            |                           |           |              |             |        |
| SN:P-97289C                     | HRS  | 8032      |             | TSN 8005.9 |                           |           |              |             |        |
|                                 | AFL  | 3965      |             |            |                           |           |              |             |        |
| PROC. REF: AMM 71-00-05-900-801 |  |           |             |            |                           |           |              |             |        |
| 71EN3                           | NO. 3 ENGINE                                   |           |             |            |                           |           |              | Component   | ATA:71 |
| PN:3075330-3                    | MOS/MSC  | 20-Jun-12 | E/C         |            |                           |           |              |             |        |
| SN:P-97291C                     | HRS  | 7663.6    |             | TSN 5074.2 |                           |           |              |             |        |
|                                 | AFL  | 2430      |             |            |                           |           |              |             |        |
| PROC. REF: AMM 71-00-01-900-801 |  |           |             |            |                           |           |              |             |        |
| <b>ATA 72 - ENGINE</b>          |  |           |             |            |                           |           |              |             |        |
| 720120                          | NO. 1 ENGINE - MAJOR PERIODIC INSPECTION (MPI) |           |             |            |                           |           |              | Service     | ATA:72 |
|                                 | MOS  | 17-Jan-14 |             |            |                           |           |              |             |        |
|                                 | HRS  | 7781.8    | 2500 (+100) |            | (10281.8)<br>10487.13     | 10381.8   | 655.9 (+100) |             |        |
| WC#: 71.010                     | ENC  | 3851      |             |            |                           |           |              |             |        |
| PROC. REF: LMM 72-00-00         |  |           |             |            |                           |           |              |             |        |
| 720120                          | NO. 2 ENGINE - MAJOR PERIODIC INSPECTION (MPI) |           |             |            |                           |           |              | Service     | ATA:72 |
|                                 | MOS  | 21-Apr-14 |             |            |                           |           |              |             |        |
|                                 | HRS  | 8005.9    | 2500 (+100) |            | (10505.9)<br>10513.23     | 10605.9   | 682 (+100)   |             |        |
| WC#: 71.010                     | ENC  | 3957      |             |            |                           |           |              |             |        |
| PROC. REF: LMM 72-00-00         |  |           |             |            |                           |           |              |             |        |
| 720120                          | NO. 3 ENGINE - MAJOR PERIODIC INSPECTION (MPI) |           |             |            |                           |           |              | Service     | ATA:72 |
|                                 | MOS  | 30-Apr-12 |             |            |                           |           |              |             |        |
|                                 | HRS  | 7478.7    | 2500 (+100) |            | (9978.7)<br>10144.83      | 10078.7   | 313.6 (+100) |             |        |
| WC#: 71.010                     | ENC  | 3696      |             |            |                           |           |              |             |        |
| PROC. REF: LMM 72-00-00         |  |           |             |            |                           |           |              |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 72 - ENGINE</b> |  |           |          |          |                           |           |           |             |        |
| 720130 <sup>S</sup>    | NO. 1 ENGINE - INSPECT FAN ROTOR ASSEMBLY BLADES |           |          |          |                           |           |           | Service     | ATA:72 |
|                        | MOS  | 31-Jan-22 |          |          |                           |           |           |             |        |
|                        | HRS  | 9158.7    | 800      |          |                           |           |           |             |        |
| WC#: 71.020            | ENC  | 4381      |          |          |                           |           |           |             |        |
|                        |  |           |          |          | PROC. REF: LMM 72-00-00   |           |           | PKG:4       |        |
| 720130 <sup>S</sup>    | NO. 2 ENGINE - INSPECT FAN ROTOR ASSEMBLY BLADES |           |          |          |                           |           |           | Service     | ATA:72 |
|                        | MOS  | 31-Jan-22 |          |          |                           |           |           |             |        |
|                        | HRS  | 9356.7    | 800      |          |                           |           |           |             |        |
| WC#: 71.020            | ENC  | 4479      |          |          |                           |           |           |             |        |
|                        |  |           |          |          | PROC. REF: LMM 72-00-00   |           |           | PKG:4       |        |
| 720130 <sup>S</sup>    | NO. 3 ENGINE - INSPECT FAN ROTOR ASSEMBLY BLADES |           |          |          |                           |           |           | Service     | ATA:72 |
|                        | MOS  | 14-Jan-22 |          |          |                           |           |           |             |        |
|                        | HRS  | 9164.7    | 800      |          |                           |           |           |             |        |
| WC#: 71.020            | ENC  | 4366      |          |          |                           |           |           |             |        |
|                        |  |           |          |          | PROC. REF: LMM 72-00-00   |           |           | PKG:4       |        |
| 721001                 | NO. 1 ENGINE - PRESERVATION OF ENGINE            |           |          |          |                           |           |           | Service     | ATA:72 |
|                        | MOS/MSC  | 12-Nov-20 | O/C      |          |                           |           |           |             |        |
|                        | HRS  | 8936.6    |          |          |                           |           |           |             |        |
| WC#: 72.001            | ENC  | 4295      |          |          |                           |           |           |             |        |
|                        |  |           |          |          | PROC. REF: LMM 72-00-00   |           |           |             |        |
| 721001                 | NO. 2 ENGINE - PRESERVATION OF ENGINE            |           |          |          |                           |           |           | Service     | ATA:72 |
|                        | MOS/MSC  | 12-Nov-20 | O/C      |          |                           |           |           |             |        |
|                        | HRS  | 9136.7    |          |          |                           |           |           |             |        |
| WC#: 72.001            | ENC  | 4393      |          |          |                           |           |           |             |        |
|                        |  |           |          |          | PROC. REF: LMM 72-00-00   |           |           |             |        |
| 721001                 | NO. 3 ENGINE - PRESERVATION OF ENGINE            |           |          |          |                           |           |           | Service     | ATA:72 |
|                        | MOS/MSC  | 12-Nov-20 | O/C      |          |                           |           |           |             |        |
|                        | HRS  | 8977.9    |          |          |                           |           |           |             |        |
| WC#: 72.001            | ENC  | 4288      |          |          |                           |           |           |             |        |
|                        |  |           |          |          | PROC. REF: LMM 72-00-00   |           |           |             |        |
| 721002                 | NO. 1 ENGINE - PERFORM ENGINE PRESERVATION CHECK |           |          |          |                           |           |           | Service     | ATA:72 |
|                        | DAYS/MSC   | 12-Nov-20 | O/C      |          |                           |           |           |             |        |
|                        | HRS  | 8936.6    |          |          |                           |           |           |             |        |
| WC#: 72.001            | ENC  | 4295      |          |          |                           |           |           |             |        |
|                        |  |           |          |          | PROC. REF: LMM 72-00-00   |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                | Unit  | C/W       | Interval    | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining     | Disposition |        |
|------------------------|---|-----------|-------------|----------|---------------------------|-----------|---------------|-------------|--------|
| <b>ATA 72 - ENGINE</b> |   |           |             |          |                           |           |               |             |        |
| 721002                 | <b>NO. 2 ENGINE - PERFORM ENGINE PRESERVATION CHECK</b> |           |             |          |                           |           |               | Service     | ATA:72 |
|                        | DAYS/MS   | 12-Nov-20 | O/C         |          |                           |           |               |             |        |
|                        | HRS   | 9136.7    |             |          |                           |           |               |             |        |
| WC#: 72.001            | ENC   | 4393      |             |          |                           |           |               |             |        |
|                        | PROC. REF: LMM 72-00-00                                 |           |             |          |                           |           |               |             |        |
| 721002                 | <b>NO. 3 ENGINE - PERFORM ENGINE PRESERVATION CHECK</b> |           |             |          |                           |           |               | Service     | ATA:72 |
|                        | DAYS/MS   | 12-Nov-20 | O/C         |          |                           |           |               |             |        |
|                        | HRS   | 8977.9    |             |          |                           |           |               |             |        |
| WC#: 72.001            | ENC   | 4288      |             |          |                           |           |               |             |        |
|                        | PROC. REF: LMM 72-00-00                                 |           |             |          |                           |           |               |             |        |
| 721003                 | <b>NO. 1 ENGINE - DE-PRESERVATION OF ENGINE</b>         |           |             |          |                           |           |               | Service     | ATA:72 |
|                        | MOS/MS  | 12-Nov-20 | O/C         |          |                           |           |               |             |        |
|                        | HRS   | 8936.6    |             |          |                           |           |               |             |        |
| WC#: 72.001            | ENC   | 4295      |             |          |                           |           |               |             |        |
|                        | PROC. REF: LMM 72-00-00                                 |           |             |          |                           |           |               |             |        |
| 721003                 | <b>NO. 2 ENGINE - DE-PRESERVATION OF ENGINE</b>         |           |             |          |                           |           |               | Service     | ATA:72 |
|                        | MOS/MS  | 12-Nov-20 | O/C         |          |                           |           |               |             |        |
|                        | HRS   | 9136.7    |             |          |                           |           |               |             |        |
| WC#: 72.001            | ENC   | 4393      |             |          |                           |           |               |             |        |
|                        | PROC. REF: LMM 72-00-00                                 |           |             |          |                           |           |               |             |        |
| 721003                 | <b>NO. 3 ENGINE - DE-PRESERVATION OF ENGINE</b>         |           |             |          |                           |           |               | Service     | ATA:72 |
|                        | MOS/MS  | 12-Nov-20 | O/C         |          |                           |           |               |             |        |
|                        | HRS   | 8977.9    |             |          |                           |           |               |             |        |
| WC#: 72.001            | ENC   | 4288      |             |          |                           |           |               |             |        |
|                        | PROC. REF: LMM 72-00-00                                 |           |             |          |                           |           |               |             |        |
| 723110                 | <b>NO. 1 ENGINE - COMPRESSOR ZONE INSPECTION (CZI)</b>  |           |             |          |                           |           |               | Service     | ATA:72 |
|                        | MOS   | 17-Jan-14 |             |          |                           |           |               |             |        |
|                        | HRS   | 7781.8    | 5000 (+200) |          | (12781.8)<br>12987.13     | 12981.8   | 3155.9 (+200) |             |        |
| WC#: 72.010            | ENC   | 3851      |             |          |                           |           |               |             |        |
|                        | PROC. REF: LMM 72-00-00                                 |           |             |          |                           |           |               |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                   | Unit  | C/W       | Interval    | TSX/Adj.          | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining     | Disposition |        |
|---------------------------|---|-----------|-------------|-------------------|---------------------------|-----------|---------------|-------------|--------|
| <b>ATA 72 - ENGINE</b>    |   |           |             |                   |                           |           |               |             |        |
| 723110                    | NO. 2 ENGINE - COMPRESSOR ZONE INSPECTION (CZI)       |           |             |                   |                           |           |               | Service     | ATA:72 |
|                           | MOS   | 21-Apr-14 |             |                   |                           |           |               |             |        |
|                           | HRS   | 8005.9    | 5000 (+200) |                   | (13005.9)<br>13013.23     | 13205.9   | 3182 (+200)   |             |        |
| WC#: 72.010               | ENC   | 3957      |             |                   |                           |           |               |             |        |
| PROC. REF: LMM 72-00-00   |   |           |             |                   |                           |           |               |             |        |
| 723110                    | NO. 3 ENGINE - COMPRESSOR ZONE INSPECTION (CZI)       |           |             |                   |                           |           |               | Service     | ATA:72 |
|                           | MOS   | 25-May-12 |             |                   |                           |           |               |             |        |
|                           | HRS   | 7478.7    | 5000 (+200) |                   | (12478.7)<br>12644.83     | 12678.7   | 2813.6 (+200) |             |        |
| WC#: 72.010               | ENC   | 3696      |             |                   |                           |           |               |             |        |
| PROC. REF: LMM 72-00-00   |   |           |             |                   |                           |           |               |             |        |
| 724110                    | NO. 1 ENGINE - COMBUSTION CHAMBER PLENUM CASE         |           |             |                   |                           |           |               | Component   | ATA:72 |
| PN:3072443-5              | MOS/MSC   | 24-Sep-98 | O/C         |                   |                           |           |               |             |        |
| SN:98P10980               | HRS   | 3285.3    |             | TSN 0             |                           |           |               |             |        |
| WC#: 72.020               | ENC   | 1457      |             | TSN 0             |                           |           |               |             |        |
| PROC. REF: GENERIC NO REF |   |           |             |                   |                           |           |               |             |        |
| 724110                    | NO. 2 ENGINE - COMBUSTION CHAMBER PLENUM CASE         |           |             |                   |                           |           |               | Component   | ATA:72 |
| PN:3072443-5              | MOS/MSC   | 24-Sep-98 | O/C         |                   |                           |           |               |             |        |
| SN:98P10979               | HRS   | 3471      |             | TSN 0             |                           |           |               |             |        |
| WC#: 72.020               | ENC   | 1545      |             | TSN 0             |                           |           |               |             |        |
| PROC. REF: GENERIC NO REF |   |           |             |                   |                           |           |               |             |        |
| 724110                    | NO. 3 ENGINE - COMBUSTION CHAMBER PLENUM CASE         |           |             |                   |                           |           |               | Component   | ATA:72 |
| PN:3072443-5              | MOS/MSC   | 25-May-12 | O/C         | TSO 0             |                           |           |               |             |        |
| SN:5-22151-3796           | HRS   | 7478.7    |             | TSN 6701.9, TSO 0 |                           |           |               |             |        |
| WC#: 72.020               | ENC   | 3696      |             | TSN 4433, TSO 0   |                           |           |               |             |        |
| PROC. REF: GENERIC NO REF |   |           |             |                   |                           |           |               |             |        |
| 724120                    | NO. 1 ENGINE - INSPECT COMBUSTION CHAMBER PLENUM CASE |           |             |                   |                           |           |               | Service     | ATA:72 |
| PN:3072443-5              | MOS   | 17-Jan-14 |             |                   |                           |           |               |             |        |
| SN:98P10980               | HRS   | 7781.8    | 2500 (+100) |                   | (10281.8)<br>10487.13     | 10381.8   | 655.9 (+100)  |             |        |
|                           | ENC   | 3851      |             |                   |                           |           |               |             |        |
| PROC. REF: LMM 72-40-04   |   |           |             |                   |                           |           |               |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                   | Unit  | C/W       | Interval    | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining    | Disposition |        |
|---------------------------|---|-----------|-------------|----------|---------------------------|-----------|--------------|-------------|--------|
| <b>ATA 72 - ENGINE</b>    |   |           |             |          |                           |           |              |             |        |
| 724120                    | NO. 2 ENGINE - INSPECT COMBUSTION CHAMBER PLENUM CASE |           |             |          |                           |           |              | Service     | ATA:72 |
| PN:3072443-5              | MOS   | 21-Apr-14 |             |          |                           |           |              |             |        |
| SN:98P10979               | HRS   | 8005.9    | 2500 (+100) |          | (10505.9)<br>10513.23     | 10605.9   | 682 (+100)   |             |        |
|                           | ENC   | 3957      |             |          |                           |           |              |             |        |
| PROC. REF: LMM 72-40-04   |   |           |             |          |                           |           |              |             |        |
| 724120                    | NO. 3 ENGINE - INSPECT COMBUSTION CHAMBER PLENUM CASE |           |             |          |                           |           |              | Service     | ATA:72 |
| PN:3072443-5              | MOS   | 25-May-12 |             |          |                           |           |              |             |        |
| SN:5-22151-3796           | HRS   | 7478.7    | 2500 (+100) |          | (9978.7)<br>10144.83      | 10078.7   | 313.6 (+100) |             |        |
|                           | ENC   | 3696      |             |          |                           |           |              |             |        |
| PROC. REF: LMM 72-40-04   |   |           |             |          |                           |           |              |             |        |
| 725010                    | NO. 1 ENGINE - STAGE 1 LOW PRESSURE TURBINE DISC      |           |             |          |                           |           |              | Component   | ATA:72 |
| PN:70080025-1             | MOS   | 17-Jan-14 |             | TSN 0    |                           |           |              | LIFE LIMIT  |        |
| SN:12-156103-01117        | HRS   | 7781.8    |             | TSN 0    |                           |           |              |             |        |
| WC#: 72.040               | ENC   | 3851      | 10000       | TSN 0    | (13851)<br>13847          |           | 9207         |             |        |
| PROC. REF: GENERIC NO REF |   |           |             |          |                           |           |              |             |        |
| 725010                    | NO. 2 ENGINE - STAGE 1 LOW PRESSURE TURBINE DISC      |           |             |          |                           |           |              | Component   | ATA:72 |
| PN:70080025-1             | MOS   | 21-Apr-14 |             | TSN 0    |                           |           |              | LIFE LIMIT  |        |
| SN:13-156103-00327        | HRS   | 8005.9    |             | TSN 0    |                           |           |              |             |        |
| WC#: 72.040               | ENC   | 3957      | 10000       | TSN 0    | (13957)<br>13855          |           | 9215         |             |        |
| PROC. REF: GENERIC NO REF |   |           |             |          |                           |           |              |             |        |
| 725010                    | NO. 3 ENGINE - STAGE 1 LOW PRESSURE TURBINE DISC      |           |             |          |                           |           |              | Component   | ATA:72 |
| PN:3074747                | MOS   | 23-Oct-89 |             |          |                           |           |              | LIFE LIMIT  |        |
| SN:6-23315-1181           | HRS   | 0         |             | TSN 0    |                           |           |              |             |        |
| WC#: 72.040               | ENC   | 0         | 10000       | TSN 0    | (10000)<br>10003          |           | 5363         |             |        |
| PROC. REF: GENERIC NO REF |   |           |             |          |                           |           |              |             |        |
| 725020                    | NO. 1 ENGINE - STAGE 2 LOW PRESSURE TURBINE DISC      |           |             |          |                           |           |              | Component   | ATA:72 |
| PN:3075425-1              | MOS   | 24-Sep-98 |             |          |                           |           |              | LIFE LIMIT  |        |
| SN:960322906784           | HRS   | 3285.3    |             | TSN 0    |                           |           |              |             |        |
| WC#: 72.050               | ENC   | 1457      | 10000       | TSN 0    | (11457)<br>11453          |           | 6813         |             |        |
| PROC. REF: GENERIC NO REF |   |           |             |          |                           |           |              |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |
|--|-------|-----------|----------|----------|---------------------------|-----------|-----------|------------------|
| <b>ATA 72 - ENGINE</b>   |       |           |          |          |                           |           |           |                  |
| <b>725020 NO. 2 ENGINE - STAGE 2 LOW PRESSURE TURBINE DISC</b> |       |           |          |          |                           |           |           |                  |
| PN:3075425-1   | MOS   | 24-Sep-98 |          |          |                           |           |           | Component ATA:72 |
| SN:960322903430  | HRS   | 3471      |          | TSN 0    |                           |           |           | LIFE LIMIT       |
| WC#: 72.050  | ENC   | 1545      | 10000    | TSN 0    | (11545)<br>11443          |           | 6803      |                  |
|  | (AFL) | 0         |          |          |                           |           |           |                  |
| PROC. REF: GENERIC NO REF                                      |       |           |          |          |                           |           |           |                  |
| <b>725020 NO. 3 ENGINE - STAGE 2 LOW PRESSURE TURBINE DISC</b> |       |           |          |          |                           |           |           |                  |
| PN:3075425-1   | MOS   | 24-Sep-98 |          |          |                           |           |           | Component ATA:72 |
| SN:960322904216  | HRS   | 3471      |          | TSN 0    |                           |           |           | LIFE LIMIT       |
| WC#: 72.050  | ENC   | 1545      | 10000    | TSN 0    | (11545)<br>11548          |           | 6908      |                  |
| PROC. REF: GENERIC NO REF                                      |       |           |          |          |                           |           |           |                  |
| <b>725030 NO. 1 ENGINE - STAGE 3 LOW PRESSURE TURBINE DISC</b> |       |           |          |          |                           |           |           |                  |
| PN:3075573-1   | MOS   | 17-Jan-14 |          |          |                           |           |           | Component ATA:72 |
| SN:12-156103-00932   | HRS   | 7781.8    |          | TSN 0    |                           |           |           | LIFE LIMIT       |
| WC#: 72.060  | ENC   | 3851      | 12000    | TSN 0    | (15851)<br>15847          |           | 11207     |                  |
| PROC. REF: GENERIC NO REF                                      |       |           |          |          |                           |           |           |                  |
| <b>725030 NO. 2 ENGINE - STAGE 3 LOW PRESSURE TURBINE DISC</b> |       |           |          |          |                           |           |           |                  |
| PN:3075436-1   | MOS   | 24-Sep-98 |          |          |                           |           |           | Component ATA:72 |
| SN:961217200499  | HRS   | 3471      |          | TSN 0    |                           |           |           | LIFE LIMIT       |
| WC#: 72.060  | ENC   | 1545      | 10000    | TSN 0    | (11545)<br>11443          |           | 6803      |                  |
|  | (AFL) | 0         |          |          |                           |           |           |                  |
| PROC. REF: GENERIC NO REF                                      |       |           |          |          |                           |           |           |                  |
| <b>725030 NO. 3 ENGINE - STAGE 3 LOW PRESSURE TURBINE DISC</b> |       |           |          |          |                           |           |           |                  |
| PN:3075436-1   | MOS   | 24-Sep-98 |          |          |                           |           |           | Component ATA:72 |
| SN:5-12172-1584  | HRS   | 3471      |          | TSN 0    |                           |           |           | LIFE LIMIT       |
| WC#: 72.060  | ENC   | 1545      | 10000    | TSN 0    | (11545)<br>11548          |           | 6908      |                  |
| PROC. REF: GENERIC NO REF                                      |       |           |          |          |                           |           |           |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                   | Unit                                      | C/W       | Interval | TSX/Adj.          | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------|---|-----------|----------|-------------------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 72 - ENGINE</b>    |   |           |          |                   |                           |           |           |             |        |
| 725040                    | NO. 1 ENGINE - HIGH PRESSURE TURBINE DISC |           |          |                   |                           |           |           | Component   | ATA:72 |
| PN:3075227                | MOS                                       | 23-Oct-89 |          |                   |                           |           |           | LIFE LIMIT  |        |
| SN:6-12172-1504           | HRS                                       | 0         |          | TSN 0             |                           |           |           |             |        |
| WC#: 72.070               | ENC                                       | 0         | 10000    | TSN 0             | (10000)<br>9996           |           | 5356      |             |        |
| PROC. REF: LMM 72-50-06   |   |           |          |                   |                           |           |           |             |        |
| 725040                    | NO. 2 ENGINE - HIGH PRESSURE TURBINE DISC |           |          |                   |                           |           |           | Component   | ATA:72 |
| PN:3075227                | MOS                                       | 23-Oct-89 |          |                   |                           |           |           | LIFE LIMIT  |        |
| SN:6-12172-2146           | HRS                                       | 0         |          | TSN 0             |                           |           |           |             |        |
| WC#: 72.070               | ENC                                       | 0         | 10000    | TSN 0             | (10000)<br>9898           |           | 5258      |             |        |
| PROC. REF: LMM 72-50-06   |   |           |          |                   |                           |           |           |             |        |
| 725040                    | NO. 3 ENGINE - HIGH PRESSURE TURBINE DISC |           |          |                   |                           |           |           | Component   | ATA:72 |
| PN:3075227                | MOS                                       | 23-Oct-89 |          |                   |                           |           |           | LIFE LIMIT  |        |
| SN:6-12172-2192           | HRS                                       | 0         |          | TSN 0             |                           |           |           |             |        |
| WC#: 72.070               | ENC                                       | 0         | 10000    | TSN 0             | (10000)<br>10003          |           | 5363      |             |        |
| PROC. REF: LMM 72-50-06   |   |           |          |                   |                           |           |           |             |        |
| 725050                    | NO. 1 ENGINE - FAN DISC                   |           |          |                   |                           |           |           | Component   | ATA:72 |
| PN:3074621-1              | MOS                                       | 15-Aug-98 |          | TSR 0             |                           |           |           | LIFE LIMIT  |        |
| SN:6-12172-915            | HRS                                       | 3285.3    |          | TSN 3285.3, TSR 0 |                           |           |           |             |        |
| WC#: 72.080               | ENC                                       | 1457      | 10000    | TSN 1457, TSR 0   | (10000)<br>9996           |           | 5356      |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |                   |                           |           |           |             |        |
| 725050                    | NO. 2 ENGINE - FAN DISC                   |           |          |                   |                           |           |           | Component   | ATA:72 |
| PN:3074621                | MOS                                       | 23-Oct-89 |          |                   |                           |           |           | LIFE LIMIT  |        |
| SN:6-12172-919            | HRS                                       | 0         |          | TSN 0             |                           |           |           |             |        |
| WC#: 72.080               | ENC                                       | 0         | 10000    | TSN 0             | (10000)<br>9898           |           | 5258      |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |                   |                           |           |           |             |        |
| 725050                    | NO. 3 ENGINE - FAN DISC                   |           |          |                   |                           |           |           | Component   | ATA:72 |
| PN:3074621-4              | MOS                                       | 23-Oct-89 |          |                   |                           |           |           | LIFE LIMIT  |        |
| SN:6-12172-1774           | HRS                                       | 0         |          | TSN 0             |                           |           |           |             |        |
| WC#: 72.080               | ENC                                       | 0         | 10000    | TSN 0             | (10000)<br>10003          |           | 5363      |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |                   |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit | C/W       | Interval | TSX/Adj.          | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|------|-----------|----------|-------------------|---------------------------|-----------|-----------|-------------|
| <b>ATA 72 - ENGINE</b>   |      |           |          |                   |                           |           |           |             |
| <b>725060 NO. 1 ENGINE - STAGE 1 LOW PRESSURE COMPRESSOR DISC</b> Component ATA:72 |      |           |          |                   |                           |           |           |             |
| PN:3072395   | MOS  | 08-Aug-98 |          | TSR 0             |                           |           |           | LIFE LIMIT  |
| SN:7-12112-220   | HRS  | 3285.3    |          | TSN 3285.3, TSR 0 |                           |           |           |             |
| WC#: 72.090  | ENC  | 1457      | 10000    | TSN 1457, TSR 0   | (10000)<br>9996           |           | 5356      |             |
| PROC. REF: GENERIC NO REF  |      |           |          |                   |                           |           |           |             |
| <b>725060 NO. 2 ENGINE - STAGE 1 LOW PRESSURE COMPRESSOR DISC</b> Component ATA:72 |      |           |          |                   |                           |           |           |             |
| PN:3072395   | MOS  | 23-Oct-89 |          | TSN 0             |                           |           |           | LIFE LIMIT  |
| SN:7-12112-223   | HRS  | 0         |          | TSN 0             |                           |           |           |             |
| WC#: 72.090  | ENC  | 0         | 10000    | TSN 0             | (10000)<br>9898           |           | 5258      |             |
| PROC. REF: GENERIC NO REF  |      |           |          |                   |                           |           |           |             |
| <b>725060 NO. 3 ENGINE - STAGE 1 LOW PRESSURE COMPRESSOR DISC</b> Component ATA:72 |      |           |          |                   |                           |           |           |             |
| PN:3070440-11  | MOS  | 19-May-12 |          | TSN 7478.7        |                           |           |           | LIFE LIMIT  |
| SN:7-12112-187   | HRS  | 7478.7    |          | TSN 7478.7        |                           |           |           |             |
| WC#: 72.090  | ENC  | 3696      | 10000    | TSN 3696          | (10000)<br>10003          |           | 5363      |             |
| PROC. REF: GENERIC NO REF  |      |           |          |                   |                           |           |           |             |
| <b>725070 NO. 1 ENGINE - STAGE 2 LOW PRESSURE COMPRESSOR DISC</b> Component ATA:72 |      |           |          |                   |                           |           |           |             |
| PN:3072396   | MOS  | 08-Aug-98 |          | TSR 0             |                           |           |           | LIFE LIMIT  |
| SN:6-12112-896   | HRS  | 3285.3    |          | TSN 3285.3, TSR 0 |                           |           |           |             |
| WC#: 72.100  | ENC  | 1457      | 10000    | TSN 1457, TSR 0   | (10000)<br>9996           |           | 5356      |             |
| PROC. REF: GENERIC NO REF  |      |           |          |                   |                           |           |           |             |
| <b>725070 NO. 2 ENGINE - STAGE 2 LOW PRESSURE COMPRESSOR DISC</b> Component ATA:72 |      |           |          |                   |                           |           |           |             |
| PN:3072396   | MOS  | 23-Oct-89 |          | TSN 0             |                           |           |           | LIFE LIMIT  |
| SN:6-12112-907   | HRS  | 0         |          | TSN 0             |                           |           |           |             |
| WC#: 72.100  | ENC  | 0         | 10000    | TSN 0             | (10000)<br>9898           |           | 5258      |             |
| PROC. REF: GENERIC NO REF  |      |           |          |                   |                           |           |           |             |
| <b>725070 NO. 3 ENGINE - STAGE 2 LOW PRESSURE COMPRESSOR DISC</b> Component ATA:72 |      |           |          |                   |                           |           |           |             |
| PN:3072416-10  | MOS  | 19-May-12 |          | TSN 7478.7        |                           |           |           | LIFE LIMIT  |
| SN:6-12112-902   | HRS  | 7478.7    |          | TSN 7478.7        |                           |           |           |             |
| WC#: 72.100  | ENC  | 3696      | 10000    | TSN 3696          | (10000)<br>10003          |           | 5363      |             |
| PROC. REF: GENERIC NO REF  |      |           |          |                   |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                   | Unit  | C/W       | Interval | TSX/Adj.          | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------|---|-----------|----------|-------------------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 72 - ENGINE</b>    |   |           |          |                   |                           |           |           |             |        |
| 725080                    | NO. 1 ENGINE - STAGE 3 LOW PRESSURE COMPRESSOR DISC |           |          |                   |                           |           |           | Component   | ATA:72 |
| PN:3072397                | MOS   | 14-Aug-98 |          | TSR 0             |                           |           |           | LIFE LIMIT  |        |
| SN:7-12112-772            | HRS   | 3285.3    |          | TSN 3285.3, TSR 0 |                           |           |           |             |        |
| WC#: 72.110               | ENC   | 1457      | 10000    | TSN 1457, TSR 0   | (10000)<br>9996           |           | 5356      |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |                   |                           |           |           |             |        |
| 725080                    | NO. 2 ENGINE - STAGE 3 LOW PRESSURE COMPRESSOR DISC |           |          |                   |                           |           |           | Component   | ATA:72 |
| PN:3072397                | MOS   | 23-Oct-89 |          | TSN 0             |                           |           |           | LIFE LIMIT  |        |
| SN:7-12112-726            | HRS   | 0         |          | TSN 0             |                           |           |           |             |        |
| WC#: 72.110               | ENC   | 0         | 10000    | TSN 0             | (10000)<br>9898           |           | 5258      |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |                   |                           |           |           |             |        |
| 725080                    | NO. 3 ENGINE - STAGE 3 LOW PRESSURE COMPRESSOR DISC |           |          |                   |                           |           |           | Component   | ATA:72 |
| PN:3072417-7              | MOS   | 19-May-12 |          | TSN 7478.7        |                           |           |           | LIFE LIMIT  |        |
| SN:7-12112-767            | HRS   | 7478.7    |          | TSN 7478.7        |                           |           |           |             |        |
| WC#: 72.110               | ENC   | 3696      | 10000    | TSN 3696          | (10000)<br>10003          |           | 5363      |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |                   |                           |           |           |             |        |
| 725090                    | NO. 1 ENGINE - STAGE 4 LOW PRESSURE COMPRESSOR DISC |           |          |                   |                           |           |           | Component   | ATA:72 |
| PN:3075326-3              | MOS   | 24-Sep-98 |          | TSN 0             |                           |           |           | LIFE LIMIT  |        |
| SN:970350105903           | HRS   | 3285.3    |          | TSN 0             |                           |           |           |             |        |
| WC#: 72.120               | ENC   | 1457      | 20000    | TSN 0             | (21457)<br>21453          |           | 16813     |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |                   |                           |           |           |             |        |
| 725090                    | NO. 2 ENGINE - STAGE 4 LOW PRESSURE COMPRESSOR DISC |           |          |                   |                           |           |           | Component   | ATA:72 |
| PN:3075326-3              | MOS   | 24-Sep-98 |          | TSN 0             |                           |           |           | LIFE LIMIT  |        |
| SN:970350105220           | HRS   | 3471      |          | TSN 0             |                           |           |           |             |        |
| WC#: 72.120               | ENC   | 1545      | 20000    | TSN 0             | (21545)<br>21443          |           | 16803     |             |        |
|                           | (AFL)   | 0         |          |                   |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |                   |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                   | Unit  | C/W       | Interval | TSX/Adj.               | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------|---|-----------|----------|------------------------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 72 - ENGINE</b>    |   |           |          |                        |                           |           |           |             |        |
| 725090                    | NO. 3 ENGINE - STAGE 4 LOW PRESSURE COMPRESSOR DISC |           |          |                        |                           |           |           | Component   | ATA:72 |
| PN:3075351-5              | MOS   | 19-May-12 |          |                        |                           |           |           | LIFE LIMIT  |        |
| SN:041365101808           | HRS   | 7478.7    |          | TSN 2486.8             |                           |           |           |             |        |
| WC#: 72.120               | ENC   | 3696      | 20000    | TSN 1360               | (22336)<br>22339          |           | 17699     |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |                        |                           |           |           |             |        |
| 725091                    | NO. 1 ENGINE - LOW PRESSURE COMPRESSOR TIE ROD      |           |          |                        |                           |           |           | Component   | ATA:72 |
| PN:3074744-1              | MOS/MSC   | 17-Jan-14 | O/C      | TSO 99                 |                           |           |           |             |        |
| SN:5P16942                | HRS   | 7781.8    |          | TSN 4843.6, TSO 2483.2 |                           |           |           |             |        |
| WC#: 72.130               | ENC   | 3851      |          | TSN 2547, TSO 1318     |                           |           |           |             |        |
| PROC. REF: LMM 72-30-10   |   |           |          |                        |                           |           |           |             |        |
| 725091                    | NO. 2 ENGINE - LOW PRESSURE COMPRESSOR TIE ROD      |           |          |                        |                           |           |           | Component   | ATA:72 |
| PN:3074744-1              | MOS/MSC   | 23-Oct-89 | O/C      |                        |                           |           |           |             |        |
| SN:7P-26690               | HRS   | 0         |          | TSN 0                  |                           |           |           |             |        |
| WC#: 72.130               | ENC   | 0         |          | TSN 0                  |                           |           |           |             |        |
| PROC. REF: LMM 72-30-10   |   |           |          |                        |                           |           |           |             |        |
| 725091                    | NO. 3 ENGINE - LOW PRESSURE COMPRESSOR TIE ROD      |           |          |                        |                           |           |           | Component   | ATA:72 |
| PN:3074744-1              | MOS/MSC   | 23-Oct-89 | O/C      |                        |                           |           |           |             |        |
| SN:7P-26692               | HRS   | 0         |          | TSN 0                  |                           |           |           |             |        |
| WC#: 72.130               | ENC   | 0         |          | TSN 0                  |                           |           |           |             |        |
| PROC. REF: LMM 72-30-10   |   |           |          |                        |                           |           |           |             |        |
| 725110                    | NO. 1 ENGINE - HIGH PRESSURE COMPRESSOR IMPELLER    |           |          |                        |                           |           |           | Component   | ATA:72 |
| PN:3073398-1              | MOS   | 08-Aug-98 |          | TSR 0                  |                           |           |           | LIFE LIMIT  |        |
| SN:6-23365-1216           | HRS   | 3285.3    |          | TSN 3285.3, TSR 0      |                           |           |           |             |        |
| WC#: 72.140               | ENC   | 1457      | 10000    | TSN 1457, TSR 0        | (10000)<br>9996           |           | 5356      |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |                        |                           |           |           |             |        |
| 725110                    | NO. 2 ENGINE - HIGH PRESSURE COMPRESSOR IMPELLER    |           |          |                        |                           |           |           | Component   | ATA:72 |
| PN:3073398-3              | MOS   | 24-Sep-98 |          |                        |                           |           |           | LIFE LIMIT  |        |
| SN:985332200741           | HRS   | 3471      |          | TSN 0                  |                           |           |           |             |        |
| WC#: 72.140               | ENC   | 1545      | 10000    | TSN 0                  | (11545)<br>11443          |           | 6803      |             |        |
|                           | (AFL)   | 0         |          |                        |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |                        |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                   | Unit   | C/W       | Interval | TSX/Adj.          | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------|--|-----------|----------|-------------------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 72 - ENGINE</b>    |  |           |          |                   |                           |           |           |             |        |
| 725110                    | NO. 3 ENGINE - HIGH PRESSURE COMPRESSOR IMPELLER         |           |          |                   |                           |           |           | Component   | ATA:72 |
| PN:3075765-1              | MOS  | 25-May-12 |          |                   |                           |           |           | LIFE LIMIT  |        |
| SN:040322901234           | HRS  | 7478.7    |          | TSN 2486.8        |                           |           |           |             |        |
| WC#: 72.140               | ENC  | 3696      | 10000    | TSN 1360          | (12336)<br>12339          |           | 7699      |             |        |
| PROC. REF: GENERIC NO REF |  |           |          |                   |                           |           |           |             |        |
| 725130                    | NO. 1 ENGINE - HIGH PRESSURE COMPRESSOR SHOULDERED SHAFT |           |          |                   |                           |           |           | Component   | ATA:72 |
| PN:3072545-1              | MOS  | 23-Oct-89 |          |                   |                           |           |           | LIFE LIMIT  |        |
| SN:8P-15634               | HRS  | 0         |          | TSN 0             |                           |           |           |             |        |
| WC#: 72.150               | ENC  | 0         | 12000    | TSN 0             | (12000)<br>11996          |           | 7356      |             |        |
| PROC. REF: GENERIC NO REF |  |           |          |                   |                           |           |           |             |        |
| 725130                    | NO. 2 ENGINE - HIGH PRESSURE COMPRESSOR SHOULDERED SHAFT |           |          |                   |                           |           |           | Component   | ATA:72 |
| PN:3072545-1              | MOS  | 23-Oct-89 |          |                   |                           |           |           | LIFE LIMIT  |        |
| SN:8P-15637               | HRS  | 0         |          | TSN 0             |                           |           |           |             |        |
| WC#: 72.150               | ENC  | 0         | 12000    | TSN 0             | (12000)<br>11898          |           | 7258      |             |        |
| PROC. REF: GENERIC NO REF |  |           |          |                   |                           |           |           |             |        |
| 725130                    | NO. 3 ENGINE - HIGH PRESSURE COMPRESSOR SHOULDERED SHAFT |           |          |                   |                           |           |           | Component   | ATA:72 |
| PN:3072545-1              | MOS  | 13-Sep-04 |          |                   |                           |           |           | LIFE LIMIT  |        |
| SN:04P13307               | HRS  | 4991.5    |          | TSN 0             |                           |           |           |             |        |
| WC#: 72.150               | ENC  | 2336      | 12000    | TSN 0             | (14336)<br>14339          |           | 9699      |             |        |
| PROC. REF: GENERIC NO REF |  |           |          |                   |                           |           |           |             |        |
| 725140                    | NO. 1 ENGINE - HIGH PRESSURE TURBINE ROTOR SEAL PLATE    |           |          |                   |                           |           |           | Component   | ATA:72 |
| PN:3077065-1              | MOS  | 08-Aug-98 |          |                   |                           |           |           | LIFE LIMIT  |        |
| SN:6-18040-514            | HRS  | 5298.6    |          | TSN 5298.6, TSR 0 |                           |           |           |             |        |
| WC#: 72.160               | ENC  | 2533      | 30000    | TSN 2533, TSR 0   | (30000)<br>29996          |           | 25356     |             |        |
| PROC. REF: GENERIC NO REF |  |           |          |                   |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                   | Unit  | C/W       | Interval | TSX/Adj.        | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------|---|-----------|----------|-----------------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 72 - ENGINE</b>    |   |           |          |                 |                           |           |           |             |        |
| 725140                    | NO. 2 ENGINE - HIGH PRESSURE TURBINE ROTOR SEAL PLATE |           |          |                 |                           |           |           | Component   | ATA:72 |
| PN:3077065-1              | MOS   | 24-Sep-98 |          |                 |                           |           |           | LIFE LIMIT  |        |
| SN:7-18040-333            | HRS   | 3471      |          | TSN 3211        |                           |           |           |             |        |
| WC#: 72.160               | ENC   | 1545      | 30000    | TSN 1838        | (29707)<br>29605          |           | 24965     |             |        |
|                           | (AFL)   | 0         |          |                 |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |                 |                           |           |           |             |        |
| 725140                    | NO. 3 ENGINE - HIGH PRESSURE TURBINE ROTOR SEAL PLATE |           |          |                 |                           |           |           | Component   | ATA:72 |
| PN:3077065-1              | MOS   | 08-Aug-98 |          | TSR 0           |                           |           |           | LIFE LIMIT  |        |
| SN:4-18040-6066           | HRS   | 3471      |          | TSN 3471, TSR 0 |                           |           |           |             |        |
| WC#: 72.160               | ENC   | 1544      | 30000    | TSN 1544, TSR 0 | (30000)<br>30003          |           | 25363     |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |                 |                           |           |           |             |        |
| 725150                    | NO. 1 ENGINE - FAN DRIVE SHAFT                        |           |          |                 |                           |           |           | Component   | ATA:72 |
| PN:3074641-3              | MOS/MSC   | 24-Sep-98 | O/C      |                 |                           |           |           |             |        |
| SN:4P-006429              | HRS   | 3285.3    |          | TSN 1154        |                           |           |           |             |        |
| WC#: 72.170               | ENC   | 1457      |          | TSN 423         |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |                 |                           |           |           |             |        |
| 725150                    | NO. 2 ENGINE - FAN DRIVE SHAFT                        |           |          |                 |                           |           |           | Component   | ATA:72 |
| PN:3074641-3              | MOS/MSC   | 11-Aug-98 | O/C      | TSR 0           |                           |           |           |             |        |
| SN:8P-16635               | HRS   |           |          | TSR 0           |                           |           |           |             |        |
| WC#: 72.170               | ENC   |           |          | TSR 0           |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |                 |                           |           |           |             |        |
| 725150                    | NO. 3 ENGINE - FAN DRIVE SHAFT                        |           |          |                 |                           |           |           | Component   | ATA:72 |
| PN:3074641-3              | MOS/MSC   | 13-Sep-04 | O/C      | TSR 0           |                           |           |           |             |        |
| SN:8P-16637               | HRS   | 4991.5    |          | TSR 0           |                           |           |           |             |        |
| WC#: 72.170               | ENC   | 2336      |          | TSR 0           |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |                 |                           |           |           |             |        |
| 725160                    | NO. 1 ENGINE - TURBINE INTERSTAGE TRANSITION DUCT     |           |          |                 |                           |           |           | Component   | ATA:72 |
| PN:3075292-4              | MOS/MSC   | 17-Jan-14 | O/C      | TSO 0           |                           |           |           |             |        |
| SN:07P07953               | HRS   | 7781.8    |          | TSO 0           |                           |           |           |             |        |
| WC#: 72.180               | ENC   | 3851      |          | TSO 0           |                           |           |           |             |        |
| PROC. REF: LMM 72-50-05   |   |           |          |                 |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                   | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 72 - ENGINE</b>    |   |           |          |          |                           |           |           |             |        |
| 725160                    | NO. 2 ENGINE - TURBINE INTERSTAGE TRANSITION DUCT     |           |          |          |                           |           |           | Component   | ATA:72 |
| PN:3075292-4              | MOS/MSC   | 21-Apr-14 | O/C      |          | TSO 0                     |           |           |             |        |
| SN:1P-6311                | HRS   | 8005.9    |          |          | TSO 0                     |           |           |             |        |
| WC#: 72.180               | ENC   | 3957      |          |          | TSO 0                     |           |           |             |        |
| PROC. REF: LMM 72-50-05   |   |           |          |          |                           |           |           |             |        |
| 725160                    | NO. 3 ENGINE - TURBINE INTERSTAGE TRANSITION DUCT     |           |          |          |                           |           |           | Component   | ATA:72 |
| PN:3077063-2              | MOS/MSC   | 30-Apr-12 | O/C      |          | TSO 1                     |           |           |             |        |
| SN:6P-13531               | HRS   | 7478.7    |          |          | TSO 0                     |           |           |             |        |
| WC#: 72.180               | ENC   |           |          |          | TSO 0                     |           |           |             |        |
| PROC. REF: LMM 72-50-05   |   |           |          |          |                           |           |           |             |        |
| 725180                    | NO. 1 ENGINE - STAGE 1 LOW PRESSURE TURBINE NOZZLE    |           |          |          |                           |           |           | Component   | ATA:72 |
| PN:3075715-2              | MOS/MSC   | 24-Sep-98 | O/C      |          |                           |           |           |             |        |
| SN:97P12487               | HRS   | 3285.3    |          |          | TSN 0                     |           |           |             |        |
| WC#: 72.190               | ENC   | 1457      |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |          |                           |           |           |             |        |
| 725180                    | NO. 2 ENGINE - STAGE 1 LOW PRESSURE TURBINE NOZZLE    |           |          |          |                           |           |           | Component   | ATA:72 |
| PN:3075715-4              | MOS/MSC   | 10-Oct-05 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                | HRS   | 5502.6    |          |          |                           |           |           |             |        |
| WC#: 72.190               | ENC   | 2630      |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |          |                           |           |           |             |        |
| 725180                    | NO. 3 ENGINE - STAGE 1 LOW PRESSURE TURBINE NOZZLE    |           |          |          |                           |           |           | Component   | ATA:72 |
| PN:3075715-4              | MOS/MSC   | 25-May-12 | O/C      |          | TSO 0                     |           |           |             |        |
| SN:11-3300-03017          | HRS   | 7478.7    |          |          | TSO 0                     |           |           |             |        |
| WC#: 72.190               | ENC   | 3696      |          |          | TSO 0                     |           |           |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |          |                           |           |           |             |        |
| 725190                    | NO. 1 ENGINE - LOW PRESSURE TURBINE ROTATING AIR SEAL |           |          |          |                           |           |           | Component   | ATA:72 |
| PN:3073765-9              | MOS/MSC   | 24-Sep-98 | O/C      |          |                           |           |           |             |        |
| SN:97P15074               | HRS   | 3285.3    |          |          | TSN 0                     |           |           |             |        |
| WC#: 72.200               | ENC   | 1457      |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |          |                           |           |           |             |        |
| 725190                    | NO. 2 ENGINE - LOW PRESSURE TURBINE ROTATING AIR SEAL |           |          |          |                           |           |           | Component   | ATA:72 |
| PN:3073765-9              | MOS/MSC   | 24-Sep-98 | O/C      |          |                           |           |           |             |        |
| SN:96P04837               | HRS   | 3471      |          |          | TSN 0                     |           |           |             |        |
| WC#: 72.200               | ENC   | 1545      |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: GENERIC NO REF |   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                 | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 72 - ENGINE</b>                  |   |           |          |          |                           |           |           |             |        |
| 725190                                  | NO. 3 ENGINE - LOW PRESSURE TURBINE ROTATING AIR SEAL         |           |          |          |                           |           |           | Component   | ATA:72 |
| PN:3073765-9                            | MOS/MSC   | 18-May-12 | O/C      |          |                           |           |           |             |        |
| SN:00P10346                             | HRS   |           |          |          | TSN 4171.5                |           |           |             |        |
| WC#: 72.200                             | ENC   |           |          |          | TSN 1909                  |           |           |             |        |
| PROC. REF: GENERIC NO REF               |   |           |          |          |                           |           |           |             |        |
| 725191                                  | NO. 1 ENGINE - LOW PRESSURE TURBINE ROTATING AIR SEAL SUPPORT |           |          |          |                           |           |           | Component   | ATA:72 |
| PN:3074052-2                            | MOS/MSC   | 24-Sep-98 | O/C      |          |                           |           |           |             |        |
| SN:97P14169                             | HRS   | 3285.3    |          |          | TSN 0                     |           |           |             |        |
| WC#: 72.210                             | ENC   | 1457      |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: GENERIC NO REF               |   |           |          |          |                           |           |           |             |        |
| 725191                                  | NO. 2 ENGINE - LOW PRESSURE TURBINE ROTATING AIR SEAL SUPPORT |           |          |          |                           |           |           | Component   | ATA:72 |
| PN:3074052-1                            | MOS/MSC   | 24-Sep-98 | O/C      |          |                           |           |           |             |        |
| SN:96P05813                             | HRS   | 3471      |          |          | TSN 0                     |           |           |             |        |
| WC#: 72.210                             | ENC   | 1545      |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: GENERIC NO REF               |   |           |          |          |                           |           |           |             |        |
| 725191                                  | NO. 3 ENGINE - LOW PRESSURE TURBINE ROTATING AIR SEAL SUPPORT |           |          |          |                           |           |           | Component   | ATA:72 |
| PN:3074052-2                            | MOS/MSC   | 18-May-12 | O/C      |          |                           |           |           |             |        |
| SN:00P10220                             | HRS   | 7478.7    |          |          | TSN 4171.5                |           |           |             |        |
| WC#: 72.210                             | ENC   | 3696      |          |          | TSN 1909                  |           |           |             |        |
| PROC. REF: GENERIC NO REF               |   |           |          |          |                           |           |           |             |        |
| 725230                                  | NO. 1 ENGINE - FAN SPINNER                                    |           |          |          |                           |           |           | Component   | ATA:72 |
| PN:3074623-3                            | MOS/MSC   | 17-Jan-14 | O/C      |          | TSN 0                     |           |           |             |        |
| SN:13-5060-00151                        | HRS   | 7781.8    |          |          | TSN 0                     |           |           |             |        |
| WC#: 72.220                             | ENC   | 3851      |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: GENERIC NO REF, LMM 72-70-01 |   |           |          |          |                           |           |           |             |        |
| 725230                                  | NO. 2 ENGINE - FAN SPINNER                                    |           |          |          |                           |           |           | Component   | ATA:72 |
| PN:3074623-3                            | MOS/MSC   | 21-Apr-14 | O/C      |          | TSN 0                     |           |           |             |        |
| SN:14-5060-00030                        | HRS   | 8005.9    |          |          | TSN 0                     |           |           |             |        |
| WC#: 72.220                             | ENC   | 3957      |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: GENERIC NO REF, LMM 72-70-01 |   |           |          |          |                           |           |           |             |        |
| 725230                                  | NO. 3 ENGINE - FAN SPINNER                                    |           |          |          |                           |           |           | Component   | ATA:72 |
| PN:3074623-3                            | MOS/MSC   | 24-Sep-98 | O/C      |          |                           |           |           |             |        |
| SN:972428000083                         | HRS   | 3471      |          |          | TSN 0                     |           |           |             |        |
| WC#: 72.220                             | ENC   | 1545      |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: GENERIC NO REF, LMM 72-70-01 |   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval    | TSX/Adj.          | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining     | Disposition |
|---|---------|-----------|-------------|-------------------|---------------------------|-----------|---------------|-------------|
| <b>ATA 72 - ENGINE</b>  |         |           |             |                   |                           |           |               |             |
| <b>726110 NO. 1 ENGINE - ACCESSORY GEARBOX Component ATA:72</b>       |         |           |             |                   |                           |           |               |             |
| PN:3070003-31   | MOS/MSC | 22-Aug-98 | O/C         | TSR 0             |                           |           |               |             |
| SN:P-4989   | HRS     | 3285.3    |             | TSN 3285.3, TSR 0 |                           |           |               |             |
| WC#: 72.230   | ENC     | 1457      |             | TSN 1457, TSR 0   |                           |           |               |             |
| PROC. REF: LMM 72-60-02   |         |           |             |                   |                           |           |               |             |
| <b>726110 NO. 2 ENGINE - ACCESSORY GEARBOX Component ATA:72</b>       |         |           |             |                   |                           |           |               |             |
| PN:3070003-31   | MOS/MSC | 18-Aug-98 | O/C         | TSR 0             |                           |           |               |             |
| SN:P-4988   | HRS     | 3471      |             | TSN 3471, TSR 0   |                           |           |               |             |
| WC#: 72.230   | ENC     | 1544      |             | TSN 1544, TSR 0   |                           |           |               |             |
| PROC. REF: LMM 72-60-02   |         |           |             |                   |                           |           |               |             |
| <b>726110 NO. 3 ENGINE - ACCESSORY GEARBOX Component ATA:72</b>       |         |           |             |                   |                           |           |               |             |
| PN:3070003-31   | MOS/MSC | 23-Oct-89 | O/C         |                   |                           |           |               |             |
| SN:P-5010   | HRS     | 0         |             | TSN 0             |                           |           |               |             |
| WC#: 72.230   | ENC     | 0         |             | TSN 0             |                           |           |               |             |
| PROC. REF: LMM 72-60-02   |         |           |             |                   |                           |           |               |             |
| <b>726120 NO. 1 ENGINE - INSPECT ACCESSORY GEARBOX Service ATA:72</b> |         |           |             |                   |                           |           |               |             |
| PN:3070003-31   | MOS     | 17-Jan-14 |             |                   |                           |           |               |             |
| SN:P-4989   | HRS     | 7781.8    | 5000 (+200) |                   | (12781.8)<br>12987.13     | 12981.8   | 3155.9 (+200) |             |
| WC#: 72.240   | ENC     | 3851      |             |                   |                           |           |               |             |
| PROC. REF: LMM 72-60-02   |         |           |             |                   |                           |           |               |             |
| <b>726120 NO. 2 ENGINE - INSPECT ACCESSORY GEARBOX Service ATA:72</b> |         |           |             |                   |                           |           |               |             |
| PN:3070003-31   | MOS     | 21-Apr-14 |             |                   |                           |           |               |             |
| SN:P-4988   | HRS     | 8005.9    | 5000 (+200) |                   | (13005.9)<br>13013.23     | 13205.9   | 3182 (+200)   |             |
| WC#: 72.240   | ENC     | 3957      |             |                   |                           |           |               |             |
| PROC. REF: LMM 72-60-02   |         |           |             |                   |                           |           |               |             |
| <b>726120 NO. 3 ENGINE - INSPECT ACCESSORY GEARBOX Service ATA:72</b> |         |           |             |                   |                           |           |               |             |
| PN:3070003-31   | MOS     | 25-May-12 |             |                   |                           |           |               |             |
| SN:P-5010   | HRS     | 7478.7    | 5000 (+200) |                   | (12478.7)<br>12644.83     | 12678.7   | 2813.6 (+200) |             |
| WC#: 72.240   | ENC     | 3696      |             |                   |                           |           |               |             |
| PROC. REF: LMM 72-60-02   |         |           |             |                   |                           |           |               |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                 | Unit  | C/W       | Interval    | TSX/Adj.          | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining     | Disposition |        |
|-------------------------|---|-----------|-------------|-------------------|---------------------------|-----------|---------------|-------------|--------|
| <b>ATA 72 - ENGINE</b>  |   |           |             |                   |                           |           |               |             |        |
| 726130                  | NO. 1 ENGINE - TRANSFER GEARBOX             |           |             |                   |                           |           |               | Component   | ATA:72 |
| PN:3070093-12           | MOS/MSC                                     | 22-Aug-98 | O/C         | TSR 0             |                           |           |               |             |        |
| SN:P-6249               | HRS   | 3285.3    |             | TSN 3285.3, TSR 0 |                           |           |               |             |        |
| WC#: 72.250             | ENC   | 1457      |             | TSN 1457, TSR 0   |                           |           |               |             |        |
| PROC. REF: LMM 72-60-01 |   |           |             |                   |                           |           |               |             |        |
| 726130                  | NO. 2 ENGINE - TRANSFER GEARBOX             |           |             |                   |                           |           |               | Component   | ATA:72 |
| PN:3070093-12           | MOS/MSC                                     | 18-Aug-98 | O/C         | TSR 0             |                           |           |               |             |        |
| SN:P-6238               | HRS   | 3471      |             | TSR 0             |                           |           |               |             |        |
| WC#: 72.250             | ENC   | 1544      |             | TSR 0             |                           |           |               |             |        |
| PROC. REF: LMM 72-60-01 |   |           |             |                   |                           |           |               |             |        |
| 726130                  | NO. 3 ENGINE - TRANSFER GEARBOX             |           |             |                   |                           |           |               | Component   | ATA:72 |
| PN:3070093-12           | MOS/MSC                                     | 13-Sep-04 | O/C         | TSR 0             |                           |           |               |             |        |
| SN:P-6248               | HRS   | 4991.5    |             | TSR 0             |                           |           |               |             |        |
| WC#: 72.250             | ENC   | 2336      |             | TSR 0             |                           |           |               |             |        |
| PROC. REF: LMM 72-60-01 |   |           |             |                   |                           |           |               |             |        |
| 726140                  | NO. 1 ENGINE - INSPECT TRANSFER GEARBOX     |           |             |                   |                           |           |               | Service     | ATA:72 |
| PN:3070093-12           | MOS/MSC                                     | 24-Sep-98 | O/C         |                   |                           |           |               |             |        |
| SN:P-6249               | HRS   | 0         |             |                   |                           |           |               |             |        |
| WC#: 72.250             | ENC   | 0         |             |                   |                           |           |               |             |        |
| PROC. REF: LMM 72-00-00 |   |           |             |                   |                           |           |               |             |        |
| 726140                  | NO. 2 ENGINE - INSPECT TRANSFER GEARBOX     |           |             |                   |                           |           |               | Service     | ATA:72 |
| PN:3070093-12           | MOS/MSC                                     | 23-Oct-89 | O/C         |                   |                           |           |               |             |        |
| SN:P-6238               | HRS   | 0         |             |                   |                           |           |               |             |        |
| WC#: 72.250             | ENC   | 0         |             |                   |                           |           |               |             |        |
| PROC. REF: LMM 72-00-00 |   |           |             |                   |                           |           |               |             |        |
| 726140                  | NO. 3 ENGINE - INSPECT TRANSFER GEARBOX     |           |             |                   |                           |           |               | Service     | ATA:72 |
| PN:3070093-12           | MOS/MSC                                     | 23-Oct-89 | O/C         |                   |                           |           |               |             |        |
| SN:P-6248               | HRS   | 0         |             |                   |                           |           |               |             |        |
| WC#: 72.250             | ENC   | 0         |             |                   |                           |           |               |             |        |
| PROC. REF: LMM 72-00-00 |   |           |             |                   |                           |           |               |             |        |
| 727110                  | NO. 1 ENGINE - INSPECT FAN SUPPORT ASSEMBLY |           |             |                   |                           |           |               | Service     | ATA:72 |
|                         | MOS   | 17-Jan-14 |             |                   |                           |           |               |             |        |
|                         | HRS   | 7781.8    | 5000 (+200) |                   | (12781.8)<br>12987.13     | 12981.8   | 3155.9 (+200) |             |        |
| WC#: 72.270             | ENC   | 3851      |             |                   |                           |           |               |             |        |
| PROC. REF: LMM 72-70-06 |   |           |             |                   |                           |           |               |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                 | Unit  | C/W       | Interval    | TSX/Adj.        | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining     | Disposition    |        |
|---|---|-----------|-------------|-----------------|---------------------------|-----------|---------------|----------------|--------|
| <b>ATA 72 - ENGINE</b>                  |   |           |             |                 |                           |           |               |                |        |
| 727110                                  | NO. 2 ENGINE - INSPECT FAN SUPPORT ASSEMBLY   |           |             |                 |                           |           |               | Service        | ATA:72 |
|   | MOS   | 21-Apr-14 |             |                 |                           |           |               |                |        |
|   | HRS   | 8005.9    | 5000 (+200) |                 | (13005.9)<br>13013.23     | 13205.9   | 3182 (+200)   |                |        |
| WC#: 72.270                             | ENC   | 3957      |             |                 |                           |           |               |                |        |
|   | PROC. REF: LMM 72-70-06   |           |             |                 |                           |           |               |                |        |
| 727110                                  | NO. 3 ENGINE - INSPECT FAN SUPPORT ASSEMBLY   |           |             |                 |                           |           |               | Service        | ATA:72 |
|   | MOS   | 30-Apr-12 |             |                 |                           |           |               |                |        |
|   | HRS   | 7478.7    | 5000 (+200) |                 | (12478.7)<br>12644.83     | 12678.7   | 2813.6 (+200) |                |        |
| WC#: 72.270                             | ENC   | 3696      |             |                 |                           |           |               |                |        |
|   | PROC. REF: LMM 72-70-06   |           |             |                 |                           |           |               |                |        |
| <b>ATA 73 - ENGINE FUEL AND CONTROL</b> |   |           |             |                 |                           |           |               |                |        |
| 73-20-01-710-802-01 <sup>S</sup>        | OPERATIONAL TEST OF THE ENGINE 1 COMPUTER STAND-BY POWER SUPPLY                                   |           |             |                 |                           |           |               | Service        | ATA:73 |
|   | MOS   | 17-Apr-16 |             |                 |                           |           |               |                |        |
|   | HRS   | 8447.8    | 1600 (+40)  |                 |                           |           |               |                |        |
| WC#: 73.075                             | AFL   | 4114      |             |                 |                           |           |               |                |        |
|   | PROC. REF: AMM 73-20-01-710-802   |           |             |                 |                           |           |               |                |        |
| 73-20-01-710-802-01A                    | OPERATIONAL TEST OF THE NO. 1 ENGINE COMPUTER STAND-BY POWER SUPPLY (MANDATORY 5-40)              |           |             |                 |                           |           |               | Service        | ATA:73 |
|   | MOS   | 17-Apr-16 |             |                 |                           |           |               | MANDATORY 5-40 |        |
|   | HRS   | 8447.8    | 1640        |                 | 10087.8                   |           | 256.6         |                |        |
| WC#: 73.075                             | AFL   | 4114      |             |                 |                           |           |               |                |        |
|   | PROC. REF: AMM 73-20-01-710-802   |           |             |                 |                           |           |               |                |        |
| 73-30-12-900-801-04                     | REMOVAL / INSTALLATION OF THE FUEL FLOW INDICATORS - FLOWMETER 1/TOTAL FUEL USED INDICATOR (2EH1) |           |             |                 |                           |           |               | Component      | ATA:73 |
| PN:9-464-30                             | MOS/MSC   | 15-Jun-90 | O/C         |                 |                           |           |               |                |        |
| SN:1266                                 | HRS   | 208       |             | TSN 85          |                           |           |               |                |        |
| WC#: 73.080                             | AFL   | 117       |             | TSN 65          |                           |           |               |                |        |
|   | PROC. REF: AMM 73-30-12-900-801   |           |             |                 |                           |           |               |                |        |
| 73-30-12-900-801-05                     | REMOVAL / INSTALLATION OF THE FUEL FLOW INDICATORS - FLOWMETER 2/TOTAL FUEL USED INDICATOR (2EH2) |           |             |                 |                           |           |               | Component      | ATA:73 |
| PN:9-464-30                             | MOS/MSC   | 18-Dec-18 | O/C         | TSR 0           |                           |           |               |                |        |
| SN:964                                  | HRS   | 8869.7    |             | TSO 6616, TSR 0 |                           |           |               |                |        |
| WC#: 73.080                             | AFL   | 4273      |             | TSO 4503, TSR 0 |                           |           |               |                |        |
|   | PROC. REF: AMM 73-30-12-900-801   |           |             |                 |                           |           |               |                |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                 | Unit    | C/W   | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---|---------|---|------------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 73 - ENGINE FUEL AND CONTROL</b> |         |   |            |          |                           |           |           |             |        |
| 73-30-12-900-801-06                     |         | REMOVAL / INSTALLATION OF THE FUEL FLOW INDICATORS - FLOWMETER 3/TOTAL FUEL USED INDICATOR (2EH3) |            |          |                           |           |           | Component   | ATA:73 |
| PN:9-464-30                             | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |        |
| SN:1618                                 | HRS     | 0   |            | TSN 0    |                           |           |           |             |        |
| WC#: 73.080                             | AFL     | 0   |            |          |                           |           |           |             |        |
| PROC. REF: AMM 73-30-12-900-801         |         |   |            |          |                           |           |           |             |        |
| 731110                                  |         | NO. 1 ENGINE - FUEL PUMP  |            |          |                           |           |           | Component   | ATA:73 |
| PN:3070850-57                           | MOS/MSC | 23-Oct-89   | O/C        |          |                           |           |           |             |        |
| SN:MX475748                             | HRS     | 0   |            | TSN 0    |                           |           |           |             |        |
| WC#: 73.010                             | ENC     | 0   |            | TSN 0    |                           |           |           |             |        |
| PROC. REF: LMM 73-20-01, LMM 73-21-02   |         |   |            |          |                           |           |           |             |        |
| 731110                                  |         | NO. 2 ENGINE - FUEL PUMP  |            |          |                           |           |           | Component   | ATA:73 |
| PN:3070850-57                           | MOS/MSC | 24-Sep-98   | O/C        |          |                           |           |           |             |        |
| SN:MX470593                             | HRS     | 3471  |            |          |                           |           |           |             |        |
| WC#: 73.010                             | ENC     | 1545  |            |          |                           |           |           |             |        |
| PROC. REF: LMM 73-20-01, LMM 73-21-02   |         |   |            |          |                           |           |           |             |        |
| 731110                                  |         | NO. 3 ENGINE - FUEL PUMP  |            |          |                           |           |           | Component   | ATA:73 |
| PN:3070850-57                           | MOS/MSC | 25-May-12   | O/C        | TSO 0    |                           |           |           |             |        |
| SN:MX-546983                            | HRS     | 7478.7  |            | TSO 0    |                           |           |           |             |        |
| WC#: 73.010                             | ENC     | 3696  |            | TSO 0    |                           |           |           |             |        |
| PROC. REF: LMM 73-20-01, LMM 73-21-02   |         |   |            |          |                           |           |           |             |        |
| 731120 <sup>S</sup>                     |         | NO. 1 ENGINE - REMOVE AND REPLACE FUEL FILTER ELEMENT   |            |          |                           |           |           | Service     | ATA:73 |
|   | MOS     | 15-Feb-23   |            |          |                           |           |           |             |        |
|   | HRS     | 9459  | 300 (+100) |          |                           |           |           |             |        |
| WC#: 73.010                             | ENC     | 4482  |            |          |                           |           |           |             |        |
| PROC. REF: LMM 73-21-02, LMM 73-21-02   |         |   |            |          |                           |           |           |             |        |
| 731120 <sup>S</sup>                     |         | NO. 2 ENGINE - REMOVE AND REPLACE FUEL FILTER ELEMENT   |            |          |                           |           |           | Service     | ATA:73 |
|   | MOS     | 15-Feb-23   |            |          |                           |           |           |             |        |
|   | HRS     | 9657  | 300 (+100) |          |                           |           |           |             |        |
| WC#: 73.010                             | ENC     | 4580  |            |          |                           |           |           |             |        |
| PROC. REF: LMM 73-21-02, LMM 73-21-02   |         |   |            |          |                           |           |           |             |        |
| 731120 <sup>S</sup>                     |         | NO. 3 ENGINE - REMOVE AND REPLACE FUEL FILTER ELEMENT   |            |          |                           |           |           | Service     | ATA:73 |
|   | MOS     | 15-Feb-23   |            |          |                           |           |           |             |        |
|   | HRS     | 9498.2  | 300 (+100) |          |                           |           |           |             |        |
| WC#: 73.010                             | ENC     | 4475  |            |          |                           |           |           |             |        |
| PROC. REF: LMM 73-21-02, LMM 73-21-02   |         |   |            |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                 | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 73 - ENGINE FUEL AND CONTROL</b> |  |           |          |          |                           |           |           |             |        |
| 731130                                  | NO. 1 ENGINE - FLOW DIVIDER/DRAIN VALVE                          |           |          |          |                           |           |           | Component   | ATA:73 |
| PN:394396-2-1                           | MOS/MSC  | 24-Sep-98 | O/C      |          |                           |           |           |             |        |
| SN:7201                                 | HRS  | 3285.3    |          |          |                           |           |           |             |        |
| WC#: 73.030                             | ENC  | 1457      |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF               |  |           |          |          |                           |           |           |             |        |
| 731130                                  | NO. 2 ENGINE - FLOW DIVIDER/DRAIN VALVE                          |           |          |          |                           |           |           | Component   | ATA:73 |
| PN:394396-2-1                           | MOS/MSC  | 24-Sep-98 | O/C      |          |                           |           |           |             |        |
| SN:7094                                 | HRS  | 3471      |          |          |                           |           |           |             |        |
| WC#: 73.030                             | ENC  | 1545      |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF               |  |           |          |          |                           |           |           |             |        |
| 731130                                  | NO. 3 ENGINE - FLOW DIVIDER/DRAIN VALVE                          |           |          |          |                           |           |           | Component   | ATA:73 |
| PN:394396-2-1                           | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:7205                                 | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 73.030                             | ENC  | 0         |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF               |  |           |          |          |                           |           |           |             |        |
| 731140                                  | NO. 1 ENGINE - FUEL HEATER                                       |           |          |          |                           |           |           | Component   | ATA:73 |
| PN:158670-5                             | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:78-4941C                             | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 73.040                             | ENC  | 0         |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: LMM 73-10-04                 |  |           |          |          |                           |           |           |             |        |
| 731140                                  | NO. 2 ENGINE - FUEL HEATER                                       |           |          |          |                           |           |           | Component   | ATA:73 |
| PN:158670-5                             | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:58-4911                              | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 73.040                             | ENC  | 0         |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: LMM 73-10-04                 |  |           |          |          |                           |           |           |             |        |
| 731140                                  | NO. 3 ENGINE - FUEL HEATER                                       |           |          |          |                           |           |           | Component   | ATA:73 |
| PN:158670-5                             | MOS/MSC  | 13-Sep-04 | O/C      |          | TSO 0                     |           |           |             |        |
| SN:129-1914                             | HRS  | 4991.5    |          |          | TSO 0                     |           |           |             |        |
| WC#: 73.040                             | ENC  | 2336      |          |          | TSO 0                     |           |           |             |        |
| PROC. REF: LMM 73-10-04                 |  |           |          |          |                           |           |           |             |        |
| 731150 <sup>S</sup>                     | NO. 1 ENGINE - CHECK FUEL HEATER OIL TUBES (FLUID TRANSFER TUBE) |           |          |          |                           |           |           | Service     | ATA:73 |
|   | MOS  | 31-Jan-22 |          |          |                           |           |           |             |        |
|   | HRS  | 9158.7    | 800      |          |                           |           |           |             |        |
| WC#: 73.050                             | ENC  | 4381      |          |          |                           |           |           |             |        |
| PROC. REF: LMM 79-20-06                 |  |           |          |          |                           |           |           |             |        |

PKG:4

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 73 - ENGINE FUEL AND CONTROL</b>   |         |           |          |          |                           |           |           |             |
| <b>731150<sup>S</sup> NO. 2 ENGINE - CHECK FUEL HEATER OIL TUBES (FLUID TRANSFER TUBE) Service ATA:73</b> |         |           |          |          |                           |           |           |             |
|   | MOS     | 31-Jan-22 |          |          |                           |           |           |             |
|   | HRS     | 9356.7    | 800      |          |                           |           |           |             |
| WC#: 73.050   | ENC     | 4479      |          |          |                           |           |           |             |
| PROC. REF: LMM 79-20-06   |         |           |          |          |                           |           |           | PKG:4       |
| <b>731150<sup>S</sup> NO. 3 ENGINE - CHECK FUEL HEATER OIL TUBES (FLUID TRANSFER TUBE) Service ATA:73</b> |         |           |          |          |                           |           |           |             |
|   | MOS     | 14-Jan-22 |          |          |                           |           |           |             |
|   | HRS     | 9164.7    | 800      |          |                           |           |           |             |
| WC#: 73.050   | ENC     | 4366      |          |          |                           |           |           |             |
| PROC. REF: LMM 79-20-06   |         |           |          |          |                           |           |           | PKG:4       |
| <b>731160 NO. 1 ENGINE - FUEL HEATER CHECK VALVE Component ATA:73</b>                                     |         |           |          |          |                           |           |           |             |
| PN:3073932-4  | MOS/MSC | 08-Aug-98 | O/C      |          | TSR 0                     |           |           |             |
| SN:8-20404-197  | HRS     | 3285.3    |          |          | TSR 0                     |           |           |             |
| WC#: 73.060   | ENC     | 1457      |          |          | TSR 0                     |           |           |             |
| PROC. REF: LMM 73-10-04   |         |           |          |          |                           |           |           |             |
| <b>731160 NO. 2 ENGINE - FUEL HEATER CHECK VALVE Component ATA:73</b>                                     |         |           |          |          |                           |           |           |             |
| PN:3073932-4  | MOS/MSC | 11-Aug-98 | O/C      |          | TSR 0                     |           |           |             |
| SN:3-08265-198  | HRS     |           |          |          | TSR 0                     |           |           |             |
| WC#: 73.060   | ENC     |           |          |          | TSR 0                     |           |           |             |
| PROC. REF: LMM 73-10-04   |         |           |          |          |                           |           |           |             |
| <b>731160 NO. 3 ENGINE - FUEL HEATER CHECK VALVE Component ATA:73</b>                                     |         |           |          |          |                           |           |           |             |
| PN:3073932-4  | MOS/MSC | 23-Oct-89 | O/C      |          | TSN 0                     |           |           |             |
| SN:9-20404-183  | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 73.060   | ENC     | 0         |          |          | TSN 0                     |           |           |             |
| PROC. REF: LMM 73-10-04   |         |           |          |          |                           |           |           |             |
| <b>732101 NO. 1 ENGINE FUEL COMPUTER Component ATA:73</b>   |         |           |          |          |                           |           |           |             |
| PN:2119010-9000   | MOS/MSC | 13-Feb-08 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN  | HRS     | 6397.7    |          |          |                           |           |           |             |
| WC#: 73.070   | AFL     | 3097      |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |             |
| <b>732102 NO. 2 ENGINE FUEL COMPUTER Component ATA:73</b>   |         |           |          |          |                           |           |           |             |
| PN:2119010-9000   | MOS/MSC | 13-Feb-08 | O/C      |          | TSN 0                     |           |           |             |
| SN:UNKNOWN  | HRS     | 6397.7    |          |          | TSN 0                     |           |           |             |
| WC#: 73.070   | AFL     | 3097      |          |          | TSN 0                     |           |           |             |
| PROC. REF: AMM GENERIC 2  |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                 | Unit                                  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---|---------------------------------------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 73 - ENGINE FUEL AND CONTROL</b> |                                       |           |          |          |                           |           |           |             |        |
| 732103                                  | NO. 3 ENGINE FUEL COMPUTER            |           |          |          |                           |           |           | Component   | ATA:73 |
| PN:2119010-9000                         | MOS/MSC                               | 13-Feb-08 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                              | HRS                                   | 6397.7    |          |          |                           |           |           |             |        |
| WC#: 73.070                             | AFL                                   | 3097      |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2                |                                       |           |          |          |                           |           |           |             |        |
| 732110                                  | NO. 1 ENGINE - FUEL CONTROL UNIT      |           |          |          |                           |           |           | Component   | ATA:73 |
| PN:3070800-35                           | MOS/MSC                               | 01-Nov-06 | O/C      |          | TSR 0                     |           |           |             |        |
| SN:15423                                | HRS                                   | 5685.2    |          |          | TSR 0                     |           |           |             |        |
| WC#: 73.070                             | ENC                                   | 2747      |          |          | TSR 0                     |           |           |             |        |
| PROC. REF: LMM 73-20-01                 |                                       |           |          |          |                           |           |           |             |        |
| 732110                                  | NO. 2 ENGINE - FUEL CONTROL UNIT      |           |          |          |                           |           |           | Component   | ATA:73 |
| PN:3070800-35                           | MOS/MSC                               | 01-Nov-06 | O/C      |          | TSR 0                     |           |           |             |        |
| SN:18100                                | HRS                                   | 5870.9    |          |          | TSR 0                     |           |           |             |        |
| WC#: 73.070                             | ENC                                   | 2834      |          |          | TSR 0                     |           |           |             |        |
| PROC. REF: LMM 73-20-01                 |                                       |           |          |          |                           |           |           |             |        |
| 732110                                  | NO. 3 ENGINE - FUEL CONTROL UNIT      |           |          |          |                           |           |           | Component   | ATA:73 |
| PN:3070800-26                           | MOS/MSC                               | 25-May-12 | O/C      |          |                           |           |           |             |        |
| SN:A9605C                               | HRS                                   | 7478.7    |          |          |                           |           |           |             |        |
| WC#: 73.070                             | ENC                                   | 3696      |          |          |                           |           |           |             |        |
| PROC. REF: LMM 73-20-01                 |                                       |           |          |          |                           |           |           |             |        |
| 732120                                  | NO. 1 ENGINE - PRESSURE LIMITER VALVE |           |          |          |                           |           |           | Component   | ATA:73 |
| PN:3070685-6                            | MOS/MSC                               | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:A9391                                | HRS                                   | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 73.080                             | ENC                                   | 0         |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: GENERIC NO REF               |                                       |           |          |          |                           |           |           |             |        |
| 732120                                  | NO. 2 ENGINE - PRESSURE LIMITER VALVE |           |          |          |                           |           |           | Component   | ATA:73 |
| PN:3070685-6                            | MOS/MSC                               | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:A9402                                | HRS                                   | 0         |          |          | TSN 0                     |           |           |             |        |
| WC#: 73.080                             | ENC                                   | 0         |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: GENERIC NO REF               |                                       |           |          |          |                           |           |           |             |        |
| 732120                                  | NO. 3 ENGINE - PRESSURE LIMITER VALVE |           |          |          |                           |           |           | Component   | ATA:73 |
| PN:3070685-6                            | MOS/MSC                               | 24-Sep-98 | O/C      |          |                           |           |           |             |        |
| SN:A8401                                | HRS                                   | 3471      |          |          |                           |           |           |             |        |
| WC#: 73.080                             | ENC                                   | 1545      |          |          |                           |           |           |             |        |
| PROC. REF: GENERIC NO REF               |                                       |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                                 | Unit                               | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|---|------------------------------------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 73 - ENGINE FUEL AND CONTROL</b> |                                    |           |          |          |                           |           |           |             |        |
| 733151                                  | NO. 1 ENGINE FUEL FLOW TRANSMITTER |           |          |          |                           |           |           | Component   | ATA:73 |
| PN:9-231-14                             | MOS/MSC                            | 14-Feb-96 | O/C      |          | TSN 0                     |           |           |             |        |
| SN:2079                                 | HRS                                | 2450      |          |          | TSN 0                     |           |           |             |        |
| WC#: 73.090                             | AFL                                | 1187      |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: AMM GENERIC 2                |                                    |           |          |          |                           |           |           |             |        |
| 733152                                  | NO. 2 ENGINE FUEL FLOW TRANSMITTER |           |          |          |                           |           |           | Component   | ATA:73 |
| PN:9-231-14                             | MOS/MSC                            | 22-Dec-95 | O/C      |          |                           |           |           |             |        |
| SN:2356                                 | HRS                                | 2395      |          |          |                           |           |           |             |        |
| WC#: 73.090                             | AFL                                | 1162      |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2                |                                    |           |          |          |                           |           |           |             |        |
| 733153                                  | NO. 3 ENGINE FUEL FLOW TRANSMITTER |           |          |          |                           |           |           | Component   | ATA:73 |
| PN:9-231-14                             | MOS/MSC                            | 22-Dec-95 | O/C      |          |                           |           |           |             |        |
| SN:4197                                 | HRS                                | 2395      |          |          |                           |           |           |             |        |
| WC#: 73.090                             | AFL                                | 1162      |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2                |                                    |           |          |          |                           |           |           |             |        |
| <b>ATA 74 - IGNITION</b>                |                                    |           |          |          |                           |           |           |             |        |
| 741110                                  | NO. 1 ENGINE - IGNITION UNIT       |           |          |          |                           |           |           | Component   | ATA:74 |
| PN:10-617050-4                          | MOS/MSC                            | 26-Dec-06 | O/C      |          |                           |           |           |             |        |
| SN:86266395                             | HRS                                |           |          |          |                           |           |           |             |        |
| WC#: 74.010                             | ENC                                |           |          |          |                           |           |           |             |        |
| PROC. REF: LMM 74-00-01                 |                                    |           |          |          |                           |           |           |             |        |
| 741110                                  | NO. 2 ENGINE - IGNITION UNIT       |           |          |          |                           |           |           | Component   | ATA:74 |
| PN:3073914-4                            | MOS/MSC                            | 11-Aug-98 | O/C      |          | TSN 0                     |           |           |             |        |
| SN:9702180000123                        | HRS                                |           |          |          | TSN 0                     |           |           |             |        |
| WC#: 74.010                             | ENC                                |           |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: LMM 74-00-01                 |                                    |           |          |          |                           |           |           |             |        |
| 741110                                  | NO. 3 ENGINE - IGNITION UNIT       |           |          |          |                           |           |           | Component   | ATA:74 |
| PN:3073914-4                            | MOS/MSC                            | 08-Aug-98 | O/C      |          | TSR 0                     |           |           |             |        |
| SN:90433269                             | HRS                                | 3471      |          |          | TSR 0                     |           |           |             |        |
| WC#: 74.010                             | ENC                                | 1544      |          |          | TSR 0                     |           |           |             |        |
| PROC. REF: LMM 74-00-01                 |                                    |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval    | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit               | Remaining | Disposition |
|--|---------|-----------|-------------|----------|---------------------------|-------------------------|-----------|-------------|
| <b>ATA 74 - IGNITION</b>   |         |           |             |          |                           |                         |           |             |
| <b>741120<sup>S</sup> NO. 1 ENGINE - OPERATIONAL CHECK IGNITION SYSTEM Service ATA:74</b>                            |         |           |             |          |                           |                         |           |             |
|  | MOS     | 31-Jan-22 |             |          |                           |                         |           |             |
|  | HRS     | 9158.7    | 1200 (+200) |          |                           |                         |           |             |
| WC#: 74.010  | ENC     | 4381      |             |          |                           |                         |           |             |
|  |         |           |             |          |                           | PROC. REF: LMM 74-00-01 |           | PKG:0       |
| <b>741120<sup>S</sup> NO. 2 ENGINE - OPERATIONAL CHECK IGNITION SYSTEM Service ATA:74</b>                            |         |           |             |          |                           |                         |           |             |
|  | MOS     | 31-Jan-22 |             |          |                           |                         |           |             |
|  | HRS     | 9356.7    | 1200 (+200) |          |                           |                         |           |             |
| WC#: 74.010  | ENC     | 4479      |             |          |                           |                         |           |             |
|  |         |           |             |          |                           | PROC. REF: LMM 74-00-01 |           | PKG:0       |
| <b>741120<sup>S</sup> NO. 3 ENGINE - OPERATIONAL CHECK IGNITION SYSTEM Service ATA:74</b>                            |         |           |             |          |                           |                         |           |             |
|  | MOS     | 31-Jan-22 |             |          |                           |                         |           |             |
|  | HRS     | 9197.9    | 1200 (+200) |          |                           |                         |           |             |
| WC#: 74.010  | ENC     | 4374      |             |          |                           |                         |           |             |
|  |         |           |             |          |                           | PROC. REF: LMM 74-00-01 |           | PKG:0       |
| <b>742110 NO. 1 ENGINE - 6 O'CLOCK IGNITOR PLUG Component ATA:74</b>   |         |           |             |          |                           |                         |           |             |
| PN:3074541-4   | MOS/MSC | 31-Jan-22 | O/C         |          | TSN 0                     |                         |           |             |
| SN:UNKNOWN   | HRS     | 9158.7    |             |          | TSN 0                     |                         |           |             |
| WC#: 74.030  | ENC     | 4381      |             |          | TSN 0                     |                         |           |             |
|  |         |           |             |          |                           | PROC. REF: LMM 74-00-01 |           |             |
| <b>742110 NO. 2 ENGINE - 6 O'CLOCK IGNITOR PLUG Component ATA:74</b>   |         |           |             |          |                           |                         |           |             |
| PN:3074541-4   | MOS/MSC | 21-Apr-14 | O/C         |          | TSN 0                     |                         |           |             |
| SN:UNKNOWN   | HRS     | 8005.9    |             |          | TSN 0                     |                         |           |             |
| WC#: 74.030  | ENC     | 3957      |             |          | TSN 0                     |                         |           |             |
|  |         |           |             |          |                           | PROC. REF: LMM 74-00-01 |           |             |
| <b>742110 NO. 3 ENGINE - 6 O'CLOCK IGNITOR PLUG Component ATA:74</b>   |         |           |             |          |                           |                         |           |             |
| PN:CH31815-2   | MOS/MSC | 30-Apr-12 | O/C         |          | TSN 0                     |                         |           |             |
| SN:UNKNOWN   | HRS     | 7478.7    |             |          | TSN 0                     |                         |           |             |
| WC#: 74.030  | ENC     | 3696      |             |          | TSN 0                     |                         |           |             |
|  |         |           |             |          |                           | PROC. REF: LMM 74-00-01 |           |             |
| <b>742120<sup>S</sup> NO. 1 ENGINE - REMOVE AND INSPECT 6 O'CLOCK IGNITER PLUG AND LEADS IN PLACE Service ATA:74</b> |         |           |             |          |                           |                         |           |             |
|  | MOS     | 31-Jan-22 |             |          |                           |                         |           |             |
|  | HRS     | 9158.7    | 1600        |          |                           |                         |           |             |
| WC#: 74.030  | ENC     | 4381      |             |          |                           |                         |           |             |
|  |         |           |             |          |                           | PROC. REF: LMM 74-00-01 |           | PKG:5       |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                  | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|--------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 74 - IGNITION</b> |   |           |          |          |                           |           |           |             |        |
| 742120 <sup>S</sup>      | NO. 2 ENGINE - REMOVE AND INSPECT 6 O'CLOCK IGNITER PLUG AND LEADS IN PLACE |           |          |          |                           |           |           | Service     | ATA:74 |
|                          | MOS   | 31-Jan-22 |          |          |                           |           |           |             |        |
|                          | HRS   | 9356.7    | 1600     |          |                           |           |           |             |        |
| WC#: 74.030              | ENC   | 4479      |          |          |                           |           |           |             |        |
|                          |   |           |          |          | PROC. REF: LMM 74-00-01   |           |           | PKG:5       |        |
| 742120 <sup>S</sup>      | NO. 3 ENGINE - REMOVE AND INSPECT 6 O'CLOCK IGNITER PLUG AND LEADS IN PLACE |           |          |          |                           |           |           | Service     | ATA:74 |
|                          | MOS   | 14-Jan-22 |          |          |                           |           |           |             |        |
|                          | HRS   | 9164.7    | 1600     |          |                           |           |           |             |        |
| WC#: 74.030              | ENC   | 4366      |          |          |                           |           |           |             |        |
|                          |   |           |          |          | PROC. REF: LMM 74-00-01   |           |           | PKG:5       |        |
| 742130                   | NO. 1 ENGINE - 7 O'CLOCK IGNITOR PLUG                                       |           |          |          |                           |           |           | Component   | ATA:74 |
| PN:3074541-4             | MOS/MSC   | 31-Jan-22 | O/C      |          | TSN 0                     |           |           |             |        |
| SN:UNKNOWN               | HRS   | 9158.7    |          |          | TSN 0                     |           |           |             |        |
| WC#: 74.050              | ENC   | 4381      |          |          | TSN 0                     |           |           |             |        |
|                          |   |           |          |          | PROC. REF: LMM 74-00-01   |           |           |             |        |
| 742130                   | NO. 2 ENGINE - 7 O'CLOCK IGNITOR PLUG                                       |           |          |          |                           |           |           | Component   | ATA:74 |
| PN:3074541-4             | MOS/MSC   | 21-Apr-14 | O/C      |          | TSN 0                     |           |           |             |        |
| SN:UNKNOWN               | HRS   | 8005.9    |          |          | TSN 0                     |           |           |             |        |
| WC#: 74.050              | ENC   | 3957      |          |          | TSN 0                     |           |           |             |        |
|                          |   |           |          |          | PROC. REF: LMM 74-00-01   |           |           |             |        |
| 742130                   | NO. 3 ENGINE - 7 O'CLOCK IGNITOR PLUG                                       |           |          |          |                           |           |           | Component   | ATA:74 |
| PN:3074541-4             | MOS/MSC   | 31-Jan-22 | O/C      |          | TSN 0                     |           |           |             |        |
| SN:UNKNOWN               | HRS   | 9197.9    |          |          | TSN 0                     |           |           |             |        |
| WC#: 74.050              | ENC   | 4374      |          |          | TSN 0                     |           |           |             |        |
|                          |   |           |          |          | PROC. REF: LMM 74-00-01   |           |           |             |        |
| 742140 <sup>S</sup>      | NO. 1 ENGINE - REMOVE AND INSPECT 7 O'CLOCK IGNITER PLUG AND LEADS IN PLACE |           |          |          |                           |           |           | Service     | ATA:74 |
|                          | MOS   | 31-Jan-22 |          |          |                           |           |           |             |        |
|                          | HRS   | 9158.7    | 1600     |          |                           |           |           |             |        |
| WC#: 74.050              | ENC   | 4381      |          |          |                           |           |           |             |        |
|                          |   |           |          |          | PROC. REF: LMM 74-00-01   |           |           | PKG:5       |        |
| 742140 <sup>S</sup>      | NO. 2 ENGINE - REMOVE AND INSPECT 7 O'CLOCK IGNITER PLUG AND LEADS IN PLACE |           |          |          |                           |           |           | Service     | ATA:74 |
|                          | MOS   | 31-Jan-22 |          |          |                           |           |           |             |        |
|                          | HRS   | 9356.7    | 1600     |          |                           |           |           |             |        |
| WC#: 74.050              | ENC   | 4479      |          |          |                           |           |           |             |        |
|                          |   |           |          |          | PROC. REF: LMM 74-00-01   |           |           | PKG:5       |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit                       | Remaining | Disposition |        |
|---------------------------------|---|-----------|----------|----------|---------------------------|---------------------------------|-----------|-------------|--------|
| <b>ATA 74 - IGNITION</b>        |   |           |          |          |                           |                                 |           |             |        |
| 742140 <sup>S</sup>             | NO. 3 ENGINE - REMOVE AND INSPECT 7 O'CLOCK IGNITER PLUG AND LEADS IN PLACE |           |          |          |                           |                                 |           | Service     | ATA:74 |
|                                 | MOS   | 31-Jan-22 |          |          |                           |                                 |           |             |        |
|                                 | HRS   | 9197.9    | 1600     |          |                           |                                 |           |             |        |
| WC#: 74.050                     | ENC   | 4374      |          |          |                           |                                 |           |             |        |
|                                 |   |           |          |          |                           | PROC. REF: LMM 74-00-01         |           | PKG:5       |        |
| <b>ATA 75 - AIR</b>             |   |           |          |          |                           |                                 |           |             |        |
| 750130                          | NO. 1 ENGINE - INLET PRESSURE/TEMPERATURE SENSOR                            |           |          |          |                           |                                 |           | Component   | ATA:75 |
| PN:3070816-4                    | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |                                 |           |             |        |
| SN:25448                        | HRS   | 0         |          | TSN 0    |                           |                                 |           |             |        |
| WC#: 75.010                     | ENC   | 0         |          | TSN 0    |                           |                                 |           |             |        |
|                                 |   |           |          |          |                           | PROC. REF: LMM 75-40-01         |           |             |        |
| 750130                          | NO. 2 ENGINE - INLET PRESSURE/TEMPERATURE SENSOR                            |           |          |          |                           |                                 |           | Component   | ATA:75 |
| PN:3070816-4                    | MOS/MSC   | 23-Oct-89 | O/C      |          | TSN 0                     |                                 |           |             |        |
| SN:24626                        | HRS   | 0         |          |          | TSN 0                     |                                 |           |             |        |
| WC#: 75.010                     | ENC   | 0         |          |          | TSN 0                     |                                 |           |             |        |
|                                 |   |           |          |          |                           | PROC. REF: LMM 75-40-01         |           |             |        |
| 750130                          | NO. 3 ENGINE - INLET PRESSURE/TEMPERATURE SENSOR                            |           |          |          |                           |                                 |           | Component   | ATA:75 |
| PN:3070816-4                    | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |                                 |           |             |        |
| SN:UNKNOWN                      | HRS   | 0         |          |          | TSN 0                     |                                 |           |             |        |
| WC#: 75.010                     | ENC   | 0         |          |          | TSN 0                     |                                 |           |             |        |
|                                 |   |           |          |          |                           | PROC. REF: LMM 75-40-01         |           |             |        |
| <b>ATA 76 - ENGINE CONTROLS</b> |   |           |          |          |                           |                                 |           |             |        |
| 76-10-00-220-801-01             | CHECK OF THE THROTTLE LEVERS FOR FRICTION POINTS - ENGINE 1                 |           |          |          |                           |                                 |           | Service     | ATA:76 |
|                                 | MOS/MSC   | 31-Jan-18 | O/C      |          |                           |                                 |           |             |        |
|                                 | HRS   | 8722.5    |          |          |                           |                                 |           |             |        |
| WC#: 76.030                     | AFL   | 4222      |          |          |                           |                                 |           |             |        |
|                                 |   |           |          |          |                           | PROC. REF: AMM 76-10-00-220-801 |           |             |        |
| 76-10-00-220-801-02             | CHECK OF THE THROTTLE LEVERS FOR FRICTION POINTS - ENGINE 2                 |           |          |          |                           |                                 |           | Service     | ATA:76 |
|                                 | MOS/MSC   | 31-Jan-18 | O/C      |          |                           |                                 |           |             |        |
|                                 | HRS   | 8722.5    |          |          |                           |                                 |           |             |        |
| WC#: 76.030                     | AFL   | 4222      |          |          |                           |                                 |           |             |        |
|                                 |   |           |          |          |                           | PROC. REF: AMM 76-10-00-220-801 |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 76 - ENGINE CONTROLS</b>  |         |           |          |          |                           |           |           |             |
| <b>76-10-00-220-801-03 CHECK OF THE THROTTLE LEVERS FOR FRICTION POINTS - ENGINE 3 Service ATA:76</b>  |         |           |          |          |                           |           |           |             |
|  | MOS/MSC | 31-Jan-18 | O/C      |          |                           |           |           |             |
|  | HRS     | 8722.5    |          |          |                           |           |           |             |
| WC#: 76.030  | AFL     | 4222      |          |          |                           |           |           |             |
| PROC. REF: AMM 76-10-00-220-801  |         |           |          |          |                           |           |           |             |
| <b>76-10-00-220-802-01 MEASUREMENT OF THE THROTTLE LEVER OPERATING FORCES - ENGINE 1 Service ATA:76</b>  |         |           |          |          |                           |           |           |             |
|  | MOS/MSC | 10-Oct-05 | O/C      |          |                           |           |           |             |
|  | HRS     | 5484.3    |          |          |                           |           |           |             |
| WC#: 76.060  | AFL     | 2620      |          |          |                           |           |           |             |
| PROC. REF: AMM 76-10-00-220-802  |         |           |          |          |                           |           |           |             |
| <b>76-10-00-220-802-02 MEASUREMENT OF THE THROTTLE LEVER OPERATING FORCES - ENGINE 2 Service ATA:76</b>  |         |           |          |          |                           |           |           |             |
|  | MOS/MSC | 15-Feb-06 | O/C      |          |                           |           |           |             |
|  | HRS     | 5578.9    |          |          |                           |           |           |             |
| WC#: 76.060  | AFL     | 2675      |          |          |                           |           |           |             |
| PROC. REF: AMM 76-10-00-220-802  |         |           |          |          |                           |           |           |             |
| <b>76-10-00-220-802-03 MEASUREMENT OF THE THROTTLE LEVER OPERATING FORCES - ENGINE 3 Service ATA:76</b>  |         |           |          |          |                           |           |           |             |
|  | MOS/MSC | 20-Jun-12 | O/C      |          |                           |           |           |             |
|  | HRS     | 7663.6    |          |          |                           |           |           |             |
| WC#: 76.060  | AFL     | 3809      |          |          |                           |           |           |             |
| PROC. REF: AMM 76-10-00-220-802  |         |           |          |          |                           |           |           |             |
| <b>76-10-01-900-801-01 REMOVAL / INSTALLATION OF THE THROTTLE CONTROL UNIT - THROTTLE CONTROL UNIT (500EC) Component ATA:76</b>                                    |         |           |          |          |                           |           |           |             |
| PN:FGFB771100A4  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:80  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 76.070  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM 76-10-01-900-801  |         |           |          |          |                           |           |           |             |
| <b>76-10-21-640-802-01<sup>S</sup> LUBRICATION OF THE TELEFLEX CONTROL CABLE BALL-JOINTS - LUBRICATION OF TELEFLEX CABLE BALL-JOINTS (ENGINE 1) Service ATA:76</b> |         |           |          |          |                           |           |           |             |
|  | MOS     | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |
|  | HRS     | 9182.3    |          |          |                           |           |           |             |
| WC#: 76.050  | AFL     | 4405      | 3750     |          |                           |           |           |             |
| PROC. REF: AMM 76-10-21-640-802  |         |           |          |          |                           |           |           |             |
| PKG:31   |         |           |          |          |                           |           |           |             |
| <b>76-10-21-640-802-02<sup>S</sup> LUBRICATION OF THE TELEFLEX CONTROL CABLE BALL-JOINTS - LUBRICATION OF TELEFLEX CABLE BALL-JOINTS (ENGINE 2) Service ATA:76</b> |         |           |          |          |                           |           |           |             |
|  | MOS     | 12-Nov-20 | 72 (+2m) |          |                           |           |           |             |
|  | HRS     | 9182.3    |          |          |                           |           |           |             |
| WC#: 76.050  | AFL     | 4405      | 3750     |          |                           |           |           |             |
| PROC. REF: AMM 76-10-21-640-802  |         |           |          |          |                           |           |           |             |
| PKG:31   |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---|---------|-----------|-----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 76 - ENGINE CONTROLS</b>   |         |           |           |          |                           |           |           |             |
| <b>76-10-21-640-802-03<sup>S</sup> LUBRICATION OF THE TELEFLEX CONTROL CABLE BALL-JOINTS - LUBRICATION OF TELEFLEX CABLE BALL-JOINTS (ENGINE 3) Service ATA:76</b>        |         |           |           |          |                           |           |           |             |
|   | MOS     | 12-Nov-20 | 72 (+2m)  |          |                           |           |           |             |
|   | HRS     | 9182.3    |           |          |                           |           |           |             |
| WC#: 76.050   | AFL     | 4405      | 3750      |          |                           |           |           |             |
| PROC. REF: AMM 76-10-21-640-802   |         |           |           |          |                           |           |           | PKG:31      |
| <b>76-10-21-900-801-01 REMOVAL / INSTALLATION / ADJUSTMENT OF THE ENGINE 1 AND 3 TELEFLEX CONTROL CABLES - LH ENGINE TELEFLEX CONTROL CABLE (L502EC) Component ATA:76</b> |         |           |           |          |                           |           |           |             |
| PN:4234476  | MOS/MSC | 23-Oct-89 | O/C       |          |                           |           |           |             |
| SN:2239   | HRS     | 0         |           | TSN 0    |                           |           |           |             |
| WC#: 76.090   | AFL     | 0         |           |          |                           |           |           |             |
| PROC. REF: AMM 76-10-21-900-801   |         |           |           |          |                           |           |           |             |
| <b>76-10-21-900-801-02 REMOVAL / INSTALLATION / ADJUSTMENT OF THE ENGINE 1 AND 3 TELEFLEX CONTROL CABLES - RH ENGINE TELEFLEX CONTROL CABLE (R502EC) Component ATA:76</b> |         |           |           |          |                           |           |           |             |
| PN:4234499  | MOS/MSC | 23-Oct-89 | O/C       |          |                           |           |           |             |
| SN:2241   | HRS     | 0         |           | TSN 0    |                           |           |           |             |
| WC#: 76.090   | AFL     | 0         |           |          |                           |           |           |             |
| PROC. REF: AMM 76-10-21-900-801   |         |           |           |          |                           |           |           |             |
| <b>76-10-21-900-802-01 REMOVAL / INSTALLATION / ADJUSTMENT OF THE ENGINE 2 TELEFLEX CONTROL CABLE - CENTER ENGINE TELEFLEX CONTROL CABLE (M502EC) Component ATA:76</b>    |         |           |           |          |                           |           |           |             |
| PN:4234483  | MOS/MSC | 23-Oct-89 | O/C       |          |                           |           |           |             |
| SN:2240   | HRS     | 0         |           | TSN 0    |                           |           |           |             |
| WC#: 76.095   | AFL     | 0         |           |          |                           |           |           |             |
| PROC. REF: AMM 76-10-21-900-802   |         |           |           |          |                           |           |           |             |
| <b>76-10-25-640-801-01<sup>S</sup> GREASING OF THE TORQUE TUBE AND TELEFLEX CABLE END-FITTING BEARINGS - ENGINE 1 Service ATA:76</b>                                      |         |           |           |          |                           |           |           |             |
|   | MOS     | 19-Jun-14 | 144 (+2m) |          |                           |           |           |             |
|   | HRS     | 8032      |           |          |                           |           |           |             |
| WC#: 76.040   | AFL     | 3965      | 7500      |          |                           |           |           |             |
| PROC. REF: AMM 76-10-25-640-801   |         |           |           |          |                           |           |           | PKG:32      |
| <b>76-10-25-640-801-02<sup>S</sup> GREASING OF THE TORQUE TUBE AND TELEFLEX CABLE END-FITTING BEARINGS - ENGINE 2 Service ATA:76</b>                                      |         |           |           |          |                           |           |           |             |
|   | MOS     | 19-Jun-14 | 144 (+2m) |          |                           |           |           |             |
|   | HRS     | 8032      |           |          |                           |           |           |             |
| WC#: 76.040   | AFL     | 3965      | 7500      |          |                           |           |           |             |
| PROC. REF: AMM 76-10-25-640-801   |         |           |           |          |                           |           |           | PKG:32      |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |
|---|---------|-----------|-----------|----------|---------------------------|-----------|-----------|------------------|
| <b>ATA 76 - ENGINE CONTROLS</b>   |         |           |           |          |                           |           |           |                  |
| <b>76-10-25-640-801-03<sup>S</sup> GREASING OF THE TORQUE TUBE AND TELEFLEX CABLE END-FITTING BEARINGS - ENGINE 3</b>           |         |           |           |          |                           |           |           |                  |
|   | MOS     | 19-Jun-14 | 144 (+2m) |          |                           |           |           | Service ATA:76   |
|   | HRS     | 8032      |           |          |                           |           |           |                  |
| WC#: 76.040   | AFL     | 3965      | 7500      |          |                           |           |           |                  |
| PROC. REF: AMM 76-10-25-640-801   |         |           |           |          |                           |           |           | PKG:32           |
| <b>76-10-33-820-801-01<sup>S</sup> CHECK OF THE THROTTLE CONTROL CABLE TENSION - ENGINE 1 CONTROL CABLE (L501EC)</b>            |         |           |           |          |                           |           |           |                  |
|   | MOS     | 12-Nov-20 | 72 (+2m)  |          |                           |           |           | Service ATA:76   |
|   | HRS     | 9182.3    |           |          |                           |           |           |                  |
| WC#: 76.065   | AFL     | 4405      | 3750      |          |                           |           |           |                  |
| PROC. REF: AMM 76-10-33-820-801   |         |           |           |          |                           |           |           | PKG:31           |
| <b>76-10-33-820-801-02<sup>S</sup> CHECK OF THE THROTTLE CONTROL CABLE TENSION - ENGINE 2 CONTROL CABLE (M501EC)</b>            |         |           |           |          |                           |           |           |                  |
|   | MOS     | 12-Nov-20 | 72 (+2m)  |          |                           |           |           | Service ATA:76   |
|   | HRS     | 9182.3    |           |          |                           |           |           |                  |
| WC#: 76.065   | AFL     | 4405      | 3750      |          |                           |           |           |                  |
| PROC. REF: AMM 76-10-33-820-801   |         |           |           |          |                           |           |           | PKG:31           |
| <b>76-10-33-820-801-03<sup>S</sup> CHECK OF THE THROTTLE CONTROL CABLE TENSION - ENGINE 3 CONTROL CABLE (R501EC)</b>            |         |           |           |          |                           |           |           |                  |
|   | MOS     | 12-Nov-20 | 72 (+2m)  |          |                           |           |           | Service ATA:76   |
|   | HRS     | 9182.3    |           |          |                           |           |           |                  |
| WC#: 76.065   | AFL     | 4405      | 3750      |          |                           |           |           |                  |
| PROC. REF: AMM 76-10-33-820-801   |         |           |           |          |                           |           |           | PKG:31           |
| <b>76-10-33-900-801-01 REMOVAL / INSTALLATION / ADJUSTMENT OF THE THROTTLE CONTROL CABLES - ENGINE 1 THROTTLE CONTROL CABLE</b> |         |           |           |          |                           |           |           |                  |
| PN:FGFB771000040  | MOS/MSC | 23-Oct-89 | O/C       |          |                           |           |           | Component ATA:76 |
| SN:UNKNOWN  | HRS     | 0         |           | TSN 0    |                           |           |           |                  |
| WC#: 76.080   | AFL     | 0         |           |          |                           |           |           |                  |
| PROC. REF: AMM 76-10-33-900-801   |         |           |           |          |                           |           |           |                  |
| <b>76-10-33-900-801-02 REMOVAL / INSTALLATION / ADJUSTMENT OF THE THROTTLE CONTROL CABLES - ENGINE 2 THROTTLE CONTROL CABLE</b> |         |           |           |          |                           |           |           |                  |
| PN:FGFB771000050  | MOS/MSC | 23-Oct-89 | O/C       |          |                           |           |           | Component ATA:76 |
| SN:UNKNOWN  | HRS     | 0         |           | TSN 0    |                           |           |           |                  |
| WC#: 76.080   | AFL     | 0         |           |          |                           |           |           |                  |
| PROC. REF: AMM 76-10-33-900-801   |         |           |           |          |                           |           |           |                  |
| <b>76-10-33-900-801-03 REMOVAL / INSTALLATION / ADJUSTMENT OF THE THROTTLE CONTROL CABLES - ENGINE 3 THROTTLE CONTROL CABLE</b> |         |           |           |          |                           |           |           |                  |
| PN:FGFB771000060  | MOS/MSC | 23-Oct-89 | O/C       |          |                           |           |           | Component ATA:76 |
| SN:UNKNOWN  | HRS     | 0         |           | TSN 0    |                           |           |           |                  |
| WC#: 76.080   | AFL     | 0         |           |          |                           |           |           |                  |
| PROC. REF: AMM 76-10-33-900-801   |         |           |           |          |                           |           |           |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|------------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 76 - ENGINE CONTROLS</b>  |         |           |            |          |                           |           |           |             |
| <b>760120<sup>S</sup> NO. 1 ENGINE - BITE CHECK DIGITAL ELECTRONIC ENGINE CONTROL Service ATA:76</b> |         |           |            |          |                           |           |           |             |
|  | MOS     | 15-Feb-23 |            |          |                           |           |           |             |
|  | HRS     | 9459      | 300 (+100) |          |                           |           |           |             |
| WC#: 76.020  | ENC     | 4482      |            |          |                           |           |           |             |
| PROC. REF: LMM 76-10-03, LMM 72-00-00  |         |           |            |          |                           |           |           | PKG:2       |
| <b>760120<sup>S</sup> NO. 2 ENGINE - BITE CHECK DIGITAL ELECTRONIC ENGINE CONTROL Service ATA:76</b> |         |           |            |          |                           |           |           |             |
|  | MOS     | 15-Feb-23 |            |          |                           |           |           |             |
|  | HRS     | 9657      | 300 (+100) |          |                           |           |           |             |
| WC#: 76.020  | ENC     | 4580      |            |          |                           |           |           |             |
| PROC. REF: LMM 76-10-03, LMM 72-00-00  |         |           |            |          |                           |           |           | PKG:2       |
| <b>760120<sup>S</sup> NO. 3 ENGINE - BITE CHECK DIGITAL ELECTRONIC ENGINE CONTROL Service ATA:76</b> |         |           |            |          |                           |           |           |             |
|  | MOS     | 15-Feb-23 |            |          |                           |           |           |             |
|  | HRS     | 9498.2    | 300 (+100) |          |                           |           |           |             |
| WC#: 76.020  | ENC     | 4475      |            |          |                           |           |           |             |
| PROC. REF: LMM 76-10-03, LMM 72-00-00  |         |           |            |          |                           |           |           | PKG:2       |
| <b>761310 NO. 1 ENGINE - SURGE BLEED VALVE Component ATA:76</b>                                      |         |           |            |          |                           |           |           |             |
| PN:978812-5-1  | MOS/MSC | 24-Sep-98 | O/C        |          |                           |           |           |             |
| SN:P-3496  | HRS     | 3285.3    |            |          |                           |           |           |             |
| WC#: 76.030  | ENC     | 1457      |            |          |                           |           |           |             |
| PROC. REF: LMM 76-10-01  |         |           |            |          |                           |           |           |             |
| <b>761310 NO. 2 ENGINE - SURGE BLEED VALVE Component ATA:76</b>                                      |         |           |            |          |                           |           |           |             |
| PN:978812-5-1  | MOS/MSC | 23-Oct-89 | O/C        |          |                           |           |           |             |
| SN:6591  | HRS     | 0         |            | TSN 0    |                           |           |           |             |
| WC#: 76.030  | ENC     | 0         |            | TSN 0    |                           |           |           |             |
| PROC. REF: LMM 76-10-01  |         |           |            |          |                           |           |           |             |
| <b>761310 NO. 3 ENGINE - SURGE BLEED VALVE Component ATA:76</b>                                      |         |           |            |          |                           |           |           |             |
| PN:978812-5-1  | MOS/MSC | 30-Apr-12 | O/C        |          | TSO 2                     |           |           |             |
| SN:7549  | HRS     | 7478.7    |            |          | TSO 0                     |           |           |             |
| WC#: 76.030  | ENC     | 3696      |            |          | TSO 0                     |           |           |             |
| PROC. REF: LMM 76-10-01  |         |           |            |          |                           |           |           |             |
| <b>761320 NO. 1 ENGINE - SOLENOID CONTROLLER VALVE Component ATA:76</b>                              |         |           |            |          |                           |           |           |             |
| PN:109696-4-1  | MOS/MSC | 23-Oct-89 | O/C        |          |                           |           |           |             |
| SN:6325  | HRS     | 0         |            |          | TSN 0                     |           |           |             |
| WC#: 76.040  | ENC     | 0         |            |          | TSN 0                     |           |           |             |
| PROC. REF: LMM 76-10-01  |         |           |            |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 76 - ENGINE CONTROLS</b>  |         |           |          |          |                           |           |           |             |
| <b>761320 NO. 2 ENGINE - SOLENOID CONTROLLER VALVE Component ATA:76</b>  |         |           |          |          |                           |           |           |             |
| PN:109696-4-1  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:6346  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 76.040  | ENC     | 0         |          | TSN 0    |                           |           |           |             |
| PROC. REF: LMM 76-10-01  |         |           |          |          |                           |           |           |             |
| <b>761320 NO. 3 ENGINE - SOLENOID CONTROLLER VALVE Component ATA:76</b>  |         |           |          |          |                           |           |           |             |
| PN:109696-4-1  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:6086  | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 76.040  | ENC     | 0         |          | TSN 0    |                           |           |           |             |
| PROC. REF: LMM 76-10-01  |         |           |          |          |                           |           |           |             |
| <b>761A07<sup>U</sup> DOWNLOAD NO. 1 ENGINE DEEC ECTM Service ATA:76</b> |         |           |          |          |                           |           |           |             |
|  | MOS     | 14-Nov-23 |          |          |                           |           |           |             |
|  | HRS     | 9831.2    | 50       |          | 9881.2                    |           | 50        |             |
|  | AFL     | 4640      |          |          |                           |           |           |             |
| <b>761A08<sup>U</sup> DOWNLOAD NO. 2 ENGINE DEEC ECTM Service ATA:76</b> |         |           |          |          |                           |           |           |             |
|  | MOS     | 14-Nov-23 |          |          |                           |           |           |             |
|  | HRS     | 9831.2    | 50       |          | 9881.2                    |           | 50        |             |
|  | AFL     | 4640      |          |          |                           |           |           |             |
| <b>761A09<sup>U</sup> DOWNLOAD NO. 3 ENGINE DEEC ECTM Service ATA:76</b> |         |           |          |          |                           |           |           |             |
|  | MOS     | 14-Nov-23 |          |          |                           |           |           |             |
|  | HRS     | 9831.2    | 50       |          | 9881.2                    |           | 50        |             |
|  | AFL     | 4640      |          |          |                           |           |           |             |
| <b>762111 NO. 1 ENGINE FUEL SHUTOFF VALVE Component ATA:76</b>           |         |           |          |          |                           |           |           |             |
| PN:L88A31662   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 76.100  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>762112 NO. 2 ENGINE FUEL SHUTOFF VALVE Component ATA:76</b>           |         |           |          |          |                           |           |           |             |
| PN:L88A31663   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |             |
| WC#: 76.110  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                           | Unit   | C/W       | Interval | TSX/Adj.  | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|-----------------------------------|--|-----------|----------|-----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 76 - ENGINE CONTROLS</b>   |  |           |          |           |                           |           |           |             |        |
| 762113                            | NO. 3 ENGINE FUEL SHUTOFF VALVE  |           |          |           |                           |           |           | Component   | ATA:76 |
| PN:L88A31664                      | MOS/MSC  | 23-Oct-89 | O/C      |           |                           |           |           |             |        |
| SN:UNKNOWN                        | HRS  | 0         |          | TSN 0     |                           |           |           |             |        |
| WC#: 76.120                       | AFL  | 0         |          |           |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2          |  |           |          |           |                           |           |           |             |        |
| <b>ATA 77 - ENGINE INDICATING</b> |  |           |          |           |                           |           |           |             |        |
| 77-10-05-900-801-07               | REMOVAL/INSTALLATION OF ENGINE N1/N2 INDICATORS - ENGINE 1 "N1" INDICATOR (2EU1) |           |          |           |                           |           |           | Component   | ATA:77 |
| PN:5428-701-80-10                 | MOS/MSC  | 25-Jan-07 | O/C      | TSR 16    |                           |           |           |             |        |
| SN:384                            | HRS  | 6000.4    |          | TSR 548.6 |                           |           |           |             |        |
| WC#: 77.020                       | AFL  | 2903      |          | TSR 303   |                           |           |           |             |        |
| PROC. REF: AMM 77-10-05-900-801   |  |           |          |           |                           |           |           |             |        |
| 77-10-05-900-801-08               | REMOVAL/INSTALLATION OF ENGINE N1/N2 INDICATORS - ENGINE 2 "N1" INDICATOR (2EU2) |           |          |           |                           |           |           | Component   | ATA:77 |
| PN:5428-701-80-10                 | MOS/MSC  | 23-Oct-89 | O/C      |           |                           |           |           |             |        |
| SN:505                            | HRS  | 0         |          | TSN 0     |                           |           |           |             |        |
| WC#: 77.020                       | AFL  | 0         |          |           |                           |           |           |             |        |
| PROC. REF: AMM 77-10-05-900-801   |  |           |          |           |                           |           |           |             |        |
| 77-10-05-900-801-09               | REMOVAL/INSTALLATION OF ENGINE N1/N2 INDICATORS - ENGINE 3 "N1" INDICATOR (2EU3) |           |          |           |                           |           |           | Component   | ATA:77 |
| PN:5428-701-80-10                 | MOS/MSC  | 19-Aug-21 | O/C      | TSR 31    |                           |           |           |             |        |
| SN:874                            | HRS  | 9275.5    |          | TSR 0     |                           |           |           |             |        |
| WC#: 77.020                       | AFL  | 4448      |          | TSR 0     |                           |           |           |             |        |
| PROC. REF: AMM 77-10-05-900-801   |  |           |          |           |                           |           |           |             |        |
| 77-10-05-900-801-10               | REMOVAL/INSTALLATION OF ENGINE N1/N2 INDICATORS - ENGINE 1 "N2" INDICATOR (3EU1) |           |          |           |                           |           |           | Component   | ATA:77 |
| PN:5423-713-8010                  | MOS/MSC  | 24-Sep-98 | O/C      |           |                           |           |           |             |        |
| SN:295A                           | HRS  | 3471      |          |           |                           |           |           |             |        |
| WC#: 77.040                       | AFL  | 1545      |          |           |                           |           |           |             |        |
| PROC. REF: AMM 77-10-05-900-801   |  |           |          |           |                           |           |           |             |        |
| 77-10-05-900-801-11               | REMOVAL/INSTALLATION OF ENGINE N1/N2 INDICATORS - ENGINE 2 "N2" INDICATOR (3EU2) |           |          |           |                           |           |           | Component   | ATA:77 |
| PN:5423-713-8010                  | MOS/MSC  | 24-Sep-98 | O/C      |           |                           |           |           |             |        |
| SN:261A                           | HRS  | 3471      |          |           |                           |           |           |             |        |
| WC#: 77.040                       | AFL  | 1545      |          |           |                           |           |           |             |        |
| PROC. REF: AMM 77-10-05-900-801   |  |           |          |           |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|------------------|
| <b>ATA 77 - ENGINE INDICATING</b>  |         |           |          |          |                           |           |           |                  |
| 77-10-05-900-801-12 REMOVAL/INSTALLATION OF ENGINE N1/N2 INDICATORS - ENGINE 3 "N2" INDICATOR (3EU3) |         |           |          |          |                           |           |           | Component ATA:77 |
| PN:5423-713-8010   | MOS/MSC | 04-Jan-15 | O/C      | TSR 0    |                           |           |           |                  |
| SN:324A  | HRS     | 8181.3    |          | TSR 0    |                           |           |           |                  |
| WC#: 77.040  | AFL     | 4026      |          | TSR 0    |                           |           |           |                  |
| PROC. REF: AMM 77-10-05-900-801  |         |           |          |          |                           |           |           |                  |
| 77-20-17-900-801-04 REMOVAL/INSTALLATION OF ENGINE ITT INDICATORS - ENGINE 1 ITT INDICATOR (2EC1)    |         |           |          |          |                           |           |           | Component ATA:77 |
| PN:5428-559-8010   | MOS/MSC | 23-Aug-08 | O/C      | TSR 0    |                           |           |           |                  |
| SN:139A  | HRS     | 6548.2    |          | TSR 0    |                           |           |           |                  |
| WC#: 77.050  | AFL     | 3175      |          | TSR 0    |                           |           |           |                  |
| PROC. REF: AMM 77-20-17-900-801  |         |           |          |          |                           |           |           |                  |
| 77-20-17-900-801-05 REMOVAL/INSTALLATION OF ENGINE ITT INDICATORS - ENGINE 2 ITT INDICATOR (2EC2)    |         |           |          |          |                           |           |           | Component ATA:77 |
| PN:5428-559-8010   | MOS/MSC | 01-Nov-04 | O/C      | TSR 0    |                           |           |           |                  |
| SN:422A  | HRS     | 5174.4    |          | TSR 0    |                           |           |           |                  |
| WC#: 77.050  | AFL     | 2445      |          | TSR 0    |                           |           |           |                  |
| PROC. REF: AMM 77-20-17-900-801  |         |           |          |          |                           |           |           |                  |
| 77-20-17-900-801-06 REMOVAL/INSTALLATION OF ENGINE ITT INDICATORS - ENGINE 3 ITT INDICATOR (2EC3)    |         |           |          |          |                           |           |           | Component ATA:77 |
| PN:5428-559-80-10  | MOS/MSC | 11-Dec-00 | O/C      |          |                           |           |           |                  |
| SN:0139A   | HRS     | 4174.5    |          |          |                           |           |           |                  |
| WC#: 77.050  | AFL     | 1893      |          |          |                           |           |           |                  |
| PROC. REF: AMM 77-20-17-900-801  |         |           |          |          |                           |           |           |                  |
| 771110 NO. 1 ENGINE - LOW PRESSURE (N1) TRANSDUCER   |         |           |          |          |                           |           |           | Component ATA:77 |
| PN:3073827-3   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 77.010  | ENC     | 0         |          | TSN 0    |                           |           |           |                  |
| PROC. REF: LMM 77-10-03  |         |           |          |          |                           |           |           |                  |
| 771110 NO. 2 ENGINE - LOW PRESSURE (N1) TRANSDUCER   |         |           |          |          |                           |           |           | Component ATA:77 |
| PN:3073827-3   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 77.010  | ENC     | 0         |          | TSN 0    |                           |           |           |                  |
| PROC. REF: LMM 77-10-03  |         |           |          |          |                           |           |           |                  |
| 771110 NO. 3 ENGINE - LOW PRESSURE (N1) TRANSDUCER   |         |           |          |          |                           |           |           | Component ATA:77 |
| PN:3073827-3   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 77.010  | ENC     | 0         |          | TSN 0    |                           |           |           |                  |
| PROC. REF: LMM 77-10-03  |         |           |          |          |                           |           |           |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                           | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|-----------------------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 77 - ENGINE INDICATING</b> |  |           |          |          |                           |           |           |             |        |
| 771120                            | NO. 1 ENGINE - HIGH PRESSURE (N2) TRANSDUCER     |           |          |          |                           |           |           | Component   | ATA:77 |
| PN:3070722-3                      | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                        | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 77.020                       | ENC  | 0         |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: LMM 77-10-05           |  |           |          |          |                           |           |           |             |        |
| 771120                            | NO. 2 ENGINE - HIGH PRESSURE (N2) TRANSDUCER     |           |          |          |                           |           |           | Component   | ATA:77 |
| PN:3070722-3                      | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                        | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 77.020                       | ENC  | 0         |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: LMM 77-10-05           |  |           |          |          |                           |           |           |             |        |
| 771120                            | NO. 3 ENGINE - HIGH PRESSURE (N2) TRANSDUCER     |           |          |          |                           |           |           | Component   | ATA:77 |
| PN:3070722-3                      | MOS/MSC  | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN                        | HRS  | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 77.020                       | ENC  | 0         |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: LMM 77-10-05           |  |           |          |          |                           |           |           |             |        |
| 772110                            | NO. 1 ENGINE - ITT THERMOCOUPLE HARNESS          |           |          |          |                           |           |           | Component   | ATA:77 |
| PN:3073605-1                      | MOS/MSC  | 17-Jan-14 | O/C      |          | TSN 0                     |           |           |             |        |
| SN:1315027700335                  | HRS  | 7781.8    |          |          | TSN 0                     |           |           |             |        |
| WC#: 77.030                       | ENC  | 3851      |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: LMM 77-20-01           |  |           |          |          |                           |           |           |             |        |
| 772110                            | NO. 2 ENGINE - ITT THERMOCOUPLE HARNESS          |           |          |          |                           |           |           | Component   | ATA:77 |
| PN:3073605-1                      | MOS/MSC  | 21-Apr-14 | O/C      |          | TSN 0                     |           |           |             |        |
| SN:1315027700338                  | HRS  | 8005.9    |          |          | TSN 0                     |           |           |             |        |
| WC#: 77.030                       | ENC  | 3957      |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: LMM 77-20-01           |  |           |          |          |                           |           |           |             |        |
| 772110                            | NO. 3 ENGINE - ITT THERMOCOUPLE HARNESS          |           |          |          |                           |           |           | Component   | ATA:77 |
| PN:3073605-1                      | MOS/MSC  | 20-Aug-04 | O/C      |          |                           |           |           |             |        |
| SN:042021900214                   | HRS  | 4991.5    |          |          | TSN 0                     |           |           |             |        |
| WC#: 77.030                       | ENC  | 2336      |          |          | TSN 0                     |           |           |             |        |
| PROC. REF: LMM 77-20-01           |  |           |          |          |                           |           |           |             |        |
| <b>ATA 78 - EXHAUST</b>           |  |           |          |          |                           |           |           |             |        |
| 78-30-00-210-801-01 <sup>S</sup>  | GENERAL VISUAL INSPECTION OF THE THRUST REVERSER |           |          |          |                           |           |           | Service     | ATA:78 |
|                                   | MOS  | 09-Nov-23 | 36       |          |                           |           |           |             |        |
|                                   | HRS  | 9831.2    | 2400     |          |                           |           |           |             |        |
| WC#: 78.010                       | AFL  | 4640      |          |          |                           |           |           |             |        |
| PROC. REF: AMM 78-30-00-210-801   |  |           |          |          |                           |           |           |             |        |

PKG:7

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval  | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining   | Disposition |
|--|---------|-----------|-----------|----------|---------------------------|-----------|-------------|-------------|
| ATA 78 - EXHAUST   |         |           |           |          |                           |           |             |             |
| <b>78-30-00-720-801-01<sup>S</sup> FUNCTIONAL TEST OF THE THRUST REVERSER SYSTEM WITH ENGINE SHUT DOWN Service ATA:78</b>              |         |           |           |          |                           |           |             |             |
|  | MOS     | 12-Nov-20 | 72 (+2m)  |          |                           |           |             |             |
|  | HRS     | 9182.3    |           |          |                           |           |             |             |
| WC#: 78.020  | AFL     | 4405      | 3750      |          |                           |           |             |             |
| PROC. REF: AMM 78-30-00-720-801  |         |           |           |          |                           |           |             | PKG:31      |
| <b>78-30-00-910-807-01 INHIBITION OF THE THRUST REVERSER Service ATA:78</b>  |         |           |           |          |                           |           |             |             |
|  | MOS/MSC | 23-Oct-89 | O/C       |          |                           |           |             |             |
|  | HRS     | 0         |           |          |                           |           |             |             |
| WC#: 78.170  | AFL     | 0         |           |          |                           |           |             |             |
| PROC. REF: AMM 78-30-00-910-807  |         |           |           |          |                           |           |             |             |
| <b>78-31-00-640-802-01 GREASING OF THE THRUST REVERSER DOOR HINGE PINS Service ATA:78</b>  |         |           |           |          |                           |           |             |             |
|  | MOS     | 01-Nov-23 | 12 (+1m)  |          | 01-Nov-24                 | 01-Dec-24 | 346 d (+30) |             |
|  | HRS     | 9831.2    | 400 (+40) |          | 10231.2                   | 10271.2   | 400 (+40)   |             |
| WC#: 78.145  | AFL     | 4640      |           |          |                           |           |             |             |
| PROC. REF: AMM 78-31-00-640-802  |         |           |           |          |                           |           |             |             |
| <b>78-31-00-640-804-01<sup>S</sup> GREASING OF THE THRUST REVERSER CONTROL AND UNLOCKING LINKAGE Service ATA:78</b>                    |         |           |           |          |                           |           |             |             |
|  | MOS     | 16-Nov-22 | 24 (+1m)  |          |                           |           |             |             |
|  | HRS     | 9596.5    |           |          |                           |           |             |             |
| WC#: 78.100  | AFL     | 4562      |           |          |                           |           |             |             |
| PROC. REF: AMM 78-31-00-640-804  |         |           |           |          |                           |           |             | PKG:16      |
| <b>78-31-01-900-801-01 REMOVAL / INSTALLATION / ADJUSTMENT OF THE THRUST REVERSER DOORS - LH THRUST-REVERSER DOOR Component ATA:78</b> |         |           |           |          |                           |           |             |             |
| PN:F900HD3100000A3   | MOS/MSC | 16-Nov-22 | O/C       | TSR 0    |                           |           |             |             |
| SN:195HD/175   | HRS     | 9596.5    |           | TSR 0    |                           |           |             |             |
|  | AFL     | 4562      |           | TSR 0    |                           |           |             |             |
| PROC. REF: AMM 78-31-01-900-801  |         |           |           |          |                           |           |             |             |
| <b>78-31-01-900-801-02 REMOVAL / INSTALLATION / ADJUSTMENT OF THE THRUST REVERSER DOORS - RH THRUST-REVERSER DOOR Component ATA:78</b> |         |           |           |          |                           |           |             |             |
| PN:PN  | MOS/MSC | 23-Oct-89 | O/C       | TSN 0    |                           |           |             |             |
| SN:UNKNOWN   | HRS     | 0         |           | TSN 0    |                           |           |             |             |
|  | AFL     | 0         |           | TSN 0    |                           |           |             |             |
| PROC. REF: AMM 78-31-01-900-801  |         |           |           |          |                           |           |             |             |
| <b>78-31-05-900-801-01 REMOVAL / INSTALLATION OF THE THRUST REVERSER DOOR UPPER LATCH Component ATA:78</b>                             |         |           |           |          |                           |           |             |             |
| PN:A861TS4RF900  | MOS/MSC | 23-Oct-89 | O/C       |          |                           |           |             |             |
| SN:UNKNOWN   | HRS     | 0         |           | TSN 0    |                           |           |             |             |
| WC#: 78.140  | AFL     | 0         |           |          |                           |           |             |             |
| PROC. REF: AMM 78-31-05-900-801  |         |           |           |          |                           |           |             |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition      |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|------------------|
| <b>ATA 78 - EXHAUST</b>  |         |           |          |          |                           |           |           |                  |
| 78-31-05-900-802-01 REMOVAL / INSTALLATION OF THE THRUST REVERSER DOOR LOWER LATCH                                       |         |           |          |          |                           |           |           | Component ATA:78 |
| PN:A861TS4RF50   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:UNKNOWN   | HRS     | 0         |          | TSN 0    |                           |           |           |                  |
| WC#: 78.140  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM 78-31-05-900-802  |         |           |          |          |                           |           |           |                  |
| 78-31-13-900-801-01 REMOVAL / INSTALLATION OF THE THRUST REVERSER DOOR ACTUATOR AND CONTROL RODS                         |         |           |          |          |                           |           |           | Component ATA:78 |
| PN:PN  | MOS/MSC | 23-Oct-89 | O/C      |          | TSN 0                     |           |           |                  |
| SN:UNKNOWN   | HRS     | 0         |          |          | TSN 0                     |           |           |                  |
|  | AFL     | 0         |          |          | TSN 0                     |           |           |                  |
| PROC. REF: AMM 78-31-13-900-801  |         |           |          |          |                           |           |           |                  |
| 78-31-15-960-801-01 REPLACEMENT OF THE BALL-JOINT END-FITTING OF THE THRUST REVERSER DOOR ACTUATOR - TR ACTUATOR (202KR) |         |           |          |          |                           |           |           | Service ATA:78   |
| PN:106124-01   | MOS/MSC | 20-Jun-12 | O/C      |          |                           |           |           |                  |
| SN:116   | HRS     | 7663.6    |          |          |                           |           |           |                  |
| WC#: 78.100  | AFL     | 3809      |          |          |                           |           |           |                  |
| PROC. REF: AMM 78-31-15-960-801  |         |           |          |          |                           |           |           |                  |
| 78-32-09-900-801-01 REMOVAL / INSTALLATION OF THE THRUST REVERSER HYDRAULIC ACCUMULATOR - TR ACCUMULATOR (190KR)         |         |           |          |          |                           |           |           | Component ATA:78 |
| PN:60909-1   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:7918  | HRS     | 0         |          |          | TSN 0                     |           |           |                  |
| WC#: 78.050  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM 78-32-09-900-801  |         |           |          |          |                           |           |           |                  |
| 783101 THRUST REVERSER SYSTEM PRESSURE GAGE  |         |           |          |          |                           |           |           | Component ATA:78 |
| PN:18040100  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:UNKNOWN   | HRS     | 0         |          |          | TSN 0                     |           |           |                  |
| WC#: 78.030  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |                  |
| 783106 THRUST REVERSER SYSTEM CHARGING VALVE   |         |           |          |          |                           |           |           | Component ATA:78 |
| PN:MS26889-2   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |                  |
| SN:UNKNOWN   | HRS     | 0         |          |          | TSN 0                     |           |           |                  |
| WC#: 78.040  | AFL     | 0         |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |                  |
| 783221 THRUST REVERSER ELECTRODISTRIBUTION CONTROL   |         |           |          |          |                           |           |           | Component ATA:78 |
| PN:108131-02   | MOS/MSC | 23-Jan-91 | O/C      |          |                           |           |           |                  |
| SN:77  | HRS     | 637       |          |          | TSN 181                   |           |           |                  |
| WC#: 78.060  | AFL     | 308       |          |          |                           |           |           |                  |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |                  |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                  | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|--------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 78 - EXHAUST         |   |           |          |          |                           |           |           |             |        |
| 783301                   | THRUST REVERSER SYSTEM CHECK SUPPLY VALVE       |           |          |          |                           |           |           | Component   | ATA:78 |
| PN:A24515                | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN               | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 78.070              | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |   |           |          |          |                           |           |           |             |        |
| 783311                   | THRUST REVERSER SYSTEM CHECK RETURN VALVE       |           |          |          |                           |           |           | Component   | ATA:78 |
| PN:C24816000             | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN               | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 78.070              | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |   |           |          |          |                           |           |           |             |        |
| 783321                   | THRUST REVERSER RETRACTION JACK ISOLATION VALVE |           |          |          |                           |           |           | Component   | ATA:78 |
| PN:AE99113E              | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN               | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 78.080              | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |   |           |          |          |                           |           |           |             |        |
| 783331                   | THRUST REVERSER EXTENSION JACK ISOLATION VALVE  |           |          |          |                           |           |           | Component   | ATA:78 |
| PN:AE99113E              | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN               | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 78.080              | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |   |           |          |          |                           |           |           |             |        |
| 783341                   | THRUST REVERSER JACK LOCKING ISOLATION VALVE    |           |          |          |                           |           |           | Component   | ATA:78 |
| PN:AE99113G              | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN               | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 78.090              | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |   |           |          |          |                           |           |           |             |        |
| 783401                   | THRUST REVERSER HYDRAULIC CONTROL ACTUATOR      |           |          |          |                           |           |           | Component   | ATA:78 |
| PN:106124-01             | MOS/MSC   | 20-Jun-12 | O/C      |          | TSR 0                     |           |           |             |        |
| SN:116                   | HRS   | 7663.6    |          |          | TSR 0                     |           |           |             |        |
| WC#: 78.100              | AFL   | 3809      |          |          | TSR 0                     |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |   |           |          |          |                           |           |           |             |        |
| 783411                   | THRUST REVERSER SYNCHRONIZING BELLCRANK         |           |          |          |                           |           |           | Component   | ATA:78 |
| PN:F900HD3200240A5       | MOS/MSC   | 24-Sep-98 | O/C      |          |                           |           |           | LIFE LIMIT  |        |
| SN:UNKNOWN               | HRS   | 3471      |          |          |                           |           |           |             |        |
| WC#: 78.110              | AFL   | 1545      |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                  | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|--------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 78 - EXHAUST</b>  |   |           |          |          |                           |           |           |             |        |
| 783421                   | THRUST REVERSER LEFT CONTROL DOOR ADJUSTMENT ROD    |           |          |          |                           |           |           | Component   | ATA:78 |
| PN:PN                    | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN               | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 78.120              | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |   |           |          |          |                           |           |           |             |        |
| 783431                   | THRUST REVERSER RIGHT CONTROL DOOR ADJUSTMENT ROD   |           |          |          |                           |           |           | Component   | ATA:78 |
| PN:PN                    | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN               | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 78.120              | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |   |           |          |          |                           |           |           |             |        |
| 783441                   | THRUST REVERSER UPPER CATCH UNLOCK JACK             |           |          |          |                           |           |           | Component   | ATA:78 |
| PN:106125-01             | MOS/MSC   | 12-Dec-12 | O/C      | TSR 3    |                           |           |           |             |        |
| SN:128                   | HRS   | 7763.4    |          | TSR 0    |                           |           |           |             |        |
| WC#: 78.130              | AFL   | 3853      |          | TSR 0    |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |   |           |          |          |                           |           |           |             |        |
| 783451                   | THRUST REVERSER LOWER CATCH UNLOCK JACK             |           |          |          |                           |           |           | Component   | ATA:78 |
| PN:106125-01             | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:162                   | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 78.130              | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |   |           |          |          |                           |           |           |             |        |
| 783501                   | LH THRUST REVERSER DOOR INDICATING MICROSWITCH      |           |          |          |                           |           |           | Component   | ATA:78 |
| PN:F900HD3300410A1       | MOS/MSC   | 26-Oct-00 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN               | HRS   | 4130.2    |          |          |                           |           |           |             |        |
| WC#: 78.150              | AFL   | 1863      |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |   |           |          |          |                           |           |           |             |        |
| 783506                   | RH THRUST REVERSER DOOR INDICATING MICROSWITCH      |           |          |          |                           |           |           | Component   | ATA:78 |
| PN:PN                    | MOS/MSC   |           | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN               | HRS   | 0         |          |          |                           |           |           |             |        |
| WC#: 78.150              | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |   |           |          |          |                           |           |           |             |        |
| 783511                   | THRUST REVERSER SYNCHRONIZING BELLCRANK MICROSWITCH |           |          |          |                           |           |           | Component   | ATA:78 |
| PN:PN                    | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:UNKNOWN               | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 78.160              | AFL   | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                         | Unit  | C/W       | Interval   | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---------------------------------|---|-----------|------------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 79 - OIL</b>             |   |           |            |          |                           |           |           |             |
| 79-30-17-900-801-04             | REMOVAL/INSTALLATION OF ENGINE OIL TEMPERATURE AND PRESSURE INDICATORS - ENGINE 1 OIL PRESSURE/TEMPERATURE INDICATOR (2EM1) |           |            |          |                           |           | Component | ATA:79      |
| PN:64857-418-1                  | MOS/MSC   | 03-Apr-90 | O/C        |          |                           |           |           |             |
| SN:400                          | HRS   | 46        |            | TSN 22   |                           |           |           |             |
| WC#: 79.100                     | AFL   | 21        |            |          |                           |           |           |             |
| PROC. REF: AMM 79-30-17-900-801 |   |           |            |          |                           |           |           |             |
| 79-30-17-900-801-05             | REMOVAL/INSTALLATION OF ENGINE OIL TEMPERATURE AND PRESSURE INDICATORS - ENGINE 2 OIL PRESSURE/TEMPERATURE INDICATOR (2EM2) |           |            |          |                           |           | Component | ATA:79      |
| PN:64857-418-1                  | MOS/MSC   | 23-Mar-90 | O/C        |          |                           |           |           |             |
| SN:106                          | HRS   | 27        |            | TSN 24   |                           |           |           |             |
| WC#: 79.100                     | AFL   | 12        |            |          |                           |           |           |             |
| PROC. REF: AMM 79-30-17-900-801 |   |           |            |          |                           |           |           |             |
| 79-30-17-900-801-06             | REMOVAL/INSTALLATION OF ENGINE OIL TEMPERATURE AND PRESSURE INDICATORS - ENGINE 3 OIL PRESSURE/TEMPERATURE INDICATOR (2EM3) |           |            |          |                           |           | Component | ATA:79      |
| PN:64857-418-1                  | MOS/MSC   | 23-Oct-89 | O/C        |          |                           |           |           |             |
| SN:417                          | HRS   | 0         |            | TSN 0    |                           |           |           |             |
| WC#: 79.100                     | AFL   | 0         |            |          |                           |           |           |             |
| PROC. REF: AMM 79-30-17-900-801 |   |           |            |          |                           |           |           |             |
| 790110 <sup>S</sup>             | NO. 1 ENGINE - ANALYZE OIL AND FILTER   |           |            |          |                           |           | Service   | ATA:79      |
|                                 | MOS   | 15-Feb-23 |            |          |                           |           |           |             |
|                                 | HRS   | 9459      | 150 (+100) |          |                           |           |           |             |
| WC#: 79.010                     | ENC   | 4482      |            |          |                           |           |           |             |
| PROC. REF: LMM 72-00-00         |   |           |            |          |                           |           |           |             |
| 790110 <sup>S</sup>             | NO. 2 ENGINE - ANALYZE OIL AND FILTER   |           |            |          |                           |           | Service   | ATA:79      |
|                                 | MOS   | 15-Feb-23 |            |          |                           |           |           |             |
|                                 | HRS   | 9657      | 150 (+100) |          |                           |           |           |             |
| WC#: 79.010                     | ENC   | 4580      |            |          |                           |           |           |             |
| PROC. REF: LMM 72-00-00         |   |           |            |          |                           |           |           |             |
| 790110 <sup>S</sup>             | NO. 3 ENGINE - ANALYZE OIL AND FILTER   |           |            |          |                           |           | Service   | ATA:79      |
|                                 | MOS   | 23-Jun-23 |            |          |                           |           |           |             |
|                                 | HRS   | 9606.2    | 150 (+100) |          |                           |           |           |             |
| WC#: 79.010                     | ENC   | 4611      |            |          |                           |           |           |             |
| PROC. REF: LMM 72-00-00         |   |           |            |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                 | Unit                                     | C/W       | Interval    | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining     | Disposition    |
|-------------------------|--|-----------|-------------|----------|---------------------------|-----------|---------------|----------------|
| ATA 79 - OIL            |  |           |             |          |                           |           |               |                |
| 790120                  | NO. 1 ENGINE - CHANGE OIL                |           |             |          |                           |           |               | Service ATA:79 |
|                         | MOS                                      | 12-Nov-20 |             |          |                           |           |               |                |
|                         | HRS                                      | 8936.6    | 1200 (+100) |          | (10136.6)<br>10341.93     | 10236.6   | 510.7 (+100)  |                |
| WC#: 79.020             | ENC                                      | 4295      |             |          |                           |           |               |                |
| PROC. REF: LMM 72-00-00 |  |           |             |          |                           |           |               |                |
| 790120                  | NO. 2 ENGINE - CHANGE OIL                |           |             |          |                           |           |               | Service ATA:79 |
|                         | MOS                                      | 12-Nov-20 |             |          |                           |           |               |                |
|                         | HRS                                      | 9136.7    | 1200 (+100) |          | (10336.7)<br>10344.03     | 10436.7   | 512.8 (+100)  |                |
| WC#: 79.020             | ENC                                      | 4393      |             |          |                           |           |               |                |
| PROC. REF: LMM 72-00-00 |  |           |             |          |                           |           |               |                |
| 790120                  | NO. 3 ENGINE - CHANGE OIL                |           |             |          |                           |           |               | Service ATA:79 |
|                         | MOS                                      | 14-Jul-23 |             |          |                           |           |               |                |
|                         | HRS                                      | 9627      | 1200 (+100) |          | (10827)<br>10993.13       | 10927     | 1161.9 (+100) |                |
| WC#: 79.020             | ENC                                      | 4619      |             |          |                           |           |               |                |
| PROC. REF: LMM 72-00-00 |  |           |             |          |                           |           |               |                |
| 790130 <sup>S</sup>     | NO. 1 ENGINE - INSPECT OIL CHIP DETECTOR |           |             |          |                           |           |               | Service ATA:79 |
|                         | MOS                                      | 15-Feb-23 |             |          |                           |           |               |                |
|                         | HRS                                      | 9459      | 150 (+100)  |          |                           |           |               |                |
| WC#: 79.030             | ENC                                      | 4482      |             |          |                           |           |               |                |
| PROC. REF: LMM 79-20-03 |  |           |             |          |                           |           |               |                |
| 790130 <sup>S</sup>     | NO. 2 ENGINE - INSPECT OIL CHIP DETECTOR |           |             |          |                           |           |               | Service ATA:79 |
|                         | MOS                                      | 15-Feb-23 |             |          |                           |           |               |                |
|                         | HRS                                      | 9657      | 150 (+100)  |          |                           |           |               |                |
| WC#: 79.030             | ENC                                      | 4580      |             |          |                           |           |               |                |
| PROC. REF: LMM 79-20-03 |  |           |             |          |                           |           |               |                |
| 790130 <sup>S</sup>     | NO. 3 ENGINE - INSPECT OIL CHIP DETECTOR |           |             |          |                           |           |               | Service ATA:79 |
|                         | MOS                                      | 23-Jun-23 |             |          |                           |           |               |                |
|                         | HRS                                      | 9606.2    | 150 (+100)  |          |                           |           |               |                |
| WC#: 79.030             | ENC                                      | 4611      |             |          |                           |           |               |                |
| PROC. REF: LMM 79-20-03 |  |           |             |          |                           |           |               |                |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                 | Unit  | C/W       | Interval | TSX/Adj.    | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|-------------------------|---|-----------|----------|-------------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 79 - OIL</b>     |   |           |          |             |                           |           |           |             |        |
| 792110                  | NO. 1 ENGINE - OIL PUMP                         |           |          |             |                           |           |           | Component   | ATA:79 |
| PN:3071949-12           | MOS/MSC   | 17-Jan-14 | O/C      | TSR 0       |                           |           |           |             |        |
| SN:87-14057-1607        | HRS   | 7781.8    |          | TSR 0       |                           |           |           |             |        |
| WC#: 79.040             | ENC   | 3851      |          | TSR 0       |                           |           |           |             |        |
| PROC. REF: LMM 79-20-03 |   |           |          |             |                           |           |           |             |        |
| 792110                  | NO. 2 ENGINE - OIL PUMP                         |           |          |             |                           |           |           | Component   | ATA:79 |
| PN:3071949-11           | MOS/MSC   | 04-Oct-00 | O/C      | TSO 0       |                           |           |           |             |        |
| SN:91-14057-2351        | HRS   | 4124.4    |          | TSO 0       |                           |           |           |             |        |
| WC#: 79.040             | ENC   | 1859      |          | TSO 0       |                           |           |           |             |        |
| PROC. REF: LMM 79-20-03 |   |           |          |             |                           |           |           |             |        |
| 792110                  | NO. 3 ENGINE - OIL PUMP                         |           |          |             |                           |           |           | Component   | ATA:79 |
| PN:3071949-12           | MOS/MSC   | 12-Nov-20 | O/C      |             |                           |           |           |             |        |
| SN:97-14057-0224        | HRS   | 8977.9    |          | TSN 13268.7 |                           |           |           |             |        |
| WC#: 79.040             | ENC   | 4288      |          | TSN 8121    |                           |           |           |             |        |
| PROC. REF: LMM 79-20-03 |   |           |          |             |                           |           |           |             |        |
| 792120                  | NO. 1 ENGINE - BY-PASS INDICATOR VALVE          |           |          |             |                           |           |           | Component   | ATA:79 |
| PN:3002780-4            | MOS/MSC   | 26-Jul-23 | O/C      |             |                           |           |           |             |        |
| SN:10-150277-00520      | HRS   | 9597.2    |          |             |                           |           |           |             |        |
| WC#: 79.050             | ENC   | 4632      |          |             |                           |           |           |             |        |
| PROC. REF: LMM 79-30-01 |   |           |          |             |                           |           |           |             |        |
| 792120                  | NO. 2 ENGINE - BY-PASS INDICATOR VALVE          |           |          |             |                           |           |           | Component   | ATA:79 |
| PN:3002780-4            | MOS/MSC   | 21-Apr-14 | O/C      | TSN 0       |                           |           |           |             |        |
| SN:4-09139-412          | HRS   | 8005.9    |          | TSN 0       |                           |           |           |             |        |
| WC#: 79.050             | ENC   | 3957      |          | TSN 0       |                           |           |           |             |        |
| PROC. REF: LMM 79-30-01 |   |           |          |             |                           |           |           |             |        |
| 792120                  | NO. 3 ENGINE - BY-PASS INDICATOR VALVE          |           |          |             |                           |           |           | Component   | ATA:79 |
| PN:3002780-4            | MOS/MSC   | 26-Jul-23 | O/C      |             |                           |           |           |             |        |
| SN:970913900539         | HRS   | 9636.4    |          |             |                           |           |           |             |        |
| WC#: 79.050             | ENC   | 4625      |          |             |                           |           |           |             |        |
| PROC. REF: LMM 79-30-01 |   |           |          |             |                           |           |           |             |        |
| 792130                  | NO. 1 ENGINE - PRESSURE BREATHER VALVE ASSEMBLY |           |          |             |                           |           |           | Component   | ATA:79 |
| PN:3071564-8            | MOS/MSC   | 19-Jul-95 | O/C      |             |                           |           |           |             |        |
| SN:4724                 | HRS   | 2131.3    |          |             |                           |           |           |             |        |
| WC#: 79.060             | ENC   | 1034      |          |             |                           |           |           |             |        |
| PROC. REF: LMM 79-20-02 |   |           |          |             |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                 | Unit  | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|-------------------------|---|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 79 - OIL</b>     |   |           |          |          |                           |           |           |             |        |
| 792130                  | NO. 2 ENGINE - PRESSURE BREATHER VALVE ASSEMBLY |           |          |          |                           |           |           | Component   | ATA:79 |
| PN:99193-SOCN-3071564-9 | MOS/MSC   | 09-Dec-11 | O/C      | TSR 0    |                           |           |           |             |        |
| SN:1984                 | HRS   | 7461.3    |          | TSR 0    |                           |           |           |             |        |
| WC#: 79.060             | ENC   | 3706      |          | TSR 0    |                           |           |           |             |        |
| PROC. REF: LMM 79-20-02 |   |           |          |          |                           |           |           |             |        |
| 792130                  | NO. 3 ENGINE - PRESSURE BREATHER VALVE ASSEMBLY |           |          |          |                           |           |           | Component   | ATA:79 |
| PN:3075323-3            | MOS/MSC   | 19-Jun-14 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:1415022908240        | HRS   | 7847.1    |          | TSN 0    |                           |           |           |             |        |
| WC#: 79.060             | ENC   | 3852      |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: LMM 79-20-02 |   |           |          |          |                           |           |           |             |        |
| 792140                  | NO. 1 ENGINE - UPPER OIL COOLER                 |           |          |          |                           |           |           | Component   | ATA:79 |
| PN:158660-7             | MOS/MSC   | 19-Jul-95 | O/C      | TSO 0    |                           |           |           |             |        |
| SN:107-9138             | HRS   | 2131.3    |          | TSO 0    |                           |           |           |             |        |
| WC#: 79.070             | ENC   | 1034      |          | TSO 0    |                           |           |           |             |        |
| PROC. REF: LMM 79-20-09 |   |           |          |          |                           |           |           |             |        |
| 792140                  | NO. 2 ENGINE - UPPER OIL COOLER                 |           |          |          |                           |           |           | Component   | ATA:79 |
| PN:158600-7             | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:97-9100              | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 79.070             | ENC   | 0         |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: LMM 79-20-09 |   |           |          |          |                           |           |           |             |        |
| 792140                  | NO. 3 ENGINE - UPPER OIL COOLER                 |           |          |          |                           |           |           | Component   | ATA:79 |
| PN:158600-7             | MOS/MSC   | 25-May-12 | O/C      | TSO 0    |                           |           |           |             |        |
| SN:12419                | HRS   | 7478.7    |          | TSO 0    |                           |           |           |             |        |
| WC#: 79.070             | ENC   | 3696      |          | TSO 0    |                           |           |           |             |        |
| PROC. REF: LMM 79-20-09 |   |           |          |          |                           |           |           |             |        |
| 792150                  | NO. 1 ENGINE - LOWER LEFT OIL COOLER            |           |          |          |                           |           |           | Component   | ATA:79 |
| PN:159900-3             | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:115-6318             | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 79.080             | ENC   | 0         |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: LMM 79-20-09 |   |           |          |          |                           |           |           |             |        |
| 792150                  | NO. 2 ENGINE - LOWER LEFT OIL COOLER            |           |          |          |                           |           |           | Component   | ATA:79 |
| PN:159900-3             | MOS/MSC   | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:18-6749              | HRS   | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 79.080             | ENC   | 0         |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: LMM 79-20-09 |   |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN   | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|---|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 79 - OIL</b>   |         |           |          |          |                           |           |           |             |
| <b>792150 NO. 3 ENGINE - LOWER LEFT OIL COOLER Component ATA:79</b>     |         |           |          |          |                           |           |           |             |
| PN:159900-3   | MOS/MSC | 25-May-12 | O/C      |          | TSO 0                     |           |           |             |
| SN:45-8684  | HRS     | 7478.7    |          |          | TSO 0                     |           |           |             |
| WC#: 79.080   | ENC     | 3696      |          |          | TSO 0                     |           |           |             |
| PROC. REF: LMM 79-20-09   |         |           |          |          |                           |           |           |             |
| <b>792160 NO. 1 ENGINE - LOWER RIGHT OIL COOLER Component ATA:79</b>    |         |           |          |          |                           |           |           |             |
| PN:159910-3   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:127-6670   | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 79.090   | ENC     | 0         |          |          | TSN 0                     |           |           |             |
| PROC. REF: LMM 79-20-09   |         |           |          |          |                           |           |           |             |
| <b>792160 NO. 2 ENGINE - LOWER RIGHT OIL COOLER Component ATA:79</b>    |         |           |          |          |                           |           |           |             |
| PN:159910-3   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:117-6653   | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 79.090   | ENC     | 0         |          |          | TSN 0                     |           |           |             |
| PROC. REF: LMM 79-20-09   |         |           |          |          |                           |           |           |             |
| <b>792160 NO. 3 ENGINE - LOWER RIGHT OIL COOLER Component ATA:79</b>    |         |           |          |          |                           |           |           |             |
| PN:159910-3   | MOS/MSC | 25-May-12 | O/C      |          | TSO 0                     |           |           |             |
| SN:129-2760   | HRS     | 7478.7    |          |          | TSO 0                     |           |           |             |
| WC#: 79.090   | ENC     | 3696      |          |          | TSO 0                     |           |           |             |
| PROC. REF: LMM 79-20-09   |         |           |          |          |                           |           |           |             |
| <b>792170 NO. 1 ENGINE - OIL TEMPERATURE REGULATOR Component ATA:79</b> |         |           |          |          |                           |           |           |             |
| PN:158610-8   | MOS/MSC | 19-Jul-95 | O/C      |          | TSO 0                     |           |           |             |
| SN:77-6731  | HRS     | 2131.3    |          |          | TSO 0                     |           |           |             |
| WC#: 79.100   | ENC     | 1034      |          |          | TSO 0                     |           |           |             |
| PROC. REF: LMM 79-20-07   |         |           |          |          |                           |           |           |             |
| <b>792170 NO. 2 ENGINE - OIL TEMPERATURE REGULATOR Component ATA:79</b> |         |           |          |          |                           |           |           |             |
| PN:158610-8   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:77-6736  | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 79.100   | ENC     | 0         |          |          | TSN 0                     |           |           |             |
| PROC. REF: LMM 79-20-07   |         |           |          |          |                           |           |           |             |
| <b>792170 NO. 3 ENGINE - OIL TEMPERATURE REGULATOR Component ATA:79</b> |         |           |          |          |                           |           |           |             |
| PN:158610-8   | MOS/MSC | 13-Sep-04 | O/C      |          | TSO 0                     |           |           |             |
| SN:76-6433  | HRS     | 4991.5    |          |          | TSO 0                     |           |           |             |
| WC#: 79.100   | ENC     | 2336      |          |          | TSO 0                     |           |           |             |
| PROC. REF: LMM 79-20-07   |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN  | Unit    | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |
|--|---------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|
| <b>ATA 79 - OIL</b>  |         |           |          |          |                           |           |           |             |
| <b>793083 NO. 1 ENGINE LOW OIL PRESSURE SWITCH Component ATA:79</b>  |         |           |          |          |                           |           |           |             |
| PN:8G1126-2  | MOS/MSC | 20-Oct-94 | O/C      |          | TSN 36                    |           |           |             |
| SN:1103  | HRS     | 2015      |          |          | TSN 0                     |           |           |             |
| WC#: 79.075  | AFL     | 971       |          |          | TSN 0                     |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>793084 NO. 2 ENGINE LOW OIL PRESSURE SWITCH Component ATA:79</b>  |         |           |          |          |                           |           |           |             |
| PN:8G1126-2  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:414   | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 79.075  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>793085 NO. 3 ENGINE LOW OIL PRESSURE SWITCH Component ATA:79</b>  |         |           |          |          |                           |           |           |             |
| PN:8G1126-2  | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:406   | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 79.075  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>793101 NO. 1 ENGINE OIL PRESSURE TRANSMITTER Component ATA:79</b> |         |           |          |          |                           |           |           |             |
| PN:64251-417-2   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:2844  | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 79.080  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>793102 NO. 2 ENGINE OIL PRESSURE TRANSMITTER Component ATA:79</b> |         |           |          |          |                           |           |           |             |
| PN:64251-417-2   | MOS/MSC | 14-Apr-92 | O/C      |          |                           |           |           |             |
| SN:2898  | HRS     | 1570      |          |          | TSN 1423                  |           |           |             |
| WC#: 79.080  | AFL     | 670       |          |          | TSN 617                   |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>793103 NO. 3 ENGINE OIL PRESSURE TRANSMITTER Component ATA:79</b> |         |           |          |          |                           |           |           |             |
| PN:64251-417-2   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:2529  | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 79.080  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |
| <b>793119 NO. 1 ENGINE OIL TEMPERATURE PROBE Component ATA:79</b>    |         |           |          |          |                           |           |           |             |
| PN:56B17   | MOS/MSC | 23-Oct-89 | O/C      |          |                           |           |           |             |
| SN:0384  | HRS     | 0         |          |          | TSN 0                     |           |           |             |
| WC#: 79.090  | AFL     | 0         |          |          |                           |           |           |             |
| PROC. REF: AMM GENERIC 2   |         |           |          |          |                           |           |           |             |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN                  | Unit                               | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|--------------------------|------------------------------------|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| <b>ATA 79 - OIL</b>      |                                    |           |          |          |                           |           |           |             |        |
| 793120                   | NO. 2 ENGINE OIL TEMPERATURE PROBE |           |          |          |                           |           |           | Component   | ATA:79 |
| PN:56B17                 | MOS/MSC                            | 14-Apr-92 | O/C      |          |                           |           |           |             |        |
| SN:95138                 | HRS                                | 1570      |          | TSN 1423 |                           |           |           |             |        |
| WC#: 79.090              | AFL                                | 670       |          | TSN 617  |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |                                    |           |          |          |                           |           |           |             |        |
| 793121                   | NO. 3 ENGINE OIL TEMPERATURE PROBE |           |          |          |                           |           |           | Component   | ATA:79 |
| PN:56B17                 | MOS/MSC                            | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:77291                 | HRS                                | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 79.090              | AFL                                | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |                                    |           |          |          |                           |           |           |             |        |
| 793155                   | ENGINE OIL LEVEL INDICATOR         |           |          |          |                           |           |           | Component   | ATA:79 |
| PN:267-968-004           | MOS/MSC                            | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:42                    | HRS                                | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 79.110              | AFL                                | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |                                    |           |          |          |                           |           |           |             |        |
| 793161                   | ENGINE OIL LEVEL AMPLIFIER         |           |          |          |                           |           |           | Component   | ATA:79 |
| PN:360-967-004           | MOS/MSC                            | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:210                   | HRS                                | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 79.120              | AFL                                | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |                                    |           |          |          |                           |           |           |             |        |
| 793167                   | NO. 1 ENGINE OIL LEVEL GAGE        |           |          |          |                           |           |           | Component   | ATA:79 |
| PN:029-907-004           | MOS/MSC                            | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:337                   | HRS                                | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 79.130              | AFL                                | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |                                    |           |          |          |                           |           |           |             |        |
| 793168                   | NO. 2 ENGINE OIL LEVEL GAGE        |           |          |          |                           |           |           | Component   | ATA:79 |
| PN:029-907-004           | MOS/MSC                            | 19-Jun-14 | O/C      | TSN 0    |                           |           |           |             |        |
| SN:2218                  | HRS                                | 8032      |          | TSN 0    |                           |           |           |             |        |
| WC#: 79.130              | AFL                                | 3965      |          | TSN 0    |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |                                    |           |          |          |                           |           |           |             |        |
| 793169                   | NO. 3 ENGINE OIL LEVEL GAGE        |           |          |          |                           |           |           | Component   | ATA:79 |
| PN:029-907-004           | MOS/MSC                            | 23-Oct-89 | O/C      |          |                           |           |           |             |        |
| SN:313                   | HRS                                | 0         |          | TSN 0    |                           |           |           |             |        |
| WC#: 79.130              | AFL                                | 0         |          |          |                           |           |           |             |        |
| PROC. REF: AMM GENERIC 2 |                                    |           |          |          |                           |           |           |             |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: FALCON 900 Serial: 075 RegNo: C-GEOS HRS: 9831.2 AFL: 4640 As Of: 14-Nov-2023

21-Nov-2023 12:37 PM

| PN & SN              | Unit   | C/W       | Interval | TSX/Adj. | Next Due<br>(ENG/APU) A/C | Max Limit | Remaining | Disposition |        |
|----------------------|--|-----------|----------|----------|---------------------------|-----------|-----------|-------------|--------|
| ATA 79 - OIL         |  |           |          |          |                           |           |           |             |        |
| 79A100 <sup>US</sup> | NO. 1 ENGINE - INSPECT PACKING ON OUTBOARD OIL FILLER CAP AND DIP STICK AT EVERY OIL CHANGE, AND DURING APPLICABLE ENGINE INSPECTION |           |          |          |                           |           |           | Service     | ATA:79 |
|                      | MOS  | 15-Feb-23 |          |          |                           |           |           |             |        |
|                      | HRS  | 9459      | 150      |          |                           |           |           |             |        |
|                      | ENC  | 4482      |          |          |                           |           |           |             |        |
|                      |  |           |          |          |                           |           |           | PKG:1       |        |
| 79A100 <sup>US</sup> | NO. 2 ENGINE - INSPECT PACKING ON OUTBOARD OIL FILLER CAP AND DIP STICK AT EVERY OIL CHANGE, AND DURING APPLICABLE ENGINE INSPECTION |           |          |          |                           |           |           | Service     | ATA:79 |
|                      | MOS  | 15-Feb-23 |          |          |                           |           |           |             |        |
|                      | HRS  | 9657      | 150      |          |                           |           |           |             |        |
|                      | ENC  | 4580      |          |          |                           |           |           |             |        |
|                      |  |           |          |          |                           |           |           | PKG:1       |        |
| 79A100 <sup>US</sup> | NO. 3 ENGINE - INSPECT PACKING ON OUTBOARD OIL FILLER CAP AND DIP STICK AT EVERY OIL CHANGE, AND DURING APPLICABLE ENGINE INSPECTION |           |          |          |                           |           |           | Service     | ATA:79 |
|                      | MOS  | 15-Feb-23 |          |          |                           |           |           |             |        |
|                      | HRS  | 9498.2    | 150      |          |                           |           |           |             |        |
|                      | ENC  | 4475      |          |          |                           |           |           |             |        |
|                      |  |           |          |          |                           |           |           | PKG:1       |        |

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task